




PROPERTY OF THE
**NATIONAL
LIBRARY OF
MEDICINE**



Psychopharmaca

A BIBLIOGRAPHY OF PSYCHOPHARMACOLOGY

1952-1957



U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE



Psychopharmaca

A BIBLIOGRAPHY OF PSYCHOPHARMACOLOGY

1952-1957

Compiled for the Psychopharmacology Service Center
National Institute of Mental Health, National Institutes of Health

By Anne E. Caldwell, M. D.

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE

PUBLIC HEALTH SERVICE

U. S. NATIONAL LIBRARY OF MEDICINE

Ref.

ZWA

4

94585P

no. 19

1958

C. 2

PUBLIC HEALTH SERVICE PUBLICATION NO. 581

Public Health Bibliography Series No. 19

NATIONAL LIBRARY OF MEDICINE

WASHINGTON, D. C.

UNITED STATES

GOVERNMENT PRINTING OFFICE

WASHINGTON : 1958

TABLE OF CONTENTS

<i>Page</i>		<i>Page</i>	
1	INTRODUCTION	118	Ololiuqui
5	DRUG INDEX	118	Opilon
17	SUBJECT LIST OF DRUGS	119	PM-1090
19	Adrenochrome	119	Perphenazine
19	Adrenolutin	119	Phenaglycodol
20	Ataraxics	119	Phenothiazines
25	Azacyclonol	120	Pipradrol
29	BGE	123	Prenderol
29	Benactyzine	123	Prochlorperazine
31	Bufotenine	123	Promazine
31	CB-1522	125	Promethazine
31	Cannabis	127	Psychopharmaca
32	Chlorpromazine	129	Psychotomimetics
84	Covatin	131	Pyrathiazine
85	Ethylcrotonylurea	131	Quiactin
86	Harmine	131	RP-4909
86	Hibicon	132	RP-6549
86	Hydroxyzine	132	RP-7044
87	Ibogaine	132	Rauwolfia alkaloids
87	Iproniazid	132	Rauwolfia canescens alkaloids
89	Lysergic acid amide	133	Rauwolfia serpentina alkaloids
89	Lysergic acid diethylamide	138	Rescinnamine
99	Lysergic acid diethylamide, acetylated	138	Reserpine
99	Lysergic acid diethylamide, brominated	161	SKF-5
100	Lysergic acid ethylamide	161	Serotonin
101	MER-22	164	Stimulants
101	Medmain	165	TMA
101	Mepazine	165	Thiazinamium
103	Mephenesin	165	Triflupromazine
105	Mephenesin carbamate	165	WIN-2299
105	Meprobamate	165	WY-1107
110	Mescaline	165	Yohimbine
115	Methopromazine	167	ANCILLARY SUBJECT LIST OF SPECIAL CONDITIONS
115	Methylphenidylacetate	169	Aged
117	Methylpromazine	171	Alcoholism
118	N-Oblivon	176	Children
118	NP-207	180	Pain
118	NP-207, brominated	183	AUTHOR LIST

INTRODUCTION

This bibliography was compiled by the National Library of Medicine of the Public Health Service at the request of the Psychopharmacology Service Center of the National Institute of Mental Health, Bethesda, Maryland. It is another in a series of long bibliographies published by the National Library of Medicine at intervals since 1950.

Scope and Coverage

Psychopharmacology is defined as psychiatric neuropharmacology, the study of neuropharmacologic agents from a psychiatric viewpoint. Psychopharmaca are drugs that primarily affect the mental state; the definition is, of course, necessarily arbitrary.

This bibliography contains references to approximately 2,500 articles published between January 1952¹ and December 1956 and an incomplete listing for 1957. It covers all articles concerned with the effect of psychopharmacologic agents on the psychologic, behavioral, and encephalographic reactions of normal subjects, patients, and laboratory animals. Articles on the chemistry and on the physiologic effects of these agents are not included, unless they report encephalographic studies or severe untoward effects, such as convulsions or death.

Source Materials Used To Prepare the Bibliography

Current List of Medical Literature, 1952–May 1957.

Chemical Abstracts, 1952–January 1957.

Excerpta Medica, Section 8 [Neurology and Psychiatry] 1952–1956.

Psychological Abstracts, 1952–1956.

Public card catalog of the National Library of Medicine.

Published bibliographies and the cited articles themselves, which frequently contain reviews of the literature or extensive lists of references.

Individual issues (beyond those indexed in the May 1957 issue of the Current List of Medical Literature) of:

A. M. A. Archives of Neurology and Psychiatry, March–December 1957.

American Journal of Psychiatry, March–December 1957.

Annals of the New York Academy of Sciences, March 1957.

British Medical Journal, March–December 1957.

Diseases of the Nervous System, February–May 1957.

Encéphale, September 1956–December 1957.

International Record of Medicine, March–December 1957.

Journal of Clinical and Experimental Psychopathology and Quarterly Review of Psychiatry and Neurology, September 1956–March 1957.

Journal of Mental Science, January–July 1957.

Journal of Nervous and Mental Disease, June 1956–December 1957.

Psychiatric Quarterly, December 1956–April 1957.

All material was examined, except for eight articles which are marked "Not seen". Abbreviations for journals are those of the Current List of Medical Literature.

Organization

The bibliography consists of:

1. Drug Index. Its purpose is to aid the user in locating entries in the bibliography and to facilitate use of the international literature on psychopharmacology. It lists the following types of terms with all necessary cross references:

- (a) Chemical names of drugs, experimental code names, trade names, and generic names.
- (b) Names of drug groups.
- (c) Trade names of drug combinations with their composition.

¹ Except for two articles: Laborit (July 1951); Laborit and Huguenard (October 1951).

(d) Terms for special therapeutic and research techniques used in psychopharmacology.

In addition the Drug Index contains two types of lists:

- (1) *For individual drugs.* Under the generic name of a drug—or the experimental code name if that name is used in the Subject List—are listed all chemical, code, and trade synonyms and trade names of drug combinations found in the literature.
- (2) *For drug groups.* Under the name of a drug group are listed its synonyms and then, in italics, the individual drugs of that group.

2. Subject List of Drugs. This section of the bibliography is arranged alphabetically by generic drug names. If the generic name is not available, the experimental code name is used. Also included in alphabetical order are the names of drug groups. Under each drug name the references are grouped in various subdivisions.

The meaning of most of the subdivisions is obvious; only the following may require clarification:

Additional data is the subdivision used to separate articles on a quantitative basis. For example, therapeutic studies of pipradrol will be found under **PIPRADROL—Therapeutic studies, controlled** or **PIPRADROL—Therapeutic use** but articles on pharmacotherapy in psychiatry that contain a little information on pipradrol will be found under **PIPRADROL—Therapeutic use—Additional data**. This subdivision is used wherever quantitative separation is expedient.

Psychotherapeutic use is the subdivision for articles on psychotherapy following administration of a psychotomimetic drug. It is also used in a wider sense for ataractic therapy within a psychotherapeutic setting if the importance of concomitant psychotherapy is particularly stressed. Comments, however, on the psychotherapy-facilitating effect of ataraxics or on the expediency of adjuvant psychotherapy are found in nearly all articles on ataractic therapy.

Therapeutic studies, controlled and **Therapeutic use** are the subdivisions for articles on therapy of mental diseases generally found in institutionalized patients. They are further subdivided as follows: **Neuroses** is the subdivision for articles on outpatients and borderline psychotics. **Psychoses** is used in the generally accepted mean-

ing and also occasionally for chronic severe neuroses. **Psychosomatic diseases** is the subdivision for somatic diseases with an overlay of psychologic or neurotic symptoms.

Untoward effects is the subdivision used for articles concerned solely or chiefly with injurious effects. This is further subdivided into **Addiction** and **Poisoning**. If an article is mainly concerned with another topic (e. g., therapeutic use of the drug) but does contain a certain amount of information on untoward effects, it is marked with a single asterisk. A double asterisk after the citation means that the article reports at least one death.

Various special techniques is the subdivision for articles on use of chlorpromazine in the various lytic mixtures. This is a departure from the usual, more specific classification system in that articles on prolonged sleep, hibernotherapy, etc., are grouped together.

Various [3 or more] is a subdivision used under names of drug groups for articles on combinations or comparisons of three or more drugs of the same group. For similar articles on only two drugs a subdivision that begins with the word **with** is used.

With at the beginning of a subdivision is used for the following combinations, interactions or comparisons and always in the following order:

- (a) The drug used in combination with, or compared with, another psychopharmacologic agent.
- (b) The drug used in combination with, or compared with, "other drugs". "Other drugs" in this bibliography means "other than the new psychopharmacologic agents". These are mostly older sedatives or stimulants for which there are no main headings in the bibliography.
- (c) The drug used in combination with, or compared with, physical methods, such as intermittent photic stimulation, psychosurgery, and the various shock therapies.

3. Ancillary Subject List of Special Conditions. The special conditions in this list are **AGED, ALCOHOLISM, CHILDREN, and PAIN**. This section of the bibliography contains all the articles referring to any of these conditions. Although all

articles in this section are also cited under the drug name in the Subject List of Drugs they are repeated here in full bibliographic detail.

4. Author List. This section of the bibliography is arranged alphabetically by author's name, with cross references from co-authors to main author. It repeats in full the reference as given in the Subject List of Drugs, and is included to enable the reader to locate references by author.

Acknowledgments

I am very grateful to those authors whose imagination opens new vistas, whose thoughts are stimu-

lating, and whose style is refreshing: they made the task of reading 2500 papers bearable—I hope they will find their articles adequately indexed!

I wish to thank Jonathan O. Cole, M. D., Lorraine Bouthilet, Ph. D., and C. Jelleff Carr, Ph. D., of the Psychopharmacology Service Center, for their many valuable, critical, and constructive suggestions.

The National Library of Medicine welcomes comments on this bibliography. Letters should be addressed to the Director.

ANNE E. CALDWELL, M. D.

DECEMBER 1957.

DRUG INDEX

A-2601 *see* Chlorpromazine.
A-4540-1-1 *see* Benactyzine.
AY-5406-1 *see* Benactyzine.
AY-55074 *see* Covatin.
Acepromazine *see* CB-1522.
6-Acetoxy-thymoxy-ethyl-dimethyl-amine *see* Otilon.
8-Acetyl-10-[3-dimethylaminopropyl] phenothiazine
see CB-1522.
Acetyl lysergic acid diethylamide
see Lysergic acid diethylamide, acetylated.
Acetylpromazine maleate *see* CB-1522.
Adalat=Promethazine+Carbromal [1:40]
see under Promethazine with other drugs.
Adazine *see* Triflupromazine.
Addictive effect
see [Drug]—*Untoward effects—Addiction*
see also headnote p. 19
Adrenaline, pink *see* Adrenochrome.
ADRENOCHROME.
Adrenaline, pink.
ADRENOLUTIN.
3,5,6-Trihydroxy-N-methylindole.
Alseroxylon *see* Rauwolfia serpentina alkaloids.
Aminazin *see* Chlorpromazine.
Ampli (a) ctil *see* Chlorpromazine.
Amril=Mephenesin+Reserpine+Acetylcarbromal
see Mephenesin with Reserpine and other drugs.
Analeptics *see* Stimulants.
Anatensin=Mephenesin+Acetylcarbromal
see under Mephenesin with other drugs.
Anergan *see* Phenothiazines.
Artificial hibernation (*see* Lytic cocktails)
Ataractan *see* Azacyclonol.
Ataractic drugs *see* Ataraxics
Atarax *see* Hydroxyzine.

ATARAXICS.

Ataractic drugs.
Neuroleptics.
Neuroplegics.
Orthothymics.
Psycholeptics.
Relaxants.
Tranquillizers.

Azacyclonol.
Benactyzine.
CB-1522.
Chlorpromazine.
Covatin.
Ethylcrotonylurea.
Hydroxyzine.
Isothiazine [under Phenothiazines].
Lysergic acid ethylamide.
Mepazine.

Mephenesin.
Mephenesin carbamate.
Meprobamate.
Methopromazine.
Methylpromazine.
N-Oblivon.
NP-207.
NP-207, brominated.
Otilon.
Perphenazine.
Phenaglycodol.
Phenothiazines.
Prenderol.
Prochlorperazine.
Promazine.
Promethazine.
Pyrazithiazine.
Quiactin.
RP-2955 [under Phenothiazines].
RP-4909.
RP-6549.
RP-7044.
Rauwolfia alkaloids.
Rauwolfia canescens alkaloids.
Rauwolfia serpentina alkaloids.
Rescinnamine.
Reserpine.
Serotonin.
Thiazinamium.
Triflupromazine.
Wy-1107.

Ataraxics *see also* Psychopharmaca.

Ataraxics blocking psychotomimetics.
see Psychotomimetics with Ataraxics—Interaction.
[Psychotomimetic] with [Ataraxiac]—Interac-
tion.
(*see* Model psychoses, blocked).

Ataraxics, combined use.
see Ataraxics—Various [3 or more]—Combined.
[Ataraxiac A] with [Ataraxiac B]—Combined.
e. g. Chlorpromazine with Reserpine—Combined.

Ataraxics combined with stimulants.
see [Ataraxiac] with [Stimulant]—Combined.
e. g. Reserpine with Pipradrol—Combined.
Ataraxics with Stimulants.

Ataraxics, compared
see Ataraxics—Various [3 or more]—Compared.
[Ataraxiac A] with [Ataraxiac B]—Compared.
e. g. Chlorpromazine with Reserpine—Compared.

Ataraxoid=Hydroxyzine+Prednisolone.
see Hydroxyzine with other drugs.

Atosil *see* Promethazine.

AZACYCLONOL

α,α -Diphenyl-4-piperidinemethanol.
 α -[4-Piperidyl]benzhydrol hydrochloride.
Ataractan.
Frenquel.
MER-17.

BGE

β -Hydroxy "pseudo" tryptophan.
"Blue-green to Ehrlich's reagent."

BOL-148 *see* Lysergic acid diethylamide, brominated.
BYK-M1 *see* Mephenesin.

Banisterine *see* Harmine.

Beatilina *see* Benactyzine.

BENACTYZINE

Benzilic acid diethylaminoethylester hydrochloride.

2-Diethylaminoethyl diphenylglycolate.

A-4540-1-1.

AY-5406-1.

Beatilina.

Cevanol.

Lucidil.

Nutinal.

Parasan.

Savital.

Suavital [Suavetil].

Benzilic acid di-ethyl-amino-ethyl-ester hydrochloride
see Benactyzine.

N-Benzyl-3-chloropropionamide *see* Hibicon.

Bogadin T. M. *see* Ibogaine.

Brom-LSD *see* Lysergic acid diethylamide, brominated.

Brominated NP-207 *see* NP-207, brominated.

2-Brom-*d*-lysergic acid diethylamide

see Lysergic acid diethylamide, brominated.

Brom-piperidino-chlor-phenothiazine

see NP-207, brominated.

BUFOTENINE

Hydroxy-dimethylaminoethyl indole.

N,N-Dimethyl-5-hydroxytryptamine.

N,N-Dimethyl-serotonin.

Cohoba.

p-Butylmercaptobenzohydryl- β -dimethylaminoethyl sulfide
see Covatin.

Butylthiophenylmethyldimethylaminoethyl sulfide
see Covatin.

CB-1522

8-Acetyl-10-[3-dimethylaminopropyl]phenothiazine.

Acepromazine.

Acetylpromazine maleate.

Notensil.

Plegicil.

CMP *see* N-Oblivon.

CP *see* Pipradrol.

Canescine *see* Rauwolfia canescens alkaloids.

CANNABIS

Hashish.

Marihuana.

Dihydrocannabinol.

Parahexyl.

1-Hydroxy-3-*n*-hexyl-6,6,9-trimethyl-7,8,9,10-tetrahydro-6-dibenzopyran.

Pyrahexyl.

Synhexyl.

Tetrahydrocannabinol.

Cannabism *see under* Cannabis—Intoxication

Central stimulants *see* Stimulants.

Cetiproman=Promethazine+Bromide.

see under Promethazine with other drugs.

Cevanol *see* Benactyzine.

Chlor-benzhydryl-hydroxyethyl-diethylene-diamine
see Hydroxyzine.

Chlorbromasin *see* Chlorpromazine.

2-Chloro-10-[3-diethylaminopropyl] phenothiazine
see RP-4909.

2-Chloro-10-[3-dimethylaminopropyl] phenothiazine
see Chlorpromazine.

2-Chloro-10-[3-[1-(2-hydroxyethyl)-4-piperazinyl]propyl]-phenothiazine *see* Perphenazine.

2-Chloro-10-[3-(1-methyl-4-piperazinyl)propyl] phenothiazine *see* Prochlorperazine.

3-Chloro-10-[2-(N-methyl-piperidyl-2)-ethyl] phenothiazine *see* NP-207.

1-[*p*-Chloro-*a*-phenylbenzyl]-4-[2-hydroxyethoxyethyl]piperazine *see* Hydroxyzine.

2-[*p*-Chlorophenyl]-3-methyl-2,3-butanediol
see Phenaglycodol.

Chlorpiproazine *see* Perphenazine.

CHLORPROMAZINE.

2-Chloro-10-[3-dimethylaminopropyl] phenothiazine.
A-2601.

Aminazin.

Ampli(a)etil.

Chlorbromasin.

HL-5746.

Hibernal.

Largactil.

M+B-2378.

Megaphen.

Propaphenin.

RP-4560.

SKF-2601-A.

Thorazine.

DRUG COMBINATION.

Thora-Dex.

Chrystoserpine *see* Reserpine.

Ciba-14 469 *see* MER-22.

Cocktails.

(*see* Lytic cocktail, classic).

(*see* Lytic cocktails).

Cohoba *see* Bufotenine.

Combinations of drugs.

(*see* Drug combinations).

(*see* Drug combinations, trademarks).

Combined use of drugs (*see* Drug combinations).

Comparisons between drugs (*see* Drug comparisons)

Compazine *see* Prochlorperazine.

COVATIN.

p-Butylmercaptobenzohydryl- β -dimethylaminoethyl sulfide.

Butylthiophenylmethyldimethylaminoethyl sulfide.

AY-55074.

N-68.

Suvren.

DEP *see* Prenderol.

DOL *see* Pipradrol.

Delysid *see* Lysergic acid diethylamide.

Deserpidine *see* Rauwolfia canescens alkaloids.

Desmethoxymethylreserpate trimethoxybenzoic acid ester
see Rauwolfia canescens alkaloids.

Desmethoxyreserpine *see* Rauwolfia canescens alkaloids.
 Diethylaminoethylcyclopentyl [2-thienyl] glycolate hydrochloride *see* WIN-2299.
 2-Diethylaminoethyl diphenylglycolate *see* Benactyzine.
 Diethylamino-methylpropyl phenothiazine *see* RP-6549.
 10-[3-Diethylaminopropyl]-2-chlorophenothiazine *see* RP-4909.
 10-(3-Diethylaminopropyl)phenothiazine *see* Wy-1107.
 2,2-Diethyl-1,3-propanediol *see* Prenderol.
 Dihydrocannabinol *see* Cannabis.
 10-[2-Dimethylaminoethyl] phenothiazine *see* Phenothiazines.
 10-[2-Dimethylamino-1-methylethyl] phenothiazine *see* Promethazine.
 10-(3-Dimethylamino-2-methylpropyl) phenothiazine *see* Methylpromazine.
 10-[3-Dimethylamino-2-methyl-propyl]-3-methoxy - phenothiazine *see* RP-7044.
 10-[3-Dimethylaminopropyl]-8-acetyl phenothiazine *see* CB-1522.
 10-[3-Dimethylaminopropyl]-2-chlorophenothiazine *see* Chlorpromazine.
 10-[3-Dimethylaminopropyl]-2-methoxy phenothiazine *see* Methopromazine.
 10-[2-Dimethylamino propyl] phenothiazine *see* Promethazine.
 10-[3-Dimethylaminopropyl] phenothiazine *see* Promazine.
 10-(3-Dimethylaminopropyl)-2-methyl phenothiazine *see* Methylpromazine.
 10-(3-Dimethylaminopropyl) - 2 - (trifluoromethyl)phenothiazine *see* Triflupromazine.
N,N-Dimethyl-5-hydroxytryptamine *see* Bufotenine.
N,N-Dimethyl-serotonin *see* Bufotenine.
 2-Diphenylmethyl piperidine *see* MER-22.
 2-Diphenyloxymethyl piperidine *see* Pipradrol.
 α,α -Diphenyl-4-piperidinemethanol *see* Azacyclonol.
 1,2-Diphenyl-1-[4-piperidyl]-ethanol *see* MER-22.
 Diprozone *see* Promethazine.
 Doroma (*see* Adalat).

Drug combinations.
see [Drug] with [Drug]—Combined.
see [Drug] with [Drug]—Interaction.
 (*see* Ataraxics, combined use).
 (*see* Ataraxics combined with stimulants).
 (*see* Model psychoses, blocked).
 (*see* Psychopharmaca combined with non-psychopharmacologic agents).
 (*see* Psychotomimetics, blocked).

Drug Combinations, Trademarks.

Adalat.
 Amril.
 Anatensin.
 Ataraxoid.
 Cetiproman.
 Doroma=Adalat.
 Mephate.
 Nembu-Serpin.
 Nor-Dis.
 Plimasin.

Rauwidrine.
 Riker 529-1.
 Riker 529-2.
 Sedaltine.
 Serpatilin.
 Serpatonil.
 Thora-Dex.
 Triserpine.

Drug comparisons.
see [Drug] with [Drug]—Compared.
 (*see* Ataraxics, compared).
 (*see* Psychopharmaca compared with non-psychopharmacologic agents).
 (*see* Psychotomimetics, compared).
 (*see* Stimulants, compared).

Drug evaluation *see* Psychopharmaca—*Evaluation*.

Drug groups.
 (*see* Ataraxics)
 (*see* Phenothiazines)
 (*see* Psychopharmaca)
 (*see* Psychotomimetics)
 (*see* Stimulants)

Drug interaction.
see [Drug] with [Drug]—Interaction.
 (*see* Model psychoses, blocked).
 (*see* Psychotomimetics, blocked).

Drugs altering behavior (*see* Psychopharmaca)

Ectylurea *see* Ethylcrotonylurea.

Electroshock.
see [Drug] with Shock therapies
 [Drug] with Shock therapy [ECT]

Equanil *see* Meprobamate.

Eskaserp *see* Reserpine.

2-Ethyl-*cis*-crotonylurea *see* Ethylcrotonylurea.

ETHYLCROTONYLUREA.

2-Ethyl-*cis*-crotonylurea.
 Ectylurea.
 MA-110.
 Nostyn.

3-Ethyl-2-methyl-5-dimethylamino indole *see* Medmain.

2-Ethyl-3-propylglycidamide *see* Quiactin.

Etizin *see* Phenothiazines.

Evaluation *see* Psychopharmaca—*Evaluation*.

Fargan *see* Promethazine.

Fénéthazine *see* Phenothiazines.

Flower-her-Mother *see* Ololiuqui.

Frenquel *see* Azacyclonol.

Gendon *see* Rauwolfia serpentina alkaloids.

Gerodyl *see* Pipradrol.

HL-5746 *see* Chlorpromazine.

Hallucinogens *see* Psychotomimetics.

HARMINE [Harman].

Banisterine.
 Telepathine.
 Yageine.

Harmonyl *see* Rauwolfia canescens alkaloids.

Hashish *see* Cannabis.

Hibernal *see* Chlorpromazine.

Hibernotherapy (*see* Lytic cocktails)

HIBICON.

N-Benzyl-3-chloropropionamide.

Hydroxy-dimethylaminoethyl indole *see* Bufotenine.

1-(2-Hydroxyethyl)-4-[3-(2-chloro-10-phenothiazinyl)-propyl]-piperazine dihydrochloride *see* Perphenazine.

1-(2-Hydroxyethyl)-4-[3-(2-chloro-10-phenothiazyl)-propyl]-piperazine *see* Perphenazine.

10-(3-[1-(2-Hydroxyethyl)-4-piperazinyl]-propyl)-2-chlorophenothiazine *see* Perphenazine.

1-Hydroxy-3-*n*-hexyl-6,6,9-trimethyl-7,8,9,10-tetrahydro-6-dibenzopyran *see* Cannabis.

2-Hydroxy-3-*o*-toloxypropyl carbamate
see Mephenesin carbamate.

β -Hydroxy "pseudo" tryptophan *see* BGE.

5-Hydroxytryptamine *see* Serotonin.

HYDROXYZINE.

Chlor-benzhydryl-hydroxyethyl diethylene-diamine.

1-(*p*-Chloro- α -phenylbenzyl)-4-(2-hydroxyethoxyethyl) piperazine.

Atarax.

NP-212.

DRUG COMBINATION.
Ataraxoid.

IIH *see* Iproniazid.

IBOGAINE [Ibogine].

Bogadin T. M.

Injurious effects.

see [Drug]—*Untoward effects*.

see also headnote p. 19.

Interaction (*see* Drug interaction).

Insulin shock.

see [Drug] with Shock therapies.

[Drug] with Shock therapy [ICT]

Intermittent photic stimulation.

see [Drug] with Intermittent photic stimulation.

IPRONIAZID.

IIH

1-Isonicotinyl-2-isopropyl hydrazine.

2-Isopropyl-1-isonicotinyl hydrazine.

Marsilid.

Ro 2-4572.

1-Isonicotinyl-2-isopropyl hydrazine *see* Iproniazid.

Isophenergan *see* Promethazine.

[Isopromethazine] *see under* Promethazine.

10-[2-Dimethylamino-1-methylethyl] phenothiazine.

Atosil.

Isophenergan.

Lergigan.

Lilly-01516.

2-Isopropyl-1-isonicotinyl hydrazine *see* Iproniazid.

[Isothiazine] *see under* Phenothiazines.

10-(2-Dimethyl amino ethyl) phenothiazine.

Anergan.

Etizin.

Fénéthazine.

Lisergan.

Lysergan.

RP-3015.

Koglucoid *see* Rauwolfia serpentina alkaloids.

LA-111 *see* Lysergic acid amide.

LAE-32 *see* Lysergic acid ethylamide.

LSD-25 *see* Lysergic acid diethylamide.

Lacumin *see* Mepazine.

Largactil *see* Chlorpromazine.

Leptidrol *see* Pipradrol.

Lergigan *see* Promethazine.

Levomepromazine *see* RP-7044.

Lilly-01516 *see* Promethazine.

Lilly-22641 *see* Rauwolfia canescens alkaloids.

Liranol *see* Promazine.

Lisergan *see* Phenothiazines.

Lucidil *see* Benactyzine.

Lysergan *see* Phenothiazines.

LYSERGIC ACID AMIDE.

LA 111.

LYSERGIC ACID DIETHYLAMIDE.

LSD-25.

Delysid.

LYSERGIC ACID DIETHYLAMIDE, ACETYLATED.

Acetyl lysergic acid diethylamide.

LYSERGIC ACID DIETHYLAMIDE, BROMINATED.

2-Brom-*d*-lysergic acid diethylamide.

BOL-148.

Brom-LSD.

LYSERGIC ACID ETHYLAMIDE.

LAE-32.

Lytic cocktail, classic

=Chlorpromazine+Promethazine+Meperidine

[1 : 1 : 2].

Lytic cocktails.

see CB-1522—*Cocktail*.

Chlorpromazine—*Various special techniques*.

Mepazine—*Cocktail*.

MA-110 *see* Ethylcrotonylurea.

M+B-2378 *see* Chlorpromazine.

MC-2303 *see* Mephenesin carbamate.

MC-4703 *see* Triflupromazine.

MER-17 *see* Azacyclonol.

MER-22.

1,2-Diphenyl-1-[4-piperidyl]-ethanol.

2-Diphenylmethyl piperidine.

Ciba-14469.

MRD-108 *see* Pipradrol.

MRE-108 *see* Pipradrol.

Marihuana *see* Cannabis.

Marsilid *see* Iproniazid.

MEDMAIN.

2-Methyl-3-ethyl-5-dimethylaminoindole.

Megaphen *see* Chlorpromazine.

Mepantin *see* Meprobamate.

Mepavlon *see* Meprobamate.

MEPAZINE.

10-[N-Methyl-3-piperidylmethyl] phenothiazine.
Lacumin.
P-391.
Pacatal.
Pecazine.
W-1224.

Mephate=Mephenesin+glutamic acid.
see under Mephenesin—*Therapeutic use.*

MEPHENESIN.

3-*o*-Toloxyl-1,2-propanediol.
BYK-M1.
Myanesin.
Myocain.
Tolserol.

DRUG COMBINATIONS.

Amril.
Anatensin.
Mephate.
Sedaltine.

MEPHENESIN CARBAMATE.

2-Hydroxy-3-*o*-toloxypropyl carbamate.
MC-2303.
Tolseram.

MEPROBAMATE.

2-Methyl-2-*n*-propyl-1,3-propanediol dicarbamate.
Equanil.
Mepantin.
Mepavlon.
Meproban.
Miltown.
Oasil.
Perequil.
Quanil.
Restenil.

Meproban *see* Meprobamate.

Meratran *see* Pipradrol.

MESCALINE.

3,4,5-Trimethoxyphenethylamine.
Peyote.

METHOPROMAZINE.

2-Methoxy-10-[3-dimethylaminopropyl] phenothiazine.
Mopazine.
RP-4632.

Methotrimeprazine *see* RP-7044.

3-Methoxy-10-[3-dimethylamino-2-methylpropyl] phenothiazine *see* RP-7044.

2-Methoxy-10-[3-dimethylaminopropyl] phenothiazine.
see Methopromazine.

3,4-Methylene dihydroxyphenyl iso propylamine
see SKF-5.

2-Methyl-3-ethyl-5-dimethylaminoindole *see* Medmain.

Methyl pentynol carbamate *see* N-Oblivon.

Methylphenidate *see* Methylphenidylacetate.

METHYLPHENIDYLACETATE.

α -Phenyl-2-piperidine methylacetate.
Methylphenidate.
Phenidylate.
Ritalin.

DRUG COMBINATIONS.

Plimasin.
Serpatilin.
Serpatonil.

10-[3-N-Methylpiperazinylpropyl]-2-chlorophenothiazine
see Prochlorperazine.

10-[2-(N-Methyl-piperidyl-2) ethyl]-3-chlorophenothiazine
see NP-207.

10-[N-Methyl-3-piperidylmethyl] phenothiazine.
see Mepazine.

METHYLPROMAZINE.

10-(3-Dimethylaminopropyl)-2-methyl phenothiazine.
Temaril.
Trimeprazine.

2-Methyl-2-*n*-propyl-1,3-propanediol dicarbamate
see Meprobamate.

Methyl reserpate trimethoxybenzoic ester *see* Reserpine.

Methyl reserpate trimethoxycinnamic ester
see Rescinnamine.

Miltown *see* Meprobamate.

Model psychoses.

see Psychotomimetics—*Studies, normal subjects.*
[Psychotomimetic drug]—*Studies, normal subjects.*
e. g. Adrenochrome—*Studies, normal subjects.*

Model psychoses, blocked.

see Psychotomimetics with Ataraxics—Interaction—*Studies, normal subjects.*
[Psychotomimetic drug] with [Ataractic drug]—*Interaction—Studies, normal subjects.*
e. g. Mescaline with Azacyclonol—Interaction—*Studies, normal subjects.*

Moderil *see* Rescinnamine.

Mopazine *see* Methopromazine.

Multergan *see* Thiazinamium.

Multezin *see* Thiazinamium.

Music *see* Reserpine with Music.

Myanesin *see* Mephenesin.

Myocain *see* Mephenesin.

N-68 *see* Covatin.

N-OBLIVON.

Methyl pentynol carbamate.
CMP.

NP-207.

3-Chloro-10[2-(N-methyl-piperidyl-2)-ethyl] phenothiazine.
Piperidinochlorphenothiazine.
Piperido-chlorpromazine.

NP-207, BROMINATED.

Brom-piperidino-chlor-phenothiazine.
Brominated NP-207.

NP-212 *see* Hydroxyzine.

Na-so-le-na *see* Ololiuqui.

Nembu-Serpin=Reserpine+Nembutal.
see under Reserpine with other drugs.

Neuroleptics *see* Ataraxics.

Neuroplegics *see* Ataraxics.

Nor-Dis=Yohimbine+Barbiturates+Bromides.
see Yohimbine with other drugs.

Nostyn *see* Ethylcrotonylurea.

Notensil *see* CB-1522.

Nutinal *see* Benactyzine.

Oasil *see* Meprobamate.

OLOLIQUI.

Flower-her-Mother.

Na-so-le-na.

Piule.

OPILON.

6-Acetoxy-thymoxy-ethyl-dimethyl-amine.

Thymoxyalkylamine.

Orthothymics *see* Ataraxics.

P-391 *see* Mepazine.

PM-1090.

Tetramethyl succinimide.

Pacatal *see* Mepazine.

Padisal *see* Thiazinamium.

Pagalkadawa *see* Rauwolfia serpentina alkaloids.

Parahexyl *see* Cannabis.

Parasan *see* Benactyzine.

Pecazine *see* Mepazine.

Perequil *see* Meprobamate.

PERPHENAZINE.

2-Chloro-10-[3-[1-(2-hydroxyethyl)-4-piperazinyl] propyl]-phenothiazine.

1-(2-Hydroxyethyl)-4-[3-(2-chloro-10-phenothiazinyl)-propyl]-piperazine dihydrochloride.

1-[2-Hydroxyethyl]-4-[3-(2-chloro-10-phenothiazyl)-propyl]-piperazine.

Chlorpiprozone.

Sch-3940.

Trilafon.

Peyote *see* Mescaline.

PHENAGLYCODOL.

2-[p-Chlorophenyl]-3-methyl-2,3-butanediol.

Ultran.

Phenergan *see* Promethazine.

Phenidylate *see* Methylphenidylacetate.

PHENOTHIAZINES.

CB-1522.

Chlorpromazine.

[Isothiazine].

Mepazine.

Methopromazine.

Methylpromazine.

NP-207.

NP-207, brominated.

Perphenazine.

Prochlorperazine.

Promazine.

Promethazine.

Pyrazinazine.

[RP-2955].

RP-4909.

RP-6549.

RP-7044.

Thiazinamium.

Trifluorpromazine.

Wy-1107.

α -Phenyl-2-piperidine methyl acetate

see Methylphenidylacetate.

Photic stimulation

see [Drug] with Intermittent photic stimulation.

Phrenopraxics *see* Psychopharmaca.

Phrenotropics *see* Psychopharmaca.

Piperidinochlorphenothiazine *see* NP-207.

Piperido-chlorpromazine *see* NP-207.

α -[2-Piperidyl] benzhydrol hydrochloride *see* Pipradrol.

α -[4-Piperidyl] benzhydrol hydrochloride *see* Azacyclonol.

PIPRADROL.

2-Diphenyloxymethyl piperidine.

α -[2-Piperidyl] benzhydrol hydrochloride.

CP.

DOL.

Gerodol.

Leptidrol.

MRD-108.

MRE-108.

Meratran.

Piule *see* Ololiuqui.

Placebo effect *see* Psychopharmaca—*Evaluation*.

Plegicil *see* CB-1522.

Plimasin=Methylphenidylacetate+Pyribenzamine.

see under Methylphenidylacetate with other drugs.

Poisoning *see* [Drug]—*Untoward effects*—*Poisoning*.
see also headnote p. 19.

PRENDEROL.

2, 2-Diethyl-1, 3 propanediol.

DEP.

PROCLORPERAZINE [Prochlorperazine].

2-Chloro-10-[3-(1-methyl-4-piperazinyl) propyl] phenothiazine.

Compazine.

RP-6140.

Stemetil.

PROMAZINE.

10-[3-Dimethylaminopropyl]-phenothiazine.

Liranol.

Sparine.

Tyzine.

WY-1094.

PROMETHAZINE.

10-[2-Dimethylamino-1-methylethyl] phenothiazine.

10-[2-Dimethylamino propyl] phenothiazine.

Atosil.

Diprozin.

Fargan.

Isophenergan.

Isopromethazine.

Lergigan.

Lilly-01516.

Phenergan.

Prothazin.

RP-3277.

Thiorgan.

Vallergin.

DRUG COMBINATIONS.

Adalat.

Cetiproman.

Doroma=Adalat.

Propaphenin *see* Chlorpromazine.
 Prothazin *see* Promethazine.
 Psychedelics *see* Psychotomimetics.
 Psychic energizers *see* Stimulants.
 Psycholeptics *see* Ataraxics.

PSYCHOPHARMACA.

Drugs altering behavior.
 Phrenopraxics.
 Phrenotropics.
 Psychopharmacologic agents.
 Psychotropics.
Ataraxics.
Psychotomimetics.
Stimulants.

Psychopharmaca combined with non-psychopharmacologic agents.
see [Psychopharmacon] with other drugs—Combined.
 e. g. Reserpine with other drugs—Combined.

Psychopharmaca compared with non-psychopharmacologic agents.
see [Psychopharmacon] with other drugs—Compared.
 e. g. Reserpine with other drugs—Compared.

Psychopharmacologic agents *see* Psychopharmaca.

Psychosocial considerations.
see Ataraxics—*Psychosocial considerations.*

Psychosurgery.
see [Drug] with Psychosurgery.
 Psychotogenics *see* Psychotomimetics.

PSYCHOTOMIMETICS [Psychosomimetics].

Hallucinogens.
 Psychedelics.
 Psychotaraxics.
 Psychotogenics.
 Taraxics.
Adrenochrome.
Adrenolutin.
BGE
Bufotenine.
Cannabis.
Harmine.
Ibogaine.
Lysergic acid amide.
Lysergic acid diethylamide.
Lysergic acid diethylamide, acetylated.
Lysergic acid diethylamide, brominated.
Lysergic acid ethylamide.
Medmain.
Mescaline.
Olotinquin.
TMA.
WIN-2299.
Yohimbine.

Psychotomimetics *see also* Psychopharmaca.

Psychotomimetics, blocked.
see Psychotomimetics with Ataraxics—Interaction.
 [Psychotomimetic] with [Ataraxic]—Interaction.
 e. g. Mescaline with Azacyclonol—Interaction.

Psychotomimetics, compared.
see Psychotomimetics—*Various* [3 or more]—*Compared.*
 [Psychotomimetic] with [Psychotomimetic]—*Compared.*
 e. g. Mescaline with Lysergic acid diethylamide—*Compared.*

Psychotonics *see* Stimulants.

Psychotropics *see* Psychopharmaca.

Pyraxetyl *see* Cannabis.

PYRATHIAZINE.

10-[2-(1-Pyrrolidyl) ethyl] phenothiazine
 Pyrrolazo(a)te
 Pyrrolidine-ethyl phenothiazine.
 Rolazote.
 RP-4270.

Pyrrolazo(a)te *see* Pyrathiazine.

Pyrrolidine-ethyl phenothiazine *see* Pyrathiazine.

10-[2-(1-Pyrrolidyl) ethyl] phenothiazine
see Pyrathiazine.

Quanil *see* Meprobamate.

QUIACTIN.

2-Ethyl-3-propylglycidamide.

Ro 2-4572 *see* Iproniazid.

RP-2955 *see* Phenothiazines.

RP-3015 *see* Phenothiazines.

RP-3277 *see* Promethazine.

RP-3554 *see* Thiazinamium.

RP-4270 *see* Pyrathiazine.

RP-4560 *see* Chlorpromazine.

RP-4632 *see* Methopromazine.

RP-4909.

2-Chloro-10-(3-diethylaminopropyl) phenothiazine.

RP-6140 *see* Prochlorperazine.

RP-6549.

Diethylamino-methylpropyl phenothiazine

RP-7044.

3-Methoxy-10-[3-dimethylamino-2-methylpropyl] pheno-
 thiazine.
 Levomepromazine.
 Methotrimeprazine.

Raudixin *see* *Rauwolfia serpentina* alkaloids.

Raunorine *see* Reserpine.

Raunormine *see* *Rauwolfia canescens* alkaloids.

Raupina *see* *Rauwolfia serpentina* alkaloids.

Rau-Sed *see* Reserpine.

Rauwidrine=*Rauwiloid*+Amphetamine.
see under *Rauwolfia serpentina* alkaloids with other
 drugs [stimulants].

Rauwiloid see *Rauwolfia serpentina* alkaloids.

Rauwolfia see *Rauwolfia serpentina* alkaloids.

RAUWOLFIA ALKALOIDS.

Rauwolfia canescens alkaloids.
Rauwolfia serpentina alkaloids.

RAUWOLFIA CANESCENS ALKALOIDS.

Deserpidine.
 Desmethoxymethylreserpate trimethoxybenzoic ester.
 Desmethoxyreserpine.
 Canescine.
 Harmony.
 Lilly-22641.
 Raunormine.
 Recanescine.

Rauwolfscine.

Reserpine.

DRUG COMBINATIONS.

Riker 529-1.

Triserpine.

Rauwolfia canescens alkaloids *see also* Reserpine.

RAUWOLFIA SERPENTINA ALKALOIDS.

Pagalkadawa.

Sarpagandha.

Snakeroot.

Single alkaloids.

Raupina.

Rescinnamine.

Reserpine.

Sarpagin.

Total alkaloids.

Alseroxylon.

Gendon.

Rauwiloid.

Ra-Valeas.

Sarpagan.

Serpalkon.

Whole root preparations.

Koglucid.

Raudixin.

Rauwolfia.

Serpina.

DRUG COMBINATIONS.

Rauwidrine.

Sedaltine.

Rauwolfia serpentina alkaloids *see also* Rescinnamine.

Rauwolfia serpentina alkaloids *see also* Reserpine.

Rauwolfscine see Rauwolfia canescens alkaloids.

Ra-Valeas see Rauwolfia serpentina alkaloids.

Recanescine see Rauwolfia canescens alkaloids.

Relaxants see Ataraxics.

RESCINNAMINE.

Methyl reserpate trimethoxycinnamic ester.

Trimethoxy cinnamoyl methyl reserpate.

Moderil.

DRUG COMBINATIONS.

Riker 529-2.

Triserpine.

Research design *see* Psychopharmaca—*Evaluation.*

RESERPINE.

Methyl reserpate trimethoxybenzoic ester.

Trimethoxybenzoyl methyl reserpate.

Chrystoserpine.

Eskaserp.

Raunorine.

Rau-Sed.

Reserpoid.

Sandrill.

Sedaraupin.

Serfin.

Serolfia.

Serpanray.

Serpasil.

Serpiloid.

Serpine.

DRUG COMBINATIONS

Amril.

Nembu-Serpin.

Riker 529-1.

Riker 529-2.

Serpatilin.

Serpatonil.

Triserpine.

Reserpoid *see* Reserpine.

Restenil *see* Meprobamate.

Riker 529-1=Reserpine [75%]+Deserpidine [25%].
see *Rauwolfia canescens* alkaloids with Reserpine—
Combined [Riker 529-1].

Riker 529-2=Reserpine [75%]+Rescinnamine [25%].
see Rescinnamine with Reserpine—Combined [Riker
529-2].

Ritalin *see* Methylphenidylacetate.

Rolazote *see* Pyrathiazine.

Sch-3940 *see* Perphenazine.

SKF-5.

3,4-Methylene dihydroxyphenyl isopropylamine.

SKF-2601-A *see* Chlorpromazine.

Sandrill *see* Reserpine.

Sarpagan *see* *Rauwolfia serpentina* alkaloids.

Sarpagandha *see* *Rauwolfia serpentina* alkaloids.

Sarpagin *see* *Rauwolfia serpentina* alkaloids.

Savitil *see* Benactyzine.

Sedaltine=Mephenesin [100 mg].
+*Rauwolfia serpentina* alkaloids (total alka-
loids) 55% [0.25 mg].
+other drugs.
aluminium hydroxide [100 mg].
bromvalerone [65 mg].
carbromal [195 mg].

see Mephenesin.

with *Rauwolfia serpentina* alkaloids and other drugs.

Sedaraupin *see* Reserpine.

Sedation *see* Ataraxics.

Serfin *see* Reserpine.

Serolfia *see* Reserpine.

SEROTONIN.

5-Hydroxytryptamine.

Serpanray *see* Reserpine.

Serpalkon *see* *Rauwolfia serpentina* alkaloids.

Serpasil *see* Reserpine.

Serpatilin=Reserpine+Methylphenidylacetate [1:100].
see under Reserpine with Methylphenidylacetate.

Serpatonil=Reserpine+Methylphenidylacetate [1:33].
see under Reserpine with Methylphenidylacetate.

Serpiloid *see* Reserpine.

Serpina *see* *Rauwolfia serpentina* alkaloids.

Serpine *see* Reserpine.

Shock therapy.

see [Drug] with Shock therapies.
[Drug] with Shock therapy [ECT]
[Drug] with Shock therapy [ICT]

Sleep therapy.

(*see* Lytic cocktails).
(*see* Phenothiazines).

Snakeroot *see* *Rauwolfia serpentina* alkaloids.

Social considerations.
see Ataraxics—*Psychosocial considerations*.

Sparine *see* Promazine.

Stemetil *see* Prochlorperazine.

STIMULANTS.

Analeptics.
 Psychic energizers.
 Psychotonics.

Hibicon.
Iproniazid.
MER-22.
Methylphenidylacetate.
PM-1090.
Pipradrol.
SKF-5.

Stimulants *see also* Psychopharmaca.

Stimulants combined with ataraxics.
see [Ataraxiac] with [Stimulant]—Combined.
 e. g., Reserpine with Pipradrol—Combined.
 Ataraxics with Stimulants.

Stimulants, compared.
see [Stimulant A] with [Stimulant B]—Compared.
 e. g. Methylphenidylacetate with Pipradrol—Compared.

Suavitil [Suavetil] *see* Benactyzine.

Suvren *see* Covatin.

Synhexyl *see* Cannabis.

TMA.

Trimethoxyamphetamine.
 3,4,5-Trimethoxyphenyl- β -aminopropane.

Taraxics *see* Psychotomimetics.

Telepathine *see* Harmine.

Temaril *see* Methylpromazine.

Tetrahydrocannabinol *see* Cannabis.

Tetramethyl succinimide *see* PM-1090.

Thiazinamin *see* Thiazinamium.

THIAZINAMIUM.

Trimethylaminopropylphenothiazine sulfomethylate.
 Multergan.
 Multezin.
 Padisal.
 RP-3554.
 Thiazinamin.
 Thiazinamon.

Thiazinamon *see* Thiazinamium.

Thiorgan *see* Promethazine.

Thora-Dex=Chlorpromazine+Dexedrine.
see under Chlorpromazine with other drugs [CNS stimulants]—Combined: Amphetamine.

Thorazine *see* Chlorpromazine.

Thymoxyalkylamine *see* Oplon.

3-o-Toloxyl-1,2-propanediol *see* Mephesisin.

Tolseram *see* Mephesisin carbamate.

Tolserol *see* Mephesisin.

Trademarks of drug combinations.
 (*see* Drug combinations, trademarks).

Tranquilizers *see* Ataraxics.

2-Trifluoromethyl-10-(γ -dimethylaminopropyl)phenothiazine *see* Triflupromazine.

TRIFLUPROMAZINE.

10-(3-Dimethylaminopropyl)-2-(trifluoromethyl) phenothiazine.
 2-Trifluoromethyl-10-(γ -dimethylaminopropyl) phenothiazine.
 Adazine.
 MC-4703.
 Vesprin.

3,5,6-Trihydroxy-N-methylindole *see* Adrenolutin.

Trilafon *see* Perphenazine.

Trimeprazine *see* Methylpromazine.

Trimethoxyamphetamine *see* TMA.

Trimethoxybenzoyl methyl reserpate *see* Reserpine.

Trimethoxycinnamoyl methyl reserpate.
see Rescinnamine.

3,4,5-Trimethoxyphenethylamine *see* Mescaline.

3,4,5-Trimethoxyphenyl- β -aminopropane *see* TMA.

Trimethylaminopropylphenothiazine sulfomethylate.
see Thiazinamium.

Triserpine=Reserpine [60 %].
 +Rescinnamine [20 %].
 +Deserpidine [20 %].
see Rauwolfia canescens alkaloids.
 with Rescinnamine and Reserpine—Combined.

Tyzine *see* Promazine.

Ultran *see* Phenaglycodol.

Untoward effects. *see* [Drug]—*Untoward effects*.
see also headnote p. 19.

Vallergin *see* Promethazine.

Vesprin *see* Triflupromazine.

W-1224 *see* Mepazine.

WIN-2299.

Diethylaminoethylcyclopentyl [2-thienyl] glycolate hydrochloride.

WY-1094 *see* Promazine.

WY-1107.

10-(3-Diethylaminopropyl) phenothiazine.

Yageine *see* Harmine.

YOHIMBINE.

DRUG COMBINATION.
 Nor-Dis.

SUBJECT LIST OF DRUGS



*A single asterisk after a citation indicates that the article includes data on untoward effects.
 **A double asterisk after a citation means that the article reports at least one death.

ADRENOCHROME.

Delay, J., Thuillier, J. Psychiatrie expérimentale et psychopharmacologie. [Experimental psychiatry and psychopharmacology.] *Sem. hôp. Paris*, 1956, 32: 3187-3193.

Evarts, E. V. A review of the neurophysiological effects of lysergic acid diethylamide (LSD) and other psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 479-495.

Fabing, H. D. The dimensions of neurology. *Neurology*, 1955, 5: 603-611. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1718.

—. Experimental psychoses which mimic schizophrenia. *Nebraska M. J.*, 1956, 41: 455-459.

—. The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drug & Cosmet. Indust.*, 1956, 78: 32-33; 125-129.

Fazekas, J. F., Toupin, H., Alman, R. W. Physiologic and pharmacologic basis for the chemotherapy of psychiatric states. *Am. J. Med.*, 1956, 21: 825-831.

Hoffer, A. Adrenolutin as a psychotomimetic agent. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 73-100.

—. Epinephrine derivatives as potential schizophrenic factors. *J. Clin. Exp. Psychopath.*, 1957, 18: 27-60.

—, Osmond, H., Smythies, J. Schizophrenia; a new approach. II. Result of a year's research. *J. Ment. Sc.*, *London*, 1954, 100: 29-45.

Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818.

Pearson, J., Dewhurst, K. Mescaline: apotheosis of the devil's root. *Irish J. M. Sc.*, 1956: 139-143.

Psychobiology and drugs. *Internat. Rec. M.*, 1956, 169: 231-232.

Rinkel, M., Hyde, R. W., Solomon, H. C. Experimental psychiatry. IV. Hallucinogens: tools in experimental psychiatry. *Dis. Nerv. Syst.*, 1955, 16: 229-232.

—, Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18: 323-334.

Turner, W. J., Merlis, S., Carl, A. Concerning theories of indoles in schizophrenogenesis. *Am. J. Psychiat.*, 1955, 112: 466-467.

Studies, animals

Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sc.*, 1957, 66: 496-507.

—, Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 9-21.

—, —. An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.

Schwarz, B. E., Wakim, K. G., Bickford, R. G., Lichtenheld, F. R. Behavioral and electroencephalographic effects of hallucinogenic drugs; changes in cats on intraventricular injection. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 83-90. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 328.

Turner, W. J. The effect of lysergic acid diethylamide on *Betta splendens*: I. *Dis. Nerv. Syst.*, 1956, 17: 193-197.

Witt, P. N. Der Netzbau der Spinne als Test zur Prüfung zentralnervös angreifender Substanzen. [Construction of spider webs as a test for drugs with CNS action.] *Arzneimitt. Forsch.*, 1956, 6: 628-635.

Studies, normal subjects

The chemical concept of psychoses. *What's new*, 1955 (189): 3-7.

Hoffer, A., Osmond, H., Smythies, J. Schizophrenia; a new approach. II. Result of a year's research. *J. Ment. Sc., London*, 1954, 100: 29-45.

Jarvik, M. E. Mechanism of action of lysergic acid diethylamide, serotonin, and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 145-154.

Osmond, H. Research on schizophrenia. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the second conference, May 1955, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1956. p. 183-233.

—. A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

Rinkel, M., Hyde, R. W., Solomon, H. C. Experimental psychiatry. III. A chemical concept of psychosis. *Dis. Nerv. Syst.*, 1954, 15: 259-264.

Stangl, E. Klinische Erfahrungen über die muskeldynamische Wirkung des Adrenoxyls (Monosemikarbazonderivat des Adrenochroms.) [Clinical experiences with the muscle dynamic effect of adrenoxyl (monosem-carbazone derivative of adrenochrome.)] *Ther. Umschau, Bern*, 1953, 10: 64-66.

Szatmari, A., Hoffer, A., Schneider, R. The effect of adrenochrome and niacin on the electroencephalogram of epileptics. *Am. J. Psychiat.*, 1955, 111: 603-616.

Studies, patients

Schwarz, B. E., Sem-Jacobsen, C. W., Petersen, M. C. Effects of mescaline, LSD-25, and adrenochrome on depth electrograms in man. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 579-587.

Szatmari, A., Hoffer, A., Schneider, R. The effect of adrenochrome and niacin on the electroencephalogram of epileptics. *Am. J. Psychiat.*, 1955, 111: 603-616.

with ADRENOLUTIN—COMPARED
 see ADRENOLUTIN

with IPRONIAZID—COMPARED
 see IPRONIAZID—Pharmacodynamics

with SEROTONIN—INTERACTION
 see ADRENOCHROME—Studies, animals [SCHWARZ, WAKIM, & others]

ADRENOLUTIN

Fabing, H. D. Experimental psychoses which mimic schizophrenia. *Nebraska M. J.*, 1956, 41: 455-459.

Rinkel, M., Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18: 323-334.

Studies, animals

Schwarz, B. E., Wakim, K. G., Bickford, R. G., Lichtenheld, F. R. Behavioral and electroencephalographic effects of hallucinogenic drugs; changes in cats on intraventricular injection. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 83-90. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 328.

Studies, normal subjects

Hoffer, A. Adrenolutin as a psychotomimetic agent. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 73-100.

—. Epinephrine derivatives as potential schizo-

phrenic factors. *J. Clin. Exp. Psychopath.*, 1957, 18: 27-60.

Osmond, H. Research on schizophrenia. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the second conference, May 1955, Princeton, N. J. New York, *Josiah Macy Jr. Foundation*, 1956. p. 183-233.

—. A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

with ADRENOCHROME—COMPARED
see ADRENOLUTIN

with SEROTONIN—INTERACTION
see ADRENOLUTIN—Studies, animals

ATARAXICS

see also PSYCHOPHARMACA
individual ataraxics
cf. DRUG INDEX: ATARAXICS

Ataractics. [Roundtable discussion at meeting held in Atlantic City, N. J., November 1956.] *Pub. Health Rep.*, 1957, 72: 624-637.

Azima, H. Report on the international colloquium on chlorpromazine and neuroleptic medications in psychiatric treatment, Paris, October 20-22, 1955. *Am. J. Psychiat.*, 1956, 112: 749-750.

Cole, J. O., Ross, S., Bouthilet, L. Recommendations for reporting studies of psychiatric drugs. [Conference held in Washington, D. C., January 1957.] *Pub. Health Rep.*, 1957, 72: 638-645.

Le colloque international de Paris sur la chlorpromazine et les médicaments neuroleptiques en thérapeutique psychiatrique. [International colloquium in Paris (October 1955) on chlorpromazine and neuroleptic drugs in psychiatric therapy.] *J. méd. Lyon*, 1956, 37: 103-105.

Colloque international sur la chlorpromazine et les médicaments neuroleptiques en thérapeutique psychiatrique. [International colloquium on chlorpromazine and neuroleptic drugs in psychiatric therapy.] [Paris, October 1955] *Encéphale*, 1956, 45: 301-1266. [Articles within the scope of this bibliography are listed individually]

Conn, H. F., ed. Symposium on the efficacy of new drugs. *Med. Clin. N. America*, 1957, 41: 295-615. [Articles within the scope of this bibliography are listed individually]

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398.

Fernandes, B. Clorpromazina, reserpina e a chamada "farmacopsiquiatria". [Chlorpromazine and reserpine at the colloquium on "pharmacopsychiatry".] [Paris, October 1955] *J. méd., Porto*, 1956, 29: 237-243.

Gerard, R. W. Drugs for the soul; the rise of psychopharmacology. *Science*, 1957, 125: 201-203.

Happiness pills in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 57-65.

Himwich, H. E., ed. *Tranquilizing drugs*. 197 p. [Symposium held in Atlanta, Georgia, December 1955] Washington, *Am. Ass. Adv. Sc.*, 1957. [Articles within the scope of this bibliography are listed individually]. Meprobamate and other agents used in mental disturbances. [Conference held in New York, October 1956] *Ann. N. York Acad. Sc.*, 1957, 67: 671-894.

The pharmacology of psychotomimetic and psychotherapeutic drugs. [Conference held in New York, April 1956.] *Ann. N. York Acad. Sc.*, 1957, 66: 415-840. [Articles within the scope of this bibliography are listed individually]

Symposium on the evaluation of pharmacologic agents in psychiatry. *J. Clin. Exp. Psychopath.*, 1957, 18: 221-

283. [Articles within the scope of this bibliography are listed individually]

Symposium on tranquilizing agents in clinical medicine. *Internat. Rec. M.*, 1956, 169: 177-232. [All articles are listed individually]

Symposium on tranquilizers. [Summary of proceedings. British Medical Association annual meeting, Newcastle upon Tyne, July 1957] *Brit. M. J.*, 1957, 2: 219-221.

Symposium: Physiologic, pharmacologic, neurologic, and psychologic actions of drugs recently introduced in the treatment of psychiatric disorders. *Psychiat. Res. Rep.*, Wash., 1955 (1): 1-51. [Articles within the scope of this bibliography are listed individually]

Symposium: The neurophysiology and neuropharmacology of the new drugs. *Psychiat. Res. Rep.*, Wash., 1956 (4): 1-34. [Articles within the scope of this bibliography are listed individually]

Symposium: The relative values of drugs in the various psychiatric syndromes. *Psychiat. Res. Rep.*, Wash., 1956 (4): 35-78. [All articles are listed individually]

Symposium: The significance and management of the complications resulting from new drugs. *Psychiat. Res. Rep.*, Wash., 1956 (4): 79-94. [Both articles are listed individually]

Tranquilizers in psychiatry. [Report on Royal Medico-Psychological Association meeting, London, February 1956] *Brit. M. J.*, 1956, 1: 512-513.

Wikler, A. The relation of psychiatry to pharmacology. 322 p. Baltimore, *Williams & Wilkins* [for the American Society for Pharmacology and Experimental Therapeutics] 1957.

Combined

see [Ataraxic A] with [Ataraxic B]—Combined
ATARAXICS—Various [3 or more]—Combined

Compared

see [Ataraxic A] with [Ataraxic B]—Compared
ATARAXICS—Various [3 or more]—Compared

Evaluation see PSYCHOPHARMACA—Evaluation

Pharmacodynamics

Alexander, L. Therapeutic process in electroshock and the newer drug therapies; psychopathological considerations. *J. Am. M. Ass.*, 1956, 162: 966-969.

—. Objective approaches to treatment in psychiatry. *Canad. Psychiat. Ass. J.*, 1957, 2: 77-94.

Barsa, J. A. The dual action of the tranquilizers. *Am. J. Psychiat.*, 1957, 114: 74-75.

Boor, W. de. Considérations nosologiques sur la thérapeutique par les médicaments neuroleptiques. [Nosologic considerations on treatment with neuroleptic drugs.] *Encéphale*, 1956, 45: 605-608.

Delay, J. Allocution finale. [Final address.] [International colloquium on chlorpromazine and neuroleptic drugs, Paris, October 1955] *Encéphale*, 1956, 45: 1181-1184.

—. Introduction au colloque international. [Introduction to the international colloquium.] [On chlorpromazine and neuroleptic drugs, Paris, October 1955] *Encéphale*, 1956, 45: 303-306.

Deniker, P. Psychophysiological aspects of the new chemotherapeutic drugs in psychiatry; some practical features of "neuroleptics" in order to screen new drugs. *J. Nerv. Ment. Dis.*, 1956, 124: 371-376.

—. Recent advances in "pharmaco-psychiatry." *J. Clin. Exp. Psychopath.*, 1956, 17: 381-384.

Fazekas, J. F., Toupin, H., Alman, R. W. Physiologic and pharmacologic basis for the chemotherapy of psychiatric states. *Am. J. Med.*, 1956, 21: 825-831.

Himwich, H. E. Viewpoints obtained from basic and clinical symposia on tranquilizing drugs. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 183-192.

Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818.

—, Introductory note [to symposium on tranquilizing drugs, Atlanta, Georgia, December 1955] In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957, p. 1-5.

Martí-Ibáñez, F. The historical and philosophic background of psychobiology. *J. Clin. Exp. Psychopath.*, 1956, 17: 360-369.

Orsi, C. I farmaci atarassici. [Ataraxics.] *Boll. chim. farm.*, 1956, 9: 432-436.

Pennes, H. H. The nature of drugs with mental actions and their relation to cerebral function. *Bull. N. York Acad. M.*, 1957, 33: 81-88.

Perrault, M. Sur les tranquillisateurs. [Tranquilizers.] *Progr. méd., Par.*, 1957, 85: 3-4; 7.

Ravreby, M. Pharmacology. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 57-59.

Schmitt, R. J. The psychodynamics of the tranquilizing agents. *Psychiat. Q.*, 1957, 31: 17-30.

Placebo effect see **PSYCHOPHARMACA—Evaluation**

Psychosocial considerations [see headnote p. 19]

see also **PSYCHOPHARMACA—Evaluation**

American Psychiatric Association. The contribution of the tranquilizing drugs and the dangers in their casual use for relief of everyday tensions. *J. Iowa M. Soc.*, 1957, 47: 66.

Ataractics. [Roundtable discussion at meeting held in Atlantic City, N. J., November 1956.] *Pub. Health Rep.*, 1957, 72: 624-637.

Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747.

Azima, H. The use of chlorpromazine and reserpine in psychological disorders in general practice. *Canad. M. Ass. J.*, 1956, 74: 929-931.

Brill, H., Patton, R. E. Analysis of 1955-56 population fall in New York state mental hospitals in first year of large-scale use of tranquilizing drugs. *Am. J. Psychiat.*, 1957, 114: 509-517.

Carr, C. J., Kinnard, W. J., Jr. The phrenotropic agents. *Internat. Rec. M.*, 1957, 170: 493-504.

Cobb, S. Peace of mind. *Am. J. Psychiat.*, 1957, 113: 663-664.

Cowden, R. C., Zax, M., Finney, R. C. A preliminary note on the use of chlorpromazine with neuropsychiatric disorders. *A. M. A. Arch. Neur. Psychiat.*, 1955, 73: 700-701.

Dickel, H. A., Dixon, H. H. Inherent dangers in use of tranquilizing drugs in anxiety states. *J. Am. M. Ass.*, 1957, 163: 422-426.

Drop in shock therapy. *Science*, 1957, 125: 229.

Expert committee on addiction-producing drugs. Seventh report. *World Health Org. Techn. Rep. Ser.*, 1957 (116): 1-15.

Freyhan, F. A. The immediate and long range effects of chlorpromazine on the mental hospital. In: *Chlorpromazine and mental health*. Philadelphia, *Lea & Febiger*, 1955, p. 71-84; discussion p. 84-98.

Friend, D. G., McLemore, G. A., Jr. Some abuses of drugs in therapy. *N. England J. M.*, 1956, 254: 1223-1231. *

Hoch, P. H. New drug therapy in psychiatry: clinical uses and abuses in mental disorders. *Bull. N. York Acad. M.*, 1957, 33: 474-486.

Hollister, L. E. Complications from the use of tranquilizing drugs. *N. England J. M.*, 1957, 257: 170-177. **

Kahn, E. Information values. *Am. J. Psychiat.*, 1957, 114: 375-376.

Kline, N. S. Relation of psychiatry to the pharmaceutical industry. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 611-615.

Kramer, M. Facts needed to assess public health and social problems in the widespread use of the tranquilizing drugs. *Pub. Health Monogr.*, 1956 (41): 1-31.

Laborit, H., Jaulmes, C. De l'anesthésie potentialisée à l'hibernation artificielle. [From potentiated anesthesia to artificial hibernation.] *Toulouse méd.*, 1952, 53: 821-829. [p. 828]

Lasagna, L., McCann, W. P. Effect of "tranquilizing" drugs on amphetamine toxicity in aggregated mice. *Science*, 1957, 125: 1241-1242.

National Association of Science Writers. Drug therapy publicity. *Am. J. Psychiat.*, 1956, 113: 77.

Overholser, W. Psychobiologic advances and the management of hospitalized patients. *J. Clin. Exp. Psychopath.*, 1956, 17: 378-380.

Pierson, C. A. La chlorpromazine et la maîtrise de soi dans les angoisses collectives. [Chlorpromazine and self-control in mass hysteria.] *Encéphale*, 1956, 45: 562-565.

"Rose is a rose is a rose is a rose". *Psychiat. Q.*, 1957, 31: 346-361.

Sainz, A., Bigelow, N., Barwise, C. On a methodology for the clinical evaluation of phrenopraxic drugs. *Psychiat. Q.*, 1957, 31: 10-16.

Szasz, T. S. Some observations on the use of tranquilizing drugs. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 86-92.

Tranquillizers and divorce. *Brit. M. J.*, 1957, 2: 1122-1123.

Tuteur, W. Effect of chlorpromazine and reserpine on budgets of mental hospitals. *Am. J. Psychiat.*, 1957, 113: 657-659.

Studies, animals

Berger, F. M., Campbell, G. L., Hendley, C. D., Ludwig, B. J., Lynes, T. E. The action of tranquilizers on brain potentials and serotonin. *Ann. N. York Acad. Sc.*, 1957, 66: 686-694.

Brady, J. V. A review of comparative behavioral pharmacology. *Ann. N. York Acad. Sc.*, 1957, 66: 719-732.

Chauchard, P., Mazoué, H. Recherches sur le mode d'action centropégique de quelques substances psychotropes. [Research on the mode of centripetal action of some psychotropic substances.] *C. rend. Soc. biol.*, 1956, 150: 158-160.

Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.

Hendley, C. D., Lynes, T. E., Berger, F. M. Effect of meprobamate on electrical activity of thalamus and other subcortical areas. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957, p. 35-46.

Kinnard, W. J., Carr, C. J. A preliminary procedure for the evaluation of central nervous system depressants. *J. Pharm. Exp. Ther.*, 1957, 121: 354-361.

Lim, R. K., Pindell, M. H., Glass, H. G., Rink, K. The experimental evaluation of sedative agents in animals. *Ann. N. York Acad. Sc.*, 1956, 64: 667-678.

Norton, S., De Beer, E. J. Effects of drugs on the behavioral patterns of cats. *Ann. N. York Acad. Sc.*, 1956, 65: 249-257.

Pfeiffer, C. C., Jenney, E. H. The inhibition of the conditioned response and the counteraction of schizophrenia by muscarinic stimulation of the brain. *Ann. N. York Acad. Sc.*, 1957, 66: 753-764.

Walaszek, E. J., Abood, L. G. Effect of tranquilizing drugs on fighting responses of Siamese fighting fish. *Science*, 1956, 124: 440-441.

Terminology

Alexander, L. Therapeutic process in electroshock and the newer drug therapies; psychopathological considerations. *J. Am. M. Ass.*, 1956, 162: 966-969.

Cameron, A. In: Fabing, H. D. Designation of "tranquilizing agents" in neuropharmacology. *J. Am. M.*

- Ass., 1955, 158:1461. Also: *Am. J. Psychiat.*, 1955, 112:392.
- Delay, J. Allocution finale. [Final address.] [International colloquium on chlorpromazine and neuroleptic drugs, Paris, October 1955.] *Encéphale*, 1956, 45:1181-1184.
- Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46:281-398. [282-83]
- . Psychophysiologic aspects of the new chemotherapeutic drugs in psychiatry; some practical features of "neuroleptics" in order to screen new drugs. *J. Nerv. Ment. Dis.*, 1956, 124:371-376.
- Fabing, H. D. Designation of "tranquillizing agents" in neuropharmacology. *J. Am. M. Ass.*, 1955, 158:1461. Also: *Am. J. Psychiat.*, 1955, 112:392.
- Gerard, R. W. Drugs for the soul; the rise of psychopharmacology. *Science*, 1957, 125:201-203.
- "Rose is a rose is a rose is a rose" *Psychiat. Q.*, 1957, 31:346-361.
- Sainz, A., Bigelow, N., Barwise, C. On a methodology for the clinical evaluation of phrenopraxic drugs. *Psychiat. Q.*, 1957, 31:10-16.
- Sarro, R. Récents développements de la thérapeutique narcobiotique. [Recent developments in narcobiotic therapy.] *Encéphale*, 1956, 45:501-510.
- Therapeutic use**
- Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56:2791-2795.
- Bergy, G. A. Drugs of sedation with tranquillizing effects. *Am. Profes. Pharmacist*, 1956, 22:419; 534-538; 619-621; 709-710; 797-799; 888-889; 917-919.
- Cohen, I. M. Drugs recently introduced in the treatment of psychiatric disorders. *Texas J. M.*, 1956, 52:683-687.
- Dellaert, R. De modernste chemopharmaca in de psychiatrie. [New chemical psychopharmaca.] *Belg. tschr. geneesk.*, 1956, 12:314-321.
- Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46:281-398.
- Fabing, H. D. The ataractic drugs: their uses and limitations in psychiatry. *Am. Profes. Pharmacist*, 1956, 22:413-418.
- . Trends in biological research in schizophrenia. *J. Nerv. Ment. Dis.*, 1956, 124:1-7.
- Fishbein, M. The tranquillizing drugs. *Postgrad. M.*, 1956, 19:509-511.
- Freedman, A. M., Effron, A. S., Bender, L. Pharmacotherapy in children with psychiatric illness. *J. Nerv. Ment. Dis.*, 1955, 122:479-486. Abstract: *Year book of drug therapy*, 1956-1957, p. 350-351.
- Fremming, K. H. Medikamentel behandling af synds-sygdomme. [Medical treatment of mental disorders.] *Mskr. prakt. laegegern.*, Kbh., 1956, 34:331-342.
- Graffagnino, P. N., Furr, J. H. New drugs in the treatment of emotional disorders; a review. *Connecticut M. J.* 1957, 21:38-43.
- Graves, C. C. Drug therapy for the emotionally and mentally disturbed; the psychiatrist's point of view. *J. Iowa M. Soc.*, 1957, 47:15-16.
- Green, A. Actualités thérapeutiques 1955 en psychiatrie. [Therapeutic progress in psychiatry in 1955.] *Encéphale*, 1956, 45:172-200.
- Hazards of tranquillity. *Brit. M. J.*, 1957, 2:92-93.
- Hilliard, E. T. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1):1035-1040.
- Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38 (1):102-108; 126.
- Keyes, B. L. Ataraxic drugs. *Pennsylvania M. J.*, 1957, 60:177-181.
- Kinross-Wright, V. A review of the newer drug therapies in psychiatry. *Dis. Nerv. Syst.*, 1956, 17:187-190.
- . The uses and limitations of the newer drugs in the treatment of nervous conditions. *Wisconsin M. J.*, 1956, 55:1073-1078.
- Kline, N. S. Chemotherapy in psychiatry; recent advances. *Seminar Internat.*, Hoddesdon, 1956, 5 (2):7-10.
- Klingman, W. O. Neurological and psychiatric disorders; some recent advances in therapy. *Virginia M. Month.*, 1956, 83:240-246.
- Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. *Internat. Rec. M.*, 1956, 169:323-338.
- Laboucarié, J., Barrès, P., Rascol, A. Aspects principaux des cures neurologiques en psychiatrie en 1956. [Principal features of neurologic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57:851-867.
- Leake, C. D. New mood-changing drugs. *Ohio M. J.*, 1956, 52:369-373.
- Leiberman, D. M., Vaughan, G. F. The use of some new pharmacological agents in psychiatry. *J. Ment. Sc.*, Lond., 1957, 103:110-118.
- Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66:698-718.
- Morgan, D. R. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1):1029-1035.
- Overholser, W. La chlorpromazine, ouvre-t-elle une ère nouvelle dans les hopitaux psychiatriques? [Chlorpromazine—the beginning of a new era in psychiatric hospitals?] *Encéphale*, 1956, 45:313-319.
- . Psychobiologic advances and the management of hospitalized patients. *J. Clin. Exp. Psychopath.*, 1956, 17:378-380.
- Pennington, V. M. Research findings in phrenotropic drugs important to every physician. [benactyzine; chlorpromazine; mepazine; meprobamate; perphenazine; phenaglycodol; Rauwolfia serpentina (whole root); reserpine; triflupromazine] *Mississippi Doctor*, 1957, 35:57-63.
- . A two-year comparative study of ataraxics in neuro-psychiatric patients. *J. Am. Geriat. Soc.*, 1957, 5:421-429. [Not seen]
- Puca, A. Nuove acquisizioni in terapia psichiatrica: ibernoterapia, sonno prolungato e neuroplegici. [New acquisitions in psychiatric therapy; artificial hibernation, prolonged sleep and neuroplegic drugs.] [English summary] *Rass. stud. psichiat.*, 1955, 44:849-856. Also: *Ann. med. nav.*, Roma, 1956, 61:42-49.
- Sargent, W. On chemical tranquillizers. *Brit. M. J.*, 1956, 1:939-943. *
- Smigel, J. O. Mood therapy in the aged. *Med. Times*, Great Neck, 1957, 85:149-158. *
- Additional data**
- Abrams, R. E., Tice, L. F. Modern medicinals in review. *Am. J. Pharm.*, 1955, 127:4-22.
- Allen, E. B., Prout, C. T. Alcoholism. *Progr. Neur. Psychiat.*, N. Y., 1956, 11:338-351.
- Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162:1610-1619.
- Funderburk, W. H., Wilcox, K. W., Wilcox, P. H. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1956, 11:425-456.
- Hewitt, D. W. Alcoholism, a treatment guide for general practitioners. 112 p. Philadelphia, Lea & Febiger, 1957. *
- Spencer, R. S. The use of ataraxic drugs in mental illness. *Hawaii M. J.*, 1957, 16:302.
- Stimulants and depressants. *Brit. M. J.*, 1956, 1:969-970.
- Tice, L. F. Some important drug developments of 1956. *Am. J. Pharm.*, 1956, 128:398-409.

Tranquillizers. *Scot. M. J.*, 1957, 2: 46-47.

Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1956, 112: 526-529; 1957, 113: 611-615.

—Neuroses

American Psychiatric Association. The contribution of the tranquilizing drugs and the dangers in their casual use for relief of everyday tensions. *J. Iowa M. Soc.*, 1957, 47: 66.

Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747. *

Batterman, R. C. The evaluation of sedatives. *J. Am. Geriat. Soc.*, 1956, 4: 172-176. *

Braun, M., Philipsborn, A. Ataractics in private practice. *Am. J. Psychiat.*, 1956, 113: 80-81.

Cobb, S. Peace of mind. *Am. J. Psychiat.*, 1957, 113: 663-664.

Fazekas, J. F., Shea, J. G., Sullivan, P. D., Jr. Ataractics in medical practice. *GP*, 1956, 14 (6): 75-81.

Feldman, D. J. Drug therapy of chronic alcoholism. [chlorpromazine; mephate; mephenesin; mephenesin carbamate; meprobamate; promazine; reserpine.] *Med. Clin. N. America*, 1957, 41: 381-392.

Fouks, Laine, François, Pagot. Note sur les médications récentes des états névrotiques anxieux et dépressifs. [Note on recent medications for anxious and depressive neurotic states.] *Ann. méd. psychol., Par.*, 1956, 114 (1): 608-615.

French, E. G. Epilepsy. *Am. J. Psychiat.*, 1957, 113: 629-631.

Gutenkauf, C. Internal medicine. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 59-64.

Hazards of tranquillity. *Brit. M. J.*, 1957, 2: 92-93. *

Heilbrunn, G. Selection of patients for modern psychiatric pharmacotherapy in general practice. *North-west M.*, 1956, 55: 1198-1205.

Held, R. Sur la chlorpromazine et les médicaments neuroleptiques; incidences psychothérapeutiques. [Chlorpromazine and neuroleptic drugs; psychotherapeutic incidences.] *Encéphale*, 1956, 45: 1000-1004.

Hubbard, O. E., Glasser, J. Newer psychotropic drugs; their characteristics and use in general practice. *North-west M.*, 1956, 55: 1191-1197.

Leiberman, D. M., Vaughan, G. F. Tranquillizers. *Practitioner, Lond.*, 1956, 177: 632-638.

Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquilizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. [azacyclonol; benactyzine; chlorpromazine; ethylcrotonyl-urea; hydroxyzine; meprobamate; phenaglycodol; prochlorperazine; promazine] *GP*, 1957, 15 (6): 97-118. *

Raymond, M. J., Lucas, C. J., Beesley, M. L., O'Connell, B. A., Roberts, J. A. F. A trial of five tranquilizing drugs in psychoneurosis. *Brit. M. J.*, 1957, 2: 63-66.

Sands, S. L. Psychiatry. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 64-65. *

Senseman, L. A. Tranquilizing drugs; uses and abuses for the nervous patient. *Rhode Island M. J.*, 1956, 39: 675-677; 680; 686. *

Skobba, J. S. Drugs in the management of emotional conditions. *J. M. Ass. Georgia*, 1956, 45: 397-399.

Sottong, P. C. The use and abuse of the tranquilizing drugs. *J. Tennessee M. Ass.*, 1956, 49: 413-418. *

Weinberg, H. B. Drug therapy for the emotionally and mentally disturbed; the internists point of view. *J. Iowa M. Soc.*, 1957, 47: 17-19.

—Psychoses

Bowes, H. A. The ataractic drugs; the present position of chlorpromazine, frenquel, pacatal, and reserpine in the psychiatric hospital. *Am. J. Psychiat.*, 1956, 113: 530-539.

Feldman, P. E. A comparative study of various ataractic drugs. *Am. J. Psychiat.*, 1957, 113: 589-594. *

Mielke, F. A. Methods employed and results obtained in psychiatric studies with new drugs acting on the brain stem. *Am. J. Psychiat.*, 1957, 114: 134-139.

Pennington, V. M. A comparative study of six ataraxics in 1130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33: 336-339.

—Psychosomatic diseases

Cahn, M. M. The use of tranquilizing drugs in dermatology; review and side reactions. *J. Albert Einstein M. Center*, 1956, 4: 161-165. *

Fabricant, N. D. Tension headache therapeutics. *Eye, Ear & Month.*, 1956, 35: 658, 662.

Friedman, A. P., Von Storch, T. J. A review of headache, 1950-1955. *N. York State J. M.*, 1956, 56: 3883-3895.

LeVan, P., Wright, E. T. Use of tranquilizers in diseases of the skin; a preliminary report. *California M.*, 1956, 85: 87-88.

Mitis, Z. K., Ford, H. Functional headaches. *Texas J. M.*, 1956, 52: 678-683.

Ogden, H. D. Headache. *Ann. Allergy*, 1956, 14: 385-428.

Stewart, R. H. The use of tranquilizing drugs in gynecology. *West. J. Surg.*, 1956, 64: 650-657.

Untoward effects [see headnote p. 19].

see ATARAXICS—Psychosocial considerations
PHENOTHIAZINES—Untoward effects

Various [3 or more]—Combined

Armour, P. S. A regimen in acute alcoholism. [Mephenesin+mephenesin carbamate+reserpine] *Arizona M.*, 1956, 13: 169-172.

Barsa, J. A., Kline, N. S. Use of meprobamate in the treatment of psychotic patients. *Am. J. Psychiat.*, 1956, 112: 1023. [chlorpromazine+meprobamate+reserpine]

Bouchard, M., Larue, G. H., Turmel, J. Le frenquel en psychiatrie; rapport préliminaire. [Frenquel in psychiatry; preliminary report.] [azacyclonol+chlorpromazine+reserpine] *Laval méd.*, 1956, 21: 765-776.

Fouks, Laine, François, Pagot. Note sur l'utilisation en psychiatrie d'un nouveau neuroleptique. [Note on the use of a new neuroleptic drug in psychiatry.] [chlorpromazine+hydroxyzine+reserpine] *Ann. méd. psychol., Par.*, 1956, 114 (1): 605-608.

—, —, Pagaud. Indications et modalités d'administration des neuroleptiques classiques. [Indications and methods of administration of the classic neuroleptic drugs] [chlorpromazine cocktail+reserpine] *Ann. méd. psychol., Par.*, 1956, 114 (2): 880-886.

Fox, V. Treatment of withdrawal symptoms in the management of alcoholism. [chlorpromazine+meprobamate+promethazine] *J. M. Ass. Georgia*, 1956, 45: 139-142.

Lereboullet, J., Pluvineau, R., Vidart, L., Benoit, P., Kapandji, I. Le traitement du delirium tremens par la reserpine. [Treatment of delirium tremens with reserpine.] [chlorpromazine+promethazine+reserpine] *Bull. Soc. méd. hôp. Paris*, 1956, 72: 604-605.

Negri, V. U., Garavaglia, G. Rilievi clinici sulla peculiare azione della reserpina in psichiatria. [Reserpine in psychiatry; a clinical study on its characteristic action.] [chlorpromazine cocktail+reserpine] *Minerva med., Tor.*, 1955, 46: 1217-1229.

Osinski, W. A. Treatment of anxiety states with meprobamate (miltown). [chlorpromazine+meprobamate+reserpine]. *Internat. Rec. M.*, 1956, 169: 589-595.

Reda, G. C., Germano, V. L'azione combinata della reserpina e clorpromazina nella pratica psichiatrica. [Combined effect of reserpine and chlorpromazine in psychiatric practice.] [English summary] [chlorpro-

mazine+opilon+reserpine] *Arch. psicol. neur., Milano*, 1956, 17: 647-653.

Silverberg, J. W., Gralnick, A. Possible synergistic action of chlorpromazine, reserpine and frenquel. A preliminary report. *Am. J. Psychiat.*, 1957, 114: 173.

— with Shock therapies

Bouchard, M., Larue, G. H., Turmel, J. Le frenquel en psychiatrie; rapport préliminaire. [Frenquel in psychiatry; preliminary report.] [azacyclonol+chlorpromazine+reserpine+ECT] *Laval méd.*, 1956, 21: 765-776.

Fouks, L., Laine, Grimaud, Dariotis. La fin des thérapeutiques de choc et l'avènement de nouvelles thérapeutiques psychiatriques actives; la réserpine (serpasil). [The end of shock therapies and advent of the new psychiatric therapeutics; reserpine (serpasil).] [chlorpromazine cocktail+reserpine+CH 36 (=ICT)] *Ann. méd. psychol., Par.*, 1954, 112 (2): 764-768. * *

—, —, Pagaud. Indications et modalités d'administration des neuroleptiques classiques. [Indications and methods of administration of the classic neuroleptic drugs.] [chlorpromazine cocktail+reserpine+ICT] *Ann. méd. psychol., Par.*, 1956, 114 (2): 880-886.

Various [3 or more]—Compared

see also ATARAXICS—Studies, animals

Armour, P. S. A regimen in acute alcoholism. [Mephenesin:mephenesin carbamate:reserpine.] *Arizona M.*, 1956, 13: 169-172.

Barsa, J. A., Kline, N. S. A comparative study of reserpine, chlorpromazine, and combined therapy. [chlorpromazine: chlorpromazine+promethazine: chlorpromazine+reserpine: reserpine] *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 90-97.

Bender, L., Nichtern, S. Chemotherapy in child psychiatry. [azacyclonol: chlorpromazine: mephenesin: meprobamate: promethazine: reserpine] *N. York State J. M.*, 1956, 56: 2791-2795.

Chauchard, P., Mazoué, H. Recherches sur le mode d'action centropiléique de quelques substances psychotropes. [Research on the mode of centripetal action of some psychotropic substances.] [chlorpromazine: covatin: meprobamate: reserpine] *C. rend. Soc. biol.*, 1956, 150: 158-160.

De Busscher, J. Impressions personnelles sur les effets de l'atarax, de la chlorpromazine, de la réserpine et du AY 5406-1 (parasan) en thérapeutique psychiatrique. [Personal impressions of atarax, chlorpromazine, reserpine and AY 5406-1 (parasan) in psychiatric therapy] [benactyzine: chlorpromazine: hydroxyzine: reserpine] *Encéphale*, 1956, 45: 1007-1023.

Decourt, P. Mécanisme d'action de la thérapeutique narcobiotique en général, et de la chlorpromazine en particulier, en psychiatrie. [Mechanism of action of narcobiotic psychiatric therapy in general, and of chlorpromazine in particular.] [chlorpromazine: covatin: promethazine] *Encéphale*, 1956, 45: 932-944.

Elkes, C. Rauwolfia alkaloids and reserpine in the treatment of the chronic psychotic patient. [chlorpromazine+reserpine: Rauwolfia serpentina alkaloids: reserpine] *J. Ment. Sc., Lond.*, 1957, 103: 464-474.

Farah, L. Preliminary study on the use of hydroxyzine in psychosomatic affections. [chlorpromazine: hydroxyzine: reserpine]. *Internat. Rec. M.*, 1956, 169: 379-389. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 845.

Fazekas, J. F., Shea, J. C., Sullivan, P. D., Jr. Ataractics in medical practice. [chlorpromazine: meprobamate: promazine: reserpine] *GP*, 1956, 14 (6): 75-81.

Feldman, P. E. A comparative study of various ataractic drugs. [azacyclonol: chlorpromazine: chlorpromazine+reserpine: mepazine: reserpine] *Am. J. Psychiat.*, 1957, 113: 589-594.

Ferguson, J. T., Linn, F. V. A new compound for the symptomatic treatment of tension and anxiety: 2-ethylcrotonylurea [nostyn.] [ethylcrotonylurea: meprobamate: reserpine: reserpine+methylphenidylacetate] *Antibiotic M.*, 1956, 3: 329-333.

Forster, W., Henderson, A. L. A clinical study of frenquel (alpha[4-piperidyl] benzhydrol hydrochloride) in chronic schizophrenia. [azacyclonol: chlorpromazine: reserpine] *Canad. M. Ass. J.*, 1957, 76: 97-101.

Fox, V. Treatment of withdrawal symptoms in the management of alcoholism. [chlorpromazine: meprobamate: promethazine] *J. M. Ass. Georgia*, 1956, 45: 139-142.

Freedman, A. M., Effron, A. S., Bender, L. Pharmacotherapy in children with psychiatric illness. [chlorpromazine: mephenesin: reserpine]. *J. Nerv. Ment. Dis.*, 1955, 122: 479-486. Abstract: *Year book of drug therapy*, 1956-1957, p. 350-351.

Friedman, A. P. Use of tranquilizers in the treatment of headache. [chlorpromazine: meprobamate: reserpine] *Am. Practitioner*, 1957, 8: 94-97.

—, Von Storch, T. J. A review of headache, 1950-1955. [chlorpromazine: meprobamate: reserpine] *N. York State J. M.*, 1956, 56: 3883-3895.

Himwich, H. E., Rinaldi, F., Willis D. An examination of phenothiazine derivatives with comparisons of their effects on the alerting reaction, chemical structure and therapeutic efficacy. [chlorpromazine: mepazine: NP-207: promazine: promethazine: pyrazazine] *J. Nerv. Ment. Dis.*, 1956, 124: 53-57.

Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. [chlorpromazine: mephenesin: meprobamate: methylphenidylacetate: reserpine] *Internat. Rec. M.*, 1956, 169: 323-338.

Kurtzke, J. F. Seizures with promazine. Preliminary report. [: promazine+meprobamate: : promazine+reserpine: : promazine+methylphenidylacetate: : methylphenidylacetate] *J. Nerv. Ment. Dis.*, 1957, 125: 119-125.

Lasagna, L., McCann, W. P. Effect of "tranquilizing" drugs on amphetamine toxicity in aggregated mice. [chlorpromazine: promazine: reserpine] *Science*, 1957, 125: 1241-1242.

Lehmann, H. E., Csank, J. Differential screening of phrenotropic agents in man: psychophysiological test data. [chlorpromazine: prochlorperazine: reserpine: other drugs=depressants, stimulants] *J. Clin. Exp. Psychopath.*, 1957, 18: 222-235.

Leiberman, D. M., Vaughan, G. F. The use of some new pharmacological agents in psychiatry. [chlorpromazine: mepazine: reserpine] *J. Ment. Sc., Lond.*, 1957, 103: 110-118.

Lemere, F. Failure of azacyclonol (frenquel) to relieve non-experimental mental confusion and hallucinations. [azacyclonol: chlorpromazine: meprobamate: reserpine] *Am. J. Psychiat.*, 1957, 113: 840-841.

—, New tranquilizing drugs. [chlorpromazine: meprobamate: reserpine] *Northwest M.*, 1955, 54: 1098-1100.

—, Promazine (sparine) in the treatment of psychiatric disorders. [chlorpromazine: meprobamate: promazine: reserpine] *Northwest M.*, 1956, 55: 790-791.

LeVan, P., Wright, E. T. Use of tranquilizers in diseases of the skin; a preliminary report. [chlorpromazine: meprobamate: reserpine] *California M.*, 1956, 85: 87-88.

Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. [azacyclonol: chlorpromazine: reserpine] *Am. J. Psychiat.*, 1956, 113: 540-545.

Margolis, L. H. Pharmacotherapy in psychiatry; a review. [azacyclonol: chlorpromazine: chlorpromazine+reserpine: meprobamate: reserpine] *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.

Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquilizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. [benactyzine : chlorpromazine : meprobamate : phenaglycolol : promazine : reserpine] *GP*, 1957, 15 (6) : 97-118. A new drug effective on the central nervous system. [In English] [benactyzine : chlorpromazine : reserpine] *Danish M. Bull.*, 1955, 2 : 159-160.

Noell, W. K., Chinn, H. I., Haberer, C. E. Electroencephalographic evaluation of the sedative effects of antihistaminic drugs. [promethazine; pyrrathiazine; thiazinamium] *Air Force School of Aviation Medicine, Randolph Air Force Base, Texas*, 1955 (55-35) : 1-20.

Osinski, W. A. Treatment of anxiety states with meprobamate (miltown). [chlorpromazine : meprobamate : reserpine] *Internat. Rec. M.*, 1956, 169 : 589-595. Ostenfeld, I. Psykiske urotilstande. [Mental excitement.] [English summary] [benactyzine : chlorpromazine : reserpine] *Nord. med.*, 1955, 54 : 1517-1522.

Pennington, V. M. A comparative study of six ataraxics in 1130 neuro-psychiatric cases. [azacyclonol : chlorpromazine : meprobamate : pipradrol : Rauwolfia serpentina alkaloids, whole root : reserpine] *Mississippi Doctor*, 1956, 33 : 336-339.

—. A two-year comparative study of ataraxics in neuro-psychiatric patients. *J. Am. Geriatr. Soc.*, 1957, 5 : 421-429. [Not seen.]

Pevey, J. K., Moyer, J. H., Handley, C. A., Heider, C. A comparison of clinical results with phenobarbital, meprobamate and two similar experimental compounds. [Abstract] [benactyzine : meprobamate : phenaglycolol] *J. Pharm. Exp. Ther.*, 1957, 119 : 176. *

Raymond, M. J., Lucas, C. J., Beesley, M. L., O'Connell, B. A., Roberts, J. A. F. A trial of five tranquilizing drugs in psychoneurosis. [benactyzine : chlorpromazine : meprobamate : sedaltine (: amylobarbitone).] *Brit. M. J.*, 1957, 2 : 63-66.

Rinaldi, F., Rudy, L. H., Himwich, H. E. Clinical evaluation of azacyclonol, chlorpromazine, and reserpine on a group of chronic psychotic patients. [azacyclonol : chlorpromazine : mepazine : reserpine] *Am. J. Psychiat.*, 1956, 112 : 678-683. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 4986.

Robinson, H. M., Jr., Robinson, C. V., Strahan, J. F. Hydroxyzine (atarax) hydrochloride in dermatological therapy. [chlorpromazine : hydroxyzine : meprobamate] *J. Am. M. Ass.*, 1956, 161 : 604-606.

Rudy, L. H., Himwich, H. E., Tasher, D. C. Clinical evaluation of two phenothiazine compounds promazine and mepazine. [chlorpromazine : mepazine : promazine] *Am. J. Psychiat.*, 1957, 113 : 979-983.

—, Rinaldi, F., Himwich, H. E. Comparative effects of azacyclonol, reserpine, and chlorpromazine on moderately disturbed psychotic patients with long histories of hospitalization. *Psychiat. Res. Rep.*, Wash., 1956 (4) : 49-63.

Shea, J. G., Ehrmantraut, W. R., Ticktin, H. E., Sullivan, P. D., Jr., Fazekas, J. F. Use of promazine in the management of medical emergencies. [chlorpromazine : promazine : promethazine] *Mil. M.*, 1956, 119 : 221-227. Smigel, J. O. Mood therapy in the aged. [chlorpromazine : meprobamate : promazine : reserpine] *Med. Times, Great Neck*, 1957, 85 : 149-158.

with ATARAXICS

see [Ataraxie A] with [Ataraxie B]

with ATARAXICS [2 or more]

see ATARAXICS—Various [3 or more]

with PSYCHOTOMIMETICS

see [Psychotomimetic] with [Ataraxie]

PSYCHOTOMIMETICS with ATARAXICS

with STIMULANTS

see also [Ataraxie] with [Stimulant]

Fabing, H. D. The newer analeptic drugs. *Med. Clin. N. America*, 1957, 41 : 339-351.

AZACYCLONOL

Symposium: Clinical value and limitations of reserpine, meratran, and a "new blocking agent." *Psychiat. Res. Rep.*, Wash., 1955 (1) : 105-152. [All articles are listed individually]

Pharmacodynamics

Bergy, G. A. Drugs of sedation with tranquilizing effects. *Am. Profes. Pharmacist*, 1956, 22 : 419 ; 534-538 ; 619-621 ; 709-710 ; 797-799 ; 888-889 ; 917-919. [419 ; 534-538.]

Carr, C. J., Kinnard, W. J., Jr. The phrenotropic agents. *Internat. Rec. M.*, 1957, 170 : 493-504.

Himwich, H. E. Prospects in psychopharmacology. *J. Nerv. Ment. Dis.*, 1955, 122 : 413-423. Also: *Dis. Nerv. Syst.*, 1956, 17 : 109-116.

Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13 : 793-818.

—. New mood-changing drugs. *Ohio M. J.*, 1956, 52 : 369-373.

Orsi, C. I farmaci atarassici. [Ataraxics] *Boll. chim. farm.*, 1956, 95 : 432-436.

Pennes, H. H. The nature of drugs with mental actions and their relation to cerebral function. *Bull. N. York Acad. M.*, 1957, 33 : 81-88.

Perrault, M. Sur les tranquillisateurs. [Tranquilizers.] *Progr. méd., Par.*, 1957, 85 : 3-4 ; 7.

Psychotherapeutic use

see also AZACYCLONOL—Therapeutic studies, controlled—Psychoses

[SARWER-FONER+KORANYI]

Silverberg, J. W., Gralnick, A. Possible synergistic action of chlorpromazine, reserpine and frenquel. A preliminary report. *Am. J. Psychiat.*, 1957, 114 : 173.

Toll, N. Azacyclonol as an adjunct to psychotherapy. In: Himwich, H. E., ed. Tranquilizing drugs. Washington, Am. Ass. Adv. Sc., 1957. p. 103-113.

Studies, animals

Brown, B. B. Lysergic acid diethylamide antagonism of certain drugs. *Ann. N. York Acad. Sc.*, 1957, 66 : 677-685.

—, Braun, D. L., Feldman, R. G. The pharmacologic activity of alpha-(4-piperidyl)-benzhydrol hydrochloride (azacyclonol hydrochloride) ; an ataractic agent. *J. Pharm. Exp. Ther.*, 1956, 118 : 153-161.

—, Feldman, R., Braun, D. L. Pharmacologic studies of an LSD antagonist 4-piperidyl diphenyl carbinol hydrochloride. [Abstract] *Fed. Proc., Balt.*, 1955, 14 : 322.

Haley, T. J., McCormick, W. G. Pharmacological effects produced by intracerebral injection of drugs in the conscious mouse. *University of California, School of Medicine, Atomic Energy Project, Los Angeles*, 1956 (UCLA-372) : 1-25.

Himwich, H. E. Discussion of papers on basic observations of new psychopharmacological agents. *Psychiat. Res. Rep.*, Wash., 1956 (4) : 24-31.

—. The effect of frenquel on EEG changes produced by LSD-25 and mescaline. In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, Grune & Stratton, 1956. p. 19-26.

Lim, R. K., Pindell, M. H., Glass, H. G., Rink, K. The experimental evaluation of sedative agents in animals. *Ann. N. York Acad. Sc.*, 1956, 64 : 667-678.

Marrazzi, A. S., Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 9-21.

———. An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.

Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thorazine, and meratran. *Psychiat. Res. Rep.*, Wash., 1955 (1): 25-44. Abstract: *Chem. Abstr.*, 1956, 50: 2867gh.

Norton, S., De Beer, E. J. Effects of drugs on the behavioral patterns of cats. *Ann. N. York Acad. Sc.*, 1956, 65: 249-257.

Peters, J. J., Vonderahe, A. R. Behavior of the salamander under the influence of LSD-25 and frenquel, and accompanying electrical activity of brain and spinal cord. *J. Nerv. Ment. Dis.*, 1956, 124: 69-73.

Pfeiffer, C. C., Jenney, E. H. The inhibition of the conditioned response and the counteraction of schizophrenia by muscarinic stimulation of the brain. *Ann. N. York Acad. Sc.*, 1957, 66: 753-764.

Rinaldi, F. The experimental electroencephalographic approach to psychopharmacology. *Psychiat. Res. Rep.*, Wash., 1956 (4): 1-10.

———, Himwich, H. E. Frenquel corrects certain cerebral electrographic changes. *Science*, 1955, 122: 198-199.

———, ———. Drugs affecting psychotic behavior and the function of the mesodiencephalic activating system. *Dis. Nerv. Syst.*, 1955, 16: 133-141. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4566.

———, ———. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122: 424-432. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1601.

Turner, W. J. The effect of lysergic acid diethylamide on *Betta splendens*. II. Frenquel. *Dis. Nerv. Syst.*, 1956, 17: 198.

Studies, normal subjects

Brown, B. B., Braun, D. L., Feldman, R. J. The pharmacologic activity of alpha-(4-piperidyl)-benzhydrol hydrochloride (azacyclonol hydrochloride); an ataractic agent. *J. Pharm. Exp. Ther.*, 1956, 118: 153-161.

Fabing, H. D. Experimental compound MER-17 (frenquel): a new blocking agent against the development of LSD-25 psychosis. *Tr. Am. Neur. Ass.*, 1955, 80th Meeting: 83-85. Also: *Psychiat. Res. Rep.*, Wash., 1955 (1): 140-144. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1527.

———. Frenquel, a blocking agent against experimental LSD-25 and mescaline psychosis; preliminary note on its clinical application. *Neurology*, 1955, 5: 319-328.

———. New blocking agent against the development of LSD-25 psychosis. *Science*, 1955, 121: 208-210.

Isbell, M., Logan, C. R. Studies on the diethylamide of lysergic acid (LSD-25). II. Effects of chlorpromazine, azacyclonol, and reserpine on the intensity of the LSD-reaction. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 350-358.

Studies, patients

Himwich, H. E. The effect of frenquel on EEG changes produced by LSD-25 and mescaline. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 19-26.

Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thorazine, and meratran. *Psychiat. Res. Rep.*, Wash., 1955 (1): 25-44. Abstract: *Chem. Abstr.*, 1956, 50: 2867gh.

Therapeutic studies, controlled

Toll, N. Azacyclonol as an adjunct to psychotherapy. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 103-113.

—Psychoses

Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.

Bouchard, M., Larue, G. H., Turmel, J. Le frenquel en psychiatrie; rapport préliminaire. [Frenquel in psychiatry; preliminary report.] *Laval. méd.*, 1956, 21: 765-776.

Bowes, H. A. The ataractic drugs; the present position of chlorpromazine, frenquel, pacatal, and reserpine in the psychiatric hospital. *Am. J. Psychiat.*, 1956, 113: 530-539.

Clark, L. D. Further studies of the psychological effects of frenquel and a critical review of previous reports. *J. Nerv. Ment. Dis.*, 1956, 123: 557-560.

Feldman, P. E. A comparative study of various ataractic drugs. *Am. J. Psychiat.*, 1957, 113: 589-594.

Ferguson, J. T. Azacyclonol: use of a new pharmacologic agent in chronic schizophrenia. *Antibiotic M.*, 1956, 3: 146-150.

Forster, W., Henderson, A. L. A clinical study of frenquel (alpha[4-piperidyl] benzhydrol hydrochloride) in chronic schizophrenia. *Canad. M. Ass. J.*, 1957, 76: 97-101.

Lemere, F. Failure of azacyclonol (frenquel) to relieve non-experimental mental confusion and hallucinations. *Am. J. Psychiat.*, 1957, 113: 840-841.

Lindan, O., Cahn, C. H., Lehmann, H. E. Clinical observations with frenquel in chronic schizophrenia. *Canad. Psychiat. Ass. J.*, 1956, 1: 89-91.

Mason-Browne, N. L. Selection of patients for treatment with alpha-4-piperidyl benzhydrol hydrochloride. *J. Nerv. Ment. Dis.*, 1956, 123: 130-140.

Odland, T. M. Azacyclonol (frenquel) hydrochloride in the treatment of chronic schizophrenia; a double-blind, controlled study. *J. Am. M. Ass.*, 1957, 165: 333-335.

Peak, E. C., Canestrari, R. E., Roebuck, B. E. The effects of frenquel upon chronic disturbed patients. *J. Nerv. Ment. Dis.*, 1956, 124: 504-506. Condensed: *Am. J. Psychiat.*, 1957, 113: 653.

Pennington, V. M. A comparative study of six ataraxics in 1,130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33: 336-339.

Rinaldi, F., Haynes, E. E., Rudy, L. H., Himwich, H. E. Therapeutic effects of azacyclonol in psychotic patients. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 115-123.

———, Rudy, L. H., Himwich, H. E. Clinical evaluation of azacyclonol, chlorpromazine, and reserpine on a group of chronic psychotic patients. *Am. J. Psychiat.*, 1956, 112: 678-683. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4986.

Rosner, B. S., Fierman, L. B., Kramer, J. F. Clinical evaluation of meratran and frenquel on a chronic psychotic population. *Am. J. Psychiat.*, 1957, 113: 993-996.

Rudy, L. H., Rinaldi, F., Himwich, H. E. Comparative effects of azacyclonol, reserpine, and chlorpromazine on moderately disturbed psychotic patients with long histories of hospitalization. *Psychiat. Res. Rep.*, Wash., 1956 (4): 49-63.

Sarwer-Foner, G. J., Koranyi, E. K. Clinical investigation of azacyclonol hydrochloride, an alleged anti-hallucinatory, anticonfusal agent. *Canad. Psychiat. Ass. J.*, 1956, 1: 92-98. *

Therapeutic use—Psychoses

Allin, T. G., Jr., Pogge, R. C. The use of azacyclonol and pipradrol in general practice. *Internat. Rec. M.*, 1956, 169: 222-230.

- Ayd, F. J., Jr. A clinical evaluation of frenquel. *J. Nerv. Ment. Dis.*, 1956, 124: 507-509.
- Barsa, J. A., Kline, N. S. Azacyclonol (frenquel) in the treatment of chronic schizophrenics. *Am. J. Psychiat.*, 1956, 113: 255-256.
- Bensoussan, P., Villiaume, E. M., Rousseau, J. Action symptomatique de l'azacyclonol sur un syndrome hallucinatoire et interprétatif présentation de malade. [Symptomatic (therapeutic) effect of azacyclonol on a hallucinatory and paranoid syndrome; case presentation.] *Ann. méd. psychol., Par.*, 1956, 114 (1): 821-825.
- The chemical concept of psychoses. *What's new*, 1955 (189): 3-7.
- Coats, E. A., Gray, R. W. Frenquel: clinical impressions on the use of a new drug in the treatment of mental illness. *Nebraska M. J.*, 1956, 41: 460-461.
- Cohen, S., Parlour, R. R. Preliminary observations on use of frenquel in hospital psychiatry. *J. Am. M. Ass.*, 1956, 162: 948-950.
- Collomb, H., Miletto, G., Robert, H. Le frenquel en thérapeutique psychiatrique. [Frenquel in psychiatric therapy.] *Presse méd.*, 1956, 64: 1602-1604.
- Fabing, H. D. Adventures in clinical neuropharmacology. *Internat. Rec. M.*, 1956, 169: 115-119.
- . The dimensions of neurology. *Neurology*, 1955, 5: 603-611. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1718.
- . Experimental compound MER-17 (frenquel): a new blocking agent against the development of LSD-25 psychosis. *Tr. Am. Neur. Ass.*, 1955, 80th Meeting: 83-85. Also: *Psychiat. Res. Rep.*, Wash., 1955 (1): 140-144. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1527.
- . Frenquel, a blocking agent against experimental LSD-25 and mescaline psychosis; preliminary note on its clinical application. *Neurology*, 1955, 5: 319-328.
- . Trends in biological research in schizophrenia. *J. Nerv. Ment. Dis.*, 1956, 124: 1-7.
- , Hawkins, J. R. A year's experience with frenquel in clinical and experimental schizophrenic psychoses. *Dis. Nerv. Syst.*, 1955, 16: 329-338. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4540.
- Fouks, Laine, François, Pagot. La correction des effets secondaires des médications dites neuroleptiques. [Correction of the secondary effects of so-called neuroleptic drugs.] *Ann. méd. psychol., Par.*, 1956, 114 (1): 615-620.
- Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquillizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. *GP*, 1957, 15 (6): 97-118.
- Niswander, G. D., Holt, E. K. Chemotherapy with azacyclonol in mental illness. *J. Nerv. Ment. Dis.*, 1956, 123: 473-476.
- Proctor, R. C., Odland, T. Frenquel. *Dis. Nerv. Syst.*, 1956, 17: 25-28. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4539.
- Puca, A., Catapano, V. D. Un nuovo psicofarmaco: il frenquel. [A new psychopharmac: frenquel.] *Acta neur., Nap.*, 1956, 11: 526-529. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2082.
- Rinaldi, F., Rudy, L. H., Himwich, H. E. The use of frenquel in the treatment of disturbed patients with psychoses of long duration. *Am. J. Psychiat.*, 1955, 112: 343-348.
- Sargent, W. On chemical tranquilizers. *Brit. M. J.*, 1956, 1: 939-943. *
- Silverberg, J. W., Gralnick, A. Possible synergistic action of chlorpromazine, reserpine and frenquel. A preliminary report. *Am. J. Psychiat.*, 1957, 114: 173.
- Turner, W. J., Merlis, S. Chemotherapeutic trials in psychosis. I. Frenquel and pilocarpine. *Am. J. Psychiat.*, 1956, 113: 248-249.
- — — Additional data
- Alexander, L. Therapeutic process in electroshock and the newer drug therapies; psychopathological considerations. *J. Am. M. Ass.*, 1956, 162: 966-969.
- . Objective approaches to treatment in psychiatry. *Canad. Psychiat. Ass. J.*, 1957, 2: 77-94.
- Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.
- Cohen, I. M. Drugs recently introduced in the treatment of psychiatric disorders. *Texas J. M.*, 1956, 52: 683-687.
- Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [363-64]
- Fabing, H. D. The ataractic drugs: their uses and limitations in psychiatry. *Am. Profes. Pharmacist*, 1956, 22: 413-418.
- . The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drug & Cosmet. Indust.*, 1956, 78: 32-33; 125-129.
- Fremming, K. H. Medikamentel behandling af syndssygdomme. [Medical treatment of mental disorders.] *Mskr. prakt. laegegern., Kbh.*, 1956, 34: 331-342.
- Freyhan, F. A., Turner, P., Stenzler, R. New drug therapies in psychiatry. *Delaware M. J.*, 1956, 28: 180-186.
- Funderburk, W. H., Wilcox, K. W., Wilcox, P. H. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 425-456.
- Graffagnino, P. N., Furr, J. H. New Drugs in the treatment of emotional disorders; a review. *Connecticut M. J.*, 1957, 21: 38-43.
- Green, A. Actualités thérapeutiques 1955 en psychiatrie. [Therapeutic progress in psychiatry in 1955.] *Encéphale*, 1956, 45: 172-200.
- Hagenauer, F., Rudy, L. H., Himwich, H. E. A comparative evaluation of two central system stimulants in severe psychoses. *J. Clin. Exp. Psychopath.*, 1957, 18: 248-257. Condensed as: A comparative study of two central nervous system stimulants, MER-22 and S. K. F.#5, on chronic, blocked and withdrawn psychotic patients. *Am. J. Psychiat.*, 1957, 113: 840.
- Heilbrunn, G. Selection of patients for modern psychiatric pharmacotherapy in general practice. *North-west M.*, 1956, 55: 1198-1205.
- Hilliard, E. T. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1035-1040.
- Hubbard, O. E., Glasser, J. Newer psychotropic drugs; their characteristics and use in general practice. *North-west M.*, 1956, 55: 1191-1197.
- Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38 (1): 102-108; 126.
- Keyes, B. L. Ataraxic drugs. *Pennsylvania M. J.*, 1957, 60: 177-181.
- Kinross-Wright, V. A review of the newer drug therapies in psychiatry. *Dis. Nerv. Syst.*, 1956, 17: 187-190.
- Kline, N. S. Chemotherapy in psychiatry; recent advances. *Seminary Internat., Hoddesdon*, 1956, 5 (2): 7-10.
- Klingman, W. O. Neurological and psychiatric disorders; some recent advances in therapy. *Virginia M. Month.*, 1956, 83: 240-246.
- Laboucarie, J., Barrès, P., Rascol, A. Aspects principaux des cures neuroplégiques en psychiatrie en 1956. [Principal features of neuroplegic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.
- Leiberman, D. M., Vaughan, G. F. Tranquillizers. *Practitioner, Lond.*, 1956, 127: 632-638.
- Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.
- Martin, D. A. The therapeutic and toxic effects of tranquilizing drugs: medical aspects. *North Carolina M. J.*, 1956, 17: 396-401.

- Morgan, D. R. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1029-1035.
- Senseman, L. A. Tranquilizing drugs; uses and abuses for the nervous patient. *Rhode Island M. J.*, 1956, 39: 675-677; 680; 686.
- Sottong, P. C. The use and abuse of the tranquilizing drugs. *J. Tennessee M. Ass.*, 1956, 49: 413-418.
- Spencer, R. S. The use of ataraxic drugs in mental illness. *Hawaii M. J.*, 1957, 16: 302.
- Stimulants and depressants. *Brit. M. J.*, 1956, 1: 969-970.
- Tranquillizers in psychiatry. [Report on Royal Medico-Psychological Association Meeting, London, February 1956.] *Brit. M. J.*, 1956, 1: 512-513.
- Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1956, 112: 526-529; 1957, 113: 611-615.

with ATARAXICS [2 or more]
see ATARAXICS—Various [3 or more]

with BGE—INTERACTION—Studies, normal subjects
see BGE [SHERWOOD]

with CHLORPROMAZINE—COMBINED
Psychotherapeutic use
see AZACYCLONOL—Psychotherapeutic use

Therapeutic use

- Ayd, F. J., Jr. Physiologic and neurologic responses to chlorpromazine: their clinical significance and their management. *Psychiat. Res. Rep.*, Wash., 1956 (4): 64-70.
- Barsa, J. A., Kline, N. S. Azacyclonol (frenquel) in the treatment of chronic schizophrenics. *Am. J. Psychiat.*, 1956, 113: 255-256.
- Bouchard, M., Larue, G. H., Turmel, J. Le frenquel en psychiatrie; rapport préliminaire. [Frenquel in psychiatry; preliminary report.] *Laval méd.*, 1956, 21: 765-776.
- Cohen, S., Parlour, R. R. Preliminary observations on use of frenquel in hospital psychiatry. *J. Am. M. Ass.*, 1956, 162: 948-950.
- Fabing, H. D., Hawkins, J. R. A year's experience with frenquel in clinical and experimental schizophrenic psychoses. *Dis. Nerv. Syst.*, 1955, 16: 329-338. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4540.
- Feldman, P. E. Two-year fate study of thorazine-treated patients. *Am. J. Psychiat.*, 1957, 114: 237-240.
- Ferguson, J. T. Azacyclonol: Use of a new pharmacologic agent in chronic schizophrenia. *Antibiotic M.*, 1956, 3: 146-150.
- Senseman, L. A. Tranquilizing drugs; uses and abuses for the nervous patient. *Rhode Island M. J.*, 1956, 39: 675-677; 680; 686.

with CHLORPROMAZINE—COMPARED

Studies, animals

- Haley, T. J., McCormick, W. G. Pharmacological effects produced by intracerebral injection of drugs in the conscious mouse. *University of California, School of Medicine, Atomic Energy Project, Los Angeles*, 1956 (UCLA-372): 1-25.

Studies, patients

- Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.

Therapeutic use

- Puca, A., Catapano, V. D. Un nuovo psicofarmaco: il frenquel. [A new psychopharmakon: frenquel.] *Acta*

neur., Nap., 1956, 11: 526-529. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2082.

with ETHYLCROTONYLUREA—COMBINED

Ferguson, J. T. Azacyclonol: use of a new pharmacologic agent in chronic schizophrenia. *Antibiotic M.*, 1956, 3: 146-150.

with LYSERGIC ACID DIETHYLAMIDE
see LYSERGIC ACID DIETHYLAMIDE with AZACYCLONOL—INTERACTION

with MER-22—COMPARED—Pharmacodynamics
see MER-22—Therapeutic studies, controlled

with MEPAZINE—COMBINED

Therapeutic studies, controlled

Bouchard, M., Larue, G. H., Turmel, J. Le frenquel en psychiatrie; rapport préliminaire. [Frenquel in psychiatry; preliminary report.] *Laval méd.*, 1956, 21: 765-776.

with MEPROBAMATE—COMBINED
see AZACYCLONOL—Psychotherapeutic use

with MESCALINE
see MESCALINE with AZACYCLONOL

with METHYLPHENIDYLACETATE—COMBINED

Therapeutic studies, controlled

Clark, L. D., Ellsworth, R. B., Barrett, W. W., Thurman, A. C., Holland, W. Studies of the behavioral effects of ritalin. *Dis. Nerv. Syst.*, 1956, 17: 317-321.

Therapeutic use

Ferguson, J. T. Azacyclonol: use of a new pharmacologic agent in chronic schizophrenia. *Antibiotic M.*, 1956, 3: 146-150.

with PIPRADROL—COMBINED

Himwich, H. E. The effect of frenquel on EEG changes produced by LSD-25 and mescaline. In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, Grune & Stratton, 1956. p. 19-26.

Pennington, V. M. A comparative study of six ataraxics in 1,130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33: 336-339.

Rinaldi, F., Himwich, H. E. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122: 424-432.

—, —. Frenquel corrects certain cerebral electrographic changes. *Science*, 1955, 122: 198-199.

Toll, N. Azacyclonol as an adjunct to psychotherapy. In: Himwich, H. E., ed. Tranquilizing drugs. Washington, Am. Ass. Adv. Sc., 1957. p. 103-113.

with PIPRADROL—COMPARED

Carr, C. J., Kinnard, W. J., Jr. The phrenotropic agents. *Internat. Rec. M.*, 1957, 170: 493-504.

Fabing, H. D. Frenquel, a blocking agent against experimental LSD-25 and mescaline psychosis; preliminary note on its clinical application. *Neurology*, 1955, 5: 319-328.

Forster, W., Henderson, A. L. A clinical study of frenquel (alpha [4-piperidyl] benzhydrol hydrochloride) in chronic schizophrenia. *Canad. M. Ass. J.*, 1957, 76: 97-101.

Rosner, B. S., Fierman, L. B., Kramer, J. F. Clinical evaluation of maratran and frenquel on a chronic psychotic population. *Am. J. Psychiat.*, 1957, 113: 993-996.

with PYRATHIAZINE—COMBINED
see following reference

with RAUWOLFIA CANESCENS ALKALOIDS—COMBINED

Ferguson, J. T. Azacyclonol: use of a new pharmacologic agent in chronic schizophrenia. *Antibiotic M.*, 1956, 3: 146-150.

with RAUWOLFIA SERPENTINA ALKALOIDS—COMBINED

Coats, E. A., Gray, R. W. Frenquel: clinical impressions of the use of a new drug in the treatment of mental illness. *Nebraska M. J.*, 1956, 41: 460-461.

with RESERPINE—COMBINED

see also **AZACYCLONOL—Psychotherapeutic use**

Barsa, J. A., Kline, N. S. Azacyclonol (frenquel) in the treatment of chronic schizophrenics. *Am. J. Psychiat.*, 1956, 113: 255-256.

Cohen, S., Parlour, R. R. Preliminary observations on use of frenquel in hospital psychiatry. *J. Am. M. Ass.*, 1956, 162: 948-950.

Fabing, H. D., Hawkins, J. R. A year's experience with frenquel in clinical and experimental schizophrenic psychoses. *Dis. Nerv. Syst.*, 1955, 16: 329-338. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4540.

Ferguson, J. T. Azacyclonol: use of a new pharmacologic agent in chronic schizophrenia. *Antibiotic M.*, 1956, 3: 146-150.

with OTHER DRUGS—COMBINED

see also **AZACYCLONOL—Psychotherapeutic use**

Coats, E. A., Gray, R. W. Frenquel: clinical impressions on the use of a new drug in the treatment of mental illness. *Nebraska M. J.*, 1956, 41: 460-461.

Rinaldi, F., Himwich, H. E. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122: 424-432.

—, —. Frenquel corrects certain cerebral electrographic changes. *Science*, 1955, 122: 198-199.

with SHOCK THERAPIES—COMPARED

Lemere, F. Failure of azacyclonol (frenquel) to relieve non-experimental mental confusion and hallucinations. *Am. J. Psychiat.*, 1957, 113: 840-841.

with SHOCK THERAPY [ECT]—COMBINED

Ayd, F. J., Jr. A clinical evaluation of frenquel. *J. Nerv. Ment. Dis.*, 1956, 124: 507-509.

Bouchard, M., Larue, G. H., Turmel, J. Le frenquel en psychiatrie; rapport préliminaire. [Frenquel in psychiatry; preliminary report.] *Laval méd.*, 1956, 21: 765-776.

Coats, E. A., Gray, R. W. Frenquel: clinical impressions on the use of a new drug in the treatment of mental illness. *Nebraska M. J.*, 1956, 41: 460-461.

Collomb, H., Miletto, G., Robert, H. Le frenquel en thérapeutique psychiatrique. [Frenquel in psychiatric therapy.] *Presse méd.*, 1956, 64: 1602-1604.

Fabing, H. D., Hawkins, J. R. A year's experience with frenquel in clinical and experimental schizophrenic psychoses. *Dis. Nerv. Syst.*, 1955, 16: 329-338. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4540.

Laboucarie, J., Barrès, P., Rascol, A. Aspects principaux des cures neurolégiques en psychiatrie en 1956. [Principal features of neurologic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.

Sargent, W. On chemical tranquilizers. *Brit. M. J.*, 1956, 1: 939-943.

BGE

Sherwood, W. K. Experience with "BGE", a naturally occurring indole compound. *J. Nerv. Ment. Dis.*, 1957, 125: 490-491.

Additional data

Fabing, H. D. Experimental psychoses which mimic schizophrenia. *Nebraska M. J.*, 1956, 41: 455-459.

—, Trends in biological research in schizophrenia. *J. Nerv. Ment. Dis.*, 1956, 124: 1-7.

Studies, normal subjects see BGE**with AZACYCLONOL—INTERACTION****Studies, normal subjects**

see BGE [SHERWOOD]

BENACTYZINE**Studies, animals**

Berger, F. M., Campbell, G. L., Hendley, C. D., Ludwig, B. J., Lynes, T. E. The action of tranquilizers on brain potentials and serotonin. *Ann. N. York Acad. Sc.*, 1957, 66: 686-694.

Holten, C. H., Sonne, E. Action of a series of benactyzine-derivatives and other compounds on stress-induced behaviour in the rat. *Acta pharm. tox., Kbh.*, 1955, 11: 148-155.

Jacobsen, E. Suavitil; et nyt stof med specifk virkning på centralnervesystemet. [Suavitil, a new drug with specific effect on the central nervous system.] [English summary.] *Ugeskr. laeger*, 1955, 117: 1147-1151.

—, Skaarup, Y. Experimental induction of conflict-behaviour in cats: the effect of some anticholinergic compounds. *Acta pharm. tox., Kbh.*, 1955, 11: 125-134. Abstract: *Chem. Abstr.*, 1956, 50: 2045ef.

—, Sonne, E. The effect of benzoic acid diethylaminoethyl ester HCl (benactyzine) on stress-induced behaviour in the rat. *Acta pharm. tox., Kbh.*, 1955, 11: 135-147. Abstract: *Chem. Abstr.*, 1956, 50: 2045fg.

—, —. The effect of benactyzine on the conditioned responses in the rat. *Acta pharm. tox., Kbh.*, 1956, 12: 310-320. Abstract: *Chem. Abstr.*, 1956, 50: 2045d; 14967h.

Studies, normal subjects

Coady, A., Jewesbury, E. C. A clinical trial of benactyzine hydrochloride (suavitil) as a physical relaxant. *Brit. M. J.*, 1956, 1: 485-487. Abstract: *Excerpta Med.*, Sect. 8, 1956, 9: 3890.

Jacobsen, E. Suavitil; et nyt stof med specifk virkning på centralnervesystemet. [Suavitil, a new drug with specific effect on the central nervous system.] [English summary.] *Ugeskr. laeger*, 1955, 117: 1147-1151.

Munro, H. K. On the effect of suavitil (benzoic acid diethylaminoethyl ester hydrochloride) on the higher mental functions of normal subjects. *Acta psychiat. neur. scand.*, 1955, 30: 721-728.

Raymond, M. J., Lucas, C. J. Benactyzine in psychoneurosis, with a note on the E. E. G. changes in normal subjects. *Brit. M. J.*, 1956, 1: 952-954.

Therapeutic studies, controlled

Coady, A., Jewesbury, E. C. A clinical trial of benactyzine hydrochloride (suavitil) as a physical relaxant. *Brit. M. J.*, 1956, 1: 485-487. Abstract: *Excerpta Med.*, Sect. 8, 1956, 9: No. 3890.

—Neuroses

Forbes, H. S., Earle, B. V. Benactyzine in psychoneurosis. *Brit. M. J.*, 1957, 1: 226.

Hargreaves, G. R., Hamilton, M., Roberts, J. M. Benactyzine as an aid in treatment of anxiety states; preliminary report. *Brit. M. J.*, 1957, 1: 306-310.

Jacobsen, E. Suavitil; et nyt stof med specifk virkning på centralnervesystemet. [Suavitil, a new drug with specific effect on the central nervous system.] [English summary.] *Ugeskr. laeger*, 1955, 117: 1147-1151.

—, Kehlet, H., Larsen, V., Munkvad, I., Skinhoj, K. The autonomic reaction of psychoneurotics to a new

sedative: benactyzine NFN, suavitil (R) (benzilic acid diethylaminoethyl ester hydrochloride). *Acta psychiat. neur. scand.*, 1955, 30: 627-642. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2668.

Jensen, O. Ø. Suavitil in the treatment of psychoneuroses. *Danish M. Bull.*, 1955, 2: 140-143.

Kinross-Wright, V., Moyer, J. H. Observations upon the therapeutic use of benactyzine suavitil. *Am. J. Psychiat.*, 1957, 114: 73-74.

MacLean, R. E. Benactyzine hydrochloride (suavitil) in out-patient psychiatric treatment: preliminary study. *Med. J. Australia*, 1957, 44 (1): 67-70.

Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquillizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. *GP*, 1957, 15 (6): 97-118.

Munkvad, I. Treatment of psychoses and psychoneuroses with a new sedative (suavitil). [In English] *Acta psychiat. neur. scand.*, 1955, 30: 729-739. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3086.

Østergaard Jensen, O. Suavitil in the treatment of psychoneuroses. [In English] *Danish M. Bull.*, 1955, 2: 140-143.

Pevey, J. K., Moyer, J. H., Handley, C. A., Heider, C. A comparison of clinical results with phenobarbital, meprobamate and two similar experimental compounds. [Abstract] [benactyzine: meprobamate: phenaglycodol] *J. Pharm. Exp. Ther.*, 1957, 119: 176. *

Plichtet, A. Un nouveau traitement des psychonévroses; le chlorhydrate de l'acide benzilique diéthylaminoéthylester. [A new treatment of psychoneuroses; benzilic acid 2-diethylamino-ethyl ester.] *Presse méd.*, 1955, 63: 1748.

Raymond, M. J., Lucas, C. J. Benactyzine in psychoneuroses, with a note on the E. E. G. changes in normal subjects. *Brit. M. J.*, 1956, 1: 952-954. *

—, —, Beesley, M. L., O'Connell, B. A., Roberts, J. A. F. A trial of five tranquillizing drugs in psychoneurosis. *Brit. M. J.*, 1957, 2: 63-66.

Seager, C. P., Leitch, A. Benactyzine in psychoneurosis; a controlled clinical trial in hospital patients. *Brit. M. J.*, 1956, 2: 1407-1409. *

Therapeutic use

Corni, L. Esperienze cliniche con un nuovo farmaco ad azione sul S. N. C., la beatilina in soggetti affetti da psicosi e psiconevrosi. [Clinical experiences with a new drug, beatiline, acting on the central nervous system in patients with psychoses and psychoneuroses.] *Gazz. med. ital.*, 1956, 115: 328-331.

Davies, E. B. A new drug to relieve anxiety. *Brit. M. J.*, 1956, 1: 480-484. *

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hiberno-therapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [366; 390]

Lemere, F. Benactyzine (Suavitil). *Am. J. Psychiat.*, 1957, 114: 371.

Munkvad, I. Treatment of psychoses and psychoneuroses with a new sedative (suavitil). [In English] *Acta psychiat. neur. scand.*, 1955, 30: 729-739. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: 3086.

A new drug effective on the central nervous system. [In English] *Danish M. Bull.*, 1955, 2: 159-160.

Ostenfeld, I. Psykiske urolitstande. [Mental excitement.] [English summary] *Nord. med.*, 1955, 54: 1517-1522.

—, Suavitil; et nyt spasmolytikum med formentlig virkning på anankasmer og dermed beslaegtede lidelser. [Suavitil; a new spasmolytic supposedly effective in obsessive-compulsive and related disorders.] [English summary] *Nord. med.*, 1955, 54: 1523-1525.

Pennington, V. M. Research findings in phrenotropic drugs important to every physician. *Mississippi Doctor*, 1957, 35: 57-63.

—Additional data

Alexander, L. Therapeutic process in electroshock and the newer drug therapies; psychopathological considerations. *J. Am. M. Ass.*, 1956, 162: 966-969.

—, Objective approaches to treatment in psychiatry. *Canad. Psychiat. Ass. J.*, 1957, 2: 77-94.

Bergy, G. A. Drugs of sedation with tranquilizing effects. *Am. Profes. Pharmacist*, 1956, 22: 419; 534-538; 619-621; 709-710; 797-799; 888-889; 917-919. [709-710.]

Dellaert, R. De modernste chemopharmaca in de psychiatrie. [New chemical psychopharmaca.] *Belg. tschr. geneesk.*, 1956, 12: 314-321.

Fabing, H. D. The ataractic drugs; their uses and limitations in psychiatry. *Am. Profes. Pharmacist*, 1956, 22: 413-418.

Fremming, K. H. Medikamentel behandling af synds-sygdomme. [Medical treatment of mental disorders.] *Mskr. prakt. laegegern., Kbh.*, 1956, 34-331-342.

Green, A. Actualités thérapeutiques 1955 en psychiatrie. [Therapeutic progress in psychiatry in 1955.] *Encéphale*, 1956, 45: 172-200.

Keyes, B. L. Ataraxie drugs. *Pennsylvania M. J.*, 1957, 60: 177-181.

Kline, N. S. Chemotherapy in psychiatry; recent advances. *Seminar Internat., Hoddesdon*, 1956, 5 (2): 7-10.

Laboucarié, J., Barrès, P., Rascol, A. Aspects principaux des cures neuroplégiques en psychiatrie en 1956. [Principal features of neuroplegic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.

Leiberman, D. M., Vaughan, G. F. Tranquillizers. *Practitioner, Lond.*, 1956, 177, 632-638.

Perrault, M. Sur les tranquillisateurs. [Tranquillizers.] *Progr. méd., Par.*, 1957, 85: 3-4; 7.

Senseman, L. A. Tranquillizing drugs; uses and abuses for the nervous patient. *Rhode Island M. J.*, 1956, 39: 675-677; 680; 686.

Stimulants and depressants. *Brit. M. J.*, 1956, 1: 969-970.

—Neuroses

De Busscher, J. Impressions personnelles sur les effets de l'atarax de la chlorpromazine, de la réserpine et du AY-5406-1 (parasan) en thérapeutique psychiatrique. [Personal impressions of atarax, chlorpromazine, reserpine and AY 5406-1 (parasan) in psychiatric therapy.] *Encéphale*, 1956, 45: 1007-1023.

Fouks, Laine, François, Pagot. Note sur les médications récentes des état névrotiques anxieux et dépressifs. [Note on recent medications for anxious and depressive neurotic states.] *Ann. méd. psychol., Par.*, 1956, 114 (1): 608-615.

Stokholm, H., Zahle, V. Medicamentel neurosebehandling; nogle bemaerkninger. [Medical treatment of neuroses; some remarks.] *Ugeskr. laeger*, 1955, 117: 1511-1513.

with ATARAXICS [2 or more]

see ATARAXICS—Various [3 or more]—Compared

with OTHER DRUGS [barbiturates]—COMBINED

De Busscher, J. Impressions personnelles sur les effets de l'atarax, de la chlorpromazine, de la réserpine et du AY-5406-1 (parasan) en thérapeutique psychiatrique. [Personal impressions of atarax, chlorpromazine, reserpine and AY-5406-1 (parasan) in psychiatric therapy.] *Encéphale*, 1956, 45: 1007-1023.

Ostenfeld, I. Suavitil; et nyt spasmolytikum med formentlig virkning på anankasmer og dermed beslaegtede lidelser. [Suavitil; a new spasmolytic supposedly effective in obsessive-compulsive and related disorders.] [English summary] *Nord. med.*, 1955, 54: 1523-1525.

BUFOTENINE

Intoxication

see BUFOTENINE—Pharmacodynamics

Studies, normal subjects

Pharmacodynamics

Fabing, H. D. Experimental psychoses which mimic schizophrenia. *Nebraska M. J.*, 1956, 41: 455-459.

—, Hawkins, J. R. Intravenous bufotenine injection in the human being. *Science*, 1956, 123: 886-887.

Fish, M. S., Horning, E. C. Studies on hallucinogenic snuffs. *J. Nerv. Ment. Dis.*, 1956, 124: 33-37.

—Additional data

Fabing, H. D. The dimensions of neurology. *Neurology*, 1955, 5: 603-611. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1718.

—, The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drug & Cosmet. Indust.*, 1956, 78: 32-33; 125-129.

—, Trends in biological research in schizophrenia. *J. Nerv. Ment. Dis.*, 1956, 124: 1-7.

Osmond, H. Ololiuqui: the ancient Aztec narcotic; remarks on the effects of Rivea corymbosa (ololiuqui). *J. Ment. Sc., Lond.*, 1955, 101: 526-537.

—, Research on schizophrenia. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the second conference, May 1955, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1956. p. 183-233.

Page, I. H., McCubbin, J. W. Serotonin or tenure for the pharmacologist. *Circulation*, N. Y., 1956, 14: 161-162.

Sebrell, W. H., Jr. Chemistry in chronic disease research. *Chem. Eng. News*, 1955, 33: 1856-1860.

Shaw, E. (N.), Woolley, D. W. Methylserotonins as potent antimetabolites of serotonin active both in vitro and in vivo. *J. Pharm. Exp. Ther.*, 1956, 116: 164-176.

Studies, animals

Evarts, E. [V.] Brain effects of LSD in animals. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, *Grune & Stratton*, 1956. p. 55-56.

—, Some effects of bufotenine and lysergic acid diethylamide on the monkey. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 49-53.

—, Landau, W., Freygang, W., Jr., Marshall, W. H. Some effects of lysergic acid diethylamide and bufotenine on electrical activity in the cat's visual system. *Am. J. Physiol.*, 1955, 182: 594-598.

Jarvik, M. E. Effect of LSD-25 on snails. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the third conference, May 1956, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1957. p. 29-38.

Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sc.*, 1957, 66: 496-507.

—, Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 9-21.

—, —, An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.

Monroe, R. R., Heath, R. C., Mickle, W. A., Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thorazine, and meratran. *Psychiat. Res. Rep., Wash.*, 1955 (1): 25-44. Abstract: *Chem. Abstr.*, 1956, 50: 2867gh.

Turner, W. J. The effect of lysergic acid diethylamide on *Betta splendens*: I. *Dis. Nerv. Syst.*, 1956, 17: 193-197.

Studies, normal subjects

Fabing, H. D. On going berserk: a neuro-chemical inquiry. *Am. J. Psychiat.*, 1956, 113: 409-415.

—, Hawkins, J. R. Intravenous bufotenine injection in the human being. *Science*, 1956, 123: 886-887.

—, Kropa, E. L., Hawkins, J. R., Leake, C. D. Bufotenine effects in humans. [Abstract] *Fed. Proc., Balt.*, 1956, 15: 421.

Fish, M. S., Horning, E. C. Studies on hallucinogenic snuffs. *J. Nerv. Ment. Dis.*, 1956, 124: 33-37.

Osmond, H. A review of the clinical effects of psychomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

Turner, W. J., Merlis, Carl, A. Concerning theories of indoles in schizophrenogenesis. *Am. J. Psychiat.*, 1955, 112: 466-467.

CB-1522

Cocktail see under CB-1522—Therapeutic use

Pharmacodynamics and Studies, animals

see also CB-1522—Therapeutic studies, controlled

Huguenard, P. Étude clinique d'un nouveau neuroplégique, le 1522 CB (maléate d'acétylpromazine). [Clinical study of a new neuroplegic drug, CB-1522 (acétylpromazine maleate)]. *Presse méd.*, 1957, 65: 685-688.

Therapeutic studies, controlled

Delay, J., Pichot, P., Ropert, R. Un nouveau médicament neuroleptique en psychiatrie. Le maléate acide de l'éthylone-3-diméthylamino-3'-1-propyl-10-phénothiazine (1522 C. B.) [A new neuroleptic drug in psychiatry. 8-Acetyl-10-(3-dimethylaminopropyl)phenothiazine (CB-1522)] *Presse méd.*, 1957, 65: 491-493.

Therapeutic use

Coirault, R., Girard, V., Escafit, H., Benoit, P. Utilisation du 1522 CB en neuro-psychiatrie. [Use of 1522 CB in neuro-psychiatry.] [CB-1522; CB-1522 cocktail] *Bull. Soc. méd. mil. fr.*, 1955, 49: 247-249. Abstract: *Presse méd.*, 1956, 64: 315.

Laborit, H., Coirault, R., Damasio, R., Gaujard, R., Laborit, G., Charonnat, R., Lechat, P., Chareton, J. Sur un type nouveau d'anesthésie chirurgicale et sur l'emploi en thérapeutique d'un dépressur du cortex cérébral (S. C. T. Z.) [A new type of surgical anesthesia and the therapeutic use of a cerebral cortex depressant (S. C. T. Z.)] [thiamine hydrochloride+CB-1522] *Presse méd.*, 1957, 65: 1051-1054.

—Additional data

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [p. 363]

with CHLORPROMAZINE—COMPARED see CB-1522

with PROMETHAZINE and OTHER DRUGS—COMBINED [=CB-1522 cocktail]

see under CB-1522—Therapeutic use

CANNABIS

Criminal use see CANNABIS—Intoxication [JOHNSON]

Intoxication

see also CANNABIS—Studies, normal subjects

Abdulla, A. Cannabis indica als Volksseuche in Ägypten. [Cannabis indica as a national epidemic in

Egypt.] [English summary] *Schweiz. med. Wschr.*, 1953, 83: 541-543.

Durieux, G. P. Extension de l'intoxication par le cannabis sativa Linnaeus. [Distribution of the intoxication with Cannabis sativa Linnaeus.] 30 p. Paris, 1953. [Thesis—Paris 1953, no. 754]

González Más, R. Introducción al estudio de la toxicomanía por cañamo indiano. [Introduction to the study of toxicomania for Indian cannabis.] *Medicina, Madr.*, 1953, 21: 130-136.

Johnson, D. M. The hallucinogenic drugs, the insanity-producing drugs: Indian hemp and datura; a neglected aspect of forensic medicine, a loophole in the law. 45 p. London, *Johnson*, 1953.

—. Indian hemp; a social menace. 112 p. London, *Johnson*, 1952.

Lindemann, E., Clarke, L. D. Modifications in ego structure and personality reactions under the influence of the effects of drugs. *Am. J. Psychiat.*, 1952, 108: 561-567.

Osmond, H. A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

Piédelièvre, R., Dérobert, L. Une intoxication professionnelle devenue rare; un cas de cannabisme. [Rare occupational poisoning; case of cannabism.] *Ann. méd. lég.*, 1953, 33: 23-25.

Wikler, A. Mechanisms of action of drugs that modify personality function. *Am. J. Psychiat.*, 1952, 108: 590-599.

—Additional data

Fabing, H. D. The dimensions of neurology. *Neurology*, 1955, 5: 603-611. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1718.

—. The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drug & Cosmet. Indust.*, 1956, 78: 32-33; 125-129.

—. Experimental psychoses which mimic schizophrenia. *Nebraska M. J.*, 1956, 41: 455-459.

Rothlin, E. Die zentralnervösen Wirkungen von Heilmitteln. [The central-nervous effects of drugs.] 39 p. Stuttgart, *Thieme*, 1954.

Turner, W. J., Merlis, S., Carl, A. Concerning theories of indoles in schizophrenogenesis. *Am. J. Psychiat.*, 1955, 112: 466-467.

Walther-Büel, H. Über Pharmakopsychiatrie. [Pharmacopsychiatry.] *Schweiz. med. Wschr.*, 1953, 83: 483-487. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1940.

—Therapy, controlled

Carey, E. F. A new approach to the emergency treatment of sickness caused by narcotic withdrawal. [reserpine + placebo] *Ann. N. York Acad. Sc.*, 1955, 61: 222-229. Also: *Illinois M. J.*, 1957, 111: 1-7.

Studies, animals

Apter, J. T., Pfeiffer, C. C. The effect of the hallucinogenic drugs LSD-25 and mescaline on the electroretinogram. *Ann. N. York Acad. Sc.*, 1957, 66: 508-514.

—, —. Effect of hallucinogenic drugs on the electroretinogram. *Am. J. Ophth.*, 1956, 42 (4, Part 2): 206-211.

Witt, P. N. Der Netzbau der Spinne als Test zur Prüfung zentralnervös angreifender Substanzen. [Construction of spider webs as a test for drugs with CNS action.] *Arzneimitt. Forsch.*, 1956, 6: 628-635.

Studies, normal subjects

see also CANNABIS—Intoxication

Evarts, E. V. A review of the neurophysiological effects of lysergic acid diethylamide (LSD) and other psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 479-495.

Therapeutic use

Rolls, E. J., Stafford-Clark, D. Depersonalization treated by Cannabis indica and psychotherapy. *Guy's Hosp. Rep., Lond.*, 1954, 103: 330-336.

Thompson, L. J., Proctor, R. C. The use of pyrahexyl in the treatment of alcoholic and drug withdrawal conditions. *North Carolina M. J.*, 1953, 14: 520-523.

CHLORPROMAZINE

Atti del symposium sulla reserpina e clorpromazina in neuropsichiatria. [Proceedings of the symposium on reserpine and chlorpromazine in neuropsychiatry.] *Arch. psicol. neur., Milano*, 1956, 17: p. III-XI; 115-684. [Articles within the scope of this bibliography are listed individually.]

Azima, H. Report on the international colloquium on chlorpromazine and neuroleptic medications in psychiatric treatment, Paris, October 20-22, 1955. *Am. J. Psychiat.*, 1956, 112: 749-750.

Broggi, E. Risultati del convegno nazionale tenuto a Vercelli il 24-25 settembre su: ibernazione artificiale, sonno prolungato e neuroplegici in neuropsichiatria. [Results of the national convention held at Vercelli on September 24-25 on artificial hibernation, prolonged sleep and neuroplegic drugs in neuropsychiatry.] *Encéphale*, 1956, 45: 1035-1041.

Chlorpromazine and mental health. 200 p. [Proceedings of the symposium held under the auspices of Smith, Kline & French Laboratories in Philadelphia, Pa., June 1955] Philadelphia, *Lea & Febiger*, 1955. [Articles within the scope of this bibliography are listed individually.]

Le colloque international de Paris sur la chlorpromazine et les médicaments neuroleptiques en thérapeutique psychiatrique. [International colloquium in Paris (October 1955) on chlorpromazine and neuroleptic drugs in psychiatric therapy.] *J. méd. Lyon*, 1956, 37: 103-105.

Colloque international sur la chlorpromazine et les médicaments neuroleptiques en thérapeutique psychiatrique. [International colloquium on chlorpromazine and neuroleptic drugs in psychiatric therapy.] [Paris, October 1955] *Encéphale*, 1956, 45: 301-1266. [Articles within the scope of this bibliography are listed individually.]

Conn, H. F., ed. Symposium on the efficacy of new drugs. *Med. Clin. N. America*, 1957, 41: 295-615. [Articles within the scope of this bibliography are listed individually.]

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernotherapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398.

Fernandes, B. Clorpromazina, reserpina e a chamada "farmacopsiquiatria". [Chlorpromazine and reserpine at the colloquium on "pharmacopsychiatry".] [Paris, October 1955] *J. méd., Porto*, 1956, 29: 237-243.

Happiness pills in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 57-65.

Himwich, H. E., ed. Tranquilizing drugs. 197 p. [Symposium held in Atlanta, Georgia, December 1955] Washington, *Am. Ass. Adv. Sc.*, 1957. [Articles within the scope of this bibliography are listed individually.]

International symposium on chlorpromazine. *J. Clin. Exp. Psychopath.*, 1956, 17: 15-76; 129-188. [Articles within the scope of this bibliography are listed individually.]

Laborit, H., Huguenard, P. Pratique de l'hibernothérapie en chirurgie et en médecine. [The use of hibernotherapy in surgery and in medicine.] 256 p. Paris, *Masson*, 1954. [One chapter is within the scope of this bibliography.] cf. EY, DESCHAMPS, BERARD.

Overholser, W., Waldrop, F. N., Riesenman, F. R., Fong, T. C. C., Farley, O. R., Hoffman, J. L. Chlorpromazine and reserpine; symposium on experiences at Saint Elizabeths Hospital. *Med. Ann. District of Columbia*, 1956, 25: 255-268; 298. [All articles are listed individually.]

Revol, L., Achaintre, A., Balvet, P., Beaujard, M., Berthier, C., Broussolle, P., Lambert, P., Perrin, J., Requet, A. La thérapeutique par la chlorpromazine en pratique psychiatrique. [Chlorpromazine therapy in psychiatric practice.] 151 p. Paris, Masson, 1956.

Symposium: Clinical value and limitations of chlorpromazine. *Psychiat. Res. Rep.*, Wash., 1955 (1): 53-104. [All articles are listed individually.]

Symposium on chlorpromazine in clinical medicine. *Internat. Rec. M.*, 1955, 168: 295-358. [Articles within the scope of this bibliography are listed individually.]

Symposium on tranquilizers. [Summary of proceedings. British Medical Association annual meeting, Newcastle upon Tyne, July 1957] *Brit. M. J.*, 1957, 2: 219-221.

Tranquillizers in psychiatry. [Report on Royal Medico-Psychological Association Meeting, London, February 1956] *Brit. M. J.*, 1956, 1: 512-513.

Zambianchi, A. Écho du symposium de Milan sur la réserpine et la chlorpromazine en psychiatrie. [Review of the symposium in Milan on reserpine and chlorpromazine in psychiatry.] *Encéphale*, 1956, 45: 1071-1075.

Alone see CHLORPROMAZINE— . . .

Alone—Compared with chlorpromazine as potentiator

Alone—Compared with chlorpromazine cocktail

see CHLORPROMAZINE—Various special techniques—
Compared with Chlorpromazine alone

Artificial hibernation

see CHLORPROMAZINE—Various special techniques

As potentiator

see CHLORPROMAZINE—Various special techniques

CHLORPROMAZINE with OTHER DRUGS [CNS depressants]—COMBINED

Bibliographies and literature surveys

Allen, E. B., Prout, C. T. Alcoholism. *Progr. Neur. Psychiat.*, N. Y., 1955, 10: 510-521.

Bryant, J. H., Bass, B. M., Hine, F. R. Drug therapy; a survey of the literature. *State of Louisiana, Department of Institutions, Division of Research, Baton Rouge*, 1956 (3): 1-24.

Demidova, L. P., Tarasov, G. K. Aminazin; obzor inostrannoi literatury po primeneniiu v psikiatrii odnogo iz proizvodnykh fenotiazina. [Aminazine; review of foreign literature on psychiatric use of a phenothiazine derivative.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 192-199.

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hiberno-therapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398.

Durand, V. J., Houillon, G. De quelques travaux étrangers sur la chlorpromazine. [Foreign works on chlorpromazine.] *Ann. méd. psychol.*, Par., 1955, 113 (2): 96-101.

Funderburk, W. H., Wilcox, K. W., Wilcox, P. H. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 425-456.

Gäde, E. B., Heinrich, K. Die Bedeutung der Phenothiazinderivate, insbesondere des Megaphen, für Psychiatrie und Neurologie. [The importance of phenothiazine derivatives in psychiatry and neurology with special reference to chlorpromazine.] *Fortsch. Neur. Psychiat.*, 1955, 23: 323-353.

Le Guillant, L., Roelens, R. Travaux soviétiques sur les neuroleptiques. [Soviet studies of neuroleptics.] *Presse méd.*, 1956, 64: 1225-1227.

Munch-Petersen, S. Effects of chlorpromazine (largactil) and reserpine (serpasil) within the field of neurology; a study of the pertinent literature. *Acta psychiat. neur. scand.*, 1956, Suppl. 108: 269-280. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 727.

Revol, L., Achaintre, A., Balvet, P., Beaujard, M., Berthier, C., Broussolle, P., Lambert, P., Perrin, J., Requet, A. La thérapeutique par la chlorpromazine en pratique psychiatrique. [Chlorpromazine therapy in psychiatric practice.] 151 p. Paris, Masson, 1956.

Smith, Kline & French Laboratories. Thorazine reference manual. 2d ed. 80 p. Philadelphia, 1956.

Société parisienne d'expansion chimique. Largactil, 4560 R. P. Bibliographie. 182 p. Paris, *Specia* [Laboratoires Rhône-Poulenc] 1955.

—. Largactil, 4560 R. P. Information médicale. Paris, *Specia* [Laboratoires Rhône-Poulenc] 1954-1956.

Tarasov, G. K. Abzory, kritika, retsenzii aminazin; obzor literatury po primeneniiu v psikiatrii odnogo iz proizvodnykh fenotiazina. [Aminazin; review of the literature on one of the phenothiazine derivatives in psychiatric practice.] *Zh. nevropat. psikiat.*, Moskva, 1955, 55: 296-310.

Wilcox, P. H., Funderburk, W. H., Wilcox, K. W. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1955, 10: 595-608.

Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1954, 110: 505-511; 1955, 111: 515-518; 1956, 112: 526-529; 1957, 113: 611-615.

Cocktail

see CHLORPROMAZINE—Various special techniques

Diagnostic use

Ellsworth, R. B., Clark, L. D. Prediction of the response of chronic schizophrenics to drug therapy; a preliminary report on the relationship between palmar sweat and the behavioral effects of tranquilizing drugs. *J. Clin. Psychol.*, 1957, 13: 59-61.

Hibernotherapy

see CHLORPROMAZINE—Various special techniques

History of psychiatric use [in chronologic order]

Laborit, H., Huguenard, P., Alluaume, R. Un nouveau stabilisateur végétatif; le 4560 RP. [A new autonomic stabilizer; 4560 RP.] [chlorpromazine alone; chlorpromazine+barbiturates] *Presse méd.*, 1952, 60: 206-208. [p. 207; 208]

Hamon, Paraire, Velluz. Remarques sur l'action du 4560 R. P. sur l'agitation maniaque. [Effect of R. P. 4560 on manic agitation.] *Ann. méd. psychol.*, Par., 1952, 110 (1): 331-335.

Guiraud, P. [Intra-osteal (coxal) injection] Discussion to: Hamon, Paraire, Velluz. *Ann. méd. psychol.*, Par., 1952, 110 (1): 335.

Delay, J., Deniker, P., Harl, J. M. Utilisation en thérapeutique psychiatrique d'une phénothiazine d'action centrale élective (4560 RP). [Use of a phenothiazine with elective central effect in psychiatric therapy.] *Ann. méd. psychol.*, Par., 1952, 110 (2): 112-117.

Follin, S. Discussion to: Delay, J., Deniker, P., Harl, J. M. *Ann. méd. psychol.*, Par., 1952, 110 (2): 126-127.

Abély, P., Abdouchelli, A., Fourment, J., Schmitz, B., Delteil, P. Suite aux essais thérapeutiques de rééquilibration instincto-affective; essai de traitement par la bromure tétra-éthyl d'ammonium en comparaison avec le R. P. 45-60 et le C. 92-95. [Further therapeutic studies on the restoration of instinctive-affective balance; therapeutic trials with tetraethylammonium bromide in comparison with R. P. 45-60 and with C. 92-95.] *Ann. méd. psychol.*, Par., 1952, 110 (2): 262-267.

Delay, J., Deniker, P., Harl, J. M. Traitement des états d'excitation et d'agitation par une méthode médicalement dérivée de l'hibernothérapie. [Therapeutic method derived from hiberno-therapy in excitation and

- agitation states.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 267-273.
- Deschamps, A.** Hibernation artificielle en psychiatrie. [Artificial hibernation in psychiatry.] *Presse méd.*, 1952, 60: 944-946.
- Gachkel, V., Brisset, C.** La cure de sommeil en psychiatrie. [Sleep therapy in psychiatry] *C. rend. Congr. alién. neur. France*, 1952, 50: 491-496. Abstract [incomplete!]: *Ann. méd. psychol., Par.*, 1952, 110 (2): 565.
- Delay, J., Deniker, P.** Le traitement des psychoses par une méthode neurolytique dérivée d'hibernothérapie; le 4560 R. P. utilisée seul en cure prolongée et continue. [Treatment of psychoses by a neurolytic method derived from hibernotherapy; prolonged continuous therapy with 4560 RP alone.] *C. rend. Congr. alién. neur. France*, 1952, 50: 497-502. Abstract: *Ann. méd. psychol., Par.*, 1952, 110 (2): 564.
- , —. 38 cas de psychoses traitées par la cure prolongée et continue de 4560 R. P. [Thirty-eight psychotics treated by prolonged and continuous administration of 4560 RP.] *C. rend. Congr. alién. neur. France*, 1952, 50: 503-513. Abstract: *Ann. méd. psychol., Par.*, 1952, 110 (2): 564.
- , —, **Harl, Grasset, A.** Traitements d'états confusionnels par le chlorhydrate de diméthylaminopropyl-N-chlorophénothiazine (4560 RP). [Dimethylaminopropylchlorophenothiazine (4560 RP) therapy of confusional states.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 398-403. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1603.
- Hamon, J., Paraire, J., Velluz, J.** Etats anxieux et barbituriques potentialisés. [Anxiety states and potentiated barbiturates.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 403-407.
- Ey, H., Bérard, E.** Les nouvelles techniques de cure de sommeil dans la pratique psychiatrique. [New techniques of sleep therapy in psychiatric practice.] *Evolut. psychiat.*, 1952: 661-682.
- Laborit H., Jaulmes, C.** De l'anesthésie potentialisée à l'hibernation artificielle. [From potentiated anesthesia to artificial hibernation.] *Toulouse méd.*, 1952, 53: 821-829. [p. 828]
- , —. Thérapeutique neuroplégique et hibernation artificielle: essai d'éclaircissement d'une équivoque. [Neuroplegic therapy and artificial hibernation: attempt to clarify an equivocation] *Presse méd.*, 1954, 62: 359-362. [p. 360]
- Deniker, P.** Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernotherapies and neuroleptic drugs in psychiatric therapy. *Encéphale*, 1957, 46: 281-398. [p. 291]
- Intra-osteal injection**
see CHLORPROMAZINE—History of psychiatric use [GUIRAUD]
- Therapeutic use—Psychoses**
[GUIRAUD]
- Lytic cocktail**
see CHLORPROMAZINE—Various special techniques
- Pharmacodynamics**
see also CHLORPROMAZINE—Various special techniques—Pharmacodynamics
- Ayd, F. J., Jr.** The physiologic and neurologic action of chlorpromazine. *Psychiat. Res. Rep., Wash.*, 1955 (1): 14-24. Abstract: *Chem. Abstr.*, 1956, 50: 2867def.
- Bakwin, H.** The uses of chlorpromazine in pediatrics. *J. Pediat.*, S. Louis, 1956, 48: 240-247.
- Bonello, F. J.** Chlorpromazine in general practice. *Internat. Rec. M.*, 1956, 169: 197-212.
- Brisset, C.** Chlorpromazine et sommeil. [Chlorpromazine and sleep.] *Encéphale*, 1956, 45: 1157-1161.
- Courvoisier, S.** Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 25-37.
- , —. Sur les propriétés pharmacodynamiques de la chlorpromazine en rapport avec son emploi en psychiatrie. [Pharmacodynamic basis for the use of chlorpromazine in psychiatry.] *Encéphale*, 1956, 45: 1248-1257.
- , **Fournel, J., Ducrot, R., Kolsky, M., Koetschet, P.** Propriétés pharmacodynamiques du chlorhydrate de chloro-3-(diméthylamino-3'-propyl)-10 phénothiazine (4560 R. P.). [Pharmacodynamic properties of chloro-3-(dimethylamino-3'-propyl)-10 phenothiazine (R. P. 4560).] *Arch. internat. pharm. dyn., Gand*, 1953, 92: 305-361.
- Decourt, P.** Mécanisme d'action de la thérapeutique narcobiotique en général, et de la chlorpromazine en particulier, en psychiatrie. [Mechanism of action of narcobiotic psychiatric therapy in general, and of chlorpromazine in particular.] *Encéphale*, 1956, 45: 932-944.
- Deniker, P.** Psychophysiologic aspects of the new chemotherapeutic drugs in psychiatry; some practical features of "neuroleptics" in order to screen new drugs. *J. Nerv. Ment. Dis.*, 1956, 124: 371-376.
- De Riso, C., Manghi, E.** Premesse sperimentali e risultati clinici riguardanti l'impiego della cloropromazina (largactil) in malatti neuropsichiatriche. [The use of chlorpromazine (largactil) in neuropsychiatric diseases: experimental premises and clinical results.] [English summary] *Riv. sper. freniat.*, 1956, 80: 345-354. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1556.
- Dundee, J. W.** A review of chlorpromazine hydrochloride. *Brit. J. Anaesth.*, 1954, 26: 357-379.
- Fazekas, J. F., Toupin, H., Alman, R. W.** Physiologic and pharmacologic basis for the chemotherapy of psychiatric states. *Am. J. Med.*, 1956, 21: 825-831.
- Gäde, E. B., Heinrich, K.** Die Bedeutung der Pheno-thiazinderivate, insbesondere des Megaphen, für Psychiatrie und Neurologie. [The importance of phenothiazine derivatives in psychiatry and neurology, with special reference to chlorpromazine.] *Fortsch. Neur. Psychiat.*, 1955, 23: 323-353.
- Grana, E.** Recenti acquisizioni su un nuovo medicamento neuroplegico: la cloropromazina. [Recent experiences with a new neuroplegic drug: chlorpromazine.] *Farmaco, ed. prat., Pavia*, 1954, 9: 419-422.
- Himwich, H. E.** Prospects in psychopharmacology. *J. Nerv. Ment. Dis.*, 1955, 122: 413-423. Also: *Dis. Nerv. Syst.*, 1956, 17: 109-116.
- Hopkin, D. A. B.** The action of chlorpromazine. Review of French work. *Lancet, Lond.*, 1955, 1: 605-607.
- Ibsen, B., Pahle, H., Villumsen, A. L.** Chlorpromazin hydrochlorid (largactil); en oversigt. [Chlorpromazine hydrochloride (largactil); review.] [Brief English summary] *Ugeskr. læger*, 1954, 116: 1769-1775.
- Koetschet, P.** Can it be said that chlorpromazine has specific properties? *Internat. Rec. M.*, 1955, 168: 295-300.
- Laborit, H.** Thérapeutique neuroplégique et hibernation artificielle: essai d'éclaircissement d'une équivoque. [Neuroplegic therapy and artificial hibernation: attempt to clarify an equivocation.] *Presse méd.*, 1954, 62: 359-362.
- , —. Potentiated anesthesia. *Internat. Rec. M.*, 1954, 167: 315-320.
- , **Huguenard, P., Alluaume, R.** Un nouveau stabilisateur végétatif; le 4560 RP. [A new autonomic stabilizer; 4560 RP] *Presse méd.*, 1952, 60: 206-208.
- Lehmann, H. E., Hanrahan, G. E.** Chlorpromazine, new inhibiting agent for psychomotor excitement and manic states. *A. M. A. Arch. Neur. Psychiat.*, 1954, 71: 227-237.
- MacGregor, J. MacW.** Largactil; a new psychomotor brake. *S. Afr. J. Clin. Sc.*, 1954, 5: 228-243. Abstract:

Excerpta med., Sect. 8, 1956, 9: No. 1724.

Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.

Martí-Ibáñez, F., Sackler, A. M., Sackler, M. D., Sackler, R. R. The challenge of bio- and chemotherapy in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 15-18. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 975.

Mashkovskii, M. D. [The pharmacologic properties of aminazine and of other compounds of the phenothiazine order.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 81-93. Abstract: *Chem. Abstr.*, 1956, 50: 17174e.

Meyers, F. H. Pharmacology of chlorpromazine, reserpine and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956, p. 131-140.

Moyer, J. H. The pharmacology of chlorpromazine. *Internat. Rec. M.*, 1955, 168: 301-311.

Pennes, H. H. The nature of drugs with mental actions and their relation to cerebral function. *Bull. N. York Acad. M.*, 1957, 33: 81-88.

Perrault, M. Sur les tranquillisateurs. [Tranquilizers.] *Progr. méd., Par.*, 1957, 85: 3-4; 7.

Sarro, R. Récents développements de la thérapeutique narcobiotique. [Recent developments in narcobiotic therapy.] *Encéphale*, 1956, 45: 501-510.

Schipa, S. Basi farmacologiche e farmacodinamiche delle cure neuroangioliplegiche. [Pharmacologic and pharmacodynamic basis of neuroangioliplegic therapy.] *Osp. psichiat., Nap.*, 1956, 24: 75-90.

Vargas Romero, J. Mecanismo de acción de la clorpromazina (45-60 R. P. Largactil). [The mechanism of action of chlorpromazine (45-60 R. P. largactil).] *Rev. clin. españ.*, 1955, 58: 205-211. Abstract: *Chem. Abstr.*, 1956, 59: 1199gh.

Wilson, G. M., Wood, D. R. Chlorpromazine. *Practitioner, Lond.*, 1955, 174: 494-501.

—Additional data

Cornman, H. D., III. Epilogue. *Internat. Rec. M.*, 1955, 168: 358.

Kuschinsky, G. Wichtige neue Arzneimittel. [Important new drugs.] *Deut. med. Wschr.*, 1954, 79: 1375-1376.

Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818.

—. New mood-changing drugs. *Ohio M. J.*, 1956, 52: 369-372.

New and nonofficial remedies. *J. Am. M. Ass.*, 1956, 160: 287-289.

Orsi, C. I farmaci atarassici. [Ataraxics.] *Boll. chim. farm.*, 1956, 95: 432-436.

Ravreby, M. Pharmacology. In: Happiness pills in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 57-59.

Rösner, K. Therapeutische Anwendung der zentralnervösen Wirkung einiger Phenothiazinderivate in der Allgemeinmedizin. [Therapeutic use of effects of various phenothiazine derivatives on central nervous system in general practice.] *Med. Mschr.*, 1956, 10: 719-723.

Schott, M. B. Bases pharmacodynamiques et indications thérapeutiques générales des neuroplégiques. [Pharmacodynamic bases and general therapeutic indications of neuroplegics.] *J. méd. Lyon*, 1954, 35: 925-932.

Viaud, P. Les amines dérivées de la phénothiazine. [The amino-derivatives of phenothiazine.] *J. Pharm., Lond.*, 1954, 6: 361-389.

Placebo effect see **PSYCHOPHARMACA—Evaluation**

Prolonged sleep therapy

see under **CHLORPROMAZINE—Sleep therapy**

Psychosocial considerations

see **ATARAXICS—Psychosocial considerations**

Psychotherapeutic use

see also **CHLORPROMAZINE—Various special techniques—Psychotherapeutic use**

Achaintre, A., Balvet, P., Beaujard, M., Broussolle, P., Perrin, J., Leveque, F., Requet, A. Evaluation of chlorpromazine in psychotic patients. *Internat. Rec. M.*, 1957, 170: 175-182.

Achaintre, A., Lauxerois, G. Intérêt de la psychothérapie auprès des malades mentaux. II. Psychothérapie explicative individuelle dans les psychoses de longue évolution traitées par la chlorpromazine. [The value of psychotherapy in mental diseases. II. Individual explanatory psychotherapy in chronic psychoses treated with chlorpromazine.] *J. méd. Lyon*, 1956, 37: 403-406.

Bloch, C. Psychopathologie et psychothérapie sous chlorpromazine à hautes doses. [Psychopathology and psychotherapy with massive doses of chlorpromazine.] *Encéphale*, 1956, 45: 458-460.

Bronner, A. Chlorpromazine (thorazine) in office practice. *Am. J. Psychother.*, 1956, 10: 460-466.

Cowden, R. C., Zax, M., Hague, J. R., Finney, R. C. Chlorpromazine: alone and as an adjunct to group psychotherapy in the treatment of psychiatric patients. *Am. J. Psychiat.*, 1956, 112: 898-902. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4559.

Garmany, G., May, A. R., Folkson, A. The use and action of chlorpromazine in psychoneuroses. *Brit. M. J.*, 1954, 2: 439-441.

Gibbs, J. J., Wilkens, B., Lauterbach, C. G. A controlled clinical psychiatric study of [the drug] chlorpromazine. *J. Clin. Exp. Psychopath.*, 1957, 18: 258-268. Condensed: *Am. J. Psychiat.*, 1956, 113: 254-255.

Gomirato, G., Gamma, G. Ricerche comparative d'esplorazione psicofarmacologica; studio dell'associazione di un barbiturico ad azione rapida (narcovene) con un ganglioplegico (largactil). [Comparative psychopharmacologic investigations; study of a rapidly acting barbiturate (narcovene) combined with a ganglioplegic (largactil).] *Gior. psichiat.*, 1954, 82: 347-359.

Guiral, R. J. Uso de la chlorpromazina en las distonias vegetativas de tipo psicósomato. [Use of chlorpromazine in the psychosomatic type of autonomic dystonias.] *Encéphale*, 1956, 45: 541-546.

Larivière, P. Quelques commentaires sur la chlorpromazine en pratique psychiatrique. [Some remarks on chlorpromazine in psychiatric practice.] [English summary] *Canad. Psychiat. Ass. J.*, 1956, 1: 18-23. *

Lesse, S. Psychotherapy and ataraxics: some observations on combined psychotherapy and chlorpromazine therapy. *Am. J. Psychother.*, 1956, 10: 448-459. *

—, Malitz, S., Hoch, P. [H.] Chlorpromazine therapy in private practice. Its benefits and complications. *J. Nerv. Ment. Dis.*, 1957, 125: 25-35.

Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.

Newbold H. L., Steed, W. D. The use of chlorpromazine in psychotherapy. *J. Nerv. Ment. Dis.*, 1956, 123: 270-274.

Scherr, A. Le largactil en psychiatrie extra-hospitalière. [Largactil in ambulatory psychiatry.] *Encéphale*, 1956, 45: 388-391.

Silverberg, J. W., Gralnick, A. Possible synergistic action of chlorpromazine, reserpine and frenquel. A preliminary report. *Am. J. Psychiat.*, 1957, 114: 173.

Zellermayer, J. [Largactil as a psychotherapeutic adjuvant.] [In Hebrew] *Harefuah, Tel-Aviv*, 1955, 48: 31.

Sleep therapy

see **CHLORPROMAZINE—...**

CHLORPROMAZINE—Various special techniques

Somnolence therapy see **CHLORPROMAZINE—...**

Studies, animals

see also CHLORPROMAZINE—Various special techniques—Studies, animals

- Agafonov, V. G. Tormoziasheche vliianie aminazina na tsentral'nyi effekt bolevogo razdrazheniia. [The inhibiting influence of aminazine on the central effect of pain.] *Zh. nevropat. psikihiat., Moskva*, 1956, 56: 94-103. Abstract: *Chem. Abstr.*, 1956, 50: 17174f.
- Aksel, J. S. Etude clinique et expérimentale de l'hibernothérapie. [Clinical and experimental study of hibernotherapy.] *Encéphale*, 1956, 45: 566-571.
- Altschule, M. D., Bower, W., Cook, L. Experiências psiquiátricas com novo agente terapêutico: a cloropromazina. [Psychiatric experience with a new therapeutic agent, chlorpromazine.] *Resenha clin. cient., S. Paulo*, 1955, 24: 111-113.
- Angeleri, F., Carreras, M., Urbani, M. Modificazioni indotte dal 4560 RP sui potenziali evocati registrati nella formazione reticolare del tronco dell'encefalo e nella corteccia cerebrale. [Changes induced by RP 4560 in potentials recorded in the formatio reticularis of the brain stem and in the cerebral cortex.] *Riv. neur. Nap.*, 1954, 24: 702-705. Abstract: *Electroencephalography, Montreal*, 1954, 6: 532.
- Archer, J. D. Effects of chlorpromazine on maze performance of albino rats. [Abstract] *Fed. Proc., Balt.*, 1954, 13: 332.
- Arian, E., Gomirato, G. Recherches expérimentales sur l'inhibition des états d'excitation d'origine sous-corticale par moyen de la chlorpromazine et de la réserpine; communication préliminaire. [Experimental studies on the inhibition of sub-cortical excitation by chlorpromazine and by reserpine; preliminary communication.] *Encéphale*, 1946, 45: 1264-1266.
- Balestrieri, A., Fadiga, E. Intorno all'azione di alcuni derivati della fenotiazina sul sistema nervoso centrale. [Action of some phenothiazine derivatives on the central nervous system.] *Arch. sc. biol., Bologna*, 1954, 38: 620-633. Abstract: *Chem. Abstr.*, 1955, 49: 11887b. *Excerpta med.*, Sect. 8, 1956, 9: No. 303.
- Bamdas, B. S., Glod, G. D., Lando, L. I., Levkovich, A. P., Tarasov, Y. K., Khazen, I. M. [The mechanism of action of aminazine.] *Zh. nevropat. psikihiat., Moskva*, 1956, 56: 121-138. Abstract: *Chem. Abstr.*, 1956, 50: 17175d.
- Baruk, H. La catatonie expérimentale par la chlorpromazine; la posologie et la méthode d'administration la plus efficace en thérapeutique psychiatrique. [Experimental catatonia produced with chlorpromazine; the dosage and most effective method of chlorpromazine therapy in psychiatry.] *Encéphale*, 1956, 45: 474-476.
- , Launay, C., Lelord, Etude sur l'action thérapeutique du 4560 R. p. dans les états d'excitation et d'agitation impulsive. Données cliniques et données expérimentales sur les modifications de la circulation cérébrale. [Study on the therapeutic action of 4560 RP in states of excitation and impulsive agitation. Clinical and experimental information on the changes in cerebral circulation.] *Ann. méd. psychol., Par.*, 1954, 112 (2): 66-71.
- , Launay, J., Bergès, J. La catatonie expérimentale par la chlorpromazine. [Experimental catatonia induced by chlorpromazine.] *Ann. méd. psychol., Par.*, 1955, 113 (1): 439-441.
- , —, —. La catatonie expérimentale par la chlorpromazine à hautes doses chez le singe et dans la série animale; action thérapeutique du 45-60 R. P. dans le traitement des maladies mentales en clinique humaine (à doses modérées et sans association médicamenteuses). [Experimental catatonia induced in monkeys by massive doses of chlorpromazine; therapeutic effect of chlorpromazine in the treatment of mental disorders in humans with moderate doses and without adjuvant medication.] *Rev. neur., Par.*, 1955, 92: 141-143.

- , —, —. Physiologie psychiatrique expérimentale de la chlorpromazine chez les animaux et ses applications thérapeutiques chez l'homme. [Experimental psychopharmacology of chlorpromazine in animals and its therapeutic applications in man.] *Encéphale*, 1956, 45: 1258-1263.
- , —, —. La thérapeutique par la chlorpromazine; physiologie expérimentale; physiologie clinique; résultats thérapeutiques et progrès de la thérapeutique psychiatrique. [Chlorpromazine therapy; experimental physiology; clinical physiology; therapeutic results and progress in psychiatric treatment.] *Ann. méd. psychol., Par.*, 1955, 113 (1): 705-772.
- , Launay, S., Bergès, J. Action de la réserpine sur la psychomotricité et catatonie expérimentale. [Effect of reserpine on experimental psychomotricity and catatonia.] *Rev. neur., Par.*, 1956, 95: 62-63.
- Begany, A. J., Seifter, J., Pless, H. H., Huber, R. D., Bruce, W. F. Tranquilizing effect of phenothiazines in cats and rabbits. *Fed. Proc., Balt.*, 1956, 15: 399-400.
- Benditt, E. P., Rowley, D. A. Antagonism of 5-hydroxytryptamine by chlorpromazine. *Science*, 1956, 123: 24.
- Berger, F. M., Campbell, G. L., Hendley, C. D., Ludwig, B. J., Lynes, T. E. The action of tranquilizers on brain potentials and serotonin. *Ann. N. York Acad. Sc.*, 1957, 66: 686-694.
- Blough, D. S. Some effects of drugs on visual discrimination in the pigeon. *Ann. N. York Acad. Sc.*, 1957, 66: 733-739.
- Bower, W. H., Altschule, M. D., Cook, L. Psychiatric experience with chlorpromazine. *Am. Practitioner*, 1955, 6: 90-93. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4071.
- Boyd, E. M., Miller, J. K. Inhibition of locomotive activity by chlorpromazine hydrochloride. [Abstract] *Fed. Proc., Balt.*, 1954, 13: 338.
- Bradley, P. B., Hance, A. J. The effect of chlorpromazine and methopromazine on the electrical activity of the brain in the cat. *Electroencephalography, Montreal*, 1957, 9: 191-215.
- , —. The effect of chlorpromazine on the electrical activity of the brain of the conscious cat. *J. Physiol., Lond.*, 1955, 129: 50P-51P.
- Brodie, B. B., Shore, P. A., Silver, S. L. Potentiating action of chlorpromazine and reserpine. *Nature, Lond.*, 1955, 175: 1133-1134. Abstract: *Chem. Abstr.*, 1956, 50: 479g.
- Burke, J. C., Hassert, G. L., High, J. P. The tranquilizing activity of 10-(3-dimethylaminopropyl)-2-(trifluoromethyl)-phenothiazine hydrochloride (MC 4703) and related phenothiazines in animals. [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 136.
- Carreras, M., Angeleri, F. Basi sperimentali alle indicazioni della cloropromazina e della reserpina nella terapia neuropsichiatrica. [Experimental basis for chlorpromazine and for reserpine therapy in neuropsychiatry.] *Riv. neurobiol.*, 1955, 1: 473-525. [Not seen]. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4991.
- , —. The location of action of chlorpromazine in the central nervous system. *Internat. Rec. M.*, 1957, 170: 67-85.
- , —. Sull'azione centrale del potenzializzatore 4560 R. P. [Central effect of the potentiator 4560 R. P.] *Boll. Soc. ital. biol. sper.*, 1955, 31: 474-477.
- Cazzullo, C. L., Guareschi, A. Influenza di un derivato della fenotiazina, largactil, sull'attività elettrica dell'encefalo del cane. [Effect of a phenothiazine derivative largactil, on the electric activity of the brain, in dogs.] [English summary] *Riv. neur., Nap.*, 1954, 24: 602-632. Abstract: *Chem. Abstr.*, 1956, 50: 8068b. *Excerpta med.*, Sect. 8, 1955, 8: No. 3097.
- Cook, L., Weidley E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.

- , Weidley, E. F., Morris, R. W., Mattis, P. A. Neuropharmacological and behavioral effects of chlorpromazine (thorazine hydrochloride). [Abstract] *J. Pharm. Exp. Ther.*, 1955, 113: 11-12.
- Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 25-37.
- , Sur les propriétés pharmacodynamiques de la chlorpromazine en rapport avec son emploi en psychiatrie. [Pharmacodynamic basis for the use of chlorpromazine in psychiatry.] *Encéphale*, 1956, 45: 1248-1257.
- , Fournel, J., Ducrot, R., Kolsky, M., Koetschet, P. Propriétés pharmacodynamiques du chlorhydrate de chloro-3-(diméthylamino-3'-propyl)-10 phénothiazine (4560 R. P.). [Pharmacodynamic properties of chloro-3-(diméthylamino-3'-propyl)-10 phénothiazine (R. P. 4560).] *Arch. internat. pharm. dyn., Gand*, 1953, 92: 305-361.
- Das, N. N., Dasgupta, S. R., Werner, G. Changes of behaviour and electroencephalogram in rhesus monkeys caused by chlor(o)promazine. *Arch. internat. pharm. dyn., Gand*, 1954, 99: 451-457. Condensed: *Bull. Calcutta School Trop. Med.*, 1954, 1 (4): 5-6. Abstract: *Chem. Abstr.*, 1955, 49: 6455e.
- , —, —, The effect of chlorpromazine on the electrical activity of the cerveau isole. *Arch. exp. Path., Berl.*, 1955, 224: 248-252.
- Dasgupta, S. R., Mukherjee, K. L., Werner, G. The activity of some central depressant drugs in acute decorticate and diencephalic preparations. *Arch. internat. pharm. dyn., Gand*, 1954, 97: 149-156. Abstract: *Chem. Abstr.*, 1954, 48: 11636g.
- Davis, G. D. Effects of central excitant and depressant drugs on locomotor activity in the monkey. *Am. J. Physiol.*, 1957, 188: 619-623.
- Delgado, J. M., Milhailovic, L. Use of intracerebral electrodes to evaluate drugs that act on the central nervous system. *Ann. N. York Acad. Sc.*, 1956, 64: 644-666.
- Dobkin, A. B., Gilbert, R. G. B., Lamoureux, L. Physiological effects of chlorpromazine. *Anaesthesia, Lond.*, 1954, 9: 157-174.
- Eeckhoutte, R. van Le chlorhydrate de chloro-3-diméthylamino-3'-propyl-10-phénothiazine (4560 R. P.); son action sur le système nerveux et sur le système neurovégétatif. [3-Chloro-10-(3-diméthylaminopropyl) phénothiazine (4560 R. P.); its action on the nervous and autonomic nervous system.] 28 p. Ambilli, 1953, [Thesis—Geneva 1953, no. 2168]
- Essig, C. F., Carter, W. W. Convulsions and bizarre behavior in monkeys receiving chlorpromazine. *Proc. Soc. Exp. Biol., N. Y.*, 1957, 95: 726-729.
- Friebel, H., Reichle, C. Zur analgetischen und analgesieverstärkenden Wirkung von Chlorpromazin (Megaphen). [Analgesic and analgesic-potentiating effect of chlorpromazine (megaphen).] *Arch. exp. Path., Berl.*, 1955, 226: 551-557. Abstract: *Chem. Abstr.*, 1956, 50: 2063de.
- Garattini, S., Valzelli, L. Sostanze interferenti sulla attività potenziante gli ipnotici svolta dalla serotonina. [Substances that interfere with the potentiating effect of serotonin on hypnotics.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 292-295.
- Gliedman, L. H., Gantt, W. H. The effect of reserpine and chlorpromazine on orienting behavior and retention of conditioned reflexes. *South. M. J.*, 1956, 49: 880-889.
- Guha, G., Dasgupta, S. R., Werner, G. Effects of some central depressant drugs on conditioned reflexes. *Bull. Calcutta School Trop. Med.*, 1954, 2: 46-47. Abstract: *Chem. Abstr.*, 1955, 49: 1270de.
- Haley, T. J., McCormick, W. G. Pharmacological effects produced by intracerebral injection of drugs in the conscious mouse. *University of California, School of Medicine, Atomic Energy Project, Los Angeles*, 1956 (UCLA-372): 1-25.
- Hamister, R. C. Chlorpromazine in maze learning and retention. *Psychol. Rep.*, 1956, 2: 331.
- Heim, F., Frodl, E. Der Einfluss des Megaphen auf die Spontan- und Hypermotilität der weissen Maus. [Effect of megaphen on spontaneous and hypermotility of white mice.] *Arzneimitt. Forsch.*, 1954, 4: 514-515. Abstract: *Chem. Abstr.*, 1955, 49: 518gh.
- Hendley, C. D., Lynes, T. E., Berger, F. M. Effect of meprobamate on electrical activity of thalamus and other subcortical areas. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 35-46.
- Hiebel, G., Bonvallet, M., Dell, P. Action de la chlorpromazine (Largactil 45 60 RP) au niveau du système nerveux central. [Effects of chlorpromazine on central nervous system.] *Sem. hôp. Paris*, 1954, 30: 2346-2353. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1219.
- Himwich, H. E. Discussion of papers on basic observations of new psychopharmacological agents. *Psychiat. Res. Rep., Wash.*, 1956 (4): 24-31.
- , Rinaldi, F. Analysis of the action of benzotropine methanesulfonate against Parkinsonism. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 47-57.
- , —, Willis, D. An examination of phenothiazine derivatives with comparisons of their effects on the alerting reaction, chemical structure and therapeutic efficacy. *J. Nerv. Ment. Dis.*, 1956, 124: 53-57.
- Hippius, H., Mellin, P., Rosenkötter, L. Megaphenwirkungen im EEG des Kaninchens. [Megaphen effects on the EEG of rabbits.] *Zschr. ges. exp. Med.*, 1955, 125: 128-135.
- Holten, C. H., Sonne, E. Action of a series of benactyzine-derivatives and other compounds on stress-induced behaviour in the rat. *Acta pharm. tox., Kbh.*, 1955, 11: 148-155.
- Hunt, H. F. Some effects of drugs on classical (type S) conditioning. *Ann. N. York Acad. Sc.*, 1956, 65: 258-267.
- Ingvær, D. H., Soderberg, U. Effects of chlorpromazine on cerebral circulation and electroencephalogram in cats. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 254-258.
- Irwin, S., Govier, W. M. Chlorpiproazine, a new tranquilizer: comparison with chlorpromazine in the mouse, rat, cat, dog, and monkey. [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 154-155.
- Jacobsen, E., Skaarup, Y. Experimental induction of conflict-behaviour in cats: the effect of some anticholinergic compounds. *Acta pharm. tox., Kbh.*, 1955, 11: 125-134. Abstract: *Chem. Abstr.*, 1956, 50: 2045ef.
- Kaminskii, S. D., Savchuk, V. I. O deistvii aminazina na vysshuiu nervuiu deiatel'nost' sobak. [Effect of aminazine on the higher nervous functions in dogs.] *Zh. neuropat. psikiat., Moskva*, 1956, 56: 104-115. Abstract: *Chem. Abstr.*, 1956, 50: 17174hi.
- Kinnard, W. J., Carr, C. J. A preliminary procedure for the evaluation of central nervous system depressants. *J. Pharm. Exp. Ther.*, 1957, 121: 354-361.
- Kopeloff, L. M., Chusid, J. G., Kopeloff, N. Effect of chlorpromazine upon epileptic and normal monkeys. *Proc. Soc. Exp. Biol., N. Y.*, 1955, 90: 282-284.
- Lasagna, L., McCann, W. P. Effect of "tranquilizing" drugs on amphetamine toxicity in aggregated mice. *Science*, 1957, 125: 1241-1242.
- Le Guillant, L., Roelens, R. Travaux soviétiques sur les neuroleptiques. [Soviet studies of neuroleptics.] *Presse méd.*, 1956, 64: 1225-1227.
- , —, Corre, Kestenberg, Plichet, Béquart, Bailly-Salin. Quelques remarques méthodologiques sur l'action des neuroleptiques. [Certain methodological considerations on the action of neuroleptic drugs.] *Encéphale*, 1956, 45: 1128-1135.

- Lehmann, H. E. Neurophysiologic activity of chlorpromazine in clinical use. *J. Clin. Exp. Psychopath.*, 1956, 17: 129-139.
- Lim, R. K., Pindell, M. H., Glass, H. G., Rink, K. The experimental evaluation of sedative agents in animals. *Ann. N. York Acad. Sc.*, 1956, 64: 667-678.
- Longo, V. G., Von Berger, G. P., Bovet, D. Action of nicotine and of the "ganglioplégiques centraux" on the electrical activity of the brain. *J. Pharm. Exp. Ther.*, 1954, 111: 349-359. Abstract: *Chem. Abstr.*, 1954, 48: 12301d.
- Malméjac, J., Plane, P. Chlorpromazine et activité nerveuse supérieure. [Chlorpromazine and higher nervous activity.] *C. rend. Soc. biol.*, 1955, 149: 677-679.
- Marrazzi, A. S., Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 9-21.
- , —. An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.
- Martin, J. E., Beck, J. D. Some effects of chlorpromazine hydrochloride in horses. *Am. J. Vet. Res.*, 1956, 17: 678-686.
- Masserman, J. H., Pechtel, C. Neurophysiologic and pharmacologic influences on experimental neuroses. *Am. J. Psychiat.*, 1956, 113: 510-514.
- Miller, R. E., Murphy, J. V., Mirsky, I. A. Persistent effect of chlorpromazine on extinction of avoidance response. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 526-530.
- Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thorazine, and meratran. *Psychiat. Res. Rep. Wash.*, 1955 (1): 25-44. Abstract: *Chem. Abstr.*, 1956, 50: 2867gh.
- Moran, N. C., Butler, W. M., Jr. The pharmacological properties of chlorpromazine sulfoxide, a major metabolite of chlorpromazine; a comparison with chlorpromazine. *J. Pharm. Exp. Ther.*, 1956, 118: 328-337.
- Murphree, O. D., Peters, J. E. The effect of electroconvulsions, insulin comas and certain chemical agents on fixations in the rat. *J. Nerv. Ment. Dis.*, 1956, 124: 78-83.
- Norton, S., De Beer, E. J. Effects of drugs on the behavioral patterns of cats. *Ann. N. York Acad. Sc.*, 1956, 65: 249-257.
- Pfeiffer, C. C., Jenney, E. H. The inhibition of the conditioned response and the counteraction of schizophrenia by muscarinic stimulation of the brain. *Ann. N. York Acad. Sc.*, 1957, 66: 753-764.
- Piala, J. J., High, J. P., Greenspan, K., Burke, J. C. Further laboratory observations on 10-(3-dimethylamino-propyl)-2-(trifluoromethyl)-phenothiazine hydrochloride (MC 4703). [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 176-177.
- Preston, J. B. Chlorpromazine: a possible mechanism of action. [Abstract] *Fed. Proc., Balt.*, 1956, 115: 468-469.
- . Effects of chlorpromazine on the central nervous system of the cat: a possible neural basis for action. *J. Pharm. Exp. Ther.*, 1956, 118: 100-115.
- Revol, L. Chlorpromazine et intoxication alcoolique. [Chlorpromazine and alcoholic intoxication.] *Lyon pharm.*, 1954, 5: 349-350.
- Rinaldi, F. The experimental electroencephalographic approach to psychopharmacology. *Psychiat. Res. Rep., Wash.*, 1956 (4): 1-10.
- , Himwich, H. E. Drugs affecting psychotic behavior and the function of the mesodiencephalic activating system. *Dis. Nerv. Syst.*, 1955, 16: 133-141. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4566.
- , —. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122: 424-432.
- , —. The site of action of antiparkinson drugs. *Confinia neur., Basel*, 1955, 15: 209-224. Abstract: *Am. J. Physiol.*, 1954, 179: 665. *Excerpta med.*, Sect. 8, 1956, 9: 3616.
- Sadove, M. S., Balagot, R. C., Reyes, R. M. The potentiating action of chlorpromazine. *Current Res. Anesth.*, 1956, 35: 165-181.
- Schallek, W., Kuehn, A., Seppelin, D. K. Central depressant effects of methypyrulon. *J. Pharm. Exp. Ther.*, 1956, 118: 139-147.
- Schneider, J. A. Reserpine antagonism of morphine analgesia in mice. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 87: 614-615. Abstract: *Chem. Abstr.*, 1955, 49: 4165 ef.
- Schwartzbaum, J. S. Effects of reserpine and chlorpromazine on nest building and thermal preference in rats. *Proc. Soc. Exp. Biol., N. Y.*, 1955, 90: 275-277. Abstract: *Chem. Abstr.*, 1956, 50: 2853ab.
- Sheatz, G. C. Studies on chlorpromazine in decerebrate dogs and patients with irreversible brain damage. [Abstract] *J. Pharm. Exp. Ther.*, 1955, 113: 47-48.
- Shumilina, A. I. [The character of conditioned reflex activity of dogs following the administration of aminazine.] *Zh. neuropat. psikiat., Moskva*, 1956, 56: 116-120. Abstract: *Chem. Abstr.*, 1956, 50: 17175bi.
- Soulairac, A., Soulairac, M. L. Étude expérimentale de l'action de la chlorpromazine sur le comportement alimentaire et l'activité spontanée du rat. [Experimental study of the effect of chlorpromazine on the feeding behavior and spontaneous activity of rats.] *Encéphale*, 1956, 45: 927-931.
- Steinmann, H. Der Einfluss von Megaphen auf das Elektrokortikogramm der Katze. [The effects of chlorpromazine on the electrocorticogram of the cat.] [English summary] *Zbl. Neurochir.*, 1954, 14: 233-237. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 534.
- Taeschler, M., Rothlin, E. Zur Charakterisierung der zentralen Wirkung von Phenothiazinderivaten. [The specific central effect of phenothiazine derivatives.] *Arch. exp. Path., Berl.*, 1956, 228: 184-186. Abstract: *Chem. Abstr.*, 1956, 50: 8902de.
- Terzian, H. Étude de l'action du largactil (4560 RP) et du pendiomide sur l'activité électrique cérébrale du lapin. [Study of the action of largactil and pendiomide on the electrical activity of the rabbit brain.] *Rev. neur., Par.*, 1954, 91: 445-453.
- , Ruberti, R. Studio sperimentale dell'azione del largactil ed del pendiomid sull'attività elettrica cerebrale del coniglio. [Experimental study of the effect of largactil and pendiomide on cerebral electrical activity in rabbits.] *Riv. neur., Nap.*, 1954, 24: 686-702. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 2717.
- Turner, W. J. The effect of lysergic acid diethylamide on *Betta splendens*: I. *Dis. Nerv. Syst.*, 1956, 17: 193-197.
- Votava, Z., Vaněček, M. The influence of some antihistaminics and neuroplegics on the higher nervous activity of rats and dogs. *Physiol. bohém.*, 1956, 5 (Suppl.): 58-62.
- Walaszek, E. J., Abood, L. G. Effect of tranquilizing drugs on fighting responses of Siamese fighting fish. *Science*, 1956, 124: 440-441.
- Werner, G. The central actions of chlorpromazine. *Encéphale*, 1956, 45: 920-926.
- . The effects of chlorpromazine. [Abstract] *J. Am. M. Ass.*, 1955, 157: 837.
- Witt, P. N. Der Netzbau der Spinne als Test zur Prüfung zentralnervös angreifender Substanzen. [Construction of spider webs as a test for drugs with CNS action.] *Arzneimitt. Forsch.*, 1956, 6: 628-635.
- . Die Wirkung einer einmaligen Gabe von Largactil auf den Netzbau der Spinne *Zilla-x-notata*. [Effect of a single dose of chlorpromazine on the web construction

of the spider *Zilla-x-notata*.] [English summary] *Mtschr. Psychiat., Basel*, 1955, 129: 123-128.
 —, Heimann, H. Prüfung der Wirkung einer einmaligen Gabe von Largactil am Menschen mit dem Durchstreichtest von Meili und an der Spinne beim Netzbauverhalten. [The effect of a single dose of largactil tested in man by Meili's cross-out test and in spiders by the web-building test.] *Helvet. physiol. pharm. acta*, 1954, 12: C 98-99.

Studies, normal subjects

see also CHLORPROMAZINE—Various special techniques—Studies, normal subjects

Bente, D., Itil, T. Zur Wirkung des Phenothiazinkörpers Megaphen auf das menschliche Hirnstrombild. [The effect of the phenothiazine megaphen on the human EEG.] *Arzneimitt. Forsch.*, 1954, 4: 418-423. Abstract: *Chem. Abstr.*, 1954, 48: 13097b.

Cahn, M. M., Levy, E. J. Ultraviolet light factor in chlorpromazine dermatitis. *A. M. A. Arch. Derm.*, 1957, 75: 38-40.

Carreras, M., Angeleri, F. The location of action of chlorpromazine in the central nervous system. *Internat. Rec. M.*, 1957, 170: 67-85.

Despinoy, M., Saucet, D. Effects électro-encéphalographiques des stimulations auditives et lumineuses sur des sujets soumis à la chlorpromazine. [Effect of auditory and photic stimulations on the EEG of subjects under the influence of chlorpromazine.] *Encéphale*, 1956, 45: 877-883.

Dobkin, A. B., Gilbert, R. G. B., Lamoureux, L. Physiological effects of chlorpromazine. *Anaesthesia, Lond.*, 1954, 9: 157-174.

Douglas, A. D. M., Bates, T. J. N. Chlorpromazine as a suicidal agent. *Brit. M. J.*, 1957, 1: 1514.

—, Lamoureux, L., Letienne, R., Gilbert, R. G. B. Some studies with largactil. *Canad. M. Ass. J.*, 1954, 70: 626-628.

Dubansky, B., Doubrava, O., Svoboda, E., Vyhnančková, M. Hirnnervstörungen nach einmaliger intravenöser Largactildosis bei zerebralintakten Personen. [Brain nerve damage after single intravenous injection of largactil in individuals without brain disease.] *Psychiat. Neur. med. Psychol., Lpz.*, 1956, 8: 202-205. *

Ernst, K. Psychopathologische Wirkungen des Phenothiazinderivates "Largactil" ("Megaphen") in Selbstversuch und bei Kranken. [Psychopathological effects of the phenothiazine derivative "largactil" ("megaphen") in self-experimentation and in patients.] *Arch. Psychiat., Berl.*, 1954, 192: 573-590. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3520.

Fazekas, J. F., Albert, S. N., Alman, R. W. Influence of chlorpromazine and alcohol on cerebral hemodynamics and metabolism. *Am. J. M. Sc.*, 1955, 230: 128-132. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2934.

Fraser, H. F., Isbell, H. Chlorpromazine and reserpine. A. Effects of each and of combinations of each with morphine. B. Failure of each in treatment of abstinence from morphine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 257-262.

Galenko, V. E., Osberg, I. I., Robiner, I. S., Frenkel, G. M. Kliniko-elektrofiziologičeskoe issledovanie psikhicheski bol'nykh pri lechenii aminazinom. [Aminazine therapy of mental patients; clinical and electroencephalographic study.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 300-306. Abstract: *Chem. Abstr.*, 1956, 50: 17176i.

Glaser, E. M., Newling, P. S. B. Side effects of chlorpromazine hydrochloride. *Brit. J. Pharm.*, 1955, 10: 429-433.

Heimann, H., Witt, P. N. Die Wirkung einer einmaligen Largactilgabe bei Gesunden; vergleichend psychopathologisch—elektroencephalographische Untersuchungen. [Effect of single doses of chlorpromazine in

normal individuals; comparative psychopathological-electroencephalographic studies.] [English summary] *Mtschr. Psychiat., Basel*, 1955, 129: 104-123.

Isbell, M., Logan, C. R. Studies on the diethylamide of lysergic acid (LSD-25). II. Effects of chlorpromazine, azacyclonol, and reserpine on the intensity of the LSD-reaction. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 350-358.

Knight, R. W., Kent, B., Morris, G., Rogers, S. Clinical studies of an antiemetic agent, chlorpromazine. [Abstract] *J. Laborat. Clin. M.*, 1953, 42: 828.

Kornetsky, C., Humphries, O. Relationship between effects of a number of centrally acting drugs and personality. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 325-327.

—, —, Evarts, E. V. Comparison of psychological effects of certain centrally acting drugs in man. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 318-324.

Laborit, H., Huguenard, P., Alluaume, R. Un nouveau stabilisateur végétatif; le 4560 RP. [A new autonomic stabilizer; 4560 RP.] *Presse méd.*, 1952, 60: 206-208.

Lehmann, H. E. Ein hemmendes Mittel zur Kontrolle und Behandlung psychomotorischer Erregungszustände; (Chlorpromazine, Largactil, Thorazine, Megaphen). [An inhibiting drug for control and treatment of psychomotor excitement: (chlorpromazine, largactil, thorazine, megaphen).] *Nervenarzt*, 1954, 25: 322-330. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1792.

—, Csank, J. Differential screening of phrenotropic agents in man: psychophysiologic test data. *J. Clin. Exp. Psychopath.*, 1957, 18: 222-235.

Moyer, J. H., Kent, B., Morris, G., Dizon, M., Rogers, S., Spurr, C. Clinical studies of an anti-emetic agent, chlorpromazine. *Am. J. M. Sc.*, 1954, 228: 174-189.

Pierson, C. A. La chlorpromazine et la maîtrise de soi dans les angoisses collectives. [Chlorpromazine and self-control in mass hysteria.] *Encéphale*, 1956, 45: 562-565.

Primac, D. W., Mirsky, A. F., Rosvold, H. E. Effects of centrally acting drugs on two tests of brain damage. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 328-332.

Sutter, J. M., Pascalis, G. Effets psychologiques de la chlorpromazine. [Psychologic effects of chlorpromazine.] *Encéphale*, 1956, 45: 979-986.

Tranquillizers and divorce. *Brit. M. J.*, 1957, 2: 1122-1123.

Witt, P. N., Heimann, H. Prüfung der Wirkung einer einmaligen Gabe von Largactil am Menschen mit dem Durchstreichtest von Meili und an der Spinne beim Netzbauverhalten. [The effect of a single dose of largactil tested in man by Meili's cross-out test and in spiders by the web-building test.] *Helvet. physiol. pharm. acta*, 1954, 12: C 98-99.

Studies, patients

see also CHLORPROMAZINE—Various special techniques—Studies, patients

Ayd, F. J., Jr. Physiologic and neurologic responses to chlorpromazine: their clinical significance and their management. *Psychiat. Res. Rep., Wash.*, 1956 (4): 64-70.

Bader, E. Extrapyramidal symptoms following thiorazine medication. *Illinois M. J.*, 1956, 109: 28-29.

Balestrieri, A. Azione della clorpromazina e della reserpina sul sistema nervoso extrapiramidale. [The effect of chlorpromazine and reserpine on the extrapyramidal nervous system.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 483-512.

Benassi, P., Cecacchi, G. Rilievi elettroencefalografici nell'uso di un derivato fenotiazinico (45-60 R. P.). [Electroencephalographic findings in the use of a phenothiazine derivative (RP 4560).] *Riv. neur., Nap.*, 1953, 23: 535-542. Abstract: *Electroencephalography, Montreal*, 1953, 5: 621.

- Bente, D. Elektroencephalographische Ergebnisse zur Wirkungsweise der neuroleptischen Behandlungsverfahren. [Mechanism of action of neuroleptic therapies; EEG findings.] *Encéphale*, 1956, 45: 898-903.
- Bolsi, D., Donegani, G., Grattarola, F. R. I ganglioplegici ed il sistema neurovegetativo negli schizofrenici. [Ganglioplegics and the autonomic nervous system in schizophrenia.] *Minerva med., Tor.*, 1953, 44: 230-231. [Not seen]
- Bonafede, V. I. Chlorpromazine (thorazine) treatment of disturbed epileptic patients; preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 158-162.
- . Chlorpromazine (thorazine) treatment of disturbed epileptic patients. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 243-246.
- Bonnet, H. Chlorpromazine et modifications de l'électro-encéphalogramme chez les malades mentaux; corrélations cliniques. [Chlorpromazine and EEG changes in mental disorders; clinical correlates.] *Encéphale*, 1956, 45: 858-876.
- Brooks, G. W. Experiences with the use of chlorpromazine and reserpine in psychiatry with special reference to the significance and management of extrapyramidal dysfunction. *N. England J. M.*, 1956, 254: 1119-1123. Abstract: *Yearbook of drug therapy*, 1956-1957, p. 343-344.
- Cahn, M. M., Levy, E. J. Ultraviolet light factor in chlorpromazine dermatitis. *A. M. A. Arch. Derm.*, 1957, 75: 38-40.
- Carreras, M., Angeleri, F. The location of action of chlorpromazine in the central nervous system. *Internat. Rec. M.*, 1957, 170: 67-85.
- Chatagnon, P., Chanoit, P. Psychoplégie transitoire, résultat clinique observé dans des états d'excitation psycho-motrice à la suite de l'action d'un dérivé de la phénothiazine. [Transient psychoplegia, a clinical result observed during the treatment of psychomotor excitation with a phenothiazine derivative.] *Ann. méd. psychol., Par.*, 1953, 111 (1): 361-364.
- Choppy, M., Le Beau, J., Petrie, A. Modifications de la personnalité après les opérations frontales sélectives y compris la cingulectomie et après traitement par la chlorpromazine. [Personality changes after selective frontal operations, including cingulectomy, and after chlorpromazine therapy.] *Rev. neur., Par.*, 1955, 93: 843-849.
- Ciocatto, E., Cattaneo, A. D., Solerio, L., Bianchetti, L. Studio farmacologico del largactil o potenzializzatore RP 4560; studio sperimentale sull'uomo. [Pharmacological study of largactil or RP 4560 potentializer; experimental study on humans.] *Gazz. med. ital.*, 1953, 112: 125-135.
- Conrad, K., Domanowsky, K., Wieser, S. Über extrapyramidale Anfallszustände bei Behandlung mit Phenothiazinen. [Extrapyramidal symptoms during treatment with phenothiazines.] *Fortsch. Neur. Psychiat.*, 1956, 24: 505-512.
- Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 25-37.
- Crémieux, A., Alliez, J., Soulayrol, R. Action de la chlorpromazine sur les états hallucinatoires durables. [Effect of chlorpromazine on chronic hallucinations.] *Encéphale*, 1956, 45: 643-646.
- Delay, J., Deniker, P., Bourguignon, A., Lempérière, T. Complications d'allure extrapyramidale au cours des traitements par la chlorpromazine et la reserpine; étude clinique et électromyographique. [Extrapyramidal movement disorders during chlorpromazine and reserpine therapy; clinical and electromyographic studies.] *Encéphale*, 1956, 45: 1093-1098.
- Deniker, P. Psychophysiologic aspects of the new chemotherapeutic drugs in psychiatry; some practical features of "neuroleptics" in order to screen new drugs. *J. Nerv. Ment. Dis.*, 1956, 124: 371-376.
- . Recent advances in "pharmaco-psychiatry." *J. Clin. Exp. Psychopath.*, 1956, 17: 381-384.
- Ey, H., Faure, H., Lairy, G. C. Action du largactil sur l'électro-encéphalogramme de malades mentaux chroniques comparée à l'action des barbituriques. [Comparison between the effects of largactil and barbiturates on the EEG of chronic mental patients.] *Encéphale*, 1956, 45: 843-852.
- Fabisch, W. Chlorpromazine and epilepsy. *Lancet, Lond.*, 1955, 1: 1277.
- Fernandes, B. Effets psycho-somatiques de la chlorpromazine. [Psychosomatic effects of chlorpromazine.] *Encéphale*, 1956, 45: 328-333.
- Flügel, F., Bente, D. Das akinetisch-abulische Syndrom und seine Bedeutung für die pharmakologisch-psychiatrische Forschung. [Akinetic-abulic syndrome and its importance in psychopharmacologic research.] *Deut. med. Wschr.*, 1956, 81: 2071-2074.
- Freyhan, F. A. Comments on the biological and psychopathological basis of individual variation in chlorpromazine therapy. *Encéphale*, 1956, 45: 913-919.
- . Psychomotility and parkinsonism in treatment with neuroleptic drugs. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 465-472.
- Fünfgeld, E. W. Zur Frage der Megaphenprovokation bei der Elektroencephalographie. [Problem of megaphen activation in electroencephalography.] *Arch. Psychiat., Berl.*, 1956, 194: 571-583.
- Funkenstein, D. H. Nor-epinephrine-like and epinephrine-like substances in relation to human behavior. *J. Nerv. Ment. Dis.*, 1956, 124: 58-68.
- Galenko, V. E., Osberg, I. U., Robiner, I. S., Frenkel, G. M. Kliniko-elektrofiziologicheskie issledovaniia psikhicheskoi bol'nykh pri lechenii aminazinom. [Aminazine therapy of mental patients; clinical and electroencephalographic study.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 300-306. Abstract: *Chem. Abstr.*, 1956, 50: 171761.
- Glotfelty, J. S., Wilson, W. P. Effects of tranquilizing drugs on reticular system activity in man. *North Carolina M. J.*, 1956, 17: 401-405.
- Goldman, D. The influence of chlorpromazine on psychotic thought content and mechanism. *Psychiat. Res. Rep., Wash.*, 1955 (1): 72-76.
- Haase, H. J. Psychiatrische Erfahrungen mit Megaphen (Largactil) und dem Rauwolfiaalkaloid Serpasil unter dem Gesichtspunkt des psychomotorischen Parkinsonsyndroms. [Psychiatric experiences with megaphen (largactil) and Rauwolfia alkaloid serpasil with special reference to Parkinson's psychomotor syndrome.] *Nervenarzt*, 1955, 26: 507-510.
- . Über Begriff und Wirkungsweise des therapeutisch erstrebten psychomotorischen Serpasil-(Rauwolfiaalkaloid-) und Largactil-(Megaphen-) Parkinsonsyndroms. [Definition and mode of action of the psychomotor Parkinson syndrome therapeutically induced by serpasil and largactil.] [English summary] *Mtschr. Psychiat., Basel*, 1956, 131: 201-214.
- . Über Vorkommen und Deutung des psychomotorischen Parkinsonsyndroms bei Megaphenbzw. Largactil-Dauerbehandlung. [Occurrence and interpretation of the psychomotor Parkinson syndrome during prolonged therapy with megaphen or largactil.] *Nervenarzt*, 1954, 25: 486-492.
- Hall, R. A., Jackson, R. B., Swain, J. M. Neurotoxic reactions resulting from chlorpromazine administration. *J. Am. M. Ass.*, 1956, 161: 214-218.
- Hartmann, K. Über die Bildnerien Geisteskranker und ihre Bildkommentare; Anmerkungen zur Megaphen-therapie. [Artistic creations of mental patients and their own comments on their paintings; notes on megaphen therapy.] *Zschr. Psychother.*, 1956, 6: 7-15.
- , Hiob, J., Hippus, H. Comparative psychopathology of shock therapy and pharmacotherapy. *Internat. Rec. M.*, 1957, 170: 119-124.

- , —, —. Zur vergleichenden Psychopathologie der Schock- und Phenothiazinwirkung. [Comparative psychodynamics of shock therapy and phenothiazines.] *Fortsch. Neur. Psychiat.*, 1955, 23 : 354-366.
- Holmberg, G., Jönsson, B., Mellgren, A., Martens, S. EEG changes in chlorpromazine and reserpine treatment. *Acta psychiat. neur. scand.*, 1956, Suppl. 106 : 235-240.
- Horst, L. van der. Données sur l'emploi du largactil et d'autres dérivés de la phénothiazine en neurologie, neuro-chirurgie et radiologie. [The use of largactil and other phenothiazines in neurology, neurosurgery and radiology.] *Encéphale*, 1956, 45 : 717-721.
- Janzarik, W. Die Bedeutung der neuroplegischen Therapie für die Psychopathologie des schizophrenen Wahns. [Significance of neuroplegic therapy for the psychopathology of schizophrenic hallucinations.] *Encéphale*, 1956, 45 : 635-642.
- Kruse, W. "Paradoxical" effect of chlorpromazine in a case of periodic catatonia. *Am. J. Psychiat.*, 1957, 114 : 463-464.
- Kulcsar, S., Erdelyi, S. Recherches sur le test de Szondi au cours du traitement par la chlorpromazine. [Studies of the Szondi test during chlorpromazine therapy.] *Encéphale*, 1957, 46 : 140-145.
- Lafon, R., Duc, N., Labauge, R., Temple, J. P. Incidents et accidents liés à l'emploi de la chlorpromazine. [Incidents and accidents with the use of chlorpromazine.] *Encéphale*, 1956, 45 : 1226-1228.
- Lamarche, A., Roussel, A., Rosendorf. Comparaisons des résultats obtenus par la cure de sommeil, la cure de somnolence, et la cure à la chlorpromazine seule et à dose élevée; résultats de quelques électro-encéphalogrammes de contrôle. [Comparison of results obtained with sleep therapy, somnolence therapy and chlorpromazine therapy alone and with elevated doses; results controlled by EEG.] *Encéphale*, 1956, 45 : 884-890.
- Lambert, P. A., Diederichs, A., Toulet, M. Incidents et complications des traitements par la chlorpromazine employée isolément chez l'adulte. [Incidents and complications of treatments with chlorpromazine used alone in adults.] *Encéphale*, 1956, 45 : 1229-1247.
- Le Guillant. Le syndrome neuroleptique : étude clinique et psychotechnique. [The neuroleptic syndrome: clinical and psychometric study.] *Ann. méd. psychol., Par.*, 1957, 115 (1) : 316-329.
- Lehmann, H. E. Neurophysiologic activity in chlorpromazine in clinical use. *J. Clin. Exp. Psychopath.*, 1956, 17 : 129-139.
- Leroy, C., Sigwald, J. Les myoclonies et épilepsies apparaissant chez certains malades au cours de l'administration de la chlorpromazine. [Myoclonias and epileptic convulsions occurring in some patients during chlorpromazine therapy.] *Encéphale*, 1956, 45 : 904-909.
- Letailleur, M., Morin, J., Monnerie, R. Syndromes transitoires pseudo-parkinsoniens provoqués par la chlorpromazine. [Transient pseudo-parkinson syndromes provoked by chlorpromazine.] *Encéphale*, 1956, 45 : 1106-1109.
- Liberson, W. T. Effects of chlorpromazine hydrochloride (thorazine) on EEG and on skin galvanic activity. [Abstract] *Electroencephalography, Montreal*, 1955, 7 : 474.
- Merlis, S., Denber, H. C. B. Studies on mescaline. V. Electroencephalographic evidence for the antagonism between mescaline and chlorpromazine hydrochloride. *J. Nerv. Ment. Dis.*, 1956, 123 : 542-545.
- Meszaros, A. F., O'Reilly, P. O. Relation of chlorpromazine to epilepsy. *Dis. Nerv. Syst.*, 1956, 17 : 159-162. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 723.
- Mayr, F., Lechner, H. Zur Frage der Provokation bei Temporallappen-Epilepsie im EEG. [The question of provocation in temporal lobe epilepsy in the EEG.] *Wien. klin. Wschr.*, 1954, 66 : 903-906.
- Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. A comparison of cortical and subcortical brain waves in normal, barbiturate, reserpine, and chlorpromazine sleep. *Ann. N. York Acad. Sc.*, 1955, 61 : 56-71. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 3089.
- , —, —, —. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thorazine, and meratran. *Psychiat. Res. Rep., Wash.*, 1955 (1) : 25-44. Abstract: *Chem. Abstr.*, 1956, 50 : 2867gh.
- Morgan, D. R. The experimental use of reserpine in the treatment of tremor-rigidity syndromes. *Med. J. Australia*, 1956, 43 (1) : 973-974.
- Passouant, P., Pelissier, Minvielle, J., Dutartre. Modifications électro-encéphalographiques provoquées par la chlorpromazine au cours de l'épilepsie et de la schizophrénie. [EEG changes induced by chlorpromazine in epilepsy and in schizophrenia.] *Encéphale*, 1956, 45 : 891-897.
- Petrie, A., Le Beau, J. The effects on personality of chlorpromazine as compared with various brain operations. *Encéphale*, 1956, 45 : 987-995.
- , —. Psychologic changes in man after chlorpromazine and certain types of brain surgery. *J. Clin. Exp. Psychopath.*, 1956, 17 : 170-179.
- Pupo, P. P., Zukerman, E., Longo, R. H. O uso do ampictil (4560 RP, Rhodia) na rotina do diagnóstico eletrencefalográfico. [Use of chlorpromazine in EEG diagnosis.] [English summary] *Arq. neuropsiquiat., S. Paulo*, 1955, 13 : 197-202.
- Rockmore, L., Shatin, L., Funk, I. C. Response of psychiatric patients to massive doses of thorazine. I. Behavioral and clinical analysis. *Psychiat. Q.*, 1956, 30 : 189-203.
- Sanguineti, I., Negri, V., Laricchia, R. Le modificazioni dell'EEG in malati di mente sottoposti all'azione di un derivato della fenotiazina (largactil-Farmitalia). [Modifications in the EEG of mental patients subjected to the effects of a phenothiazine derivative (largactil).] [English summary] *Riv. neur., Nap.*, 1953, 23 : 513-534.
- Sarrouy, C., Saint-Jean, Sendra, L., Sabatini R. Étude électro-encéphalographique de trente cas de toxicoses traitées par le 4560 R. P. [Electroencephalographic study of 30 cases of toxicosis treated with 4560 R. P.] *Arch. fr. pédiat.*, 1955, 12 : 37-42.
- Scarpalezos S. Le traitement ambulatoire par la chlorpromazine des psychonévroses et de certaines manifestations épileptiques (troubles caractériels et myoclonies). [Ambulatory treatment with chlorpromazine in psychoneuroses and in some manifestations of epilepsy (character disorders and myoclonias).] *Encéphale*, 1956, 45 : 722-726.
- Schmitt, R. J. The psychodynamics of the tranquilizing agents. *Psychiat. Q.*, 1957, 31 : 17-30.
- Selbach, C., Selbach, H. Phenothiazinwirkung und somato-psychische Dynamik. [Phenothiazine action and psychosomatic dynamics.] *Nervenarzt*, 1956, 27 : 145-149.
- Shagass, C. Effect of intravenous chlorpromazine on the electroencephalogram. *Electroencephalography, Montreal*, 1955, 7 : 306-308. Abstract: *Chem. Abstr.*, 1956, 50 : 1184e. *Excerpta med.*, Sect. 8, 1956, 9 : No. 40.
- Shatin, L., Rockmore, L., Funk, I. C. Response of psychiatric patients to massive doses of thorazine. II. Psychological test performance and comparative drug evaluation. *Psychiat. Q.*, 1956, 30 : 402-416.
- Steck, H. Le syndrome extrapyramidal dans les cures de chlorpromazine et serpasil; sa symptomatologie clinique et son rôle thérapeutique. [Extrapyramidal syndrome in chlorpromazine and serpasil therapy; its clinical symptoms and therapeutic role.] *Encéphale*, 1956, 45 : 1083-1089.
- , —. Le syndrome extrapyramidal et diencephalique au cours des traitements au largactil et au serpasil. [Extrapyramidal and diencephalic syndrome during

- largactil and serpasil therapy.] *Ann. méd. psychol., Par.*, 1954, 112 (2): 737-744.
- Terzian, H.** Etude électroencéphalographique de l'action centrale de la chlorpromazine (4560 R. P.). [Electroencephalographic study of the central action of chlorpromazine (4560 R. P.).] *Sem. hôp. Paris*, 1954, 30: 838-841. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 47.
- , —, Studio elettroencefalografico dell'azione centrale del largactil (4560 RP). [Electroencephalographic study of the central action of largactil (4560 RP).] *Rass. neur. vegetat.*, 1952, 9: 211-215.
- Thiébaux, M., Thiébaux, R., Boyer, R., Leborgne, F., Kiffel, M.** Note sur l'apparition de troubles extrapyramidaux au cours du traitement par le 4560 R. P. [The occurrence of extrapyramidal symptoms during treatment with 4560 RP.] *Ann. méd. psychol., Par.*, 1954, 112 (1): 732.
- Turner, M., Bérard, E.** Estudio del efecto de la cloropromazina (4560 RP) sobre el electroencefalograma y el electrodermograma. [Effect of chlorpromazine on the EEG and electrodermogram.] [English summary] *Rev. Soc. argent. biol.*, 1954, 30: 163-169.
- , —, **Turner, N. Franco, N.** Etude des modifications électro-encéphalographiques, électro-dermographiques et électro-myographiques provoquées par la chlorpromazine. [Electroencephalographic, electrodermographic and electromyographic changes induced by chlorpromazine.] [English summary] *Anesthésie, Par.*, 1955, 12: 453-465. Abstract: *Chem. Abstr.*, 1956, 50: 3633f. As: Modificaciones electroencefalográficas, electrodermatográficas, y electromiográficas provocadas en el hombre por la cloropromazina. [English summary] *Rev. Soc. argent. biol.*, 1955, 31: 54-63. As: Modificaciones electroencefalográficas, electrodermográficas et electromyográficas provoquées par la chlorpromazine chez l'homme. [English summary] *Electroencephalography, Montreal*, 1956, 8: 25-34.
- Watterson, D. J.** Chlorpromazine, depersonalization, and visual hallucinosis. *Bull. Menninger Clin.*, 1956, 20: 20-24. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4558.
- Terminology of therapies**
- Delay, J.** Allocation finale. [Final address.] [International colloquium on chlorpromazine and neuroleptic drugs, Paris, October 1955] *Encéphale*, 1956, 45: 1181-1184. [p. 1182]
- , **Deniker, P.** Le traitement des psychoses par une méthode neurolytique dérivée d'hibernothérapie; le 4560 R. P. utilisée seul en cure prolongée et continue. [Treatment of psychoses by a neurolytic method derived from hibernotherapy; prolonged continuous therapy with 4560 RP alone.] *C. rend. Congr. alién. neur. France*, 1952, 50: 497-502. Abstract: *Ann. méd. psychol., Par.*, 1952, 110 (2): 564.
- Laborit, H.** Thérapie neuroplégique et hibernation artificielle: essai d'éclaircissement d'une équivoque. [Neuroplegic therapy and artificial hibernation: attempt to clarify an equivocation.] *Presse méd.*, 1954, 62: 359-362.
- , L'homme et son milieu. [Man and his environment.] *Presse méd.*, 1951, 59: 1037-1038.
- , **Huguenard, P.** L'hibernation artificielle par moyens pharmacodynamiques et physiques. [Artificial hibernation by pharmacodynamic and physical means.] *Presse méd.*, 1951, 59: 1329.
- Therapeutic studies, controlled**
- see also CHLORPROMAZINE—Various special techniques—Therapeutic studies, controlled
- Ayd, F. J., Jr.** Thorazine and serpasil treatment of private neuropsychiatric patients. *Am. J. Psychiat.*, 1956, 113: 16-21. *
- Azima, H., Durost, H.** Effects of promazine in mental syndromes. *Canad. M. Ass. J.*, 1957, 76: 442-446.
- Bender, L., Nichtern, S.** Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.
- Bennett, A. E., Ford, F. R., Turk, R. E.** Clinical investigation of chlorpromazine and reserpine in private psychiatric practice. *Am. J. Psychiat.*, 1956, 112: 782-787. Condensed: *Am. Practitioner*, 1956, 7: 1576-1577. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4546.
- Bonafede, V. I.** Chlorpromazine (thorazine) treatment of disturbed epileptic patients; preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 158-162. *
- , Chlorpromazine (thorazine) treatment of disturbed epileptic patients. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 243-246.
- Brooks, G. W.** Experiences with the use of chlorpromazine and reserpine in psychiatry, with special reference to the significance and management of extrapyramidal dysfunction. *N. England J. M.*, 1956, 254: 1119-1123. Abstract: *Year book of drug therapy*, 1956-1957, p. 343-344.
- Burdine, W. E., Shipley, T. E., Papas, T. A.** Studies on the use of promazine in acute and chronic nervous and mental disturbances. *J. M. Ass. Georgia*, 1957, 46: 171-173.
- Carillo-Broatch, A.** Le largactil dans le traitement de l'épilepsie essentielle rebelle; résumé d'une communication préliminaire. [Largactil therapy of severe idiopathic epilepsy; summary of a preliminary report. *Encéphale*, 1956, 45: 1221-1223.
- Charlin, A.** Action respective de la chlorpromazine et de la réserpine; hypothèses pathogéniques. [The effect of chlorpromazine and of reserpine; pathogenic hypotheses.] *Encéphale*, 1956, 45: 1099-1105.
- Cummins, J. F., Friend, D. G.** Use of chlorpromazine in chronic alcoholics. *Am. J. M. Sc.*, 1954, 227: 561-564. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3552.
- Denhoff, E., Holden, R. H.** The effectiveness of chlorpromazine (thorazine) with cerebral palsied children. *J. Pediat.*, S. Louis, 1955, 47: 328-332.
- Durling, D., Esen, F. M., Mautner, H.** Central autonomic regulation and mental retardation. *Ann. paediat., Basel*, 1956, 187: 467-470.
- Ernst, K.** Psychopathologische Wirkungen des Phenothiazinderivates "Largactil" ("Megaphen") im Selbstversuch und bei Kranken. [Psychopathological effects of the phenothiazine derivative "largactil" ("megaphen") in self-experimentation and in patients. *Arch. Psychiat., Berl.*, 1954, 192: 573-590. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3520.
- Esen, F. M., Durling, D.** Thorazine in the treatment of mentally retarded children. *Arch. Pediat., N. Y.*, 1956, 73: 168-173.
- Ey, H., Sakellaropoulos, P.** L'état primordial du délire et l'action thérapeutique de la chlorpromazine. [The primary delusional state and the therapeutic action of chlorpromazine.] *Evolut. psychiat.*, 1956: 489-497.
- Fau, R., Chateau, R.** La cure de sommeil et la chlorpromazine. [Sleep therapy and chlorpromazine.] *Encéphale*, 1956, 45: 428-435.
- Feldman, P. E.** The personal element in psychiatric research. *Am. J. Psychiat.*, 1956, 113: 52-54.
- Fox, V.** Treatment of withdrawal symptoms in the management of alcoholism. *J. M. Ass. Georgia*, 1956, 45: 139-142.
- Fraser, H. F., Isbell, H.** Chlorpromazine and reserpine. A. Effects of each and of combinations of each with morphine. B. Failure of each in treatment of abstinence from morphine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 257-262.
- Freed, H., Peifer, C. A.** Treatment of hyperkinetic emotionally disturbed children with prolonged administration of chlorpromazine. *Am. J. Psychiat.*, 1956, 113: 22-26. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1837.

Freedman, A. M., Effron, A. S., Bender, L. Pharmacotherapy in children with psychiatric illness. *J. Nerv. Ment. Dis.*, 1955, 122: 479-486. Abstract: *Year book of drug therapy*, 1956-1957, p. 350-351.

Fromm, G. H., Forsberg, I. A. Controlled study on the value of chlorpromazine in allaying anxiety. *Dis. Nerv. Syst.*, 1956, 17: 16-19.

Gibbs, J. J., Wilkens, B., Lauterbach, C. G. A controlled clinical psychiatric study of [the drug] chlorpromazine. *J. Clin. Exp. Psychopath.*, 1957, 18: 258-268. Condensed: *Am. J. Psychiat.*, 1956, 113: 254-255.

Horenstein, S. Reserpine and chlorpromazine in hyperactive mental defectives. *Am. J. Ment. Defic.*, 1957, 61: 525-529.

Hormia, A. Yhdistetty serpasil-klooripromatsiinihoito psykiatriassa. [Combined serpasil-chlorpromazine treatment in psychiatry.] [English summary] *Duodecim, Helsinki*, 1956, 72: 76-85.

Hunt, B. R., Frank, T., Krush, T. P. Chlorpromazine in the treatment of severe emotional disorders of children. *A. M. A. J. Dis. Child.*, 1956, 91: 268-277.

Knutsen, A. T. Reserpin og klorpromazin i psykiatrien. [Reserpine and chlorpromazine in psychiatry.] [English summary] *Tskr. Norske laegeforen.*, 1956, 76: 368-371.

Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. *Internat. Rec. M.*, 1956, 169: 323-338.

Kurland, A. A. Chlorpromazine in the management of the institutionalized aged psychiatric patient with chronic brain syndrome. *Dis. Nerv. Syst.*, 1955, 16: 366-369. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3996.

Lafon, R., Duc, N., Boyer, Abric, J., Pouget, R. Exploration psychologique des malades traités par le 4560 RP (chlorpromazine) et la réserpine. [Psychologic examination of patients treated with RP 4560 (chlorpromazine) and with reserpine.] *Encéphale*, 1956, 45: 996-999.

Lamarche, A., Roussel, A., Rosendorf Comparaisons des résultats obtenus par la cure de sommeil, la cure de somnolence, et la cure à la chlorpromazine seule et à dose élevée; résultats de quelques électro-encéphalogrammes de contrôle. [Comparison of results obtained with sleep therapy, somnolence therapy and chlorpromazine therapy alone and with elevated doses; results controlled by EEG.] *Encéphale*, 1956, 45: 884-890.

Lancaster, N. P., Jones, D. H. Chlorpromazine and insulin in psychiatry. *Brit. M. J.*, 1954, 2: 565-567.

Lemere, F. Combined chlorpromazine-reserpine therapy of psychiatric disorders. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 1-2. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2235.

Lesse, S. An evaluation of promazine hydrochloride in psychiatric practice. *Am. J. Psychiat.*, 1957, 113: 984-987.

Meszaros, A. F., O'Reilly, P. O. Relation of chlorpromazine to epilepsy. *Dis. Nerv. Syst.*, 1956, 17: 159-162. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 723.

Mitchell, E. H. Chlorpromazine in the treatment of acute alcoholism. *Am. J. M. Sc.*, 1955, 229: 363-367. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 884. *Q. J. Alcohol*, 1955, 16: 589-590.

——. Treatment of acute alcoholism with promazine (sparine). *J. Am. M. Ass.*, 1956, 161: 44-45. Condensed: *Am. Practitioner*, 1956, 7: 1798-1799. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 359.

Monnerot, E., Monnerot, E., Benichou, L., Doco Analyse des rôles respectifs du largacil et du sommeil barbiturique, dans les cures de sommeil potentialisées. [Analysis of the effect of chlorpromazine and of barbiturates respectively in potentiated sleep therapy.] *Encéphale*, 1956, 45: 1190-1196.

Pennington, V. M. A comparative study of six ataraxics in 1130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33: 336-339.

Rance, A. M., Jurquet, A., Roger, J. Remarques sur la thérapeutique des affections psychiatriques par la chlorpromazine et la réserpine; étude comparée des diverses modalités d'administration de ces drogues. [Therapy of psychiatric disorders with chlorpromazine and reserpine; comparative study of the various methods of their administration.] *Encéphale*, 1956, 45: 477-487.

Reda, G. C., Germano, V. L'azione combinata della reserpina e cloropromazina nella pratica psichiatrica. [Combined effect of reserpine and chlorpromazine in psychiatric practice.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 647-653.

Rees, L., Lambert, C. A controlled study of the value of chlorpromazine in the treatment of anxiety-tension states. *Encéphale*, 1956, 45: 547-549.

Rettig, J. H. Chlorpromazine and mysoline in the control of convulsive epilepsy in mentally deficient patients. *J. Nerv. Ment. Dis.*, 1956, 124: 607-611.

Rockmore, L., Shatin, L., Funk, I. C. Response of psychiatric patients to massive doses of thorazine. I. Behavioral and clinical analysis. *Psychiat. Q.*, 1956, 30: 189-203.

Rosner, H., Levine, S., Hess, H., Kaye, H. A comparative study of the effect on anxiety of chlorpromazine, reserpine, phenobarbital, and a placebo. *J. Nerv. Ment. Dis.*, 1955, 122: 505-512. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2093.

Sainz, A. A. Clinical applications of chlorpromazine in psychiatry. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 39-58.

——. The treatment of drug and alcohol withdrawal effects with thorazine. *Psychiat. Q.*, 1957, 31: 275-284.

Samuels, A. S. Phenergan in treatment of psychiatric patients. *Dis. Nerv. Syst.*, 1957, 18: 183-188.

Schultz, J. D., Rea, E. L., Fazekas, J. F., Shea, J. G. Chlorpromazine in the management of acute alcoholic states. *Q. J. Alcohol*, 1955, 16: 245-250. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2598.

Settel, E. Chlorpromazine in the treatment of senile agitation. *GP*, 1955, 12 (6): 74-76. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3612.

Shatin, L., Rockmore, L., Funk, I. C. Response of psychiatric patients to massive doses of thorazine. II. Psychological test performance and comparative drug evaluation. *Psychiat. Q.*, 1956, 30: 402-416.

Smigel, J. O. Mood therapy in the aged. *Med. Times, Great Neck*, 1957, 85: 149-158.

Sternberg, U., Spitz, H., Goyne, J. B. Evaluation of chlorpromazine and reserpine therapy with follow-up study. *J. Clin. Exp. Psychopath.*, 1957, 18: 258-268.

Sutter, J. M., Pascalis, G. Effets psychologiques de la chlorpromazine. [Psychologic effects of chlorpromazine.] *Encéphale*, 1956, 45: 979-986.

Wells, R. E. Use of reserpine (serpasil) in the management of chronic alcoholism. *J. Am. M. Ass.*, 1957, 163: 426-429.

Winkelman, N. W., Jr. An appraisal of chlorpromazine; general principles for administration of chlorpromazine, based on experience with 1,090 patients. *Am. J. Psychiat.*, 1957, 113: 961-971.

Winter, W. D., Frederickson, W. K. The short-term effects of chlorpromazine on psychiatric patients. *J. Consult. Psychol.*, 1956, 20: 431-434.

Zeller, W. W., Graffagnino, P. N., Cullen, C. F., Reitman, H. J. Use of chlorpromazine and reserpine in the treatment of emotional disorders. *J. Am. M. Ass.*, 1956, 160: 179-184. Abstract: *Year book of drug therapy*, 1956-1957, p. 341-342.

—Neuroses

Chertok, L. A propos de l'emploi de médicaments neuroleptiques dans le traitement des psychonévroses. [Neuroleptic drugs in the treatment of psychoneuroses.] *Encéphale*, 1956, 45: 705-706.

- Dierkens, J., Reeth, P. C. van. Essais cliniques d'un nouveau psychoplégique : le méprobamate. [Clinical trial of a new psychoplegic drug: meprobamate.] [English summary] *Bruzelles méd.*, 1956, 36 : 2335-2340.
- Dubansky, B., Doubra, O., Svoboda, E., Vyhánková, M. Hirnnervstörungen nach einmaliger intravenöser Largactildosis bei zerebralintakten Personen. [Brain nerve damage after single intravenous injection of largactil in individuals without brain disease.] *Psychiat. Neur. med. Psychol., Lpz.*, 1956, 8 : 202-205. *
- Gerhardt, U., Ziolk, H. U. Zur Megaphenwirkung bei Neurotikern. [Effects of megaphen in neurotics.] *Aerzt. Wschr.*, 1956, 11 : 750-752.
- Marshall, W. Ambulatory and comparative treatment of the anxiety neurosis syndrome with chlorpromazine, phenobarbital, and dimethylane. *S. Dakota J. M.*, 1956, 9 : 384-388.
- Merry, J., Pargiter, R. A., Munro, H. Chlorpromazine and chronic neurotic tension. *Am. J. Psychiat.*, 1957, 113 : 988-990.
- Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquilizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. *GP*, 1957, 15 (6) : 97-118. *
- Pellerito, N. L'Azione della clorpromazina e della reserpina sull'ansia dei psiconevrosici. [Action of chlorpromazine and reserpine on the anxiety of psychoneurotics.] *Minerva med., Tor.*, 1956, 47 : 628-631.
- Raymond, M. J., Lucas, C. J., Beesley, M. L., O'Connell, B. A., Roberts, J. A. F. A trial of five tranquillizing drugs in psychoneurosis. *Brit. M. J.*, 1957, 2 : 63-66.
- Rees, W. L., Lambert, C. The value and limitations of chlorpromazine in the treatment of anxiety states. *J. Ment. Sc., Lond.*, 1955, 101 : 834-840.
- Settel, E. Chlorpromazine in the home treatment of the agitated senile patient. *GP*, 1956, 14 (5) : 97-100.
- Usdin, G. L. Use of promazine in psychiatric practice; an early study. *J. Louisiana M. Soc.*, 1956, 108 : 251-257. *
- **Psychoses**
see also **CHLORPROMAZINE—Various special techniques—Therapeutic studies, controlled—Psychoses**
- Andermann, K., Lindsay, J. S. Chlorpromazine. *Med. J. Australia*, 1955, 42 (2) : 80-82.
- Azima, H. Proponged sleep treatment in mental disorders; some new psychopharmacological considerations. *J. Ment. Sc., Lond.*, 1955, 101 : 593-603.
- Barsa, J. A., Kline, N. S. Combined reserpine-chlorpromazine in treatment of disturbed psychotics. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74 : 280-286. Abstract: *Am. J. Psychiat.*, 1955, 111 : 780. *Excerpta med.*, Sect. 8, 1957, 10 : No. 368.
- , —. A comparative study of reserpine, chlorpromazine, and combined therapy. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76 : 90-97.
- , —. Promazine in chronic schizophrenic patients. *Am. J. Psychiat.*, 1957, 113 : 654.
- Boardman, R. H., Lomas, J., Markowe, M. Insulin and chlorpromazine in schizophrenia; a comparative study in previously untreated cases. *Lancet, Lond.*, 1956, 2 : 487-491.
- Cahn, C. H., Lehmann, H. E. Perphenazine; observations on the clinical effects of a new tranquillizing agent in psychotic conditions. *Canad. Psychiat. Ass. J.*, 1957, 2 : 104-112.
- Carrier, J., Guyotat, J., Grandmottet, J. Electro-choc et largactil dans les accès maniaques. [Electric shock therapy and largactil in manic attacks.] *J. méd. Lyon*, 1954, 35 : 950-951.
- Charatan, F. B. An evaluation of chlorpromazine ("largactil") in psychiatry. *J. Ment. Sc., Lond.*, 1954, 100 : 882-893. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 3639.
- Cowden, R. C., Zax, M., Finney, R. C. A preliminary note on the use of chlorpromazine with neuropsychiatric disorders. *A. M. A. Arch. Neur. Psychiat.*, 1955, 73 : 700-701.
- , —, Hague, J. R., Finney, R. C. Chlorpromazine: alone and as an adjunct to group psychotherapy in the treatment of psychiatric patients. *Am. J. Psychiat.*, 1956, 112 : 898-902.
- Cutler, R. P., Monroe, J. J., Anderson, T. E. Effects of "tranquilizers" upon pathological activity in psychotic patients. I. Chlorpromazine. II. Reserpine. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77 : 616-622; 1957, 78 : 61-68.
- Delay, J., Pichot, P., Ropert, R. Un nouveau médicament neuroleptique en psychiatrie. Le maléate acide de l'éthylone-3-diméthylamino-3'-propyl-10-phénothiazine (1522 C. B.) [A new neuroleptic drug in psychiatry. 8-Acetyl-10-(3-dimethylaminopropyl) phenothiazine (CB-1522).] *Presse méd.*, 1957, 65 : 491-493.
- Feldman, P. E. A comparative study of various ataractic drugs. *Am. J. Psychiat.*, 1957, 113 : 589-594. *
- , —. Two-year fate study of thorazine-treated patients. *Am. J. Psychiat.*, 1957, 114 : 237-240. *
- , Lacy, B. S., Walker, A. E., Garrez, N. J. A controlled, blind study of effects of thorazine on psychotic behavior. *Bull. Menninger Clin.*, 1956, 20 : 25-47. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 4560.
- Freeman, H., Arnold, A. L., Cline, H. S. Effects of chlorpromazine and reserpine in chronic schizophrenic patients. *Dis. Nerv. Syst.*, 1956, 17 : 213-219. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1448.
- , Cline, H. S. Effects of chlorpromazine on chronic lobotomized schizophrenic patients; a controlled study. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76 : 500-507.
- Gaitz, C. M., Roy, H., Thompson, W., Kimbell, I., Mullen, A. J., Pokorny, A. D. Evaluation of chlorpromazine in comparison with other methods of treatment of hospitalized psychiatric patients, using the Lorr multidimensional scale for rating psychiatric patients. *Psychiat. Res. Rep., Wash.*, 1955 (1) : 84-95.
- Gardner, M. J., Hawkins, H. M., Judah, L. N., Murphree, O. D. Objective measurement of psychiatric changes produced by chlorpromazine and reserpine in chronic schizophrenia. *Psychiat. Res. Rep., Wash.*, 1955 (1) : 77-83.
- Goldman, D. Comparison of clinical effects of chlorpromazine and reserpine in psychotic patients. *Am. J. M. Sc.*, 1957, 233 : 137-144. *
- , —. Chlorpromazine treatment of hospitalized psychotic patients. *J. Clin. Exp. Psychopath.*, 1956, 17 : 45-56. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 372. *
- Hall, R. A., Dunlap, D. J. A study of chlorpromazine: methodology and results with chronic semi-disturbed schizophrenics. *J. Nerv. Ment. Dis.*, 1955, 122 : 301-314. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 369.
- , —. *Year book of drug therapy*, 1956-1957, p. 340-341.
- Hiob, J. Klinische Erfahrungen bei der Behandlung von Psychosen mit Megaphen. [Clinical experiences in megaphen therapy of psychoses.] *Aerzt. Wschr.*, 1954, 9 : 919-924.
- Hollister, L. E., Jones, K. P., Brownfield, B., Johnson, F. Chlorpromazine alone and with reserpine; use in the treatment of mental diseases. *California M.*, 1955, 83 : 218-221. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 1219.
- , Traub, L., Beckman, W. G. Psychiatric use of reserpine and chlorpromazine; results of double-blind studies. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 65-74.
- Hormia, A. A comparison between combined reserpine-chlorpromazine and chlorpromazine therapies in psychiatry. *Acta psychiat. neur. scand.*, 1956, 31 : 437-446. *
- Kinross-Wright, V. Chlorpromazine and reserpine in the treatment of psychoses. *Ann. N. York Acad. Sc.*, 1955, 61 : 174-182. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 2236.

- Kovitz, B., Carter, J. T., Addison, W. P. A comparison of chlorpromazine and reserpine in chronic psychosis. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 467-471. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2087.
- Lafon, R., Duc, N., Abrie, J., Pouget, R., Comelade, P. Etude comparative du 4.560 R. P. (chlorpromazine) et de la réserpine dans les syndromes schizophréniques. [Comparative study of R. P. 4560 (chlorpromazine) and reserpine in schizophrenic syndromes.] *Encéphale*, 1956, 45: 668-671.
- Leiberman, D. M., Vaughan, G. F. The use of some new pharmacological agents in psychiatry. *J. Ment. Sc., Lond.*, 1957, 103: 110-118.
- Lemere, F. Failure of azacyclonol (frenquel) to relieve non-experimental mental confusion and hallucinations. *Am. J. Psychiat.*, 1957, 113: 840-841.
- Liberson, W. T. Effects of chlorpromazine hydrochloride (thorazine) on EEG and on skin galvanic activity. [Abstract] *Electroencephalography, Montreal*, 1955, 7: 474.
- Loch, W. Zur Behandlung fortgeschrittener Schizophrenien mit Megaphen und Reserpin. [Megaphen and reserpine therapy of advanced schizophrenia.] *Nervenarzt*, 1956, 27: 463-467.
- Lomas, J. Treatment of schizophrenia; "pacatal" and chlorpromazine compared. *Brit. M. J.*, 1957, 2: 78-80.*
- Mason-Browne, N. L. Perphenazine—a drug modifying consciousness. *Am. J. Psychiat.*, 1957, 114: 173-174.
- Mitchell, P. H. Chlorpromazine in the treatment of the chronic disturbed schizophrenic patient. *J. Ment. Sc., Lond.*, 1956, 102: 151-154.
- Michtom, J., Goldberg, N., Offenkrantz, W., Whittier, J. Readmission rates for state mental hospital patients discharged on maintenance ataractics. Findings with a matched control group and methodological considerations. *J. Nerv. Ment. Dis.*, 1957, 125: 478-480.
- Osinski, W. A. Treatment of anxiety states with meprobamate (miltown). *Internat. Rec. M.*, 1956, 169: 589-595.
- Pate, W. H. Chlorpromazine therapy following trans-orbital lobotomy. *J. Nerv. Ment. Dis.*, 1957, 125: 44-50.
- Pollack, B. The effect of chlorpromazine on the return rate of 250 patients released from the Rochester State Hospital. *Am. J. Psychiat.*, 1956, 112: 937-938.
- Puech, J., Robin, C. Étude comparative des effets de la cure de sommeil médicamenteux et de la chlorpromazine injectable dans les psychoses. [Comparative study of sleep therapy and chlorpromazine injections in therapy of psychoses.] *Sem. hôp. Paris*, 1956, 32: 3252-3264.
- Rinaldi, F., Rudy, L. H., Himwich, H. E. Clinical evaluation of azacyclonol, chlorpromazine, and reserpine on a group of chronic psychotic patients. *Am. J. Psychiat.*, 1956, 112: 678-683. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4986.
- Rudy, L. H., Himwich, H. E., Tasher, D. C. Clinical evaluation of two phenothiazine compounds promazine and mepazine. *Am. J. Psychiat.*, 1957, 113: 979-983.
- , Rinaldi, F., Himwich, H. E. Comparative effects of azacyclonol, reserpine, and chlorpromazine on moderately disturbed psychotic patients with long histories of hospitalization. *Psychiat. Res. Rep., Wash.*, 1956 (4): 49-63.
- Schneider, G. Les indications de divers neuroleptiques et les résultats obtenus à la clinique psychiatrique de Lausanne. [Indications for various neuroleptic drugs and the results obtained at the psychiatric clinic of Lausanne.] *Encéphale*, 1956, 45: 1024-1030.
- Shepherd, M., Watt, D. C. A controlled clinical study of chlorpromazine and reserpine in chronic schizophrenia. *J. Neur., Lond.*, 1956, 19: 232-235.
- Simpson, R. W. The effects of pacatal on chronic mental illness. *J. Ment. Sc., Lond.*, 1957, 103: 610-613.
- Sommerness, M. D., Lucero, R. J., Hamlon, J. S., Mahowald, A. M. Chlorpromazine: a controlled study with highly disturbed patients. *Dis. Nerv. Syst.*, 1957, 18: 16-20.
- Szatmari, A. Clinical and electroencephalogram investigation on largactil in psychosis (preliminary study.) *Am. J. Psychiat.*, 1956, 112: 788-794. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4557.*
- Tenenblatt, S. S., Spagno, A. A controlled study of chlorpromazine therapy in chronic psychotic patients. *J. Clin. Exp. Psychopath.*, 1956, 17: 81-92.
- Thorpe, J. G., Baker, A. A. A research method to assess a new tranquillizing drug. *J. Ment. Sc., Lond.*, 1956, 102: 790-795.
- Tripi, G. Considerazioni generali sull'uso della clorpromazina e della reserpina nel trattamento di circa trecento psicopatici. [Observations on the use of chlorpromazine and reserpine in the treatment of about 300 mental patients.] *Rass. neuropsichiat.*, 1955, 9: 463-469. Also: *Arch. psicol. neur., Milano*, 1956, 17: 635-639.
- Tuteur, W. Combined reserpine-chlorpromazine therapy in highly disturbed psychotics. *Am. J. Psychiat.*, 1955, 112: 206.
- , Lepson, D. Combined reserpine-chlorpromazine therapy in highly disturbed psychotics. In: Himwich, H. E., ed. *Tranquillizing drugs*. Washington, Am. Ass. Adv. Sc., 1957. p. 163-172.
- , Stiller, R., Whitehill, O. Treatment of regressed schizophrenics with chlorpromazine, reserpine and a combination of both drugs. *Dis. Nerv. Syst.*, 1947, 18: 100-105.
- Watt, D. C. Reserpine and chlorpromazine in the treatment of chronic schizophrenics. *Encéphale*, 1956, 45: 661-662.
- Psychosomatic diseases*
- Eiber, H. B. Chlorpromazine-Rauwolfia serpentina combination in the treatment of essential hypertension: preliminary report. *J. Am. M. Ass.*, 1955, 158: 730-731.
- Friedman, A. P. Use of tranquilizers in the treatment of headache. *Am. Practitioner*, 1957, 8: 94-97.
- Houde, R. W., Wallenstein, S. L. Analgetic power of chlorpromazine alone and in combination with morphine. [Abstract] *Fed. Proc., Balt.*, 1955, 14: 353.
- Kessler, L. N., Barnard, R. D. A new tranquilizer meprobamate; its use for pain associated with cancer. Preliminary report. *Med. Times, Great Neck*, 1956, 84: 431-435.
- Knight, R. W., Kent, B., Morris, G., Rogers, S. Clinical studies of an antiemetic agent, chlorpromazine. [Abstract]. *J. Laborat. Clin. M.*, 1953, 42: 828.
- LeVan, P., Wright, E. T. Use of tranquilizers in diseases of the skin; a preliminary report. *California M.*, 1956, 85: 87-88.*
- Moyer, J. H., Kent, B., Morris, G., Dizon, M., Rogers, S., Spurr, C. Clinical studies of an anti-emetic agent, chlorpromazine. *Am. J. M. Sc.*, 1954, 228: 174-189.
- Rees, L. A controlled trial of chlorpromazine in the management of patients suffering from asthma associated with anxiety and tension symptoms. *Encéphale*, 1956, 45: 555-561.
- Robinson, H. M., Jr., Robinson, C. V., Strahan, J. F. Hydroxizine (atarax) hydrochloride in dermatological therapy. *J. Am. M. Ass.*, 1956, 161: 604-606.
- Shubin, H., Heiken, C. A., Glaskin, A., Pennes, E., Arsenian, J. Chlorpromazine as an adjunct in managing tuberculous patients. *Internat. Rec. M.*, 1957, 170: 369-373.

Therapeutic use

see also CHLORPROMAZINE—Various special techniques—Therapeutic use

Adasal, R., Ozsan, M., Karan, D., Yener, O. Les résultats obtenus par la chlorpromazine à la clinique psy-

- chiatrique de la Faculté de Médecine d'Ankara. [Results obtained with chlorpromazine at the psychiatric clinic of the Faculté de Médecine d'Ankara.] *Encéphale*, 1956, 45: 1204-1209.
- Albert, S. N., Rea, E. L., Duverney, C. A., Shea, J., Fazekas, J. F. The use of chlorpromazine in the treatment of acute alcoholism. *Med. Ann. District of Columbia*, 1954, 23: 245-247.
- Altschule, M. D. Use of chlorpromazine and reserpine in mental disorders. *N. England J. M.*, 1956, 254: 515-519. Abstract: *Chem. Abstr.*, 1956, 50: 7318a.
- Anton-Stephens, D. Preliminary observations on the psychiatric uses of chlorpromazine (largactil). *J. Ment. Sc., Lond.*, 1954, 100: 543-557.
- Arnold, O. H., Hift, S., Solms, W. Die Anwendung von Largactil in der Psychiatrie. [Use of largactil in psychiatry.] *Wien. med. Wschr.*, 1953, 103: 563-566. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1600.
- Atkinson, R. P., Tucker, W. I. Clinical results with chlorpromazine (thorazine). *Lahey Clin. Bull.*, 1955, 9: 180-186.
- Ayd, F. J., Jr. A critique of chlorpromazine and reserpine therapy. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 173-181.
- . Large doses of chlorpromazine in the treatment of psychiatric patients. *Dis. Nerv. Syst.*, 1955, 16: 146-149.
- . Treatment of psychiatric patients with thorazine. *South. M. J.*, 1955, 48: 177-186. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4552.
- Azima, H., Ogle, W. Effects of largactil in mental syndromes. *Canad. M. Ass. J.*, 1954, 71: 116-121.
- Bair, H. V., Herold, W. Efficacy of chlorpromazine in hyperactive mentally retarded children. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 363-364. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1726.
- Bakwin, H. The uses of chlorpromazine in pediatrics. *J. Pediat.*, *S. Louis*, 1956, 48: 240-247.
- Balducci, M. Possibilità, limiti, indicazioni e controindicazioni del 4560 R. P. (largactil) in psichiatria; controllo dei primi risultati con osservazione su 110 casi. [Possibilities, limitations, indications and contraindications of 4560 RP (largactil) in psychiatry; review of the early results with a study of 110 cases.] *Rass. stud. psychiat.*, 1955, 44: 709-729. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 5010.
- Balducci, E., Escalar, G. A proposito delle terapie cosiddette ganglioplegiche. [The so-called ganglioplegic therapies.] *Rass. stud. psychiat.*, 1953, 42: 1056-1064.
- . Sulle terapie cosiddette ganglioplegiche. II. Il 4560 R. P. in psichiatria; osservazioni su 100 casi trattati. [The so-called ganglioplegic therapies. II. RP 4560 in psychiatry; observations on 100 treated cases.] [English summary p. 148] *Rass. stud. psychiat.*, 1954, 43: 120-151.
- Barrett, J. E. The value of chlorpromazine hydrochloride and reserpine in relation to other methods used in treating mental illness. *Virginia M. Month.*, 1955, 82: 415-417.
- Baruk, H. La catatonie expérimentale par la chlorpromazine; la posologie et la méthode d'administration la plus efficace en thérapeutique psychiatrique. [Experimental catatonia produced with chlorpromazine; the dosage and most effective method of chlorpromazine therapy in psychiatry.] *Encéphale*, 1956, 45: 474-476.
- . Les thérapeutiques psychiatriques. [Psychiatric therapies.] 128 p. Paris, *Presses universitaires de France* [Que sais-je? Le point des connaissances actuelles (691)] 1955. Les thérapeutiques physiologiques sédatives; cures de sommeil; chlorpromazine. [Physiologic sedative therapies; sleep therapy; chlorpromazine.] p. 109-116.
- , Launay, J., Bergès, J. La thérapeutique par la chlorpromazine; physiologie expérimentale; physiologie clinique; résultats thérapeutiques et progrès de la thérapeutique psychiatrique. [Chlorpromazine therapy; experimental physiology; clinical physiology; therapeutic results and progress in psychiatric treatment.] *Ann. méd. psychol., Par.*, 1955, 113(1): 705-772.
- Belsasso, M. Terapia delle malattie mentali con reserpina (serpasil) e cloropromazina (largactil) ad alte dosi. [Treatment of mental disorders with high-dosage reserpine (serpasil) and chlorpromazine (largactil).] *Rass. giuliana med., Trieste*, 1956, 12: 209-216.
- Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.
- Benedetti, G. Terapia reserpinica in psichiatria. [Reserpine therapy in psychiatry.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 295-309.
- Bergouignan, M. Action de la chlorpromazine en psychiatrie: faits cliniques et significations possibles. [The psychiatric effect of chlorpromazine; clinical facts and their possible significance.] *Encéphale*, 1956, 45: 1136-1140.
- . Le largactil en thérapeutique psychiatrique. [Largactil in psychiatric therapy.] *Presse méd.*, 1953, 61: 1133.
- . Peut-on proposer une interprétation univoque des effets thérapeutiques de la chlorpromazine en psychiatrie? [Possibility of unequivocal interpretation of the therapeutic effects of chlorpromazine in psychiatry.] *Ann. méd. psychol., Par.*, 1956, 114(1): 409-413.
- , D'Aulnay, J., Malineau, R. Retouches à notre expérience du largactil en psychiatrie. [Additional experiences with largactil in psychiatry.] *J. méd. Bordeaux*, 1955, 132: 254-261. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 4917.
- , Got, M., Malineau, R. Notre expérience du largactil en psychiatrie. [Our experience with largactil in psychiatry.] *J. méd. Bordeaux*, 1954, 131: 135-145.
- Berselli, G., Vicini, F. Osservazioni sull'impiego terapeutico del largactil. [Observations on the therapeutic use of largactil.] *Riv. sper. freniat.*, 1955, 79: 743-745.
- Bertolini, O. L'azione del 4560 R. P. in diverse sindromi psichiatriche. [Effects of 4560 R. P. in various psychiatric syndromes.] *Riv. sper. freniat.*, 1954, 78: 205-224.
- Bilikiewicz, T. Leczenie largaktylem w psychiatrii. [Therapeutic use of largactil in psychiatry.] *Wiadomości lek.*, 1955, 8: 82-88. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3611.
- Bleuler, M. Comparaison entre les effets de la chlorpromazine et de la réserpine en psychiatrie. [Comparison between the effects of chlorpromazine and reserpine.] *Encéphale*, 1956, 45: 334-348.
- , Stoll, W. A. Clinical use of reserpine in psychiatry: comparison with chlorpromazine. *Ann. N. York Acad. Sc.*, 1955, 61: 167-173. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4080.
- Bonello, F. J. Chlorpromazine in general practice. *Internat. Rec. M.*, 1956, 169: 197-212.
- Bonnet, H., Lauxerois, G. Le largactil à l'hôpital psychiatrique; à propos d'une expérience d'un an d'utilisation du médicament en service ouvert et fermé. [Largactil in a psychiatric hospital; one year's experience with this drug in ambulatory and in hospitalized patients.] *J. méd. Lyon*, 1955, 36: 165-172. Abstract: *J. méd. Lyon*, 1954, 35: 949. *Excerpta med.*, Sect. 8, 1955, 8: No. 4914.
- Boon, A. A. Largactil en verwante middelen in de psychiatrie en neurologie. [Largactil and related remedies in psychiatry and neurology.] *Ned. tsschr. geneesk.*, 1955, 99: 2735-2741.
- Bordeleau, J. M. Clinical evaluation of chlorpromazine and Rauwolfia serpentina in the psychiatric department of a general hospital. *J. Florida M. Ass.*, 1956, 42: 547-54.
- Bower, W. H. Chlorpromazine in psychiatric illness. *N. England J. M.*, 1954, 251: 689-692.

- Bram, G. Chlorpromazine in psychiatry. *Brit. M. J.*, 1954, 2: 754.
- Brehmer, G. von, Ruckdeschel, K. T. Zur Technik der Winterschlafbehandlung. [Technique of hibernation therapy.] *Deut. med. Wschr.*, 1953, 78: 1724-1725. *
- Bringas Núñez, E., Seggiaro, J. A., Machado, M. R. Primeros resultados obtenidos con el 4560 R. P. [First results obtained with RP 4560.] *Prensa méd. argent.*, 1953, 40: 2613-2619.
- Broussolle, P. Chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1955, 16: 113-119. Also: *Internat. Rec. M.*, 1955, 168: 327-332. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2234.
- Buisson, J. E. Thérapeutiques de sommeil en psychiatrie et en médecine psychosomatique. [Sleep therapy in psychiatry and in psychosomatic medicine.] *Sem. hôp. Paris*, 1954, 30: 155-158.
- Carloni, G. La reserpina e la chlorpromazina nei malati mentali cronici. [Reserpine and chlorpromazine in chronic mental disease.] *Arch. psicol. neur., Milano*, 1956, 17: 629-630.
- Carter, C. H., Maley, M. C. Chlorpromazine therapy in children at the Florida farm colony. *Am. J. M. Sc.*, 1957, 233: 131-136.
- Cervós Navarro, J., Unterharnscheidt, F. Importancia de las fenotiacinas en psiquiatria. [Importance of phenothiazines in psychiatry.] *Res. españ. otoneurof.*, 1956, 15: 75-92.
- Cloutier, F. La cure de sommeil en thérapeutique psychiatrique. [Sleep therapy in psychiatry.] *Laval méd.*, 1953, 18: 332-342.
- Cohen, I. M. Effects of chlorpromazine in psychiatric disorders; report of clinical observations and impressions in 1000 cases. *Am. J. M. Sc.*, 1955, 229: 355-362. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4990.
- Cooper, H. A. Hallucinogenic drugs. *Lancet, Lond.*, 1955, 1: 1078-1079.
- Cossa, P., Bougeant, H., Postel, J. De quelques indications et de quelques incidents d'utilisation de la chlorpromazine. [Some indications of and incidents with chlorpromazine therapy.] *Encéphale*, 1956, 45: 779-783.
- , —, Lombard, A. L'emploi des neuroplégiques en psychiatrie. [The use of ganglion-blocking agents in psychiatry.] *Ann. méd. psychol., Par.*, 1953, 111(2): 628-633. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 746.
- Crémieux, A. Traitement de l'anxiété. [Treatment of anxiety.] *Marseille méd.*, 1956, 93: 327-331.
- David, M., Benda, P., Klein, F. Traitement de l'état de mal épileptique par la chlorpromazine. [Treatment of epilepsy with chlorpromazine.] *Bull. Soc. méd. hôp., Paris*, 1953, 69: 691-697.
- Davies, T. S. Chlorpromazine in mental deficiency. *Lancet, Lond.*, 1954, 2: 819.
- , Chlorpromazine in mental deficiency. *Encéphale*, 1956, 45: 830.
- De Busscher, J. Impressions personnelles sur les effets de l'atarax, de la chlorpromazine, de la reserpine et du AY 5406-1 (parasan) en thérapeutique psychiatrique. [Personal impressions of atarax, chlorpromazine, reserpine and AY 5406-1 (parasan) in psychiatric therapy.] *Encéphale*, 1956, 45: 1007-1023.
- Delay, J. Introduction au colloque international. [Introduction to the international colloquium.] [On chlorpromazine and neuroleptic drugs, Paris, October 1955] *Encéphale*, 1956, 45: 303-306.
- , Deniker, P. L'action neuroleptique de la chlorpromazine en thérapeutique psychiatrique. [The neuroleptic action of chlorpromazine in psychiatric therapy.] *Sud méd. chir.*, 1954, 87: 3289-3296. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 754.
- , —, Chlorpromazine and neuroleptic treatments in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 19-24.
- , —, La cure neuroplégique. [Neuroleptic therapy.] *Acquis. méd. réc., Par.*, 1954: 105-115.
- , —, Neuroleptic effects of chlorpromazine in therapeutics of neuropsychiatry. *J. Clin. Exp. Psychopath.*, 1955, 16: 104-112. Also: *Internat. Rec. M.*, 1955, 168: 318-326. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4992.
- , —, Les neuroplégiques en thérapeutique psychiatrique. [Neuroleptic drugs in psychiatric therapy.] *Thérapie, Par.*, 1953, 8: 347-364.
- , —, Peut-on comparer la reserpine à la chlorpromazine? [Can one compare reserpine with chlorpromazine?] *Arch. psicol. neur., Milano*, 1956, 17: 631-633.
- , —, Pauwels, R. Cures de sommeil et cures neuroleptiques en psychiatrie. [Sleep therapies and neuroleptic therapies in psychiatry.] *Encéphale*, 1956, 45: 436-439.
- , —, Tardieu, Y. Hibernothérapie et cure de sommeil en thérapeutique psychiatrique et psychosomatique. [Hibernotherapy and sleep therapy in psychiatry and psychosomatic medicine.] *Presse méd.*, 1953, 61: 1165-1166.
- Delgado, H. Acerca de nuestra experiencia con la chlorpromazina. [Our experience with chlorpromazine.] *Encéphale*, 1956, 45: 344-351.
- Demartino, G. One year of chlorpromazine therapy at Montana State Hospital. *Northwest M.*, 1956, 55: 1206-1209.
- Denber, H. C. B. Medical and other measures to be taken to keep the discharged patient from returning to the institution. In: Chlorpromazine and mental health. Philadelphia, Lea & Febiger, 1955. p. 141-153; discussion p. 154-174.
- Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernotherapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. *
- Ditfurth, H. von Anwendungsmöglichkeiten des Megaphens in der psychiatrischen Klinik und Forschung. [Possibilities for the use of megaphen in psychiatric practice and research.] *Nervenarzt*, 1955, 26: 54-59. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4074.
- Donnelly, J., Zeller, W. Clinical research on chlorpromazine and reserpine in state and private psychiatric hospitals; a comparative review of the clinical problems. *J. Clin. Exp. Psychopath.*, 1956, 17: 180-188.
- Endara, J. El "Largactil" y nuestras primeras aplicaciones neuro-psiquiátricas. ["Largactil", and our first use of it in neuro-psychiatry.] *Arch. crim. neuropsiq., Quito*, 1954, 2: 297-312. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3101.
- Evrard, A., Vandierendonck, R. Een terugblik op 100 met chlorpromazine behandelde gevallen. [100 Cases treated with chlorpromazine.] *Belg. tschr. geneesk.*, 1957, 13: 43-47.
- Ey, H., Deschamps, A., Bérard, E. Les techniques de cures de sommeil à l'aide de neuroplégiques et l'hibernation artificielle en psychiatrie. [The techniques of sleep therapy with neuroleptics and artificial hibernation in psychiatry.] In: Laborit, H., Huguenard, P. Pratique de l'hibernothérapie en chirurgie et en médecine. [The use of hibernotherapy in surgery and in medicine.] Paris, Masson, 1954. p. 181-203.
- , Faure, H. Les diverses méthodes d'emploi de la chlorpromazine en thérapeutique psychiatrique et leurs indications. [The various methods of chlorpromazine therapies and their indications in psychiatric therapy.] *Encéphale*, 1956, 45: 361-371.
- Falcon, M. Quelques observations cliniques sur l'emploi de la chlorpromazine. [Clinical observations on the use of chlorpromazine.] *Encéphale*, 1956, 45: 587-591.
- Falicki, Z., Galuszko, P., Jaworska, I., Kielak, L., Sulestrowski, W. Proba oceny wartosci leczniczej largaktylu na podstawie dotychczasowych spostrzezeń w klinice chorób psychicznych A. M. w Gdansk. [Evaluation of

largactil therapy from observations at the clinic for mental diseases of the Academy of Medicine in Gdańsk.] [English summary p. 320] *Neur. & polska*, 1956, 6: 313-320.

Faure, J. L., Abrie, J. Remarques cliniques sur les indications valables de la chlorpromazine et de la reserpine en neuro-psychiatrie infantile. [Clinical remarks on the indications for the use of chlorpromazine and reserpine in child neuro-psychiatry.] *Pédiatrie*, 1956, 11: 773-776.

Fazekas, J. F., Shea, J., Rea, E. Use of chlorpromazine in the management of acute and postalcoholic states. *Internat. Rec. M.*, 1955, 168: 333-339. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 420.

—, —, **Sullivan, P. D., Jr.** Ataractics in medical practice. *GP*, 1956, 14(6): 75-81.

Feldman, P. E. Clinical evaluation of chlorpromazine therapy for mental illnesses; analysis of one year's experience. *J. Clin. Exp. Psychopath.*, 1957, 18: 1-26.

Flaherty, J. A. Effect of chlorpromazine medication on children with severe emotional disturbances. *Delaware M. J.*, 1955, 27: 180-184.

Flügel, F. Neue klinische Beobachtungen zur Wirkung des Phenothiazinkörpers Megaphen auf psychische Krankheitsbilder. [New clinical observations on the effect of the phenothiazine derivative megaphen on the symptoms of mental disorders.] *Med. Klin., Berl.*, 1953, 48: 1027-1029. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1609.

Ford, H. Jameson, G. K. Chlorpromazine in conjunction with other psychiatric therapies: a clinical appraisal. *Dis. Nerv. Syst.*, 1955, 16: 179-185.

Freed, H., Peifer, C. A. Some considerations on the use of chlorpromazine in a child psychiatry clinic. *J. Clin. Exp. Psychopath.*, 1956, 17: 164-169. *

Freeman, H. A critique of the tranquilizing drugs, chlorpromazine and reserpine, in neuropsychiatry. *N. England J. M.*, 1956, 255: 877-883.

Freyhan, F. A. The immediate and long range effects of chlorpromazine on the mental hospital. In: Chlorpromazine and mental health. Philadelphia, Lea & Febiger, 1955. p. 71-84; discussion p. 84-98.

—, —. Psychomotility and parkinsonism in treatment with neuroleptic drugs. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 465-472.

Friedgood, C. E., Ripstein, C. B. Use of chlorpromazine in the withdrawal of addicting drugs; preliminary report. *N. England J. M.*, 1955, 252: 230-233.

Friend, D. G., Wells, J. C., Jr. The clinical use of chlorpromazine. *Am. Practitioner*, 1955, 6: 698-703. Also as: Uso clínico de la clorpromacina. *Rev. méd. cubana*, 1956, 67: 645-650.

Friese, K. H. Vorläufige Erfahrungen bei der Behandlung psychiatrischer Kranker mit Phenothiazinen. [Experiences with phenothiazine therapy in psychiatry.] *Medizinische*, 1956: 734-735.

Furtado, D. Action de la chlorpromazine sur l'état de mal épileptique. [(Therapeutic) effect of chlorpromazine on epileptic convulsions.] *Encéphale*, 1956, 45: 727-729.

Gäde, E. B., Heinrich, K. Die Bedeutung der Phenothiazinderivate, insbesondere des Megaphen, für Psychiatrie und Neurologie. [The importance of phenothiazine derivatives in psychiatry and neurology, with special reference to chlorpromazine.] *Fortsch. Neur. Psychiat.*, 1955, 23: 323-353.

—, —. Klinische Beobachtungen bei Megaphenbehandlung in der Psychiatrie. [Clinical observations of megaphen treatment in psychiatry.] *Nervenarzt*, 1955, 26: 49-54. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4073.

Galenko, V. E., Osberg, I. IU., Azbukina, V. D. Primenenie aminazina v psikhiatricheskoj klinike. [Use of aminazine in psychiatric clinics.] *Sovet. med.*, 1956, 20: 29-35.

—, —, **Robiner, I. S., Frenkel, G. M.** Kliniko-elektrofiziologicheskie issledovaniia psikhicheski bol'nykh pri lechenii aminazinom. [Aminazine therapy of mental patients; clinical and electroencephalographic study.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 300-306. Abstract: *Chem. Abstr.*, 1956, 50: 17176i.

Galioni, E. F. Reserpine and chlorpromazine, their use in alcoholic and geriatric patients. *California M.*, 1956, 85: 97-99. *

Gambis, A. Essai d'application de la chlorpromazine en cures prolongées au traitement de diverses affections mentales, à propos de 58 observations. [The use of chlorpromazine for prolonged sleep therapy of various mental diseases; 58 observations.] 136 p. Lyon, 1954. [Thesis—Lyon 1953/1954, no. 76]

Geyer, H. W. Response to thorazine (chlorpromazine) administration in hyperkinetic mongolism. *Delaware M. J.*, 1956, 28: 189-190.

Gherarducci, D. A propos de l'utilisation de la chlorpromazine associée à d'autres thérapeutiques psychiatriques. [Utilization of chlorpromazine associated with other psychiatric therapeutics.] *Encéphale*, 1956, 45: 1187-1189.

Giacobini, E., Lassenius, B. Clorpromazinebehandling; biverkningar och komplikationer. [Chlorpromazine therapy; side effects and complications.] [English summary] *Nord. med.*, 1954, 52: 1693-1699. *

Gliedman, L. H., Gantt, W. H. The effect of reserpine and chlorpromazine on orienting behavior and retention of conditioned reflexes. *South. M. J.*, 1956, 49: 880-889.

Gomirato, G. Le applicazioni della clorpromazina e della reserpina al vaglio di due riunioni. [Uses of chlorpromazine and reserpine as evaluated by two assemblies.] *Minerva med., Tor.*, 1955, 46: 1449-1452.

Haight, J. Newer drug therapies. *Dis. Nerv. Syst.*, 1956, 17: 295-296. *

Hag, S. M., Smyth, V. O. Preliminary observations on the use of largactil in psychiatry. *Med. J. Malaya*, 1955, 9: 205-211. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4070.

Heuyer, G., Dell, C., Pringuet, G. Emploi de la chlorpromazine en neuropsychiatrie infantile. [Use of chlorpromazine in child neuropsychiatry.] *Encéphale*, 1956, 45: 576-578.

—, **Giraud, G., Galibert, J.** Traitement de l'excitation psycho-motrice chez l'enfant par le 4560 R. P. [R. P. 4560 therapy of psychomotor excitation in children.] *Arch. fr. pédiat.*, 1953, 10: 961-963.

Hilliard, E. T. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1035-1040.

Hoch, P. H. Progress in psychiatric therapies. *Am. J. Psychiat.*, 1955, 112: 241-247.

Hock, E. H. The use of chlorpromazine in mental disorders. *J. Christ. M. Ass., India*, 1956, 31: 285-291.

Hoff, H. Advantages and disadvantages of treatment with chlorpromazine and serpasil. *Encéphale*, 1956, 45: 352-358.

—, —. Vorteile und Nachteile der Behandlung mit Largactil und Serpasil. [Advantages and disadvantages of therapy with largactil and with serpasil.] *Wien. klin. Wschr.*, 1956, 68: 97-101. **

Hoffman, J. L. General summary to: Chlorpromazine and reserpine; symposium on experiences at Saint Elizabeths Hospital. *Med. Ann. District of Columbia*, 1956, 25: 267-268; 298. *

Hormia, A. Klooripromatsiini psykiatriassa. [Chlorpromazine in psychiatry.] [English summary] *Duodecim, Helsin.*, 1955, 71: 1226-1242.

—, —. Klooripromatsiinihoito psykiatriassa viiden vuoden kokemusten valossa. [Chlorpromazine treatment in psychiatry in the light of five years' experience.] *Suom. lääk. lehti*, 1956, 11: 1154-1158.

- Howell, T. H., Harth, J. A. P., Dietrich, M. The use of chlorpromazine in geriatrics. *Practitioner, Lond.*, 1954, 173: 172-173.
- Kanner, L., Eisenberg, L. Child psychiatry; mental deficiency. *Am. J. Psychiat.*, 1957, 113: 617-622.
- Kardos, G., Pertorini, R. A largactil psychiatriai alkalmazása. [Psychiatric applications of chlorpromazine.] *Ideg. szemle*, 1955, 8: 65-70.
- Kielholz, P. Über die Largactilwirkung bei depressiven Zuständen und Manien sowie bei der Entziehung von Morphin- und Barbitursüchtigen. [Effects of largactil in depressive states and manias and on withdrawal in morphine and barbiturate addiction.] [English summaries: p. 304-305; p. 308-309] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 291-309.
- , Labhardt, F. Treatment of mental disorders with chlorpromazine. *J. Clin. Exp. Psychopath.*, 1956, 17: 38-44. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 371.
- Kinross-Wright, V. Chlorpromazine; a major advance in psychiatric treatment. *Postgrad. M.*, 1954, 16: 297-299.
- , Chlorpromazine in psychiatric disorders. *Med. Clin. N. America*, 1957, 41: 295-306. *
- , Chlorpromazine treatment of mental disorders. *Am. J. Psychiat.*, 1955, 111: 907-912.
- , Clinical application of chlorpromazine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 31-38.
- , A review of the newer drug therapies in psychiatry. *Dis. Nerv. Syst.*, 1956, 17: 187-190.
- , The uses and limitations of the newer drugs in the treatment of nervous conditions. *Wisconsin M. J.*, 1956, 55: 1073-1078.
- Kolle, K., Ruckdeschel, K. T. Megaphenbehandlung in der Psychiatrie. [Megaphen therapy in psychiatry.] *Munch. med. Wschr.*, 1954, 96: 533-536.
- Labhardt, F. Behandlung von psychischen Störungen mit Largactil. [Largactil therapy of mental disorders.] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 437-440.
- , Einige allgemeine und psychiatrische Gesichtspunkte zur Behandlung mit neuroplegischen Medikamenten. [General and psychiatric views on therapy with neuroplegic drugs.] [Short English summary] *Dermatologica, Basel*, 1955, 111: 177-185.
- , Technik, Nebenerscheinungen und Komplikationen der Largactiltherapie. [Technic, side effects and complications of largactil therapy.] [English summary: p. 345] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 338-345. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1790. *
- Laborit, H., Huguenard, P., Alluaume, R. Un nouveau stabilisateur végétatif; le 4560 RP. [A new autonomic stabilizer; 4560 RP.] *Presse méd.*, 1952, 60: 206-208.
- Laboucarie, J., Barrès, P., Rascol, A. Les cures neuroplégiques par la chlorpromazine. [Neuroplegic therapies with chlorpromazine.] *Toulouse méd.*, 1955, 56: 515-526. *
- Lafon, R., Temple, J. P., Abrie, J. Le 4560 R. P. dans le traitement des états anxieux. [4560 R. P. in the treatment of anxiety states.] [Abstract] *Sem. hôp. Paris*, 1953, 29: 3113.
- Largactil, chlorpromazinii chloridum (INN). *Nord. med.*, 1955, 53: 242-244.
- Larue, L. Connaissances acquises sur les résultats thérapeutiques du largactil. [Therapeutic results with largactil.] *Encéphale*, 1956, 45: 497-500.
- Le Guillaud, L., Roelens, Corre, Kestenberg, Plichet, Béquart, Bailly-Salin. Quelques remarques méthodologiques sur l'action des neuroleptiques. [Certain methodological considerations on the action of neuroleptic drugs.] *Encéphale*, 1956, 45: 1128-1135.
- Lehmann, H. E. A dynamic concept of the action of chlorpromazine at physiological and psychological levels. *Encéphale*, 1956, 45: 1113-1118.
- , Ein hemmendes Mittel zur Kontrolle und Behandlung psychomotorischer Erregungszustände; (Chlorpromazine, Largactil, Thorazine, Megaphen). [An inhibiting drug for control and treatment of psychomotor excitement: (chlorpromazine, largactil, thorazine, megaphen).] *Nervenarzt*, 1954, 25: 322-330. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1792.
- , Selective inhibition of affective drive by pharmacological means. *Am. J. Psychiat.*, 1954, 110: 856-857.
- , Therapeutic results with chlorpromazine (largactil) in psychiatric conditions. *Canad. M. Ass. J.*, 1955, 72: 91-99.
- , Hanrahan, G. E. Chlorpromazine, new inhibiting agent for psychomotor excitement and manic states. *A. M. A. Arch. Neur. Psychiat.*, 1954, 71: 227-237.
- Lesse, S., Malitz, S., Hoch, P. [H.] Chlorpromazine therapy in private practice. Its benefits and complications. *J. Nerv. Ment. Dis.*, 1957, 125: 25-35. *
- Lindqvist, R. Några ord om chlorpromazinbehandling, närmast i anledning av några neuropsykiatriska fall. [Comments on chlorpromazine therapy, with special reference to neuropsychiatric cases.] *Sven. läk. tidn.*, 1955, 52: 2314-2317.
- Lomas, J. Uses of chlorpromazine in mental hospital patients. *Brit. M. J.*, 1955, 1: 879-882. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1725.
- Macchi, G., Manghi, E., Saginario, M. Indicazioni e metodi di impiego del largactil (4560 R. P.) in terapia neuro-psichiatrica; studio su 130 casi trattati. [Indications and methods of use of largactil in neuropsychiatric therapy: study of 130 treated cases.] *Riv. sper. freniat.*, 1954, 78: 183-204.
- MacColl, K. Chlorpromazine hydrochloride (largactil) in the treatment of the disturbed mental defective. *Am. J. Ment. Defic.*, 1956, 61: 378-389.
- MacGregor, J., MacW. Largactil; a new psychomotor brake. *S. Afr. J. Clin. Sc.*, 1954, 5: 228-243. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1724.
- Maisonnette, G. Bilan d'un an de traitement par la Chlorpromazine. [Chlorpromazine therapy; results of one year.] 59 p. Lyon, 1954. [Thesis—Lyon, 1953/1954, no. 93] *
- Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545. *
- Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718. *
- Mariani, G., Barsotti, U. Il largactil nella cura delle malattie mentali; risultati del trattamento in 100 casi. [Largactil therapy of mental illness; therapeutic results in 100 cases.] *Riv. pat. nerv.*, 1956, 77: 525-528.
- Martin, C. A. Épreuve du largactil en psychiatrie. [Experiences with largactil in psychiatry.] *Laval méd.*, 1954, 19: 1079-1094. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1723.
- Massari, M. Ansietà e blocco vegetativo. [Anxiety and autonomic block.] *Minerva med.*, Tor., 1953, 44: 231-232. [Not seen]
- Massenti, C. Il trattamento neuroplegico negli stati di eccitamento e di agitazione. [Treatment of excitement and agitation with neuroplegic drugs.] *Lavoro neuropsichiat.*, 1954, 14: 493-505. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1785.
- Mayr, F. Erfahrungen mit der Largactil-Behandlung in der Anstaltspsychiatrie. [Experience with largactil treatment in psychiatric hospitals.] *Ther. Umschau, Bern*, 1955, 11: 184-191; 203-211.
- Mielke, F. A. Methods employed and results obtained in psychiatric studies with new drugs acting on the brain stem. *Am. J. Psychiat.*, 1957, 114: 134-139.
- Miksztal, M. W. Chlorpromazine (thorazine) and reserpine in residential treatment of neuropsychiatric dis-

- orders in children. *J. Nerv. Ment. Dis.*, 1956, 123: 477-479.
- Milli, N., Marzi, F. Il serpasil nelle malattie mentali. [Serpasil in mental disease.] *Riv. pat. nerv.*, 1956, 77: 502-505.
- Moore, J. N. Largactil in psychotherapy. *Irish J. M. Sc.*, 1955: 409-412. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3613.
- Morgan, D. R. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1029-1035.
- Moyer, J. H., Kinross-Wright, V., Finney, R. M. Chlorpromazine as a therapeutic agent in clinical medicine. *A. M. A. Arch. Int. M.*, 1955, 95: 202-218. Abstract: *Chem. Abstr.*, 1955, 49: 5687h. *
- Nayrac, P., Graux, P. Indications et contre-indications de la chlorpromazine en psychiatrie. [Indications and contraindications of chlorpromazine therapy in psychiatry.] *Encéphale*, 1956, 45: 518-523.
- Neri, A. Primi risultati ottenuti col largactil nell'ospedale neuropsichiatrico prov. di Reggio Calabria. [First results obtained with largactil in the neuropsychiatric hospital of the Reggio Calabria province.] [English summary p. 800-801.] *Rass. stud. psichiat.*, 1956, 45: 783-804.
- . Primi risultati ottenuti con l'impiego del largactil in malati mentali. [First results with chlorpromazine therapy of mental patients.] *Encéphale*, 1956, 45: 682-686.
- Obiols, J. Notre expérience sur la thérapeutique par la chlorpromazine. [Our experience with chlorpromazine therapy.] *Encéphale*, 1956, 45: 698-699.
- Overholser, W. Chlorpromazine and reserpine in psychiatric practice. *Postgrad. M.*, 1956, 19: 346-349.
- . Has chlorpromazine inaugurated a new era in mental hospitals? *J. Clin. Exp. Psychopath.*, 1956, 17: 197-201.
- . La chlorpromazine, ouvre-t-elle une ère nouvelle dans les hopitaux psychiatriques? [Chlorpromazine—the beginning of a new era in psychiatric hospitals?] *Encéphale*, 1956, 45: 313-319.
- Paerregaard, G. Chlorpromazinbehandling på en psykiatrisk modtageafdeling. [Chlorpromazine treatment at a psychiatric department.] [English summary] *Nord. med.*, 1956, 56: 1238-1240. * *
- Parsons, E. H. New chemical agents in psychiatry. *Postgrad. M.*, 1955, 18: 193-198.
- Pennington, V. M. Research findings in phrenotropic drugs important to every physician. *Mississippi Doctor*, 1957, 35: 57-63.
- Pollack, B. Drug therapy—clinical and operational effects: changes in mental hospital resulting from addition of chlorpromazine to the total therapeutic program. *Ment. Hosp.*, 1956, 7 (4): 14-16.
- . Mental illness. *Med. Times, Great Neck*, 1955, 83: 439-450.
- . Preliminary report on 500 patients treated with thiorazine at Rochester State Hospital. *Psychiat. Q.*, 1955, 29: 439-456.
- Popov, E. A., Nevzorova, T. A. Opyt primeneniia aminazina v psikhiatricheskoj klinike. [Result with aminazine in psychiatric clinical practice.] *Zh. nevropat. psikhiat.*, Moskva, 1956, 56: 559-566.
- Puca, A. Ibernoterapia, sonno prolungato e neuroplegici in terapia psichiatrica. [Hibernation, prolonged sleep and neuroplegic drugs in psychiatric treatment.] *Rass. internaz. clin. ter.*, 1955, 35: 805-809.
- . Nuove acquisizioni in terapia psichiatrica; ibernoterapia, sonno prolungato e neuroplegici. [New acquisitions in psychiatric therapy; artificial hibernation, prolonged sleep and neuroplegic drugs.] [English summary] *Rass. stud. psichiat.*, 1955, 44: 849-856. Also: *Ann. med. nav.*, Roma, 1956, 42-49.
- Ramée, F., Lacaton, R., Sanchez, F., Boulanger, M. Effets favorables du largactil dans la pratique psychiatrique algérienne. [Good results with chlorpromazine therapy of mental diseases in Algeria.] *Encéphale*, 1956, 45: 820-827.
- Ramirez, F. El largactil oral en el tratamiento de afecciones mentales. [Oral administration of largactil in the treatment of mental disorders.] *Rev. psiquiat. Uruguay*, 1954, 19 (112): 37-44.
- Rettig, J. H. Chlorpromazine for the control of psychomotor excitement in the mentally deficient; a preliminary study. *J. Nerv. Ment. Dis.*, 1955, 122: 190-194. *
- Rigal, J., Malet, P. Considérations sur l'emploi du largactil en psychiatrie. [Largactil therapy in psychiatry.] *J. méd. Bordeaux*, 1954, 131: 1191-1196. *
- , —, Florentin, M. Quelques considérations au sujet de 300 cures de chlorpromazine dans les psychoses et les névroses. [Some remarks on chlorpromazine therapy of 300 psychotics and neurotics.] *Encéphale*, 1956, 45: 592-598.
- Rigotti, S. Dal blocco del S. N. vegetativo all'ibernazione artificiale: primi risultati di un nuovo indirizzo di terapia psichiatrica. [From autonomic N. S. blocking to artificial hibernation; first results with a new psychiatric therapy.] *Rass. neur. vegetat.*, 1952, 9: 197-210. Abstract: *Riv. neur. Nap.*, 1953, 23: 186-188.
- . Ulteriori esperienze sull'impiego in psichiatria della dimetilamino-propil-N-clorofenotiazina (Largactil). [Further experiences with the use of dimethylamino-propyl-chlorophenothiazine (largactil) in psychiatry.] [English summary] *Gior. psichiat.*, 1953, 81: 211-222.
- Rossi, M. Moderne terapie psichiatriche a base di ganglioplegici e di alcaloidi della Rauwolfia serpentina. [Modern psychiatric therapy with ganglioplegics and Rauwolfia serpentina alkaloids.] *Arch. psicol. neur.*, Milano, 1956, 17: 642-644. *
- Roxo, H. Tratamento moderno das doenças mentais. [Modern therapy of mental diseases.] *Arq. brasil. med. nav.*, 1956, 17: 4153-4162.
- Sainz, A. A. The management of side effects of chlorpromazine and reserpine. *Psychiat. Q.*, 1956, 30: 647-653. *
- Sal y Rosas, F., Jerí, R., Sánchez, J. La chlorpromazine chez les malades mentaux péruviens. [Chlorpromazine therapy of mental patients in Peru.] *Encéphale*, 1956, 45: 599-604.
- , —, —. Chlorpromazine in neuropsychiatry. *J. Am. M. Ass.*, 1954, 156: 558.
- Sargent, W. On chemical tranquilizers. *Brit. M. J.*, 1956, 1: 939-943. *
- Schiele, B. C., Anderson, R. W., Simon, W. Current status of chlorpromazine and reserpine in psychiatric practice. *J. Lancet*, 1956, 76: 179-185.
- Schmitt, R. J. The psychodynamics of the tranquilizing agents. *Psychiat. Q.*, 1957, 31: 17-30.
- Schultz, J. D. El uso de cloropromazina (thorazine) en los estados alcohólicos agudos. [Use of chlorpromazine (thorazine) in acute alcoholic states.] *Arch. méd. Cuba*, 1956, 7: 18-20.
- Seguín, A., Castro de la Mata, R. Chlorpromazine in neuropsychiatry. *J. Am. M. Ass.*, 1954, 156: 558.
- Shea, J. G., Alman, R. W., Fazekas, J. F. The use of chlorpromazine in the management of patients with head injury. *A. M. A. Arch. Int. M.*, 1955, 96: 168-171. Abstract: *Year book of drug therapy*, 1956-1957, p. 341. *
- Sheatz, G. C. Studies on chlorpromazine in decerebrate dogs and patients with irreversible brain damage. [Abstract] *J. Pharm. Exp. Ther.*, 1955, 113: 47-48.
- Sigwald, J. Les indications du traitement de diverses affections neuropsychiatriques par la chlorpromazine; utilisation pratique des propriétés neuroplégiques et psychoplégiques de ce corps, posologie. [Indications for chlorpromazine therapy of neuropsychiatric disorders; practical use of its neuroplegic and psychoplegic properties; dosage.] *Bull. méd., Par.*, 1953, 67: 319-322.

- , **Bouttier, D.** Le chlorhydrate de chloro-3 (diméthylamino-3'-propyl)-10-phénothiazine en pratique neuropsychiatrique courante. [3-Chloro-10-(3'-diméthylaminopropyl)-phenothiazine hydrochloride in current neuropsychiatry.] *Ann. méd., Par.*, 1953, 54: 150-182.
- , —. L'utilisation des propriétés neuroplégiques du chlorhydrate de chloro-3 (diméthylamino-3'-propyl)-10-phénothiazine en thérapeutique neuro-psychiatrique. [Utilization of the neuroplegic properties of chloro-3 (diméthylamino-3-propyl)-10-phenothiazine hydrochloride in neuropsychiatric therapy.] *Presse méd.*, 1953, 61: 607-609.
- Sivadon, P., Schweich, M., Begoin, J.** Chlorpromazine et activités ergothérapiques. [Chlorpromazine and occupational therapy.] *Encéphale*, 1956, 45: 449-455.
- Stahelin, J. E., Kielholz, P.** Largactil, ein neues vegetatives Dämpfungsmittel bei psychischen Störungen. [Largactil, a new autonomic inhibitor in mental disorders.] *Schweiz. med. Wschr.*, 1953, 83: 581-586. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1601.
- , **Labhardt, F.** Les résultats atteints par les neuroplégiques dans le traitement des psychoses et des névroses. [Results in the treatment of psychoses and neuroses with neuroplegic drugs.] *Encéphale*, 1956, 45: 511-517.
- Steigman, A. J., Vallbona, C.** Experience with chlorpromazine in pediatrics. *Internat. Rec. M.*, 1955, 168: 351-357.
- Tarasov, G. K.** Rezul'taty klinicheskogo issledovaniia deistviia aminazina pri lechenii psikhicheskii bol'nykh. [Results of clinical investigations on the effect of amiazine in mental patients.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 146-154.
- Teani, E.** La cloropromazina nella pratica neuropsichiatrica. [Chlorpromazine in neuropsychiatric practice.] *Minerva med., Tor.*, 1956, 47: 1677-1686.
- Temkov, I., Ditsova, A.** Nashi rezultati ot lechenieto na niakoi dushevni zaboliavaniia s largactil. [Results of the treatment of certain mental diseases with largactil.] *Svrem. med., Sofia*, 1956, 7: 61-68.
- Tennenbaum, L.** Largactil. [In Hebrew] [English summary p. IV-V] *Dapim Refuim*, 1955, 14: 229-242.
- Terman, L. A.** Treatment of senile agitation with chlorpromazine. *Geriatrics*, 1955, 10: 520-522. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2582.
- Tolsma, F. J.** Les neuroleptiques et le problème de l'adaptation humaine. [Neuroleptic drugs and the problem of human adaptation.] *Encéphale*, 1956, 45: 1141-1149.
- , **Jedelo, G. C., Kemenade, J. J. van** De betekenis van 4560 R. P. (largactil) in de psychiatrie. [Use of 4560 R. P. (largactil) in psychiatry.] [English summary] *Ned. tsch. geneesk.*, 1954, 98: 997-1001. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3103.
- Touraine, Y.** Action du 45-60 RP sur les délires avec agitation des traumatisés crâniens. [Effect of 4560 R. P. on delirium with agitation in head trauma.] *Presse méd.*, 1953, 61: 470.
- Vaughan, G. F., Leiber, D. M., Cook, L. C.** Chlorpromazine in psychiatry. *Lancet, Lond.*, 1955, 1: 1083-1087. *
- Vidart, L., Gasteau, E.** La cure de sommeil en pratique neuro-psychiatrique. [Sleep therapy in neuropsychiatric practice.] *Rev. prat., Par.*, 1954, 4: 1583-1588.
- Visintini, F.** Cloropromazina e reserpina in psichiatria. [Chlorpromazine and reserpine in psychiatry.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 611-621.
- Wachsmuth, R.** Phenothiazinderivate (Megaphen) in der Psychiatrie. [Phenothiazine derivatives (megaphen) in psychiatry.] *Medizinische*, 1955: 328-329.
- , —. Psychovegetative Umstimmungsbehandlung mit Phenothiazinderivaten, insbesondere in der Psychiatrie. [Psycho-autonomic therapy with phenothiazine derivatives, with special reference to psychiatry.] *Aerztl. Forsch.*, 1955, 9: 261-274. *
- Walther-Büel, H.** L'action des médicaments neuroleptiques dans la maladie de Huntington. [Effect of neuroleptic drugs on Huntington's chorea.] *Encéphale*, 1956, 45: 771-772.
- , —. Das neuroplegische Prinzip in pharmakopsychiatrischer Betrachtung. [The neuroplegic principle in pharmacopsychiatric considerations.] [Brief English summary] *Mscr. Psychiat., Basel*, 1955, 129: 286-296. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3891.
- Wardt-Kikkert, N. M. van de** Quelques aspects de l'application de la chlorpromazine dans un hôpital psychiatrique hollandais. [Observations on the use of chlorpromazine in a Dutch psychiatric hospital.] *Encéphale*, 1956, 45: 700-704.
- Webb, R. R.** Largactil in psychiatry. *Med. J. Australia*, 1955, 42 (1): 759-761. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2233.
- Winkelman, N. W., Jr.** Chlorpromazine in the treatment of neuropsychiatric disorders. *J. Am. M. Ass.*, 1954, 155: 18-21. Abstract: *Chem. Abstr.*, 1954, 48: 9562c.
- Wozowska, J., Pytel, A.** Largactyl (chloropromazyna). [Largactil (chlorpromazine).] *Polski tygod. lek.*, 1955, 10: 772-779.
- Zethraeus, S.** Klorpromazinbehandling vid psykisk sjukdom. [Chlorpromazine therapy of mental disease.] *Sven. läk. tidn.*, 1955, 52: 1087-1103. *
- Additional data**
- Abrams, R. E., Tice, L. F.** Modern medicinals in review. *Am. J. Pharm.*, 1955, 127: 4-22.
- Alexander, L.** Therapeutic process in electroshock and the newer drug therapies; psychopathological considerations. *J. Am. M. Ass.*, 1956, 162: 966-969. *
- , —. Objective approaches to treatment in psychiatry. *Canad. Psychiat. Ass. J.*, 1957, 2: 77-94. *
- Allen, E. B., Prout, C. T.** Alcoholism. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 338-351.
- Balvet.** Les conditions d'environnement qu'exige la thérapeutique par le largactil. Environmental conditions required by largactil therapy. *J. méd. Lyon*, 1954, 35: 947-948.
- Begany, A. J., Seifter, J., Pless, H. H., Huber, R. D., Bruce, W. F.** Tranquilizing effect of phenothiazines in cats and rabbits. *Fed. Proc., Balt.*, 1956, 15: 399-400.
- Bell, J. P.** Magic drugs in psychiatry. *J. Kentucky M. Ass.*, 1954, 52: 788-789.
- Berg, G. A.** Drugs of sedation with tranquilizing effects. *Am. Profes. Pharmacist*, 1956, 22: 419; 534-538; 619-621; 709-710; 797-799; 888-889; 917-919. [419; 534-538.]
- Bleuler, M.** Fortschritte in der Behandlung von Erregungszuständen. [Progress in the treatment of excitatory states.] [Abstract] *Praxis, Bern*, 1954, 43: 1030.
- Block, M. A.** Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.
- Cant, G.** New medicines for the mind; their meaning and promise. 26 p. New York, *Public Affairs Committee*, 1955.
- Carr, C. J., Kinnard, W. J., Jr.** The phrenotropic agents. *Internat. Rec. M.*, 1957, 170: 493-504.
- Castillo, C. R.** Los fenómenos psíquicos y la terapéutica biológica. [Psychic phenomena and biological therapeutics.] *Prensa méd. argent.*, 1954, 41: 3533-3538.
- Cohen, I. M.** Drugs recently introduced in the treatment of psychiatric disorders. *Texas J. M.*, 1956, 52: 683-687.
- Coulter, E. B.** Nursing care problems associated with the use of ataraxic drugs. *Hawaii M. J.*, 1957, 16: 303-304. *
- Davis, W. A., Severinghaus, E. L.** Drug therapy in psychiatry and neurology; medical and pharmacologic aspects. *J. M. Soc. N. Jersey*, 1956, 53: 18-22.

- Dellaert, R. De modernste chemopharmaca in de psychiatrie. [New chemical psychopharmaca.] *Belg. tschr. geneesk.*, 1956, 12: 314-321.
- Donini, F. M., Belsasso, M. Ravis, E. Risultati terapeutici ottenuti con il serpasil in 158 ammalati mentali. [Therapeutic results of serpasil in 158 mental patients.] *Arch. psicol. neur.*, Milano, 1956, 17: 394-398.
- Doyle, F. J. New drugs in mental therapy and the implications of their use. *Hosp. Progr.*, 1955, 36 (3): 50-51.
- Ebaugh, F. G. The videclinic. *J. Am. M. Ass.*, 1955, 158: 732-733.
- Fabing, H. D. The ataractic drugs: their uses and limitations in psychiatry. *Am. Profes. Pharmacist*, 1956, 22: 413-418.
- . The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drug & Cosmet. Indust.*, 1956, 78: 32-33; 125-129. *
- . Trends in biological research in schizophrenia. *J. Nerv. Ment. Dis.*, 1956, 124: 1-7.
- Feldman, D. J. Drug therapy of chronic alcoholism. *Med. Clin. N. America*, 1957, 41: 381-392.
- . The treatment of chronic alcoholism: a survey of current methods. *Ann. Int. M.*, 1956, 44: 78-87.
- Freed, H. Chlorpromazine and reserpine; new era in psychiatry? *Am. Practitioner*, 1955, 6: 706-708.
- Fremming, K. H. Medikamentel behandling af synds-sygdomme. [Medical treatment of mental disorders.] *Mskr. prakt. laegegern.*, Kbh., 1956, 34: 331-342.
- French, E. G. Epilepsy. *Am. J. Psychiat.*, 1957, 113: 629-631.
- Freyhan, F. A., Turner, P., Stenzler, R. New drug therapies in psychiatry. *Delaware M. J.*, 1956, 28: 180-186.
- Graffagnino, P. N., Furr, J. H. New drugs in the treatment of emotional disorders; a review. *Connecticut M. J.*, 1957, 21: 38-43.
- Green, A. Actualités thérapeutiques 1955 en psychiatrie. [Therapeutic progress in psychiatry in 1955.] *Encéphale*, 1956, 45: 172-200.
- Hewitt, D. W. Alcoholism, a treatment guide for general practitioners. 112 p. Philadelphia, Lea & Febiger, 1957.
- Holtzer, P. A. Studiereis naar Parijs ter kennismaking met het praeparaat largactil (4560 R. P.). [Study trip to Paris to obtain information on largactil (4560 RP).] *Geneesk. gids*, 1953, 31: 465-469.
- Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38 (1): 102-108; 126.
- Keyes, B. L. Ataraxic drugs. *Pennsylvania M. J.*, 1957, 60: 177-181.
- Kline, N. S. Chemotherapy in psychiatry; recent advances. *Seminar Internat.*, Hoddesdon, 1956, 5 (2): 7-10.
- Klingman, W. O. Neurological and psychiatric disorders; some recent advances in therapy. *Virginia M. Month.*, 1956, 83: 240-246.
- Kolle, K. Süchte und ihre Bekämpfung. [Addictions and their control.] [English summary] *Münch. med. Wschr.*, 1956, 98: 7-10.
- Laboucarie, J., Barrès, P., Rascol, A. Aspects principaux des cures neurologiques en psychiatrie en 1956. [Principal features of neurologic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.
- Liberson, W. T. The new tranquilizing drugs. 1. Neuropsychiatric aspects. *Am. J. Nurs.*, 1955, 55: 1465-1467.
- Martin, D. A. The therapeutic and toxic effects of tranquilizing drugs: medical aspects. *North Carolina M. J.*, 1956, 17: 396-401.
- Mathis, M. Toniques et sédatifs en neuro-psychiatrie infantile. [Tonics and sedatives in child neuro-psychiatry.] *Pédiatrie*, 1956, 11: 807-820.
- Meyer, H. H. Die moderne Behandlung psychiatrischer Erkrankungen. [Modern treatment of psychiatric diseases.] *Med. Klin.*, Berl., 1956, 51: 1429-1432.
- Molina, A. La Rauwolfia serpentina, con especial referencia a la reserpina. [Rauwolfia serpentina, with special reference to reserpine.] *Prensa méd. argent.*, 1956, 43: 423-425. Also: *Rev. méd. cubana*, 1956, 67: 623-627.
- New drugs for patients with emotional disorders. *J. Am. M. Ass.*, 1955, 157: 665.
- Overholser, W. Introductory remarks [to: Chlorpromazine and reserpine; symposium on experiences at Saint Elizabeths Hospital.] *Med. Ann. District of Columbia*, 1956, 25: 255.
- París Ruiz, L. Aplicaciones terapéuticas de la clorpromazina (largactil). [Therapeutic uses of chlorpromazine (largactil).] *Rev. clín. españ.*, 1955, 59: 47-50; 110-117. Abstract: *Chem. Abstr.*, 1956, 50: 8053b.
- Roeder, F. D. Letter from Germany. *Am. J. Psychiat.*, 1956, 113: 506-509.
- Sebrell, W. H., Jr. Chemistry in chronic disease research. *Chem. Eng. News*, 1955, 33: 1856-1860.
- Senseman, L. A. Tranquilizing drugs; uses and abuses for the nervous patient. *Rhode Island M. J.*, 1956, 39: 675-677; 680; 686.
- Smith, L. H. Progress in psychiatry. *J. Am. M. Ass.*, 1955, 158: 46-47.
- Sottong, P. C. The use and abuse of the tranquilizing drugs. *J. Tennessee M. Ass.*, 1956, 49: 413-418.
- Spencer, R. S. The use of ataraxic drugs in mental illness. *Hawaii M. J.*, 1957, 16: 302.
- Stimulants and depressants. *Brit. M. J.*, 1956, 1: 969-970.
- Tice, L. F. Some important drug developments of 1956. *Am. J. Pharm.*, 1956, 128: 398-409.
- Tranquilizing agents. *N. England J. M.*, 1955, 252: 74-75.
- Tranquillizers. *Scot. M. J.*, 1957, 2: 46-47.
- West, L. J., Swegan, W. H. An approach to alcoholism in the military service. *Am. J. Psychiat.*, 1956, 112: 1004-1009. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 918.
- Literature surveys
see CHLORPROMAZINE—Bibliographies and literature surveys
- Neuroses
see also CHLORPROMAZINE—Various special techniques—Therapeutic use—Neuroses
- Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747. *
- Azima, H. The use of chlorpromazine and reserpine in psychological disorders in general practice. *Canad. M. Ass. J.*, 1956, 74: 929-931.
- Baruk, H., Launay, J., Bergès, J. La chlorpromazine en thérapeutique psychiatrique courante; schéma de traitement à l'usage des médecins praticiens. [Chlorpromazine in current psychiatric therapy; mode of treatment as used in general practice.] *Rev. prat., Par.*, 1955, 5: 3511-3517. *
- Braun, M., Philipsborn, A. Ataractics in private practice. *Am. J. Psychiat.*, 1956, 113: 80-81.
- Brooks, W., Deutsch, L., Dickes, R. The use of chlorpromazine hydrochloride in the treatment of barbiturate addiction with acute withdrawal syndrome. *Am. J. Psychiat.*, 1955, 111: 696-698. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 836.
- Cameron, D. E. The recognition and treatment of anxiety states. *Postgrad. M.*, 1954, 15: 134-138.
- Cronqvist, S., Rayner, S., Wretmark, G. Chlorpromazinbehandling vid neuroser. [Chlorpromazine therapy of neuroses.] [English summary] *Nord. med.*, 1955, 53: 730-734. *
- Doshay, L. J. Problem situations in the treatment of paralysis agitans. *J. Am. M. Ass.*, 1954, 156: 680-684.
- Drugs in the treatment of depression. *Lancet, Lond.*, 1955, 1: 1065.

- Dunlop, D. M. The barbiturates and other sedatives. *Practitioner, Lond.*, 1957, 178: 26-32.
- Eagles, J. B. Chlorpromazine. *Brit. M. J.*, 1955, 1: 46-47. *
- Falcon, M. Quelques observations cliniques sur l'emploi de la chlorpromazine. [Clinical observations on the use of chlorpromazine.] *Encéphale*, 1956, 45: 587-591.
- Flügel, F. Erfahrungen mit Megaphen in der psychiatrischen und neurologischen Klinik. [Experiences with chlorpromazine in the psychiatric and neurological clinic.] *Arch. klin. Chir.*, 1954, 279: 767-772.
- Gatski, R. L. Chlorpromazine in the treatment of emotionally maladjusted children; preliminary report. *J. Am. M. Ass.*, 1955, 157: 1298-1300.
- Gomirato, G. L'azione della clorpromazina e della reserpina su alcune manifestazioni sintomatologiche delle psiconevrosi. [Action of chlorpromazine and reserpine on symptomatologic manifestations of psychoneuroses.] [English summary.] *Arch. psicol. neur.*, Milano, 1956, 17: 531-543.
- Grimshaw, J. A. Chlorpromazine and reserpine; limitations of their use in office practice. *J. Kansas M. Soc.*, 1956, 57: 687-689. *
- Heilbrunn, G. Selection of patients for modern psychiatric pharmacotherapy in general practice. *Northwest M.*, 1956, 55: 1198-1205.
- Held, R. Sur la chlorpromazine et les médicaments neuroleptiques; incidences psychothérapeutiques. [Chlorpromazine and neuroleptic drugs; psychotherapeutic incidences.] *Encéphale*, 1956, 45: 1000-1004.
- Hoch, P. H. The effect of chlorpromazine on moderate and mild mental and emotional disturbances. In: Chlorpromazine and mental health. Philadelphia, Lea & Febiger, 1955. p. 99-111; discussion p. 111-140. *
- . New drug therapy in psychiatry: clinical uses and abuses in mental disorders. *Bull. N. York Acad. M.*, 1957, 33: 474-486. *
- . Practical and theoretical applications of the new drug therapies in psychiatry. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 325-328. *
- Hollister, L. E. Tranquilizing drugs and the generalist. *Med. Times, Great Neck*, 1956, 84: 1021-1026.
- , Stannard, A. N., Drake, C. F. Treatment of anxious patients with drugs. *Dis. Nerv. Syst.*, 1956, 17: 289-293.
- Hubbard, O. E., Glasser, J. Newer psychotropic drugs; their characteristics and use in general practice. *Northwest M.*, 1956, 55: 1191-1197.
- Hutchinson, J. T. The value of drugs in the treatment of neuroses. *Med. Illustr., Lond.*, 1956, 10: 541-544.
- Kohler, C., Bourjade, G. De l'utilisation du 4560 R. P. en neuro-psychiatrie infantile. [Utilization of 4560 R. P. in pediatric neuro-psychiatry.] *Pédiatrie*, 1954, 9: 383-385. Abstract: *J. méd. Lyon*, 1954, 35: 948.
- Lafon, R., Faure, J. L., Abric, J. Etude sémiologique et thérapeutique des troubles du sommeil chez l'enfant. [Symptomatologic and therapeutic study of sleep disorders in children.] *Pédiatrie*, 1956, 11: 743-753.
- Lepage, M. Le traitement de l'anxiété chronique. [The treatment of chronic anxiety.] *Bull. méd., Par.*, 1955, 69: 273-275.
- Montanari, M., Giua, A. M. Il comportamento di alcune funzioni neurovegetative nella terapia con neuroleptici (largactil) delle psiconevrosi. [Behavior of various autonomic functions in neuroleptic (largactil) therapy of psychoneuroses.] [English summary] *Russ. stud. psychiat.*, 1955, 44: 433-475.
- . L'influenza del largactil sulle funzioni neurovegetative nelle psiconevrosi. [The influence of largactil on the neuro-vegetative functions in psychoneuroses.] *Riv. pat. nerv.*, 1956, 77: 490-492.
- Montassut, M., Chertok, L., Béquart, P. Hallucinations auditives anciennes sans systématisation délirante actuelle, traitées par la chlorpromazine. [Chlorpromazine therapy of persistent auditory hallucinations without currently manifest delusion.] *Ann. méd. psychol., Par.*, 1955, 113 (1): 800-804.
- Nichamin, S. J. Chlorpromazine in the treatment of mild behavior disturbances. *J. Michigan M. Soc.*, 1956, 55: 1469-1471.
- Ostenfeld, I. Psykiske urotilstande. [Mental excitement.] [English summary] *Nord. med.*, 1955, 54: 1517-1522.
- Pierson, C. A. La chlorpromazine et la maîtrise de soi dans les angoisses collectives. [Chlorpromazine and self-control in mass hysteria.] *Encéphale*, 1956, 45: 562-565.
- Pollack, B. The addition of chlorpromazine to the treatment program for emotional and behavior disorders in the aging. *Geriatrics*, 1956, 11: 253-259.
- Porot, M., Jouanneau, H. Traitement par la chlorpromazine seule d'un syndrome mélancolique chez une femme enciente. [Chlorpromazine therapy alone in a melancholia syndrome in a pregnant woman.] *Algérie méd.*, 1956, 60: 395-397.
- Scarpalezos, S. Le traitement ambulatoire par la chlorpromazine des psychonévroses et de certaines manifestations épileptiques (troubles caractériels et myoclonies). [Ambulatory treatment with chlorpromazine in psychoneuroses and in some manifestations of epilepsy (character disorders and myoclonias).] *Encéphale*, 1956, 45: 722-726.
- Scherr, A. Le largactil en psychiatrie extra-hospitalière. [Largactil in ambulatory psychiatry.] *Encéphale*, 1956, 45: 388-391.
- Shorvon, H. J. Drug therapy in psychiatry. *Practitioner, Lond.*, 1955, 175: 161-169.
- Sigwald, J. La cure ambulatoire par la chlorpromazine. [Ambulatory therapy with chlorpromazine.] *Encéphale*, 1956, 45: 392-400.
- , Bouttier, D., Nicolas-Charles, P. Ambulatory treatment with chlorpromazine. *J. Clin. Exp. Psychopath.*, 1956, 17: 57-69.
- Silverman, M. The clinical response of psychoneurotics to chlorpromazine. *J. Ment. Sc., Lond.*, 1955, 101: 640-643. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4985.
- Skobba, J. S. Drugs in the management of emotional conditions. *J. M. Ass. Georgia*, 1956, 45: 397-399.
- Trethowan, W. H. Persistent sensory symptoms following spontaneous hypoglycemia: response to chlorpromazine. *J. Nerv. Ment. Dis.*, 1955, 121: 274-278. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1424.
- , Scott, P. A. Chlorpromazine in obsessive-compulsive and allied disorders. *Lancet, Lond.*, 1955, 1: 781-785. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2231.
- Vernet, A., Genevard, G. Applications de la chlorpromazine en pratique médicale courante et en médecine psychosomatique. [Uses of chlorpromazine in current medical practice and in psychosomatic medicine.] [German summary] *Praxis, Bern*, 1956, 45: 385-389. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1400.
- Weinberg, H. B. Drug therapy for the emotionally and mentally disturbed; the internist's point of view. *J. Iowa M. Soc.*, 1957, 47: 17-19.

—Psychoses

see also CHLORPROMAZINE—Various special techniques—Therapeutic use—Psychoses

- Abély, P., Abdouchelli, A., Fourment, J., Schmitz, B., Delteil, P. Suite aux essais thérapeutiques de rééquilibration instinctivo-affective; essai de traitement par la bromure tétra-éthyl d'ammonium en comparaison avec le R. P. 45-60 et le C. 92-95. [Further therapeutic studies on the restoration of instinctive-affective balance; therapeutic trials with tetraethylammonium bromide in comparison with R. P. 45-60 and with C. 92-95.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 262-267.
- Achaintre, A., Balvet, P., Beaujard, M., Broussolle, P., Perrin, J., Leveque, F., Requet, A. Evaluation of chlor-

- promazine in psychotic patients. *Internat. Rec. M.*, 1957, 170: 175-182.
- Achaintre, A., Dubor, P., Lauxerois, G. Trois modes particuliers d'administration de la chlorpromazine dans les affections psychiatriques à longue évolution. [Three special methods of chlorpromazine therapy in chronic psychiatric diseases.] *Encéphale*, 1956, 45: 444-448.
- Altschule, M. D., Bower, W., Cook, L. Experiências psiquiátricas com novo agente terapêutico: a cloropromazina. [Psychiatric experience with a new therapeutic agent: chlorpromazine.] *Resenha clin. cient.*, S. Paulo, 1955, 24: 111-113.
- Arnold, O. H., Hift, S., Solms, W. Über die Anwendung eines zentral vegetativen Hemmungssstoffes in der psychiatrischen Therapie. [Application of a new central autonomic inhibitor in psychiatric therapy.] *Wien. med. Wschr.*, 1952, 102: 964-965.
- Bader, E. Extrapyramidal symptoms following thorazine medication. *Illinois M. J.*, 1956, 109: 28-29.
- Baker, A. A. Observations on the effect of largactil in psychiatric illness. *J. Ment. Sc., Lond.*, 1955, 101: 175-182. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 4918.
- Baruk, H., Launay, C., Lelord, E. Etude sur l'action thérapeutique du 4560 R. P. dans les états d'excitation et d'agitation impulsive. Données cliniques et données expérimentales sur les modifications de la circulation cérébrale. [Study on the therapeutic action of 4560 RP in states of excitation and impulsive agitation. Clinical and experimental information on the changes in cerebral circulation.] *Ann. méd. psychol., Par.*, 1954, 112 (2): 66-71.
- , Launay, J., Bergès, J. La catatonie expérimentale par la chlorpromazine à hautes doses chez le singe et dans la série animale; action thérapeutique du 45-60 R. P. dans le traitement des maladies mentales en clinique humaine (à doses modérées et sans associations médicamenteuses). [Experimental catatonia induced in monkeys by massive doses of chlorpromazine; therapeutic effect of chlorpromazine in the treatment of mental disorders in humans with moderate doses and without adjuvant medication.] *Rev. neur., Par.*, 1955, 92: 141-143.
- , —, —. Sur une série de résultats thérapeutiques spectaculaires par la chlorpromazine dans des psychoses graves suivant une posologie particulière sans association médicamenteuse. [Series of spectacular therapeutic results with chlorpromazine in severe psychoses; use of chlorpromazine in particular dosage and without associated medication.] *Ann. méd. psychol., Par.*, 1955, 113 (1): 442-449.
- , —, —. La thérapeutique par la chlorpromazine; physiologie expérimentale; physiologie clinique; résultats thérapeutiques et progrès de la thérapeutique psychiatrique. [Chlorpromazine therapy; experimental physiology; clinical physiology; therapeutic results and progress in psychiatric treatment.] *Ann. méd. psychol., Par.*, 1955, 113 (1): 705-772.
- Beaujard, Hamoneau. Remarque sur l'emploi du largactil dans les schizophrénies chroniques. [An observation on the use of largactil in chronic schizophrenia.] *J. méd. Lyon*, 1955, 36: 325-327. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1212.
- Bensoussan, P. A., Klein, F. Sur quelques incidents de la cure de sommeil au chlorhydrate de chloro 3 (diméthylamino-3'-propyl)-10-phénothiazine. [Some incidents in sleep therapy with chloro 3 (diméthylamino-3'-propyl)-10-phénothiazine hydrochloride.] *Ann. méd. psychol., Par.*, 1953, 111 (1): 529-532. *
- Berthier, C., Bonneru-Couchoud, M., Barnaud, J. Considérations sur le traitement par la chlorpromazine associée à la thérapeutique spécifique dans la P. G.; à propos de deux cas récents. [Chlorpromazine therapy combined with specific therapy in general paralysis; report of two recent cases.] *J. méd. Lyon*, 1956, 37: 293-295.
- , —, —. A propos du traitement des délirés alcooliques subaigus et chroniques. [Treatment of subacute and chronic alcoholic delirium.] *Rev. neur., Par.*, 1956, 94: 673-674.
- Bertolini, O. F. Cloropromazina e reserpina nel trattamento delle psicopatie. [Chlorpromazine and reserpine in the treatment of mental diseases.] *Arch. psicol. neur., Milano*, 1956, 17: 623-627. *
- Bird, E. G., Goss, J. D., Jr., Denber, H. C. B. Chlorpromazine in the treatment of mental illness: a study of 750 patients. *Am. J. Psychiat.*, 1955, 111: 930. *
- Bobon, J. Chlorpromazine et cure de sommeil. [Chlorpromazine and sleep therapy.] *Encéphale*, 1956, 45: 421-427. **
- Borel, J., Camar, R., Bailly, R. La cure de largactil, ses doses, sa durée. [Largactil therapy; dosage; duration.] *Ann. méd. psychol., Par.*, 1956, 114 (1): 86-91.
- Bower, W. H., Altschule, M. D., Cook, L. Psychiatric experience with chlorpromazine. *Am. Practitioner*, 1955, 6: 90-93. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4071.
- Bowes, H. A. The ataractic drugs; the present position of chlorpromazine, frenquel, pacatal, and reserpine in the psychiatric hospital. *Am. J. Psychiat.*, 1956, 113: 530-539.
- Braun, M., Philipsborn, A. Ataractics in private practice. *Am. J. Psychiat.*, 1956, 113: 80-81.
- Broussolle, P., Hamoneau, G. Traitement prolongé à la chlorpromazine (45.60 R. P.); treize observations de psychoses graves. [Prolonged treatment with chlorpromazine; thirteen patients with severe psychoses.] *Lyon méd.*, 1953, 85 (2): 389-401.
- , Scherr, A. Une amélioration spectaculaire par chlorpromazine intraveineuse après cure de Sakel. [Spectacular improvement with intravenous chlorpromazine after Sakel cure.] *Ann. méd. psychol., Par.*, 1954, 112 (2): 748-751.
- Bukowczyk, A. Szkic postępowania podczas leczenia largaktylem w klinice psychiatrycznej A. M. w Łodzi. [Procedure in largactil therapy at the psychiatric clinic of the Academy of Medicine of Łódź] [Brief English summary]. *Neur. &c. polska*, 1955, 5: 432-434.
- Cares, R. M., Asrican, E., Fenichel, M., Sack, P., Severing, J. Therapeutic and toxic effects of chlorpromazine among 3,014 hospitalized cases. *Am. J. Psychiat.*, 1957, 114: 318-327. **
- Carillo-Broatch, A. Largactil en el tratamiento de las psicosis traumáticas; resumen. [Largactil in the treatment of traumatic psychoses; a summary.] *Encéphale*, 1956, 45: 1224-1225.
- , Tratamiento de la esquizofrenia crónica. [Treatment of chronic schizophrenia.] [English summary] *Rev. neur. psiquiat., Lima*, 1955, 18: 441-445. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1981.
- Chatagnon, P., Chanoit, P. Psychoplogie transitoire, résultat clinique observé dans des états d'excitation psycho-motrice à la suite de l'action d'un dérivé de la phénothiazine. [Transient psychoplegia, a clinical result observed during the treatment of psychomotor excitation with a phenothiazine derivative.] *Ann. méd. psychol., Par.*, 1953, 111 (1): 361-364.
- Cochemé, R. Le délirium tremens mortel; statistiques; recherche des causes de l'inefficacité des traitements. [Fatal delirium tremens; statistics; research on the causes for the ineffectiveness of the treatment.] *Rev. neur., Par.*, 1956, 94: 657-660.
- Contini, M. L'uso del ganglioplegico 4560 R. P. in psichiatria. [Use of the ganglioplegic 4560 RP in psychiatry.] *Rass. stud. psichiat.*, 1954, 43: 1133-1138.
- De Caro, D., Mulas, L. L'impiego della terapia ganglioplegica mediante il "4560 R. P." nelle malattie mentali. Esperienze e risultati su 52 casi trattati. [Ganglioplegic therapy of mental disease with "4560 RP". Experiences and results in 52 treated cases.] *Acta neur., Nap.*, 1954, 9: 611-627.

- Decherney, G., Beaudry, A. Thorazine therapy; difficulty in predicting the outcome. *Delaware M. J.*, 1955, 27: 186-187. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1216.
- Delay, J., Deniker, P. 38 cas de psychoses traitées par la cure prolongée et continue de 4560 R. P. [Thirty-eight psychotics treated by prolonged and continuous administration of 4560 RP.] *C. rend. Congr. alién. neur. France*, 1952, 50: 503-513. Abstract: *Ann. méd. psychol., Par.*, 1952, 110 (2): 564.
- , —. Le traitement des psychoses par une méthode neurolytique dérivée d'hibernothérapie; le 4560 R. P. utilisée seul en cure prolongée et continue. [Treatment of psychoses by a neurolytic method derived from hibernotherapy; prolonged continuous therapy with 4560 RP alone.] *C. rend. Congr. alién. neur. France*, 1952, 50: 497-502. Abstract: *Ann. méd. psychol., Par.*, 1952, 110 (2): 564.
- , —. Harl, J. M. Traitement des états d'excitation et d'agitation par une méthode médicamenteuse dérivée de l'hibernothérapie. [Therapeutic method derived from hiberno-therapy in excitation and agitation states.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 267-273.
- , —, —. Utilisation en thérapeutique psychiatrique d'une phénothiazine d'action centrale élective (4560 RP). [Use of a phenothiazine with elective central effect in psychiatric therapy.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 112-117.
- , —, —, Grasset, A. Traitements d'états confusionnels par le chlorhydrate de diméthylaminopropyl-N-chlorophénothiazine (4560 RP). [Dimethylaminopropylchlorophenothiazine (4560 RP) therapy of confusional states.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 398-403. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1803.
- , —, Ropert, R. Etude de 300 dossiers de malades psychotiques traités par la chlorpromazine en service fermé depuis 1952. [Hospitalized psychotic patients treated with chlorpromazine since 1952; analysis of 300 case histories.] *Encéphale*, 1956, 45: 528-535.
- , —, —. Quatre années d'expérience de la chlorpromazine dans le traitement des psychoses. [Four years of experience with chlorpromazine in therapy of psychoses.] *Presse méd.*, 1956, 64: 493-496.
- , —, —, Wiart, C. Les indications des cures neuroleptiques prolongées dans le traitement des psychoses chroniques. [Indications for the prolonged neuroleptic therapy in the treatment of chronic psychoses.] *Arch. psicol. neur., Milano*, 1956, 17: 401-407.
- Denber, H. C. B. Some aspects of chlorpromazine treatment with reference to the problem of depression. *Dis. Nerv. Syst.*, 1957, 18: 35-36. *
- , Bird, E. G. Chlorpromazine in the treatment of mental illness. II. Side effects and relapse rates. *Am. J. Psychiat.*, 1955, 112: 465. *
- , —. Chlorpromazine in the treatment of mental illness. III. The problem of depression. *Am. J. Psychiat.*, 1956, 112: 1021. Discussion: *ibid.*, 1956, 113: 368-369.
- , —. Chlorpromazine in the treatment of mental illness. IV. Final results with analysis of data on 1,523 patients. *Am. J. Psychiat.*, 1957, 113: 972-978. *
- Deschamps, A. Quelques résultats des cures de sommeil en hospital psychiatrique (à base de chlorpromazine associée à d'autres drogues). [Some results of sleep therapy in a psychiatric hospital (based on chlorpromazine associated with other drugs).] *Encéphale*, 1956, 45: 412-415.
- Deutsch, L., Waxenberg, S. E., Dickes, R. Brief chlorpromazine treatment of disturbed patients in a psychiatric reception hospital. *J. Nerv. Ment. Dis.*, 1957, 125: 273-278.
- Dewhurst, K. Chlorpromazine in the management of chronic psychotics. *Irish J. M. Sc.*, 1955, 6: 83-87. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3896.
- Dukay, A. P. Chlorpromazine in the treatment of chronic psychotic patients. *J. Michigan M. Soc.*, 1956, 55: 664-670.
- Dupont, A., Madoux-Joubert. Résultats obtenus chez 22 schizophrènes hommes et 37 schizophrènes femmes traités par le 4560 R. P. [Results of chlorpromazine treatment of 22 male and 37 female schizophrenics.] *Ann. méd. psychol., Par.*, 1955, 113 (1): 634-639.
- Elkes, J., Elkes, C. Effect of chlorpromazine on the behavior of chronically overactive psychotic patients. *Brit. M. J.*, 1954, 2: 560-565. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1794.
- Engelmeier, M. P. Die Methodik der psychiatrischen Behandlung mit lytischen Substanzen. [Methods of psychiatric therapy with lytic substances.] *Nervenarzt*, 1956, 27: 64-69. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1551.
- Escourrolle, R. Traitement des états délirants de l'alcoolisme chronique. [Treatment of delirious states in chronic alcoholism.] *France méd.*, 1954, 17 (6): 15-19.
- Evrard, A., Vandierendonck, R. Over het chlorpromazine bij de manisch-depressieve en schizophrene psychosen. [Chlorpromazine in manic-depressive and schizophrenic psychoses.] *Belg. tschr. geneesk.*, 1955, 11: 401-409.
- Fau, R., Chateau, R., Dusserre. Traitement des psychoses aiguës et subaiguës par les neuroplégiques. [Treatment of acute and subacute psychoses with neuroplegic drugs.] [Abstract] *J. méd. Lyon*, 1954, 35: 948.
- Fong, T. C. Chlorpromazine and reserpine in geriatric patients. *Med. Ann. District of Columbia*, 1956, 25: 260-263.
- Forrer, G. R. Thorazine in the treatment of acutely disturbed psychotic patients. *J. Michigan M. Soc.*, 1956, 55: 825-827.
- Fries, P. E., Gunne, L. M., Lundgren, S., Viding, G., Öhrberg, K. Orienterande undersökning av chlorpromazinets kliniska och farmakologiska effekt å psykiatrisk klientel. [Investigation of the clinical and pharmacological effects of chlorpromazine on psychiatric patients.] *Nord. psykiat. med., Kbh.*, 1955, 9: 192-201. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4072.
- Galenko, V. E., Osberg, I. Iu., Azbukina, V. D. Aminazin v psikiatricheskoi klinike. [Aminazine in psychiatric practice.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 162-165.
- Gayral, L., Hervé, Y., Fourny, L., Carrié, J. Chlorpromazine et réserpine dans la post-cure insulinaire des schizophrènes. [Chlorpromazine and reserpine after insulin shock therapy in schizophrenia.] *Encéphale*, 1956, 45: 663-667.
- Gerest, F. Traitement de l'accès maniaque par la chlorpromazine. [Chlorpromazine therapy of manic states.] *Encéphale*, 1956, 45: 536-540. *
- , Maisonneuve. Le traitement de l'accès maniaque. [Chlorpromazine therapy of manic states] *Lyon méd.*, 1954, 86 (1): 3-15. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3104.
- Gerle, B. Striking effects of chlorpromazine treatment in paranoid schizophrenia. *Encéphale*, 1956, 45: 687-690.
- Goldman, D. The effect of chlorpromazine on severe mental and emotional disturbances. In: Chlorpromazine and mental health. Philadelphia, Lea & Febiger, 1955. p. 20-40; discussion p. 40-69.
- , —. The influence of chlorpromazine on psychotic thought content and mechanism. *Psychiat. Res. Rep., Wash.*, 1955 (1): 72-76.
- , —. Treatment of psychotic states with chlorpromazine. *J. Am. M. Ass.*, 1955, 157: 1274-1278.

- Gottlieb, J. S., Tournay, G., Beckett, P. G., Lowinger, P. Drug therapy of the psychoses. *Med. Clin. N. America*, 1956, 40: 1385-1399.
- Gouttebroze, V. Une année d'expérience de traitement du délirium tremens; 61 cas recueillis dans le service de neuro-psychiatrie de l'Hôpital Bellevue, St. Étienne. [Treatment of delirium tremens; one year's experience in 61 cases from the neuro-psychiatric service of the Hôpital Bellevue, St. Étienne.] 85 p. Lyon, 1955. [Thesis—Lyon, 1954/1955, no. 94]
- Gragg, L. Chlorpromazine in a state hospital. *J. Kentucky M. Ass.*, 1956, 54: 587-589.
- Graves, C. C. Drug therapy for the emotionally and mentally disturbed; the psychiatrist's point of view. *J. Iowa M. Soc.*, 1957, 47: 15-16.
- Grosz, H. J. Dilantin intoxication, with a report of one case. *Am. Practitioner*, 1956, 7: 1633-1636.
- Guiraud, P. [Intra-osteal (coxal) injection] Discussion to: Hamon, Paraire, Velluz. Remarques sur l'action du 4560 R. P. sur l'agitation maniaque. [Effect of R. P. 4560 on manic agitation.] *Ann. méd. psychol., Par.*, 1952, 110 (1): 335.
- Hagnell, O., Korsfeldt, B., Peterson, B., Widmark, M. Chlorpromazinbehandling vid psykoser. [Chlorpromazine therapy of psychoses.] [English summary] *Nord. med.*, 1955, 53: 726-730. *
- Henne, M., Durand, V. J., Bures, I. de Important syndrome délirant d'allure paranoïde évoluant depuis trois ans, disparu après trois semaines de chlorpromazine per os; analyse critique écrite de la malade. [Severe delirium with paranoid traits of three years duration; recovery after 3 weeks of oral chlorpromazine therapy; critical analysis written by the patient.] *Encéphale*, 1956, 45: 672-676.
- Hoch, P. H. New drug therapy in psychiatry: clinical uses and abuses in mental disorders. *Bull. N. York Acad. M.*, 1957, 33: 474-486.
- . Practical and theoretical applications of the new drug therapies in psychiatry. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 325-328.
- Hyvert, M. La chlorpromazine, traitement des psychoses chroniques. [Chlorpromazine treatment in chronic psychoses.] *Encéphale*, 1956, 45: 617-627.
- , Fagard, H., Huchon, J. Premiers résultats du traitement par la chlorpromazine d'un nombre important de malades chroniques. [Initial results with chlorpromazine treatment of a significant number of chronic patients.] *Ann. méd. psychol., Par.*, 1955, 113 (1): 645-653.
- Janzarik, W. Zur Psychopathologie der Megaphenwirkung. [Psychopathology of the effects of megaphen.] *Nervenarzt*, 1954, 25: 330-335. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1795.
- Kasak, M., Schaefer, D. L., Winter, W. The use of chlorpromazine and reserpine in a psychiatric hospital: one year's experience. *Marquette M. Rev.*, 1955, 21: 17-24.
- Kehoe, M. J., Pollard, J. C. Some observations on the minimal effective dosage of chlorpromazine. *J. Nerv. Ment. Dis.*, 1956, 123: 275-280.
- Keil, C. Psychoses et neuroplégiques. [Psychoses and neuroplegic drugs.] *Rév. méd. Liège*, 1955, 10: 100-102.
- Kelley, J. W. Thorazine-chlorpromazine. *Nebraska M. J.*, 1954, 39: 305-307. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1797. *
- Kielholz, P. Behandlung von depressiven und halluzinatorischen Zuständen mit Largactil, Histamin und Insulin. [Largactil, histamine and insulin therapy of depressive and hallucinatory states.] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 431-436. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1788.
- Kinross-Wright, V. Intensive chlorpromazine treatment of schizophrenia. *Psychiat. Res. Rep.*, Wash., 1955 (1): 53-62. *
- Kokkoris, P., Kordas, P., Nikolopoulos, Yanniris, M. The results of chlorpromazine treatment with chronic psychoses in Dromokaiton. *J. Nerv. Ment. Dis.*, 1957, 125: 102-111.
- Kranz, H. Krankheitsdauer und Recidivhäufigkeit bei Chlorpromazinebehandlung endogener Psychosen. [Duration of disease and relapse rate of endogenous psychoses treated with chlorpromazine.] *Encéphale*, 1956, 45: 628-634.
- Kris, E. B., Carmichael, D. M. Follow-up study on patients treated with thorazine; preliminary report. *Am. J. Psychiat.*, 1956, 112: 1022.
- Kurland, A. A. Chlorpromazine in the treatment of schizophrenia; a study of 75 cases. *J. Nerv. Ment. Dis.*, 1955, 121: 321-329.
- Labhardt, F. Die Largactiltherapie bei Schizophrenien und anderen psychotischen Zuständen. [Largactil therapy in schizophrenia and other psychotic conditions.] [English summary, p. 337-338.] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 309-338. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1789.
- Laboucarié, J. Barrés, P., Rascol, A. L'action de la chlorpromazine dans le traitement des psychoses délirantes systématisées et des schizophrénies. [Effect of chlorpromazine therapy in chronic delirium and schizophrenia.] *Encéphale*, 1956, 45: 691-697.
- , Rascol, A., Benichou, L. L'action de la chlorpromazine dans les schizophrénies. [Mechanism of action of chlorpromazine in schizophrenia.] *Ann. méd. psychol., Par.*, 1954, 112 (2): 751-757.
- Lafon, R., Duc, N., Labauge, R., Temple, J. P. Le traitement du délirium tremens par le 4560 R. P. [The treatment of delirium tremens with 4560 R. P.] *Encéphale*, 1956, 45: 1219-1220. **
- , Ribstein, M., Pages, H. Le traitement des syndromes schizophréniques par la 4560 R. P. (chlorpromazine). [Treatment of schizophrenic syndromes with chlorpromazine.] *Montpellier méd.*, 1954, 46: 284-291. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3642.
- Lambert, P. A., Toulet, M., Diederichs, A. L'emploi de la chlorpromazine dans le traitement des psychoses de l'adulte; en dehors de la cure de sommeil. [The use of chlorpromazine in the treatment of psychoses in adults (apart from sleep therapy).] *Vie méd., Par.* 1955, 36: 799-804. *
- Lecomte, G., Certhaux, A., Garrabé, J. Chlorpromazine en perfusions continues dans quelques états psychopathiques. [Chlorpromazine in continuous perfusion in some psychopathic states.] *Encéphale*, 1956, 45: 382-387.
- Leconte, M., Barbier, A. Guérison par l'association chlorpromazine-résérpine d'un grave syndrome hétérophreno-catatonique datant de 10 ans. [Combined chlorpromazine-reserpine therapy of a severe hebephrenic-catatonie syndrome of ten years' duration.] *Ann. méd. psychol., Par.*, 1956, 114 (2): 637-645.
- Leon, C. A. The use of thorazine as an adjunct in the treatment of schizophrenia. *Bull. Tulane M. Fac.*, 1954, 14: 17-28.
- Lewis, L. F. The use of chlorpromazine and of serpasil in the treatment of psychotic patients. *Carib. M. J.*, Trinidad, 1956, 18: 51-66. *
- Litteral, E. B., Wilkinson, W. E. The advantages, disadvantages and limitations of the use of chlorpromazine as a substitute for certain somatic treatment methods in psychiatry. *Psychiat. Res. Rep.*, Wash., 1955 (1): 63-71. *
- Lukomskii, I. I., Pavlenkova, E. F. O primeneni aminazina v psikiatricheskoj klinike. [Aminazine therapy in a psychiatric clinic.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 575-576.
- Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.
- , Fischer, A., Butler, R. N., Simon, A. Clinical observations with chlorpromazine. In: Kline, N. S., ed.

- Psychopharmacology. Washington, *Am. Ass. Adv. Sc.*, 1956, p. 1-30.
- Maroncelli, P.** Trattamento di alcune psicosi con tecnica derivata dall'ibernazione artificiale. [Treatment of various psychoses with a technic derived from artificial hibernation.] [English summary.] *Gior. psichiat.*, 1953, 81: 223-244. Abstract: *Riv. neur., Nap.*, 1953, 23: 828-829.
- Martin, P., Vidal, G., Portal, H.** Cures de sommeil et 4560 R. P. chez les psychopathes dans les conditions habituelles de l'hôpital psychiatrique. [Sleep therapy and 4560 RP for mental disorders under ordinary psychiatric hospital conditions.] *Vie méd., Par.*, 1954, 35: 807-810.
- Matarazzo, A.** Sul sonno prolungato e su l'uso dei ganglioplegici in terapia psichiatrica; risultati ottenuti in alcuni malati di mente trattati con la "clorpromazina" (largactil o 4560 R. P.). [Prolonged sleep and the use of ganglioplegic drugs in psychiatric therapy; results obtained with "chlorpromazine" (largactil or 4560 RP) in the treatment of mental patients.] *Pisani*, 1954, 68: 599-622. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3100.
- Mendes, F., Galvão, P.** Experiência clínica com a clorpromazina (4560 R. P.) em psicoses. [Clinical experience with chlorpromazine (4560 R. P.) in psychoses.] [English summary] *J. méd., Porto*, 1955, 26: 149-156.
- Meyer, H. H.** Die Behandlung exogener Psychosen mit Phenothiazinderivaten. [The treatment of exogenous psychoses with phenothiazine derivatives.] *Encéphale*, 1956, 45: 524-527.
- . Die Therapie der endogenen Psychosen. [Therapy of endogenous psychoses.] *Deut. med. Wschr.*, 1957, 82: 76-80.
- . Die Winterschlafbehandlung in der Psychiatrie und Neurologie. [Hibernotherapy in psychiatry and neurology.] *Deut. med. Wschr.*, 1953, 78: 1097-1100.
- , **Schmitt, W., Kieser, J.** Das Delirium tremens. [Delirium tremens.] *Deut. med. Wschr.*, 1955, 80: 1389-1391.
- Miles, J.** Largactil and occupational therapy. *Canad. J. Occup. Ther.*, 1956, 23: 11-13.
- Miles, J. E.** Psychosis with phantom limb pain treated by chlorpromazine. *Am. J. Psychiat.*, 1956, 112: 1027-1028.
- Morgan, D. R.** Chlorpromazine and reserpine in the treatment of chronic mental illness. *Med. J. Australia*, 1956, 43 (2): 57-62.
- . The combined use of chlorpromazine and reserpine in the treatment of chronic mental illness: a preliminary report. *Med. J. Australia*, 1955, 42 (2): 77-80. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1728.
- Munch-Petersen, S.** Chlorpromazine (largactil) in the management of psychotic patients. *Acta psychiat. neur. scand.*, 1955, 30: 643-658. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 5009.
- Nuzum, J. W.** The successful treatment of a post-gastrectomy schizophrenic psychosis with chlorpromazine; report of a case. *Am. Practitioner*, 1955, 6: 1849-1851.
- Pachter, M.** A clinical evaluation of chlorpromazine therapy in chronic schizophrenics. *Am. J. Psychiat.*, 1957, 113: 931.
- Patton, G. O., Garneau, J.** The ataraxic drugs in disturbed secluded psychiatric patients. *Canad. Serv. M. J.*, 1957, 13: 127-133.
- Perret, A., Becker, J., Lacoste, G.** Traitements psychiatriques par le 4560 R. P. [Psychiatric treatments with 4560 RP.] *Vie méd., Par.*, 1953, 34: 463-464.
- Perrin, J., Diedrichs.** Essai d'évaluation de la valeur thérapeutique de la chlorpromazine chez 1,400 malades mentaux internés. [Evaluation of chlorpromazine therapy in 1400 hospitalized mental patients.] *Encéphale*, 1956, 45: 609-613.
- , **Toulet, M.** Utilisation de la chlorpromazine dans le traitement des psychoses chroniques. [Use of chlorpromazine in the treatment of chronic psychoses.] *Encéphale*, 1956, 45: 1210-1218.
- Persson, I.** Klorpromazin ved arteriosclerotisk sindsygdom og dementia senilis. [Chlorpromazine in the therapy of arteriosclerotic psychosis and senile dementia.] [English summary] *Nord. med.*, 1955, 53: 235-237. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3897.
- Petelski, M.** Wyniki leczenia largaktylem 109 chorych na schizofrenie (67 kobiet i 42 mężczyzn). [Results of largactil therapy of schizophrenia in 109 patients (67 women and 42 men).] [English summary] *Polski tygod. lek.*, 1956, 11: 1366-1370.
- Phillip, E.** Erfahrungen mit Megaphen in der Behandlung psychisch Erkrankter. [Experience with megaphen in the treatment of the mentally ill.] *Nervenarzt*, 1955, 26: 59-65. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4075.
- Piekarska, A. W.** sprawie stosowania largaktylu w leczeniu chorób psychicznych; doniesienie pierwsze. [Largactil therapy in psychic disorders; preliminary report.] [English summary] *Neur. &c. polska*, 1955, 5: 623-635.
- Racamier, P. C., Baudrand, C.** Les cures prolongées et continues de chlorpromazine à l'hôpital psychiatrique. [Prolonged and continued therapy with chlorpromazine in the psychiatric hospital.] [Abstract] *Ann. méd. psychol., Par.*, 1954 112 (2): 449-450.
- , **Blanchard, M., Baudrand, C.** Les cures prolongées de chlorpromazine dans les états schizophréniques. [Prolonged chlorpromazine therapy in schizophrenic reactions.] *Encéphale*, 1956, 45: 647-655.
- Rees, E. L.** Metabolism of the schizophrenic child; etiologic hypothesis. Report of six cases treated with chlorpromazine hydrochloride. *J. Am. M. Women Ass.*, 1956, 11: 11-16.
- Revol, L.** Chlorpromazine et intoxication alcoolique. [Chlorpromazine and alcoholic intoxication.] *Lyon pharm.*, 1954, 5: 349-350.
- Riesenman, F. R.** Chlorpromazine. *Med. Ann. District of Columbia*, 1956, 25: 258-260.
- Rivas, M.** La terapia clorpromazinica prolongata ad alte dosi in psichiatria. [Prolonged chlorpromazine therapy with massive doses in psychiatry.] *Encéphale*, 1956, 45: 469-470.
- Rondepierre, J., Hivert, P. H., Honoré, B., Vaugelade, S.** Résultats favorables obtenus par les neuroleptiques dans les psychoses de fâcheux pronostic. [Favorable results obtained with neuroleptics in psychoses of poor prognosis.] *Ann. méd. psychol., Par.*, 1955, 113 (2): 853-859.
- Rouvroy, M.** Remarques concernant le traitement des psychoses chroniques. [Remarks on the therapy of chronic psychoses.] *Encéphale*, 1956, 45: 707-708.
- Sabshin, M., Ramot, J.** Pharmacotherapeutic evaluation and the psychiatric setting. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 362-370.
- Saglia, N.** Osservazioni di carattere tecnico sulla terapia degli schizofrenici cronici con clorpromazina. [Technical observations on chlorpromazine therapy in chronic schizophrenia.] *Arch. psicol. neur., Milano*, 1956, 17: 634-635.
- Sanguineti, I., Laricchia, R.** La chlorpromazine dans les maladies mentales; indications de son emploi et limites de son efficacité thérapeutique. [Chlorpromazine in mental disorders; indications for its use and limits of its therapeutic efficacy.] *Encéphale*, 1956, 45: 1197-1203.
- , —, **Negri, V.** Sull'impiego di un derivato della fenotiazina nella cura delle malattie mentali. [The use of a phenothiazine derivative in the treatment of mental diseases.] *Acta neur., Nap.*, 1953, 8: 801-823. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 3806.

- Santangelo, G. Modificazioni indotte dal trattamento reserpinico protratto sulla sintomatologia psichica e comportamentale nelle schizofrenie croniche. [Modifications induced by prolonged reserpine treatment on psychic symptomatology and behavior in chronic schizophrenia.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 388-393.
- Sarro, R. Récent développements de la thérapeutique narcobiotique. [Recent developments in narcobiotic therapy.] *Encéphale*, 1956, 45: 501-510.
- Schneider, G. Les cures prolongées à la chlorpromazine. [Prolonged chlorpromazine therapy.] *Encéphale*, 1956, 45: 372-376.
- Seager, C. P. Chlorpromazine in treatment of elderly psychotic women. *Brit. M. J.*, 1955, 1: 882-885. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1727.
- Segerath, F. Über Erfahrungen mit der Megaphenbehandlung in der Psychiatrie. [Experience with megaphen treatment in psychiatry.] *Münch. med. Wschr.*, 1954, 96: 260-261.
- Sereiskii, M. IA., Tolmaskaia, E. S., Golodets, R. G., Samter, N. F. Lechenie bol'nykh shizofreniei aminazinom. [Treatment of schizophrenia with aminazine.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 155-161.
- Sigwald, J., Henne, M. L'utilisation des propriétés neurologiques de la chlorpromazine dans le traitement de divers cas de psychoses délirantes chroniques et subaiguës. [Utilization of the neuroplegic properties of chlorpromazine in the treatment of various cases of chronic and subacute delusional psychosis.] *Sem. hôp. Paris*, 1954, 30: 2978-2984. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3641.
- Sikes, Z. S. Korsakoff and Wernicke syndromes: history and treatment. *J. Nerv. Ment. Dis.*, 1956, 123: 448-451.
- Silver, A. A. Management of children with schizophrenia. *Am. J. Psychother.*, 1955, 9: 196-215.
- Silverberg, J. W., Gralnick, A. Possible synergistic action of chlorpromazine, reserpine and frenquel. A preliminary report. *Am. J. Psychiat.*, 1957, 114: 173.
- Simonetti, L. I neuroplegici nel trattamento delle psicosi confusionali acute. [Neuroplegic drugs in the treatment of acute confusional psychoses.] [English summary] *Neuropsychiatria*, 1954, 10: 265-275. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3640.
- Sinsi, C., Vizioli, R. Chlorpromazine e reserpina in terapia psichiatrica. [Chlorpromazine and reserpine in psychiatric therapy.] [English summary] *Osp. psichiat., Nap.*, 1955, 23: 83-96.
- Sizaret, P. La chlorpromazine dans les psychoses aiguës alcooliques. [Chlorpromazine in acute alcoholic psychoses.] *Encéphale*, 1956, 45: 736-738.
- , Salomon, F. Action d'un neuroplégique sympatholytique dans les états confusionnels alcooliques. [Effects of a neuroplegic sympatholytic on alcoholic confusions.] *Ann. méd. psychol., Par.*, 1953, 111 (1): 88-92.
- Skliarenko, E. A. O primeneni aminazina v psikhia-tricheskoi praktike; pradvritel'noe soobshchenie. [Use of aminazine in psychiatric practice; preliminary communication.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 166-171.
- Souder, C. L. Thorazine in surgical-psychiatric emergencies. *Delaware M. J.*, 1955, 27: 191-193.
- Spinka, I. E. Thorazine in the treatment of mental illness in a state hospital. *Illinois M. J.*, 1956, 109: 126-128. Condensed: *Am. Practitioner*, 1956, 7: 1433.
- Staehelin, J. E. Einige allgemeine Bemerkungen über die Largactiltherapie in der psychiatrischen Universitätsklinik Basel. [General comments on largactil therapy at the Basel University psychiatric clinic.] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 288-291. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1787.
- Thal, N. Clinical evaluation of chlorpromazine therapy for psychiatric disorders. *Northwest M.*, 1956, 55: 653-656.
- Thiébaux, M., Boyer, R. Le 4560 RP (largactil) en thérapeutique psychiatrique. A propos de quelques observations. [Experiences with 4560 RP (largactil) in psychiatric therapy.] [Abstract] *Ann. méd. psychol., Par.*, 1953, 111 (2): 84.
- Tuteur, W., Stiller, R., Whitehill, O., Lepson, D. Results with chlorpromazine and reserpine on chronically nude, untidy, destructive and combative patients: their sustained improvement after discharge with continued medication. *Am. J. Psychiat.*, 1956, 112: 741.
- Ugelstad, E. Chlorpromazine treatment in senile psychoses. *Acta psychiat. neur. scand.*, 1956, Suppl. 106: 60-62.
- Ushakov, G. K., Kislenkov, V. A., Grigorova, E. V., Verblinskaia, A. A. O kupirovani aminazinom psikhomotornogo vzbuzhdeniia. [Treatment of psychomotor excitation with aminazine.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 571-574. Abstract: *Chem. Abstr.*, 1956, 50: 17178e.
- Vogt, W. Beitrag zum klinischen Vergleich der Wirkung von Largactil und Serpasil. [Clinical comparison of the effects of largactil and serpasil.] *Schweiz. Arch. Neur. Psychiat.*, 1956, 77: 330-336.
- Walther-Büel, H. Zur klinischen Therapie der endogenen Psychosen. [On clinical therapy of endogenic psychoses.] *Nervenarzt*, 1954, 25: 191-194.
- Wardt-Kikkert, N. M. van de, Rentmeester, J. Het largactil en zijn toepassing in de psychiatrie. [The use of largactil in psychiatry.] *Geneesk. gids*, 1953, 31: 499-507.
- Winnik, H. Z., Tennenbaum, L. Largactil in psychiatric treatment. [English summary] *Harefuah, Tel-Aviv*, 1954, 47: 95-100.
- Yohe, C. Preliminary report on eighteen months' experience with chlorpromazine at the Yankton State Hospital, Yankton, South Dakota. *S. Dakota J. M.*, 1956, 9: 59-62; 74.
- Zurabashvili, A. D. Ob osnovnykh voprosakh terapii shizofrenii. [Basic problems in the treatment of schizophrenia.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 605-611.

—Psychosomatic diseases

see also CHLORPROMAZINE—Various special techniques—Therapeutic use—Psychosomatic diseases

- Antonelli, F. Applicazione della cloropromazina nella pratica reumatologica, con particolare riferimento alla nevrosi reumatica. [Application of chlorpromazine in rheumatology, with special reference to rheumatic neurosis.] *Arch. psicol. neur., Milano*, 1956, 17: 558-561.
- Archibald, H. C. Chlorpromazine for headache. *Am. J. Psychiat.*, 1955, 112: 390.
- Argelander, H. Ein Behandlungsversuch mit Megaphen bei vegetativen Neurosen. [Therapeutic trial with megaphen in autonomic neuroses.] *Aerzt. Wschr.*, 1954, 9: 634-639. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 2817.
- Asher, L. M. Use of chlorpromazine in treatment of certain gastrointestinal disturbances; preliminary report. *J. Am. M. Ass.*, 1956, 160: 1281-1285.
- Cahn, M. M. The use of tranquilizing drugs in dermatology; review and side reactions. *J. Albert Einstein M. Center*, 1956, 4: 161-165.
- Chlorpromazine. *Cancer Bull. Texas*, 1956, 8: 47.
- Delay, J., Deniker, P., Tardieu, Y. Résultats de l'hibernothérapie dans trois affections psychosomatiques. [Results of hibernotherapy in three psychosomatic diseases.] *Ann. méd. psychol., Par.*, 1953, 111 (2): 224-227.
- Dobkin, A. B., Lamoureux, L., Letienne, R., Gilbert, R. G. B. Some studies with largactil. *Canad. M. Ass. J.*, 1954, 70: 626-628.
- Fabricant, N. D. Tension headache therapeutics. *Eye, Ear & Month.*, 1956, 35: 658; 662.

Friedman, A. P., Von Storch, T. J. A review of headache, 1950-1955. *N. York State J. M.*, 1956, 56: 3883-3895.

Friend, D. G., Cummins, J. F. New antiemetic drug. *J. Am. M. Ass.*, 1954, 153: 480-481.

Graham, J. R. Headache. *DM*, January: 1-45.

Guilly, P. Formes cliniques et traitement de l'insomnie. [Clinical forms and treatment of insomnia.] *Rev. prat.*, 1954, 4: 1571-1581.

Guiral, R. J. Uso de la chlorpromazina en las distonias vegetativas de tipo psicósomato. [Use of chlorpromazine in the psychosomatic type of autonomic dystonias.] *Encéphale*, 1956, 45: 541-546.

Gutenkauf, C. Internal medicine. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 59-64.

Howell, T. H., Harth, J. A. P., Dietrich, M. The use of chlorpromazine in geriatrics. *Practitioner*, Lond., 1954, 173: 172-173.

Korting, G. W., Borelli, S., Kimmig, J. Welche Bedeutung besitzen die Phenothiazine für die Behandlung von Hautkrankheiten? [Of what significance are phenothiazines in the treatment of skin diseases?] *Derm. Wschr.*, 1956, 134: 1245-1252.

Linke, H. Erfahrungen in der Behandlung akuter und chronischer Schmerzzustände mit den Phenothiazin-körpern Megaphen und Atosil. [Experiences in the treatment of acute and chronic pain states with the phenothiazine derivatives megaphen and atosil.] [English summary.] *Münch. med. Wschr.*, 1955, 97: 1689-1692.

Loewenthal, L. J. A. Chlorpromazine in dermatological practice. *Med. Proc., Johannesb.*, 1955, 1: 122-125.

McCullagh, W. H., Ingram, W., Jr. Headaches and hot tempers. *Dis. Nerv. Syst.*, 1956, 17: 279-281.

MacKenzie-Van der Noordaa, M. C. Depressie na gebruik van reserpine wegens essentiële hypertensie. [Depression after reserpine therapy of essential hypertension.] [English summary] *Ned. tschr. geneesk.*, 1956, 100: 1003-1004.

Mitis, Z. K., Ford, H. Functional headaches. *Texas J. M.*, 1956, 52: 678-683.

Monaco, R. N., Leeper, R. D., Robbins, J. J., Calvy, G. L. Intermittent acute porphyria treated with chlorpromazine. *N. England J. M.*, 1957, 256: 309-311.

Ogden H. D. Headache. *Ann. Allergy*, 1956, 14: 385-428.

Pellerat, J. Un nouveau médicament sédatif et antiprurigineux. [A new sedative and antipruritic drug.] *Lyon méd.*, 1953, 85 (1): 270.

—, Teichner, Y. La chlorpromazine (4560 R. P.) en dermatologie. [Chlorpromazine (4560 RP) in dermatology.] *J. méd. Lyon*, 1953, 34: 611-618. *

Pinakapani, S., Haranath, P. S. R. K. Chlorpromazine in the treatment of hiccup and emesis. *Ind. J. M. Sc.*, 1955, 9: 764-766. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3421.

Rác, S., Gallai, Z. Angaben zur Rolle des Largactils bei der Behandlung einiger Hautkrankheiten. [Role of largactil in the treatment of several skin diseases.] *Derm. Wschr.*, 1956, 134: 770-773.

Reiss, F. Psoriasis and stress. *Dermatologica*, Basel, 1956, 113: 71-78.

Rossini, R., Dazzi, P. Sindromi psichiche nel morbo di Basedow e tiroidectomia; efficacia terapeutica della cura del sonno. [Psychic syndromes in Basedow's disease and thyroidectomy; effectiveness of sleep therapy.] *Gior. clin. med.*, 1953, 34: 1018-1028. Abstract: *Riv. neur.*, Nap., 1954, 24: 305.

Sapir, M., Stroun, J., Hepner, L., Reverchon, J., Selzer, S. A propos de l'action psycho-somatique de la chlorpromazine et de la réserpine. [Psychosomatic action of chlorpromazine and reserpine.] *Encéphale*, 1956, 45: 488-493. *

Schnyder U. W., Schauwecker, R. Largactil und Serpasil in der Dermatologie. [Largactil and serpasil in dermatology.] [English summary] *Dermatologica*, Basel, 1955, 111: 185-197.

Sercl, M., Bartousek, V., Jachova, D. Expériences cliniques sur la neuropathologie et l'hibernation dans les affections du système nerveux. [Clinical experiences with neurolegia and hibernation in diseases of the nervous system.] *Gaz. méd. France*, 1956, 63: 1981-1982; 1984; 1987-1988.

Stewart, R. H. The use of tranquilizing drugs in gynecology. *West. J. Surg.*, 1956, 64: 650-657.

Teichner, Y. Etudes d'un nouveau dérivé de la phénothiazine (chlorpromazine—4560 R. P.) en dermatologie. [A new phenothiazine derivative (chlorpromazine 4560 R. P.) in dermatology.] 74 p. [Mimeographed] Lyon, 1953. (Thesis—Lyon, 1952/1953 no. 117)

Tilley, R. F., Barry, H., Jr. Chlorpromazine treatment for relief of itching in severe and refractory neurodermatitis. *N. England J. M.*, 1955, 252: 229-230.

Vernet, A., Genevard, G. Applications de la chlorpromazine en pratique médicale courante et en médecine psychosomatique. [Uses of chlorpromazine in current medical practice and in psychosomatic medicine.] [German summary] *Praxis*, Bern, 1956, 45: 385-389. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1400.

—Terminology

see CHLORPROMAZINE—Terminology of therapies

Untoward effects [see headnote p. 19]

see also CHLORPROMAZINE—Various special techniques—Untoward effects

PHENOTHIAZINES—Untoward effects

Andersen, H. Leucopeni under Largactilbehandling. [Leukopenia with chlorpromazine therapy.] *Ugeskr. laeger*, 1954, 116: 1733-1734.

Ayd, F. J., Jr. A clinical evaluation of frenquel. *J. Nerv. Ment. Dis.*, 1956, 124: 507-509.

—, The dermatologic and systemic manifestations of chlorpromazine hypersensitivity; their clinical significance and management. *J. Nerv. Ment. Dis.*, 1956, 124: 84-87. **

—, Physiologic and neurologic responses to chlorpromazine: their clinical significance and their management. *Psychiat. Res. Rep.*, Wash., 1956 (4): 64-70.

—, Fatal hyperpyrexia during chlorpromazine therapy. *J. Clin. Exp. Psychopath.*, 1956, 17: 189-192. **

Blood dyscrasias associated with chlorpromazine therapy. *J. Am. M. Ass.*, 1956, 160: 287. **

Boardman, R. H. Fatal case of toxic hepatitis implicating chlorpromazine. *Brit. M. J.*, 1954, 2: 579. **

Boleman, A. P. Agranulocytosis associated with administration of thorazine. *J. Am. M. Ass.*, 1955, 157: 364. **

Borel, J., Lacombe, J., Camar, R. Les poussées de rhumatisme chronique pendant la cure de largactil. [Attacks of chronic rheumatism during largactil therapy.] *Encéphale*, 1956, 45: 813-817.

Briggs, G. W., Petersen, J. R. Agranulocytosis occurring during chlorpromazine therapy: a case report. *Am. Practitioner*, 1956, 7: 1431-1432.

Carey, J. B., Magraw, R. M. Agranulocytosis with chlorpromazine. *Am. J. Psychiat.*, 1956, 112: 565.

Cohen, I. M. Complications of chlorpromazine therapy. *Am. J. Psychiat.*, 1956, 113: 115-121.

—, Undesirable effects and clinical toxicity of chlorpromazine. *J. Clin. Exp. Psychopath.*, 1956, 17: 153-163.

Craddock, W. L. Toxic effects of chlorpromazine; hepatitis and agranulocytosis. *U. S. Armed Forces M. J.*, 1956, 7: 1726-1740. **

Dean, S. R. Ataractics. *Am. J. Psychiat.*, 1956, 112: 850.

- Denber, H. C. B. Appraisal of drug reactions. *J. Am. M. Ass.*, 1955, 158: 586-587.
- Donnadieu, A., Florentin, M., Florentin. Les incidents au cours du traitement des troubles mentaux par le largactil. [Incidents during chlorpromazine therapy of mental disorders.] *Ann. méd. psychol., Par.*, 1955, 113 (2): 205-216. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4555.
- Drugs and driving. *J. Am. M. Ass.*, 1954, 156: 628-629.
- Elliott, R. N., Schrut, A. H., Marra, J. J. Fatal acute aseptic necrosis of the liver associated with chlorpromazine. *Am. J. Psychiat.*, 1956, 112: 940. **
- Essig, C. F., Carter, W. W. Convulsions and bizarre behavior in monkeys receiving chlorpromazine. *Proc. Soc. Exp. Biol., N. Y.*, 1957, 95: 726-729.
- Ey, H., Faure, H., Rappard, P. Les réactions d'intolérance vis-à-vis de la chlorpromazine. [Chlorpromazine intolerance.] *Encéphale*, 1956, 45: 790-796.
- Farber, I. J. Drug fatalities. *Am. J. Psychiat.*, 1957, 114: 371-372. **
- Farley, O. R. Complications and concomitants. *Med. Ann. District of Columbia*, 1956, 25: 263-267. **
- Fazekas, J. F., Shea, J. G., Ehrmantraut, W. R., Alman, R. W. Convulsant action of phenothiazine derivatives. *J. Am. M. Ass.*, 1957, 165: 1241-1245.
- Fernandes, B., Leitão, G. Incidents and accidents in chlorpromazine therapy. *J. Clin. Exp. Psychopath.*, 1956, 17: 70-76.
- Friedgood, C. E., Ripstein, C. B. Chlorpromazine (thorazine) in the treatment of intractable hiccups. [inducing depression] *J. Am. M. Ass.*, 1955, 157: 309-310.
- Friend, D. G., McLemore, G. A., Jr. Some abuses of drugs in therapy. *N. England J. M.*, 1956, 254: 1223-1231. **
- Fullerton, A. G. Psychiatric uses of meratran. *J. Ment. Sc., Lond.*, 1956, 102: 801-804.
- Goldman, D. Agranulocytosis associated with administration of chlorpromazine. Report of three cases with description of treatment and recovery. *A. M. A. Arch. Int. M.*, 1955, 96: 496-499. [Fourth patient **]
- . The major complications of treatment of psychotic states with chlorpromazine and reserpine and their management. *Psychiat. Res. Rep., Wash.*, 1956 (4): 79-88.
- Hodges, H. H., LaZerte, G. D. Jaundice and agranulocytosis with fatality following chlorpromazine therapy. *J. Am. M. Ass.*, 1955, 158: 114-116. **
- Hollister, L. E. Complications from the use of tranquilizing drugs. *N. England J. M.*, 1957, 257: 170-177. **
- . Unexpected asphyxial death and tranquilizing drugs. *Am. J. Psychiat.*, 1957, 114: 366-367. **
- Holmes, C. R., Stone, H. M. Agranulocytosis due to chlorpromazine; report of a case with recovery. *J. S. Carolina M. Ass.*, 1956, 52: 42-45.
- Horbaczewski, J. Agranulocytosis associated with chlorpromazine therapy. *Canad. M. Ass. J.*, 1956, 75: 412-415. **
- Hussar, A. E. Complications of chlorpromazine and reserpine therapy. *GP*, 1957, 15 (5): 85-93.
- Jacobson, A. Ritalin—a new agent for mild depressions; a preliminary report. *Med. Ann. District of Columbia*, 1956, 25: 491-494; 527-528.
- Kinross-Wright, V. Complications of chlorpromazine therapy. *Dis. Nerv. Syst.*, 1955, 16: 114-119. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2232.
- Kramer, M. Facts needed to assess public health and social problems in the widespread use of the tranquilizing drugs. *Pub. Health Monogr.*, 1956 (41): 1-31.
- Krasilowsky, D. Complications observed in 50 mental patients treated with largactil. [In Hebrew] [English summary p. III-IV] *Dapim Refuim*, 1955, 14: 225-228. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4553.
- Kruse, W. "Paradoxical" effect of chlorpromazine in a case of periodic catatonia. *Am. J. Psychiat.*, 1957, 114: 463-464.
- Lafon, R., Duc, N., Labauge, R., Temple, J. P. Incidents et accidents liés à l'emploi de la chlorpromazine. [Incidents and accidents with the use of chlorpromazine.] *Encéphale*, 1956: 45: 1226-1228.
- Lambert, P., Barnaud, J. Apparition de deux syndromes mélancoliques au cours de traitements par le 4560 RP. [Occurrence of two melancholy syndromes during treatment with 4560 RP.] [Abstract] *J. méd. Lyon*, 1954, 35: 951.
- Lambert, P. A., Diederichs, A., Toulet, M. Incidents et complications des traitements par la chlorpromazine employée insolément chez l'adulte. [Incidents and complications of treatments with chlorpromazine used alone in adults.] *Encéphale*, 1956, 45: 1229-1247.
- Lemere, F. New tranquilizing drugs. *Northwest M.*, 1955, 54: 1098-1100.
- Loftus, L. R., Huizenga, K. A., Stauffer, M. H., Rome, H. P., Cain, J. C. Jaundice caused by chlorpromazine (thorazine). *J. Am. M. Ass.*, 1955, 157: 1286-1288.
- Lomas, J. Agranulocytosis during chlorpromazine therapy. *Brit. M. J.*, 1954, 2: 358-359.
- , Boardman, R. H., Markowe, M. Complications of chlorpromazine therapy in 800 mental-hospital patients. *Lancet, Lond.*, 1955, 1: 1144-1147. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4076.
- Mitchell, P. H., Sykes, P., King, A. Effects of pacatal on symptoms in chronic psychotic female in-patients. *Brit. M. J.*, 1957, 1: 204-207.
- Montassut, M., Chertok, L., Leroy, C. Crise comitiale et altérations électroencéphalographiques au cours d'un traitement par chlorpromazine. [Epileptic crises and electroencephalographic changes during chlorpromazine therapy.] *Ann. méd. psychol., Par.*, 1955, 113 (1): 804-807.
- Moyer, J. H. The pharmacology of chlorpromazine. *Internat. Rec. M.*, 1955, 168: 301-311.
- Munch-Petersen, S. Et tilfaelde af agranulocytose under largactilbehandling. [An incident of agranulocytosis during largactil therapy.] *Ugeskr. laeger*, 1954, 116: 1787.
- Pauly, R. Nouvelle note sur les dangers de la thérapeutique par le largactil. (A propos d'un infarctus du myocarde survenu au cours d'une cure ambulatoire.) [Additional note on the danger of chlorpromazine therapy. (Myocardial infarct in the course of ambulatory treatment.)] *J. méd. Bordeaux*, 1954, 131: 587-588.
- Perrot, R. M., Moreau-Gaudry, G., Le Borgne, Y. Manifestations cardiaques d'hypokaliémie dans la cure à la chlorpromazine. [Cardiac manifestations of hypokalemia in chlorpromazine therapy.] *Presse méd.*, 1956, 64: 2076.
- Pollack, B. Recurrent thorazine-induced agranulocytosis. *Am. J. Psychiat.*, 1956, 113: 557-558.
- Prokopowycz, V. Agranulocytosis following use of chlorpromazine therapy. *J. Am. M. Ass.*, 1955, 157: 1042. Also as: Agranulocytosis following chlorpromazine therapy. *J. Michigan M. Soc.*, 1955, 54: 1468. **
- Raskin, N. Agranulocytosis in patients treated with thorazine; report of a fatal case. *Am. J. Psychiat.*, 1957, 113: 991-992. **
- Rea, E. L., Shea, J., Fazekas, J. F. Hypotensive action of chlorpromazine. *J. Am. M. Ass.*, 1954, 156: 1249-1250. **
- Roberts, S. E. A chlorpromazine (thorazine)-induced cephalalgia and its management. *A. M. A. Arch. Otolaryng.*, 1956, 63: 208-209.
- Robie, T. R. Pseudo-tabes syndrome as complication of tranquilizer drug therapy. *Am. J. Psychiat.*, 1956, 113: 463-464.
- Roebuck, B. E. Agranulocytosis associated with chlorpromazine therapy. *J. Nerv. Ment. Dis.*, 1956, 124: 248-250. **

- Ross, W. D. Mistakes in the use of chlorpromazine. *Ohio M. J.*, 1957, 53: 182-183. * *
- Rotstein, J., Frick, P. S., Schiele, B. C. Agranulocytosis associated with chlorpromazine therapy. *A. M. A. Arch. Int. M.*, 1955, 96: 781-786.
- Samad, I. A. Complications of chlorpromazine therapy. *Lancet, Lond.*, 1955, 1: 1327.
- Sarwer-Foner, G. J., Ogle, W. Psychosis and enhanced anxiety produced by reserpine and chlorpromazine. *Canad. M. Ass. J.*, 1956, 74: 526-532.
- Schadelijke bijwerkingen van largactil. [Untoward side effects of largactil.] *Ned. tschr. geneesk.*, 1955, 99: 2537-2538.
- Schick, G., Virks, J. Agranulocytosis associated with chlorpromazine therapy; report of a case and review of the literature. *N. England J. M.*, 1956, 255: 798-802.
- Schlichter, W., Bristow, M. E., Schultz, S., Henderson, A. L. Seizures occurring during intensive chlorpromazine therapy. *Canad. M. Ass. J.*, 1956, 74: 364-366.
- Stenbäck, A. Psykiatrisk klorpromazinbehandling med letalt förlopp. [Psychiatric chlorpromazine therapy with fatal outcome.] [English summary] *Nord. med.*, 1956, 56: 1622-1623. * *
- Tasker, J. R. Fatal agranulocytosis during treatment with chlorpromazine. *Brit. M. J.*, 1955, 1: 950-951. * *
- Tatum, A. L. Complications of chlorpromazine therapy in 800 mental hospital patients. *Wisconsin M. J.*, 1955, 54: 521.
- Theriault, J. C. A fatality associated with chlorpromazine (largactil) therapy. *Canad. M. Ass. J.*, 1956, 74: 148-149. * *
- Tillim, S. J. Agranulocytosis associated with chlorpromazine therapy. *Am. J. Psychiat.*, 1956, 112: 1028.
- Tintera, J. W. Office rehabilitation of the alcoholic. *N. York State J. M.*, 1956, 56: 3896-3902.
- Tuteur, W. A case of fatal agranulocytosis due to chlorpromazine. *Am. J. Psychiat.*, 1956, 113: 76. * *
- , Lepson, D. Combined reserpine-chlorpromazine therapy in highly disturbed psychotics. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 163-172. * *
- Vallat, J. N., Lepetit, Texier, M. Quelques réflexions sur les incidents et accidents du traitement par la chlorpromazine en pratique psychiatrique. [Some remarks to the incidents and accidents of chlorpromazine therapy in psychiatry.] *Encéphale*, 1956, 45: 784-789.
- Wardell, D. W. Untoward reactions to tranquilizing drugs. *Am. J. Psychiat.*, 1957, 113: 745.
- Weiss, D. M. Changes in blood pressure with electroshock therapy in a patient receiving chlorpromazine hydrochloride (thorazine). *Am. J. Psychiat.*, 1955, 111: 617-619.
- Zatuchni, J. Miller, G. Jaundice during chlorpromazine therapy. *N. England J. M.*, 1954, 251: 1003-1006.
- Poisoning**
- D'Avossa, B. Tentato suicidio con cloropromazina. [Attempted suicide with chlorpromazine.] *Riv. sper. freniat.*, 1956, 80: 674-675.
- Beal, J. A. Chlorpromazine poisoning. *Brit. M. J.*, 1955, 2: 1620.
- Douglas, A. D. M., Bates, T. J. N. Chlorpromazine as a suicidal agent. *Brit. M. J.*, 1957, 1: 1514.
- Henne, M., Henne, S. Intoxication aiguë au cours d'une tentative de suicide par chlorpromazine. [Suicide attempted with chlorpromazine; acute intoxication.] *Ann. méd. psychol., Par.*, 1956, 114 (2): 309-314.
- Mauceri, J., Strauss, H. Effects of chlorpromazine on the electroencephalogram with report of a case of chlorpromazine intoxication. *Electroencephalography, Montreal*, 1956, 8: 671-675.
- Samuels, A. S. Acute chlorpromazine poisoning. *Am. J. Psychiat.*, 1957, 113: 746-748.
- Sinha, G. B., Mitra, S. K. A case of acute chlorpromazine hydrochloride poisoning. *J. Ind. M. Ass.*, 1955, 24: 557-558.
- Spratt, R. J., Dean, E. F. Unsuccessful suicide with chlorpromazine. *Rocky Mountain M. J.*, 1957, 54: 153-154.
- Vallat, J. N., Lepetit. Intoxication par la chlorpromazine (largactil) au cours d'une tentative de suicide. [Attempted suicide with chlorpromazine (largactil).] *Presse méd.*, 1954, 62: 752.
- , —, Texier, M. Quelques réflexions sur les incidents et accidents du traitement par la chlorpromazine en pratique psychiatrique. [Some remarks to the incidents and accidents of chlorpromazine therapy in psychiatry.] *Encéphale*, 1956, 45: 784-789.
- Wardt-Kikkert, N. M. van de. Quelques aspects de l'application de la chlorpromazine dans un hôpital psychiatrique hollandais. [Observations on the use of chlorpromazine in a Dutch psychiatric hospital.] *Encéphale*, 1956, 45: 700-704.
- Various special techniques**
- Hibernotherapies and Sleep therapies*
[artificial hibernation, prolonged sleep, etc.]
- Chlorpromazine in lytic cocktails or combined with either meperidine or barbiturates or promethazine.*
- The potentiating action of chlorpromazine.*
- see also **CHLORPROMAZINE with OTHER DRUGS**
[CNS depressants]—COMBINED
- Laborit, H. Potentiated anesthesia. Artificial hibernation. General technic of artificial hibernation. *Internat. Rec. M.*, 1954, 167: 315-320. 321-323. 324-327.
- , —. Thérapeutique neuroplégique et hibernation artificielle: essai d'éclaircissement d'une équivoque. [Neuroplegic therapy and artificial hibernation; attempt to clarify an equivocation.] *Presse méd.*, 1954, 62: 359-362.
- , Huguenard, P. L'hibernation artificielle par moyens pharmacodynamiques et physiques. [Artificial hibernation by pharmacodynamic and physical means.] *Presse méd.*, 1951, 59: 1329.
- , —. Technique actuelle de l'hibernation artificielle. [Present technique of artificial hibernation.] *Presse méd.*, 1952, 60: 1455-1456.
- , —, Alluaume, R. Un nouveau stabilisateur végétatif; le 4560 RP. [A new autonomic stabilizer; 4560 RP.] *Presse méd.*, 1952, 60: 206-208.
- , Jaulmes, C. De l'anesthésie potentialisée à l'hibernation artificielle. [From potentiated anesthesia to artificial hibernation.] *Toulouse méd.*, 1952, 53: 821-829.
- Compared with Chlorpromazine alone**
- Baruk, H. La catatonie expérimentale par la chlorpromazine; la posologie et la méthode d'administration la plus efficace en thérapeutique psychiatrique. [Experimental catatonia produced with chlorpromazine; the dosage and most effective method of chlorpromazine therapy in psychiatry.] *Encéphale*, 1956, 45: 474-476.
- , —. Les thérapeutiques psychiatriques. [Psychiatric therapies.] 128 p. Paris, *Presses universitaires de France* [Que sais-je? Le point des connaissances actuelles (691)] 1955. Les thérapeutiques physiologiques sédatives; cures de sommeil; chlorpromazine. [Physiologic sedative therapies; sleep therapy; chlorpromazine.] p. 109-116.
- , Launay, J., Bergès, J., Mijolla, A. de. Étude clinique de l'action thérapeutique de la réserpine. Comparaison avec l'action des extraits totaux. [Clinical study of the therapeutic effect of reserpine; comparison with total extracts.] *Ann. méd. psychol., Par.*, 1957, 115 (1): 704-708.

- Bergouignan, M. La largactil en thérapeutique psychiatrique. [Largactil in psychiatric therapy.] *Presse méd.*, 1953, 61 : 1133.
- Bobon, J. Chlorpromazine et cure de sommeil. [Chlorpromazine and sleep therapy.] *Encéphale*, 1956, 45 : 421-427.
- Charatan, F. B. An evaluation of chlorpromazine ("largactil") in psychiatry. *J. Ment. Sc., Lond.*, 1954, 100 : 882-893. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3639.
- Delay, J. Introduction au colloque international. [Introduction to the international colloquium.] [On chlorpromazine and neuroleptic drugs, Paris, October 1955] *Encéphale*, 1956, 45 : 303-306.
- , Deniker, P. Peut-on comparer la reserpine à la chlorpromazine? [Can one compare reserpine with chlorpromazine?] *Arch. psicol. neur., Milano*, 1956, 17 : 631-633.
- , —. Le traitement des psychoses par une méthode neurolytique dérivée d'hibernothérapie; le 4560 R. P. utilisée seul en cure prolongée et continue. [Treatment of psychoses by a neurolytic method derived from hibernotherapy; prolonged continuous therapy with 4560 RP alone.] *C. rend. Congr. alién. neur. France*, 1952, 50 : 497-502. Abstract: *Ann. méd. psychol., Par.*, 1952, 110(2) : 564.
- Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernotherapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46 : 281-398. [295-305.]
- Ey, H., Faure, H., Lairy, G. C. Action du largactil sur l'électro-encéphalogramme de malades mentaux chroniques comparée à l'action des barbituriques. [Comparison between the effects of largactil and barbiturates on the EEG of chronic mental patients.] *Encéphale*, 1956, 45 : 843-852.
- , —, Rappard, P. Les réactions d'intolérance vis-à-vis de la chlorpromazine. [Chlorpromazine intolerance.] *Encéphale*, 1956, 45 : 790-796. *
- Fau, R., Chateau, R. La cure de sommeil et la chlorpromazine. [Sleep therapy and chlorpromazine.] *Encéphale*, 1956, 45 : 428-435. *
- Gaitz, C. M., Roy, H., Thompson, W., Kimbell, I., Mullen, A. J., Pokorny, A. D. Evaluation of chlorpromazine in comparison with other methods of treatment of hospitalized psychiatric patients, using the Lorr multidimensional scale for rating psychiatric patients. *Psychiat. Res. Rep., Wash.*, 1955 (1) : 84-95.
- Hiob, J. Klinische Erfahrungen bei der Behandlung von Psychosen mit Megaphen. [Clinical experiences in megaphen therapy of psychoses.] *Aerzt. Wschr.*, 1954, 9 : 919-924.
- Laborit, H. Thérapeutique neuroplégique et hibernation artificielle: essai d'éclaircissement d'une équivoque. [Neuroplegic therapy and artificial hibernation: attempt to clarify an equivocation.] *Presse méd.*, 1954, 62 : 359-362.
- , Potentiated anesthesia. *Internat. Rec. M.*, 1954, 167 : 315-320.
- Lamarque, A., Roussel, A., Rosendorf. Comparaisons des résultats obtenus par la cure de sommeil, la cure de somnolence, et la cure à la chlorpromazine seule et à dose élevée; résultats de quelques électro-encéphalogrammes de contrôle. [Comparison of results obtained with sleep therapy, somnolence therapy and chlorpromazine therapy alone and with elevated doses; results controlled by EEG.] *Encéphale*, 1956, 45 : 884-890.
- Medina, F. Sono prolungato na terapêutica psiquiátrica. [Prolonged sleep in psychiatric therapy.] *Med. contemp., Lisb.*, 1954, 72 : 323-331.
- Monnerot, E., Monnerot, E., Benichou, L., Doco. Analyse des rôles respectifs du largactil et du sommeil barbiturique, dans les cures de sommeil potentialisées. [Analysis of the effect of chlorpromazine and of barbiturates respectively in potentiated sleep therapy.] *Encéphale*, 1956, 45 : 1190-1196.
- Perret, A., Becker, J., Lacoste, G. Traitements psychiatriques par le 4560 R. P. [Psychiatric treatments with 4560 RP.] *Vie méd., Par.*, 1953, 34 : 463-464.
- Puech, J., Robin, C. Étude comparative des effets de la cure de sommeil médicamenteux et de la chlorpromazine injectable dans les psychoses. [Comparative study of sleep therapy and chlorpromazine injections in therapy of psychoses.] *Sem. hôp. Paris*, 1956, 32 : 3252-3264.
- Rigal, J., Malet, P., Florentin, M. Quelques considérations au sujet de 300 cures de chlorpromazine dans les psychoses et les névroses. [Some remarks on chlorpromazine therapy of 300 psychotics and neurotics.] *Encéphale*, 1956, 45 : 592-598.
- History of psychiatric use
see CHLORPROMAZINE—History of psychiatric use
- Literature surveys
see CHLORPROMAZINE—Bibliographies and literature surveys
- Pharmacodynamics
- Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17 : 25-37.
- , Sur les propriétés pharmacodynamiques de la chlorpromazine en rapport avec son emploi en psychiatrie. [Pharmacodynamic basis for the use of chlorpromazine in psychiatry.] *Encéphale*, 1956, 45 : 1248-1257.
- Psychosocial considerations
see CHLORPROMAZINE—Psychosocial considerations
- Psychotherapeutic use
- Azima, H. Prolonged sleep treatment in mental disorders; some new psychopharmacological considerations. *J. Ment. Sc., Lond.*, 1955, 101 : 593-603.
- , La valeur de la situation anacritique facilitée par la chlorpromazine. [(Therapeutic) value of the anacritic situation, facilitated by chlorpromazine.] *Encéphale*, 1956, 45 : 972-978.
- Bronner, A. Chlorpromazine (thorazine) in office practice. *Am. J. Psychother.*, 1956, 10 : 460-466.
- Durand, C., Horneffer, C., Rallo, J. Préparation à la psychothérapie dans les névroses par les cures de chlorpromazine. [Treatment of neuroses with chlorpromazine as a preparation for psychotherapy.] *Schweiz. Arch. Neur. Psychiat.*, 1956, 77 : 485-487.
- Engelmeier, M. P. Methoden kombinierter lytischer Therapie. [Methods of combined lytic therapies.] *Encéphale*, 1956, 45 : 461-468.
- Ey, H., Faure, H. Sleep therapy and the use of chlorpromazine. *Internat. Rec. M.*, 1957, 170 : 1-10.
- Gomirato, G., Ganna, G. Ricerche comparative d'esplorazione psicofarmacologica; studio dell'associazione di un barbiturico ad azione rapida (narcovene) con un ganglioplegico (largactil). [Comparative psychopharmacologic investigations; study of a rapidly acting barbiturate (narcovene) combined with a ganglioplegic (largactil).] *Gior. psichiat.*, 1954, 82 : 347-359.
- Scherr, A. Le largactil en psychiatrie extra-hospitalière. [Largactil in ambulatory psychiatry.] *Encéphale*, 1956, 45 : 388-391.
- Studies, animals
- Baruk, H., Launay, J., Bergès, J. Physiologie psychiatrique expérimentale de la chlorpromazine chez les animaux et ses applications thérapeutiques chez l'homme. [Experimental psychopharmacology of chlorpromazine in animals and its therapeutic applications in man.] *Encéphale*, 1956, 45 : 1258-1263.
- Belot, P., Decourt, P. Effet du N68 sur des perturbations psychiques d'origine instinctive chez des chiens.

[The effect of N-68 on psycho-sexual disorders of dogs.] *Ann. méd. psychol., Par.*, 1956, 114 (2) : 112-116.

Brodie, B. B., Shore, P. A., Silver, S. L. Potentiating action of chlorpromazine and reserpine. *Nature, Lond.*, 1955, 175 : 1133-1134. Abstract: *Chem. Abstr.*, 1956, 50 : 479g.

Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopathol.*, 1956, 17 : 25-37.

—. Sur les propriétés pharmacodynamiques de la chlorpromazine en rapport avec son emploi en psychiatrie. [Pharmacodynamic basis for the use of chlorpromazine in psychiatry.] *Encéphale*, 1956, 45 : 1248-1257.

Eeckhoutte, R. van. Le chlorhydrate de chloro-3-diméthylamino-3'-propyl-10-phénothiazine (4560 R. P.) ; son action sur le système nerveux et sur le système neurovégétatif. [3-Chloro-10-(3-dimethylaminopropyl) phenothiazine (4560 R. P.) ; its action on the nervous and autonomic nervous system.] 28 p. Ambilly, 1953. [Thesis—Geneva 1953, no. 2168]

Friebel, H., Reichle, C. Zur analgetischen und analgesieverstärkenden Wirkung von Chlorpromazin (Megaphen). [Analgesic and analgesic-potentiating effect of chlorpromazine (megaphen).] *Arch. exp. Path., Berl.*, 1955, 226 : 551-557. Abstract: *Chem. Abstr.*, 1956, 50 : 2063 de.

Revol, L. Amplification par la chlorpromazine de l'effet hypothermisant des barbituriques chez le lapin. [Amplification of the hypothermic effect of barbiturates by chlorpromazine in rabbits.] *Ann. pharm. fr.*, 1954, 12 : 500.

Sadove, M. S., Balagot, R. C., Reyes, R. M. The potentiating action of chlorpromazine. *Current Res. Anesth.*, 1956, 35 : 165-181.

Votava, Z., Vaněček, M. The influence of some antihistaminics and neurolegics on the higher nervous activity of rats and dogs. *Physiol. bohém.*, 1956, 5 (Suppl.) : 58-62.

Studies, normal subjects

Hemmer, R. Beobachtungen über psychische Veränderungen unter potenziierter Narkose. [Observations on psychic changes in potentiated anesthesia.] [English summary.] *Zbl. Neurochir.*, 1953, 13 : 360-364.

Reda, G. C., Ballardini, G., Riccio, L. Esami psicologici in soggetti trattati con largactil. [Psychological examination of patients treated with largactil.] *Riv. sper. freniat.*, 1955, 79 : 509-514.

Studies, patients

Bolsi, D., Donegani, G., Grattarola, F. R. I ganglioplegici ed il sistema neurovegetativo negli schizofrenici. [Ganglioplegics and the autonomic nervous system in schizophrenia.] *Minerva med., Tor.*, 1953, 44 : 230-231. [Not seen]

Conrad, K., Domanowsky, K., Wieser, S. Über extrapyramidale Anfallszustände bei Behandlung mit Phenothiazinen. [Extrapyramidal symptoms during treatment with phenothiazines.] *Fortsch. Neur. Psychiat.*, 1956, 24 : 505-512.

Dogan, S., Vukadinovic, D., Longhino, A. Djelovanje largactila i phenergana na elektroencefalogram kod epileptičara. [Effect of largactil and phenergan on electroencephalography in epilepsy.] [English summary p. 95] *Neuropsihijatrija*, 1954, 2 : 88-100. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 2385.

Ey, H., Faure, H., Lairy, G. C. Action du largactil sur l'électro-encéphalogramme de malades mentaux chroniques comparée à l'action des barbituriques. [Comparison between the effects of largactil and barbiturates on the EEG of chronic mental patients.] *Encéphale*, 1956, 45 : 843-852.

Hemmer, R. Beobachtungen über psychische Veränderungen unter potenziierter Narkose. [Observations on

psychic changes in potentiated anesthesia.] [English summary] *Zbl. Neurochir.*, 1953, 13 : 360-364.

Laborit, H., Coirault, R., Hainaut, J., Weber, B. Action des neuroplégiques sur l'excitabilité neuromusculaire ; les mouvements ioniques transmembranaires ; l'équilibre thermocationique ; conséquences physiologiques et thérapeutiques ; une application clinique : le delirium tremens. [Effect of neuroplegic drugs on neuromuscular excitability ; transmembrane ionic movements, thermocationic equilibrium ; physiologic and therapeutic consequences ; clinical application : delirium tremens.] *Encéphale*, 1956, 45 : 1166-1177.

Reda, G. C., Ballardini, G., Riccio, L. Esami psicologici in soggetti trattati con largactil. [Psychological examination of patients treated with largactil.] *Riv. sper. freniat.*, 1955, 79 : 509-514.

Terminology

see CHLORPROMAZINE—Terminology of therapies

Therapeutic studies, controlled

Azima, H. Prolonged sleep treatment in mental disorders ; some new psychopharmacological considerations. *J. Ment. Sc., Lond.*, 1955, 101 : 593-603.

Ey, H., Faure, H. Sleep therapy and the use of chlorpromazine. *Internat. Rec. M.*, 1957, 170 : 1-10.

Fau, R., Chateau, R. La cure de sommeil et la chlorpromazine. [Sleep therapy and chlorpromazine.] *Encéphale*, 1956, 45 : 428-435. * *

Lamarche, A., Roussel, A., Rosendorf Comparaisons des résultats obtenus par la cure de sommeil, la cure de somnolence, et la cure à la chlorpromazine seule et à dose élevée ; résultats de quelques électro-encéphalogrammes de contrôle. [Comparison of results obtained with sleep therapy, somnolence therapy and chlorpromazine therapy alone and with elevated doses ; results controlled by EEG.] *Encéphale*, 1956, 45 : 884-890.

Monnerot, E., Monnerot, E., Benichou, L. Doco Analyse des rôles respectifs du largactil et du sommeil barbiturique, dans les cures de sommeil potentialisées. [Analysis of the effect of chlorpromazine and of barbiturates respectively in potentiated sleep therapy.] *Encéphale*, 1956, 45 : 1190-1196.

Therapeutic studies, controlled—Psychoses

Barsa, J. A., Kline, N. S. A comparative study of reserpine, chlorpromazine, and combined therapy. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76 : 90-97.

Charatan, F. B. An evaluation of chlorpromazine ("largactil") in psychiatry. *J. Ment. Sc., Lond.*, 1954, 100 : 882-893. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 3639.

Gaitz, C. M., Roy, H., Thompson, W., Kimbell, I., Mullen, A. J., Pokorny, A. D. Evaluation of chlorpromazine in comparison with other methods of treatment of hospitalized psychiatric patients, using the Lorr multidimensional scale for rating psychiatric patients. *Psychiat. Res. Rep., Wash.*, 1955 (1) : 84-95. *

Lafon, R., Duc, N., Abric, J., Pouget, R., Comelade, P. Etude comparative du 4560 R. P. (chlorpromazine) et de la réserpine dans les syndromes schizophréniques. [Comparative study of R. P. 4560 (chlorpromazine) and reserpine in schizophrenic syndromes.] *Encéphale*, 1956, 45 : 668-671.

Puech, J., Robin, C. Étude comparative des effets de la cure de sommeil médicamenteux et de la chlorpromazine injectable dans les psychoses. [Comparative study of sleep therapy and chlorpromazine injections in therapy of psychoses.] *Sem. hôp. Paris*, 1956, 32 : 3252-3264.

Therapeutic use

Adasal, R., Ozsan, M., Karan, D., Yener, O. Les résultats obtenus par la chlorpromazine à la clinique psychiatrique de la Faculté de Médecine d'Ankara. [Results obtained with chlorpromazine at the psychiatric clinic

- of the Faculté de Médecine d'Ankara.] *Encéphale*, 1956, 45: 1204-1209.
- Aivazian, G. H. Chlorpromazine in the withdrawal of habit-forming drugs in addicts. *Dis. Nerv. Syst.*, 1955, 16: 57-60. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 413.
- Angel, J. Cures de sommeil et largactil. [Sleep therapies and largactil.] *Encéphale*, 1956, 45: 416-420.
- Balducci, M. Possibilità, limiti, indicazioni e controindicazioni del 4560 R. P. (largactil) in psichiatria; controllo dei primi risultati con osservazione su 110 casi. [Possibilities, limitations, indications and contraindications of 4560 RP (largactil) in psychiatry; review of the early results with a study of 110 cases.] [English summary] *Rass. stud. psichiat.*, 1955, 44: 709-729. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 5010.
- Balduzzi, E., Escalar, G. A proposito delle terapie cosiddette ganglioplegiche. [The so-called ganglioplegic therapies.] *Rass. stud. psichiat.*, 1953, 42: 1056-1064.
- , —, Sulle terapie cosiddette ganglioplegiche. II. Il 4560 R. P. in psichiatria; osservazioni su 100 casi trattati. [The so-called ganglioplegic therapies. II. RP 4560 in psychiatry; observations on 100 treated cases.] [English summary p.148] *Rass. stud. psichiat.*, 1954, 43: 120-151.
- Bérard, E. Cures de somnoplégie en clinique neuro-psychiatrique. [Somnoplegic therapy in neuropsychiatric practice.] *Encéphale*, 1956, 45: 401-411.
- Bergouignan, M., D'Aulnay, J., Malineau, R. Retouches à notre expérience du largactil in psichiatria. [Additional experiences with largactil in psychiatry.] *J. méd. Bordeaux*, 1955, 132: 254-261. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 4917.
- Berselli, G., Vicini, F. Osservazioni sull'impiego terapeutico del largactil. [Observations on the therapeutic use of largactil.] *Riv. sper. freniat.*, 1955, 79: 743-745.
- Bertolini, O. L'azione del 4560 R. P. in diverse sindromi psichiatriche. [Effects of 4560 R. P. in various psychiatric syndromes.] *Riv. sper. freniat.*, 1954, 78: 205-224.
- Bobon, J. Chlorpromazine et cure de sommeil. [Chlorpromazine and sleep therapy.] *Encéphale*, 1956, 45: 421-427.
- Böszörményi, Z., Gimes, M., Orthmayr, A. A largactil farmakodinamias hatása és terápiás eredményei a psichiatriában. [Pharmacodynamic effects and the therapeutic results of largactil in psychiatry.] *Orv. hetil.*, 1955, 96: 1039-1045. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2238. [A very short English abstract]
- Boon, A. A. Largactil en vermante middelen in de psichiatrie en neurologie. [Largactil and related remedies in psychiatry and neurology.] *Ned. tschr. geneesk.*, 1955, 99: 2735-2741.
- Brehmer, G. von, Ruckdeschel, K. T. Zur Technik der Winterschlafbehandlung. [Technique of hibernation therapy.] *Deut. med. Wschr.*, 1953, 78: 1724-1725. *
- Buisson, J. E. Thérapeutiques de sommeil en psichiatria et en médecine psychosomatique. [Sleep therapy in psychiatry and in psychosomatic medicine.] *Sem. hôp. Paris*, 1954, 30: 155-158.
- Cervós Navarro, J., Unterharnscheidt, F. Importancia de las fenotiacinas en psiquiatria. [Importance of phenothiazines in psychiatry.] *Rev. españ. otoneuroft.*, 1956, 15: 75-92.
- Cloutier, F. La cure de sommeil en thérapeutique psychiatrique. [Sleep therapy in psychiatry.] *Laval méd.*, 1953, 18: 332-342.
- Delay, J. Introduction au colloque international. [Introduction to the international colloquium.] [On chlorpromazine and neuroleptic drugs, Paris, October 1955] *Encéphale*, 1956, 45: 303-306.
- , Deniker, P. Les neuroplégiques en thérapeutique psychiatrique. [Neuroleptic drugs in psychiatric therapy.] *Thérapie, Par.*, 1953, 8: 347-364.
- , —, Pauwels, R. Cures de sommeil et cures neuroleptiques en psichiatria. [Sleep therapies and neuroleptic therapies in psychiatry.] *Encéphale*, 1956, 45: 436-439.
- , —, Tardieu, Y. Hibernothérapie et cure de sommeil en thérapeutique psychiatrique et psychosomatique. [Hibernotherapy and sleep therapy in psychiatry and psychosomatic medicine.] *Presse méd.*, 1953, 61: 1165-1166.
- Demay, G., Montremy, J. de, Mises, R. Les curarizants par voie rectale en psichiatria. [Rectal administration of curare-like drugs in psychiatry.] *Ann. méd. psychol. Par.*, 1953, 111 (1): 660-665.
- Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernotherapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [295-300.]
- Diffurth, H. von. Anwendungsmöglichkeiten des Megaphens in der psychiatrischen Klinik und Forschung. [Possibilities for the use of megaphen in psychiatric practice and research.] *Nervenarzt*, 1955, 26: 54-59. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4074.
- Engelmeier, M. P. Lytische Therapie in der Nervenklinik. [Lytic therapy in neuropsychiatric hospitals.] [English summary p. 148.] *Msschr. Psychiat.*, Basel, 1956, 131: 89-150.
- Escar, G., Balduzzi, E. Sull'impiego della clorpromazina come terapia di antishock. [Use of chlorpromazine as antishock therapy.] *Arch. psicol. neur.*, Milano, 1956, 17: 655-657.
- Ey, H., Bérard, E. Les nouvelles techniques de cure de sommeil dans la pratique psychiatrique. [New techniques of sleep therapy in psychiatric practice.] *Evolut. psychiat.*, 1952: 661-682.
- , —, Sobre una técnica de tratamiento por el sueño prolongado interrumpido. [Method of intermittent and prolonged sleep therapy.] *Dia méd., B. Air.*, 1954, 26: 1385-1389.
- , Deschamps, A., Bérard, E. Les techniques de cures de sommeil à l'aide de neuroplégiques et l'hibernation artificielle en psichiatria. [The techniques of sleep therapy with neuroplegics and artificial hibernation in psychiatry.] In: Laborit, H., Huguenard, P. Pratique de l'hibernothérapie en chirurgie et en médecine. [The use of hibernotherapy in surgery and in medicine.] Paris, Masson, 1954. p. 181-203.
- , Faure, H. Les diverses méthodes d'emploi de la chlorpromazine en thérapeutique psychiatrique et leurs indications. [The various methods of chlorpromazine therapies and their indications in psychiatric therapy.] *Encéphale*, 1956, 45: 361-371.
- , —, Sleep therapy and the use of chlorpromazine. *Internat. Rec. M.*, 1957, 170: 1-10.
- Gachkel, V., Brisset, C. La cure de sommeil en psichiatria. [Sleep therapy in psychiatry.] *C. rend. Congr. alién. neur. France*, 1952, 50: 491-496. Abstract: [incomplete !] *Ann. méd. psychol., Par.*, 1952, 110 (2): 565.
- Gäde, E. B., Heinrich, K. Die Bedeutung der Phenothiazinderivate, insbesondere des Megaphen, für Psychiatrie und Neurologie. [The importance of phenothiazine derivatives in psychiatry and neurology, with special reference to chlorpromazine.] *Fortsch. Neur. Psychiat.*, 1955, 23: 323-353.
- Galenko, V. E., Osberg, I. IU., Azbukina, V. D. Primenenie aminazina v psichiatricheskoj klinike. [Use of aminazine in psychiatric clinics.] *Sovet. med.*, 1956, 20: 29-35.
- Gallian, U., Gamna, G. Primi tentativi di terapia di sindromi amenziali con preparati derivati dalle tecniche della "ipotensione controllata" e della "ibernazione artificiale"; nota preliminare. [First attempts to treat the syndrome of amentia with drugs derived from the techniques of "controlled hypotension" and "artificial hibernation"; preliminary note.] *Minerva med.*, Tor., 1953, 44: 357-360.

- Gambs, A. Essai d'application de la chlorpromazine en cures prolongées au traitement de diverses affections mentales, à propos de 58 observations. [The use of chlorpromazine for prolonged sleep therapy of various mental diseases. 58 observations.] 136 p. Lyon, 1954. [Thesis—Lyon 1953/1954, no. 76]
- Ganry, C. H. J. La cure de sommeil en psychiatrie. [Sleep therapy in psychiatry.] 102 p. [Mimeographed] Paris, 1953. [Thesis—Paris 1953, no. 395]
- Gascard, E. La place de la cure de sommeil en thérapeutique. [The place of sleep therapy in therapeutics.] *Marseille méd.*, 1953, 90 : 516-519.
- Gherarducci, D. A propos de l'utilisation de la chlorpromazine associée à d'autres thérapeutiques psychiatriques. [Utilization of chlorpromazine associated with other psychiatric therapeutics.] *Encéphale*, 1956, 45 : 1187-1189.
- Giacobini, E., Lassenius, B. Clorpromazinbehandlung; biverkningar och komplikationer. [Chlorpromazine therapy; side effects and complications.] [English summary] *Nord. med.*, 154, 52 : 1693-1699. *
- Hamon, J., Paraire, J., Velluz, J. Etats anxieux et barbituriques potentialisés. [Anxiety states and potentiated barbiturates.] *Ann. méd. psychol., Par.*, 1952, 110 (2) : 403-407.
- Hoff, H. Advantages and disadvantages of treatment with chlorpromazine and serpasil. *Encéphale*, 1956, 45 : 352-358.
- . Vorteile und Nachteile der Behandlung mit Largactil und Serpasil. [Advantages and disadvantages of therapy with largactil and with serpasil.] *Wien. klin. Wschr.*, 1956, 68 : 97-101. **
- Kolle, K., Mikorey, M. Künstlicher Winterschlaf in der Psychiatrie; vorläufige Mitteilung. [Preliminary report on artificial hibernation in psychiatry.] *Deut. med. Wschr.*, 1953, 78 : 1723-1724.
- . Ruckdeschel, K. T. Megaphenbehandlung in der Psychiatrie. [Megaphen therapy in psychiatry.] *Munch. med. Wschr.*, 1954, 96 : 533-536.
- Korganova, A. N. Lechenie aminazinom podrostkov v psikhiatricheskoi klinike; predvaritel'noe soobshchenie. [Aminazine therapy of adolescents at a psychiatric clinic; preliminary communication.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56 : 567-570.
- Laboucarie, J., Combes, P. Valeur et limites des cures de sommeil en psychiatrie. [Value and limitations of sleep therapy in psychiatry.] *Toulouse méd.*, 1954, 55 : 221-232.
- Laburthe-Tolra, J. Essai sur l'emploi thérapeutique de l'hibernation artificielle dans les intoxications barbituriques graves. [Clinical study on artificial hibernation in the treatment of severe barbiturate poisoning.] 57 p. Paris, 1954. [Thesis—Paris, 1954, no. 930] [Not seen]
- Lange, E. Die Behandlung psychischer Erkrankungen mit Propaphenin (HL 5746, Winterschlafmittel). [Treatment of psychic disorders with propaphenin (HL 5746, a hibernation drug).] *Deut. Gesundheitsw.*, 1955, 10 : 524-527. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 3085.
- Librando, L., Paretti, E. Considerazioni su un biennio di esperienza in terapia ganglioplegica, in psichiatria. [Two years of ganglioplegic therapy in psychiatry.] *Riv. sper. freniat.*, 1955, 79 : 696-699.
- Lomas, J. Uses of chlorpromazine in mental hospital patients. *Brit. M. J.*, 1955, 1 : 879-882. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 1725.
- Macchi, G., Manghi, E., Saginario, M. Indicazioni e metodi di impiego del largactil (4560 R. P.) in terapia neuro-psichiatrica; studio su 130 casi trattati. [Indications and methods of use of largactil in neuropsychiatric therapy: study of 130 treated cases.] *Riv. sper. freniat.*, 1954, 78 : 183-204.
- Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113 : 540-545.
- Mancini, G. Terapia con largactil e gardenal in distimici e psiconevrotici. [Largactil and gardenal in the therapy of manic-depressive psychosis and psychoneuroses.] [Brief English summary] *Acta neur., Nap.*, 1954, 9 : 585-590.
- Manghi, E., Saginario, M. In tema di narcoterapia: risultati ottenuti con l'associazione di farmaci del gruppo della fenotiazina. [On sleep therapy: results with phenothiazine combinations.] [English summary] *Riv. sper. freniat.*, 1955, 79 : 757-770. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 966.
- Marck, H. La cure de sommeil; étude de 103 cas. [Sleep therapy; a study of 103 cases.] 79 p. Paris, 1953. [Thesis—Paris, 1953, no. 579] **
- Mariani, G., Barsotti, U. Il largactil nella cura delle malattie mentali; risultati del trattamento in 100 casi. [Largactil therapy of mental illness; therapeutic results in 100 cases.] *Riv. pat. nerv.*, 1956, 77 : 525-528.
- Martini, F. La terapia del sonno nella pratica psichiatrica; risultati ottenuti in un gruppo di 111 malati. [Sleep therapy in psychiatric practice; results obtained with a group of 111 patients.] *Riv. pat. nerv.*, 1956, 77 : 549-550.
- Massari, M. Ansietà e blocco vegetativo. [Anxiety and autonomic block.] *Minerva med., Tor.*, 1953, 44 : 231-232. [Not seen]
- Massenti, C. Il trattamento neuroplegico negli stati di eccitamento e di agitazione. [Treatment of excitement and agitation with neuroplegic drugs.] *Lavoro neuropsichiat.*, 1954, 14 : 493-505. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 1785.
- Mayr, F. Erfahrungen mit der Largactil-Behandlung in der Anstaltspsychiatrie. [Experience with largactil treatment in psychiatric hospitals.] *Ther. Umschau, Bern*, 1955, 11 : 184-191; 203-211.
- Medina, F. Sono prolongado na terapêutica psiquiátrica. [Prolonged sleep in psychiatric therapy.] *Med. contemp., Lish.*, 1954, 72 : 323-331.
- Mignault, G. Two years' experience using the phenothiazine amine derivatives in anaesthesia and artificial hibernation with special mention of the new derivative pacatal. *Canad. Anaesth. Soc. J.*, 1957, 4 : 37-42.
- Nayrac, P., Graux, P. Indications et contre-indications de la chlorpromazine en psychiatrie. [Indications and contraindications of chlorpromazine therapy in psychiatry.] *Encéphale*, 1956, 45 : 518-523.
- Neveu, P. L'hibernation, traitement d'urgence des syndromes de choc décompensé en psychiatrie. [Hibernation, an emergency treatment of decompensated shock syndromes in psychiatry.] *Encéphale*, 1956, 45 : 377-381.
- Oulès, J., Salles, P., Soubrié, R. Tentative de suicide au phénergan. [Attempted suicide with phenergan.] *Ann. méd. psychol., Par.*, 1956, 114 (1) : 271-273.
- Panse, F. Der medikamentöse Winterschlaf (ohne Unterkühlung) in der Psychiatrie. [Pharmaceutical hibernation without hypothermia in psychiatry.] *Med. Klin., Berl.*, 1953, 48 : 1344-1345.
- Pauly, R. Remarques à propos d'une statistique personnelle sur les avantages, les limites et les accidents de l'hibernothérapie à la chlorpromazine. [Comments on personal experiences with chlorpromazine hibernotherapy, its advantages, limitations and accidents.] *J. méd. Bordeaux*, 1954, 131 : 235-244. **
- Piazzesi, W. Considerazioni e dati sulla ipnoterapia in campo psichiatrico. [Considerations and data on sleep therapy in psychiatry.] *Riv. pat. nerv.*, 1954, 75 : 541-579. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 3102.
- Picard, P., Le Bras, R., Navaranne, P. Un cas de coma insulínique prolongé au cours d'une cure de Sakel traité et guéri par hibernation. Constatations électro-encéphalographiques. [Successful hibernotherapy of prolonged insulin coma during Sakel therapy; electro-

- encephalographic tracings.] *Ann. méd. psychol., Par.*, 1953, 111 (2): 253-259.
- Picard, P., Navarranne, P. Quelques réflexions sur les applications de l'hibernation artificielle en neuropsychiatrie. [Artificial hibernation in neuropsychiatry.] *Encéphale*, 1956, 45: 456-457.
- Piédelièvre, Deniker, Marmier. Les toxicomanies et les cures de desintoxication. [Drug addiction and detoxication.] *Concours méd.*, 1955, 77: 1723-1726.
- Pires, N., Pinho, R. de, Fernando, L., Pint, M., Cavalcanti, U., Aguiar, H. Sur 110 cas traités par le sommeil hibernant. [Hibernotherapy of 110 patients.] *Encéphale*, 1956, 45: 677-681. * *
- Popov, E. A., Nevzorova, T. A. Opyt primeneniia aminazina v psikhiatricheskoj klinike. [Result with aminazine in psychiatric clinical practice.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 559-566.
- Poslavsky, A. Psychological considerations on continuous sleep-treatment. *Fol. psychiat. & neerl.*, 1955, 58: 482-485.
- Puca, A. Ibernoterapia, sonno prolungato e neuroplegici in terapia psichiatrica. [Hibernation, prolonged sleep and neuroplegic drugs in psychiatric treatment.] *Rass. internaz. clin. ter.*, 1955, 35: 805-809.
- , Nuove acquisizioni in terapia psichiatrica; ibernoterapia, sonno prolungato e neuroplegici. [New acquisitions in psychiatric therapy; artificial hibernation, prolonged sleep and neuroplegic drugs.] [English summary] *Rass. stud. psichiat.*, 1955, 44: 849-856. Also *Ann. med. nav., Roma*, 1956, 61: 42-49.
- Ramée, F., Lacaton, R., Sanchez, F., Boulanger, M. Effets favorables du largactil dans la pratique psychiatrique algérienne. [Good results with chlorpromazine therapy of mental diseases in Algeria.] *Encéphale*, 1956, 45: 820-827.
- Rigal, J., Malet, P. Considérations sur l'emploi du largactil en psychiatrie. [Largactil therapy in psychiatry.] *J. méd. Bordeaux*, 1954, 131: 1191-1196.
- , —, Florentin, M. Quelques considérations au sujet de 300 cures de chlorpromazine dans les psychoses et les névroses. [Some remarks on chlorpromazine therapy of 300 psychotics and neurotics.] *Encéphale*, 1956, 45: 592-598.
- Rigotti, S. Dal blocco del S. N. vegetativo all'ibernazione artificiale: primi risultati di un nuovo indirizzo di terapia psichiatrica. [From autonomic N. S. blocking to artificial hibernation; first results with a new psychiatric therapy.] *Rass. neur. vegetat.*, 1952, 9: 197-210. Abstract: *Riv. neur., Nap.*, 1953, 23: 186-188.
- , Ulteriori esperienze sull'impiego in psichiatria della dimetilamino-propil-clorofenotiazina (Largactil). [Further experiences with the use of dimethylamino-propyl-n-chlorophenothiazine (largactil) in psychiatry.] [English summary] *Gior. psichiat.*, 1953, 81: 211-222.
- Rizzo, E. M., Russo, S. Sull'uso dei ganglioplegici in terapia psichiatrica. [The use of ganglioplegics in psychiatric therapy.] [English summary] *Gior. psichiat.*, 1954, 82: 127-151. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 2815.
- Sagripanti, P. Ipnoterapia con largactil in psichiatria. [Sleep therapy with largactil in psychiatry.] *Riv. sper. freniat.*, 1954, 78: 155-182.
- , Primi risultati clinici dell'ipnoterapia eseguita con nuovi preparati. [First clinical results of sleep therapy with new preparations.] *Minerva med., Tor.*, 1953, 44: 232-233. [Not seen]
- Sal y Rosas, F., Jeri, R., Sánchez, J. La chlorpromazine chez les malades mentaux péruviens. [Chlorpromazine therapy of mental patients in Peru.] *Encéphale*, 1956, 45: 599-604.
- , —, —, Chlorpromazine in neuropsychiatry. *J. Am. M. Ass.*, 1954, 156: 558.
- Sauri, J. J. El pendiomid (C. 9295) y el ampliactyl (R. P. 4560) en la cura del sueño. [Pendiomide (C. 9295) and chlorpromazine (4560 RP) in sleep therapy.] *Prensa méd. argent.*, 1955, 42: 447-452.
- Seabra-Dinis, J. A terapêutica pelo sono prolongado. [Prolonged sleep therapy.] *J. méd., Porto*, 1954, 23: 233-251.
- Seitz, D. Die Schlafbehandlung mit Phenothiazinen in der Neurologie. [Sleep therapy with phenothiazines in neurology.] *Nervenarzt*, 1956, 27: 19-23.
- Seyffert, H. M., Strubel, H. Klinische Erfahrungen mit dem Schlafmittel und Tagesedativum Doroma. [Clinical experience with doroma, a hypnotic and diurnal sedative.] *Medizinische*, 1956, 2: 997-999.
- Sigwald, J. Les indications du traitement de diverses affections neuropsychiatriques par la chlorpromazine; utilisation pratique des propriétés neuroplégiques et psychoplégiques de ce corps, posologie. [Indications for chlorpromazine therapy of neuropsychiatric disorders; practical use of its neuroplegic and psychoplegic properties; dosage.] *Bull. méd., Par.*, 1953, 67: 319-322.
- Silva, L. M. da, Zusan, W., Portella Nunes, E. Técnicas de sono prolongado em psiquiatria. [Prolonged sleep technics in psychiatry.] [English summary] *Hospital, Rio*, 1954, 46: 355-367.
- Sivodon, P., Forzy, C. Etude critique de 150 cas de cure de sommeil. [Critical study of sleep therapy; 150 observations.] *Ann. méd. psychol., Par.*, 1955, 113 (1): 433-438.
- Sogliani, G. Ipnoterapia con clorpromazina e Rauwolfia; posologia, associazioni, confronti. [Sleep therapy with chlorpromazine and Rauwolfia; posology, combinations and comparisons. *Minerva med., Tor.*, 1955, 46: 1253-1259.
- Stachelin, J. E., Labhardt, F. Les résultats atteints par les neuroplégiques dans la traitement des psychoses et des névroses. [Results in the treatment of psychoses and neuroses with neuroplegic drugs.] *Encéphale*, 1956, 45: 511-517.
- Steigman, A. J., Vallbona, C. Experience with chlorpromazine in pediatrics. *Internat. Rec. M.*, 1955, 168: 351-357.
- Trelles, J. O., Saavedra, A. Cura de sueño con largactil en el tratamiento de algunos desordenes mentales; (Primeros resultados en el Perú). [Sleep therapy with largactil in the treatment of some mental disorders. (First results in Peru).] *Rev. neur. psiquiat., Lima*, 1954, 17: 125-161.
- Tripi, G. L'associazione ganglioplegici e barbiturici in psichiatria. I. [Association of ganglioplegics and barbiturates in psychiatry. I.] [Brief English summary] *Rass. stud. psichiat.*, 1954, 43: 907-918.
- Vidart, L., Gasteau, E. La cure de sommeil en pratique neuro-psychiatrique. [Sleep therapy in neuropsychiatric practice.] *Rev. prat., Par.*, 1954, 4: 1583-1588.
- Wozowska, J., Pytel, A. Largaktyl (chlorpromazyna) [Largactil (chlorpromazine).] *Polski tygod. lek.*, 1955, 10: 772-779.

—Therapeutic use—Neuroses

- Delgado, H. The treatment of compulsive neurosis with chlorpromazine. In: Overholser, W., ed. Washington, D. C. St. Elizabeths Hospital Centennial papers, 1855-1955. Washington, Centennial Commission, St. Elizabeths Hospital, 1956. p. 233-244.
- Drugs in the treatment of depression. *Lancet, Lond.*, 1955, 1: 1065.
- Durand, C., Horneffer, C., Rallo, J. Préparation à la psychothérapie dans les névroses par les cures de chlorpromazine. [Treatment of neuroses with chlorpromazine as a preparation for psychotherapy.] *Schweiz. Arch. Neur. Psychiat.*, 1956, 77: 485-487.
- Miroux, M. Action combinée du chlorpromazine, du prométhazine et d'un sérum tissulaire spécifique. [Combined action of chlorpromazine, promethazine and of a specific tissue serum.] *Gaz. méd. France*, 1955, 62: 592.
- Pamboukis, G., Paléologue, A., Montoussis, N., Hakas,

- P. Résultats par l'application d'une cure de sommeil dans les psycho-névroses. [Results of sleep therapy in psychoneuroses.] *Encéphale*, 1956, 45: 550-554.
- Pauly, R. Remarques à propos d'une statistique personnelle sur les avantages, les limites et les accidents de l'hibernothérapie à la chlorpromazine. [Comments on personal experiences with chlorpromazine hibernotherapy, its advantages, limitations and accidents.] *J. méd. Bordeaux*, 1954, 131: 235-244. * *
- Scherr, A. Le largactil en psychiatrie extra-hospitalière. [Largactil in ambulatory psychiatry.] *Encéphale*, 1956, 45: 388-391.
- Shorvon, H. J. Drug therapy in psychiatry. *Practitioner, Lond.*, 1955, 175: 161-169.
- Sigwald, J. La cure ambulatoire par la chlorpromazine. [Ambulatory therapy with chlorpromazine.] *Encéphale*, 1956, 45: 392-400.

—Therapeutic use—Psychoses

- Abély, P., Abdouchelli, A., Fourment, J., Schmitz, B., Delteil, P. Suite aux essais thérapeutiques de rééquilibration instinctivo-affective; essai de traitement par la bromure tétra-éthyl d'ammonium en comparaison avec le R. P. 45-60 et le C. 92-95. [Further therapeutic studies on the restoration of instinctive-affective balance; therapeutic trials with tetraethylammonium bromide in comparison with R. P. 45-60 and with C. 92-95.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 262-267.
- Achaintre, A., Balvet, P., Beaujard, M., Broussolle, P., Perrin, J., Leveque, F., Requet, A. Evaluation of chlorpromazine in psychotic patients. *Internat. Rec. M.*, 1957, 170: 175-182.
- Dubor, P., Lauxerois, G. Trois modes particuliers d'administration de la chlorpromazine dans les affections psychiatriques à longue évolution. [Three special methods of chlorpromazine therapy in chronic psychiatric diseases.] *Encéphale*, 1956, 45: 444-448.
- Aksel, J. S. Etude clinique et expérimentale de l'hibernothérapie. [Clinical and experimental study of hibernotherapy.] *Encéphale*, 1956, 45: 566-571.
- Barsa, J. A., Kline, N. S. Depression treated with chlorpromazine and promethazine. *Am. J. Psychiat.*, 1957, 113: 744-745.
- Bensoussan, P. A., Klein, F. Sur quelques incidents de la cure de sommeil au chlorhydrate de chloro 3 (diméthylamino-3'-propyl)-10-phénothiazine. [Some incidents in sleep therapy with chloro 3 (dimethylamino-3'-propyl)-10-phenothiazine hydrochloride.] *Ann. méd. psychol., Par.*, 1953, 111 (1): 529-532. *
- Broussolle, P., Hamoneau, G. Traitement prolongé à la chlorpromazine (45.60 R. P.); treize observations de psychoses graves. [Prolonged treatment with chlorpromazine; thirteen patients with severe psychoses.] *Lyon méd.*, 1953, 85 (2): 389-401.
- Bird, E. G., Goss, J. D. Jr., Denber, H. C. B. Chlorpromazine in the treatment of mental illness: a study of 750 patients. *Am. J. Psychiat.*, 1955, 111: 930.
- Bizzi, B. Sorprendente miglioramento di una psicosi cronica irriducibile in seguito a trattamento con dosi elevate di clorpromazina. [Surprising improvement of an irreducible chronic psychosis following treatment with massive doses of chlorpromazine.] *Arch. psicol. neur., Milano*, 1956, 17: 640-642.
- Bonetti, U., Pedrinoni, L. Il largactil nella cura della schizofrenia. [Largactil in the treatment of schizophrenia.] *Riv. pat. nerv.*, 1955, 76: 815-828.
- Bustamante, M. Internación curativa en neurología y psiquiatría; resultados con el 4,560 (largactil). [Artificial hibernation in neurology and psychiatry; results with 4560 RP (largactil).] *Bol. cult. Cons. gen. col. méd. España*, 1954, 17 (81): 29-42.
- Carillo-Broatch, A. Largactil en el tratamiento de las psicosis traumáticas; resumen. [Largactil in the treatment of traumatic psychoses; a summary.] *Encéphale*, 1956, 45: 1224-1225.

- . Tratamiento de la esquizofrenia crónica. [Treatment of chronic schizophrenia.] [English summary] *Rev. neur. psiquiat., Lima*, 1955, 18: 441-445. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1981.
- Carpitella A., Cirincione, E. L'associazione ganglioplegici e barbiturici in psichiatria. [Association of ganglioplegics and barbiturates in psychiatry.] [English summary] *Rass. stud. psichiat.*, 1954, 43: 919-936.
- Coirault, R., Laborit, H., Missenard, R., Jolivet, B., Hainaut, J., Weber, B. Le delirium tremens. [Delirium tremens.] *Encéphale*, 1956, 45: 762-770.
- Contini M. L'uso del ganglioplegico 4560 R. P. in psichiatria. [Use of the ganglioplegic 4560 RP in psychiatry.] *Rass. stud. psichiat.*, 1954, 43: 1133-1138.
- Delgado, H. Acerca de nuestra experiencia con la clorpromacina. [Our experience with chlorpromazine.] *Encéphale*, 1956, 45: 344-351. *
- Denber, H. C. B., Bird, E. G. Chlorpromazine in the treatment of mental illness. II. Side effects and relapse rates. *Am. J. Psychiat.*, 1955, 112: 465.
- Deschamps, A. Hibernation artificielle en psychiatrie. [Artificial hibernation in psychiatry.] *Presse méd.*, 1952, 60: 944-946.
- . Quelques résultats des cures de sommeil en hospital psychiatrique (à base de chlorpromazine associée à d'autres drogues). [Some results of sleep therapy in a psychiatric hospital (based on chlorpromazine associated with other drugs).] *Encéphale*, 1956, 45: 412-415.
- , Cadoret, M. Cures de sommeil prolongé en pratique médico-psychiatrique par la méthode dite d'hibernation. [Prolonged sleep therapies by the so-called hibernation method in medicine and psychiatry.] *Presse méd.*, 1953, 61: 878-880.
- Engelmeier, M. P. Methoden kombinierter lytischer Therapie. [Methods of combined lytic therapies.] *Encéphale*, 1956, 45: 451-468.
- . Die Methodik der psychiatrischen Behandlung mit lytischen Substanzen. [Methods of psychiatric therapy with lytic substances.] *Nervenarzt*, 1956, 27: 64-69. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1551.
- Fau, R., Chateau, R., Dusserre. Traitement des psychoses aiguës et subaiguës par les neuroleptiques. [Treatment of acute and subacute psychoses with neuroleptic drugs.] [Abstract] *J. méd. Lyon*, 1954, 35: 948.
- Fiore, C. Risultati terapeutici dell'associazione neuroganglioplegici-barbiturici ed elettroshock in alcune malattie mentali. [Therapeutic results of combined neuroganglioplegics, barbiturates and electroshock in some mental diseases.] *Rass. neuropsichiat.*, 1955, 9: 85-98.
- Flügel, F. Erfahrungen mit Megaphen in der psychiatrischen und neurologischen Klinik. [Experiences with chlorpromazine in the psychiatric and neurological clinic.] *Arch. klin. Chir.*, 1954, 279: 767-772.
- Follin, S. Discussion to: Delay, J., Deniker, P., Harl, J. M. *Ann. méd. psychol., Par.*, 1952, 110 (2): 126-127.
- , Soubrier, P. Récidives de l'onirisme sous l'action de la chlorpromazine. [Recurrent oneirism during treatment with chlorpromazine.] *Ann. méd. psychol., Par.*, 1954, 112 (2): 218-222. *
- , —. Sur l'utilisation d'une substance neuroleptique dans un service de psychiatrie. [The use of a neuroleptic drug in a psychiatric hospital service.] [Abstract] *Ann. méd. psychol., Par.*, 1953, 111 (2): 403.
- Galenko, V. E., Osberg, I. IU., Azbukina, V. D. Aminazin v psikiatricheskoi klinike. [Aminazine in psychiatric practice.] *Zh. neuropat. psichiat., Moskva*, 1956, 56: 162-165.
- Gouttebroze, V. Une année d'expérience de traitement du délirium tremens; 61 cas recueillis dans le service de neuro-psychiatrie d l'Hôpital Bellevue, St. Étienne. [Treatment of delirium tremens; one year's experience in 61 cases from the neuropsychiatric service

- of the Hôpital Bellevue, St. Étienne.] 85 p. Lyon, 1955. [Thesis—Lyon, 1954/1955, no. 94]
- Hamon, Paraire, Velluz. Remarques sur l'action du 4560 R. P. sur l'agitation maniaque. [Effect of R. P. 4560 on manic agitation.] *Ann. méd. psychol., Par.*, 1952, 110 (1) : 331-335.
- Hiob, J. Klinische Erfahrungen bei der Behandlung von Psychosen mit Megaphen. [Clinical experiences in megaphen therapy of psychoses.] *Aerzt. Wschr.*, 1954, 9 : 919-924.
- Knittel, W., Lange, E. Moderne medikamentöse Behandlung der Schlafstörungen. [Modern medicamentous treatment of sleep disorders.] *Psychiat. Neur. med. Psychol., Lpz.*, 1955, 7 : 112-117.
- Laborit, H. Climatization au lit du malade par réfrigérateur à air. [Climatization by an air conditioner at the patient's bedside.] *Presse méd.*, 1957, 65 : 1240.
- , Coirault, R., Damasio, R., Gaujard, R., Laborit, G., Charonnat, R., Lechat, P., Chareton, J. Sur un type nouveau d'anesthésie chirurgicale et sur l'emploi en thérapeutique d'un dépressur du cortex cérébral (S. C. T. Z.). [A new type of surgical anesthesia and the therapeutic use of a cerebral cortex depressant (S. C. T. Z.).] [thiamine hydrochloride] *Presse méd.*, 1957, 65 : 1051-1054.
- Lacroix-Herpin, M. P. de Cure de sommeil dans les hallucinations. [Sleep therapy in hallucinations.] 60 p. Paris, 1954. [Thesis—Paris, 1954, no. 248]
- Lafon, R., Duc, N., Ribstein, M., Pages, H. Le traitement des syndromes schizophréniques par la 4560 R. P. (chlorpromazine). [Treatment of schizophrenic syndromes with chlorpromazine.] *Montpellier méd.*, 1954, 46 : 284-291. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 3642.
- Laroche, C., Bonnet de la Tour. Traitement du delirium tremens par les perfusions intraveineuses d'ACTH associées à de faibles doses de chlorpromazine et de prométhazine. [Treatment of delirium tremens by intravenous perfusions of ACTH associated with small doses of chlorpromazine and promethazine.] [English summary] *Thérapie, Par.*, 1956, 11 : 711-714.
- Letailleur, M., Morin, J., Demay, J., Monnerie, R. La chlorpromazine dans le traitement des délires aigus et subaigus alcooliques. [Chlorpromazine in the treatment of acute and subacute delirium tremens.] *Encéphale*, 1956, 45 : 739-743.
- , Monnerie, R., Demay, J. Traitement d'attaque du delirium tremens par la synergie of chlorpromazine (4560 R. P.) meububarbital. [Treatment of delirium tremens by chlorpromazine (4560 RP) and meububarbital synergism.] *Ann. méd. psychol., Par.*, 1954, 112(2) : 76-80.
- Lieser, H. Über die synergistische Megaphen-Krampf-behandlung. [Synergistic combination of megaphen with shock therapy.] *Nervenarzt*, 1956, 27 : 69-72.
- Lundquist, G., Leche, H. G. Några erfarenheter av lergiganbehandling vid psykoser. [Experiences with lergigan therapy of psychoses.] *Sven. lak. tidn.*, 1954, 51 : 1402-1412. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 1793.
- Maroncelli, P. Trattamento di alcune psicosi con tecnica derivata dall'ibernazione artificiale. [Treatment of various psychoses with a technique derived from artificial hibernation.] [English summary] *Gior. psichiat.*, 1953, 81 : 223-244. Abstract: *Riv. neur., Nap.*, 1953, 23 : 828-829.
- Martin, P., Vidal, G., Portal, H. Cures de sommeil et 4560 R. P. chez les psychopathes dans les conditions habituelles de l'hôpital psychiatrique. [Sleep therapy and 4560 RP for mental disorders under ordinary psychiatric hospital conditions.] *Vie méd., Par.*, 1954, 35 : 807-810.
- Massenti, C. Considerazioni pratiche sulla condotta della terapia neuroplegica. [Treatment with neuroplegic drugs; practical considerations.] *Riv. sper. freniat.*, 1955, 79 : 699-705.
- Matarazzo, A. Sul sonno prolungato e su l'uso dei ganglioplegici in terapia psichiatrica; risultati ottenuti in alcuni malati di mente trattati con la "clorpromazina" (largactil o 4560 R. P.). [Prolonged sleep and the use of ganglioplegic drugs in psychiatric therapy; results obtained with "chlorpromazine" (largactil or 4560 RP) in the treatment of mental patients.] *Pisani*, 1954, 68 : 599-622. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 3100.
- Mendes, F., Galvão, P. Expêriencia clínica com a clorpromazina (4560 R. P.) em psicoses. [Clinical experience with chlorpromazine (4560 R. P.) in psychoses.] [English summary] *J. méd., Porto*, 1955, 26 : 149-156.
- Meyer, H. H. Die Behandlung exogener Psychosen mit Phenothiazinderivaten. [The treatment of exogenous psychoses with phenothiazine derivatives.] *Encéphale*, 1956, 45 : 524-527.
- , Die moderne Behandlung psychiatrischer Erkrankungen. [Modern treatment of psychiatric diseases.] *Med. Klin., Berl.*, 1956, 51 : 1429-1432.
- , Die Therapie der endogenen Psychosen. [Therapy of endogenous psychoses.] *Deut. med. Wschr.*, 1957, 82 : 76-80.
- , Die Winterschlafbehandlung in der Psychiatrie und Neurologie. [Hibernotherapy in psychiatry and neurology.] *Deut. med. Wschr.*, 1953, 78 : 1097-1100.
- Osterman, E., Lassenius, B. Lytsk cocktail inom psykiatrien; behandling av delirium acutum (délire aigu) och förlängt insulincoma. [Lytic cocktail in psychiatry; treatment of delirium acutum (acute delirium) and prolonged insulin coma.] [French summary] *Nord. med.*, 1955, 53 : 722-726. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 3079.
- Perret, A., Becker, J., Lacoste, G. Traitements psychiatriques par le 4560 R. P. [Psychiatric treatments with 4560 RP.] *Vie méd., Par.*, 1953, 34 : 463-464.
- Perrin, J., Toulet, M. Utilisation de la chlorpromazine dans le traitement des psychoses chroniques. [Use of chlorpromazine in the treatment of chronic psychoses.] *Encéphale*, 1956, 45 : 1210-1218.
- Pommé, B., Planché, R., Gibert, J. La chlorpromazine dans le traitement des délires aigus alcooliques. [Chlorpromazine in the treatment of acute alcoholic delirium.] *Encéphale*, 1956, 45 : 744-753.
- Racamier, P. C., Baudrand, C. Les cures prolongées et continues de chlorpromazine à l'hôpital psychiatrique. Prolonged and continued therapy with chlorpromazine in the psychiatric hospital. [Abstract] *Ann. méd. psychol., Par.*, 1954, 112(2) : 449-450.
- Ravina, A., Pestel, M., Albouy, R. Alcoolisme aigu et delirium tremens en milieu hospitalier parisien. Considérations cliniques et thérapeutiques à propos de 40 cas récents. [Acute alcoholism and delirium tremens in a Paris hospital setting. Clinical and therapeutic considerations regarding 40 recent cases.] *Bull. Soc. méd. hôp. Paris*, 1955, 71 : 698-703.
- Riser, M., Laboucarie, J., Barrès, P. Hibernation dans les psychoses hyperthermiques. [Hibernation in hyperthermic psychoses.] *Ann. méd. psychol., Par.*, 1953, 111(2) : 207-212.
- , Géraud, J., Laboucarie, J., Rascol, A., Clausse, S., Garrigues, M. P. Considérations étiologiques et thérapeutiques sur les delirium tremens; à propos de 75 cas. [Etiologic and therapeutic considerations of delirium tremens; 75 cases.] *Rev. neur., Par.*, 1956, 94 : 662-667.
- Rives, Ménager, V. Neuroplégie et delirium tremens. [Neuroplegic therapy and delirium tremens.] *Anesthésie, Par.*, 1953, 10 : 450-453.
- Rizzo, E. M. Sull'azione del largactil associato ai barbiturici in malati di mente. [The effect of largactil

- combined with barbiturates on mental patients.] *Riv. neur., Nap.*, 1953, 23: 824-828.
- Royer, P., Beis, M., Burner, M. Essai de traitement d'un délire chronique par cure de sommeil. [Sleep therapy of a patient in chronic delirium.] *Rev. méd. Nancy*, 1954, 79: 600-607. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 4920.
- Ruyer, M. Hibernation dans les confusion alcooliques aiguës. [Hibernation in acute alcoholic confusions.] 82 p. [Mimeographed] Strasbourg, 1954. [Thesis—Strasbourg, 1954, no. 74]
- Sagripanti, P. Leucotomia e ipnoterapia in un caso di psicosi ossessiva. [Leukotomy and sleep therapy in an obsessive psychotic patient.] *Minerva med., Tor.*, 1953, 44: 259-260. [Not seen]
- Sarro, R. Récents développements de la thérapeutique narcobiotique. [Recent developments in narcobiotic therapy.] *Encéphale*, 1956, 45: 501-510.
- Scherrer, P., Leclerc, J., Bize, N. Un cas d'encéphalite psychosique azotémique guéri par hibernation chez une césariée. [A case of uremic psychotic encephalitis after cesarean section cured by artificial hibernation.] *Ann. méd. psychol., Par.*, 1953, 111(1): 519-523.
- Segerath, F. Über Erfahrungen mit der Megaphenbehandlung in der Psychiatrie. [Experience with megaphen treatment in psychiatry.] *Münch. med. Wschr.*, 1954, 96: 260-261.
- Simonetti, L. I neuroplegici nel trattamento delle psicosi confusionali acute. [Neuroplegic drugs in the treatment of acute confusional psychoses.] [English summary] *Neuropsychiatria*, 1954, 10: 265-275. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3640.
- Sivodon, P., Koechlin, P., Markich, H. Trois observations de cure de sommeil à l'aide du 4560 R. P. [Three cases of sleep therapy with 4560 RP.] *Ann. méd. psychol., Par.*, 1953, 111(1): 204-207.
- Tonini, G., Bizzi, B. La terapia del sonno come ausilio nella comprensione della fisiopatologia dell'attività nervosa superiore nell'uomo. I. La terapia del sonno: basi teoriche; tecnica; risultati. [Sleep therapy as an aid in comprehension of the physiopathology of activity of the higher nervous system in humans. I. Sleep therapy: theoretical bases; technique; results.] [English summary] *Rass. stud. psichiat.*, 1954, 43: 780-803.
- Vurdelja, N., Jelesic, G. Psychosenbehandlung mit Hibernation nach Laborit. [Psychoses treated by Laborit's hibernation method.] *Wien. Arch. Psychol.*, 1955, 5: 193-197. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1982.
- Walther-Büel, H. Zur klinischen Therapie der endogenen Psychosen. [On clinical therapy of endogenic psychoses.] *Nervenarzt*, 1954, 25: 191-194.
- Therapeutic use—Psychosomatic diseases
- Antonelli, F. Applicazione della clorpromazina nella pratica reumatologica, con particolare riferimento alla nevrosi reumatica. [Application of chlorpromazine in rheumatology, with special reference to rheumatic neuritis.] *Arch. psicol. neur., Milano*, 1956, 17: 558-561.
- Bartsch, W., Sperling, E. Schmerzbehandlung mit Phenothiazinderivaten (Megaphen und Atosil). [Phenothiazine derivatives (megaphen and atosil) in therapy of pain.] *Nervenarzt*, 1956, 27: 458-463.
- Brogli, M., Jörgensen, G., Voss, G. Über die neuroganglioplegische Behandlung innerer Krankheiten mit Phenothiazinderivaten unter besonderer Berücksichtigung des Asthma bronchiale. [Neuro-ganglioplegic therapy with phenothiazine derivatives in internal diseases, particularly bronchial asthma.] *Aerzt. Wschr.*, 1953, 8: 1148-1152.
- Buisson, J. E. Thérapeutiques de sommeil en psychiatrie et en médecine psychosomatique. [Sleep therapy in psychiatry and in psychosomatic medicine.] *Sem. hôp. Paris*, 1954, 30: 155-158.
- Crémieux, A. Traitement de l'anxiété. [Treatment of anxiety.] *Marseille méd.*, 1956, 93: 327-331.
- Delay, J., Deniker, P., Tardieu, Y. Hibernothérapie et cure de sommeil en thérapeutique psychiatrique et psycho-somatique. [Hibernotherapy and sleep therapy in psychiatry and psychosomatic medicine.] *Presse méd.*, 1953, 61: 1165-1166.
- , —, —. Résultats de l'hibernothérapie dans trois affections psychosomatiques. [Results of hibernotherapy in three psychosomatic diseases.] *Ann. méd. psychol., Par.*, 1953, 111(2): 224-227.
- Fabris, F. À propos du traitement de la douleur des cancéreux. [Contribution to the treatment of pain in cancer patients.] *Presse méd.*, 1955, 63: 727.
- Flügel, F. Erfahrungen mit Megaphen in der psychiatrischen und neurologischen Klinik. [Experiences with chlorpromazine in the psychiatric and neurological clinic.] *Arch. klin. Chir.*, 1954, 279: 767-772.
- Furtado, D. Chlorpromazine dans les dépressions des hypertendus. [Chlorpromazine therapy of depressions in hypertensive patients.] *Encéphale*, 1956, 45: 572-575.
- Guilly, P. Formes cliniques et traitement de l'insomnie. [Clinical forms and treatment of insomnia.] *Rev. prat., Par.*, 1954, 4: 1571-1581.
- Heimendinger, E., Klotz, G., Champy, M. Essais de cure de sommeil dans quelques affections oto-rhino-laryngologiques. [Trial sleep therapy in various otorhinolaryngological diseases.] *Rev. otoneur., Par.*, 1956, 28: 138-143.
- Kleinsorge, H., Rösner, K. Schlaftherapie mit Phenothiazinderivaten. [Sleep therapy with phenothiazine derivatives.] *Ther. Gegenwart*, 1956, 95: 441-446. *
- Klose, G., Siemon, G. Hinweis auf die Möglichkeit einer Dauerschlafbehandlung der Tuberkulose mit Megaphen und Atosil. [Suggestion of the possibility to use prolonged sleep therapy with megaphen and atosil in tuberculosis.] *Beit. Klin. Tuberk.*, 1955, 113: 424-431. *
- Korting, G. W., Borelli, S., Kimmig, J. Welche Bedeutung besitzen die Phenothiazine für die Behandlung von Hautkrankheiten? [Of what significance are phenothiazines in the treatment of skin diseases?] *Derm. Wschr.*, 1956, 134: 1245-1252.
- Linke, H. Erfahrungen in der Behandlung akuter und chronischer Schmerzzustände mit den Phenothiazin-körpern Megaphen und Atosil. [Experiences in the treatment of acute and chronic pain states with the phenothiazine derivatives megaphen and atosil.] [English summary] *Münch. med. Wschr.*, 1955, 97: 1689-1692.
- , —. Über die Wirkung des Phenothiazin-Heilschlafs schlafs bei schweren vegetativ thalamischen Schmerzzuständen. [Effects of phenothiazine induced therapeutic sleep in severe pain of autonomic and thalamic origin.] *Aerzt. Wschr.*, 1956, 11: 815-819.
- Rossini, R., Dazzi, P. Sindromi psichiche nel morbo di Basedow e tiroidectomia; efficacia terapeutica della cura del sonno. [Psychic syndromes in Basedow's disease and thyroidectomy; effectiveness of sleep therapy.] *Gior. clin. med.*, 1953, 34: 1018-1028. Abstract: *Riv. neur., Nap.*, 1954, 24: 305.
- Salomone, F. P., Peria, G., Rodolico, G., Caciola, R. Le medicazioni neuroplegiche nelle terapia del dolore. [Neuroplegics in therapy of pain.] *Minerva chir., Tor.*, 1955, 10: 296.
- Sercl, M., Bartousek, V., Jachova, D. Expériences cliniques sur la neuroplégie et l'hibernation dans les affections du système nerveux. [Clinical experiences with neuroplegia and hibernation in diseases of the nervous system.] *Gaz. méd. France*, 1956, 63: 1981-1982; 1984; 1987-1988.
- Sollgruber, A. Erfahrungen über die Phenothiazin-Schlaftherapie in der internen Medizin. [Experiences with phenothiazine sleep therapy in internal medicine.] *Wien. med. Wschr.*, 1955, 105: 807-808.

Wallis, R. Potentiation of hypnotics and analgesics; clinical experience with chlorpromazine. *N. York State J. M.*, 1955, 55: 243-245.

—**Untoward effects** [see headnote p. 19]

see also **CHLORPROMAZINE—Untoward effects**

Baruk, H. La catatonie expérimentale par la chlorpromazine; la posologie et la méthode d'administration la plus efficace en thérapeutique psychiatrique. [Experimental catatonia produced with chlorpromazine; the dosage and most effective method of chlorpromazine therapy in psychiatry.] *Encéphale*, 1956, 45: 474-476.

—. Quelques précisions sur la thérapeutique par le sommeil en psychiatrie; sommeil et narcose; danger des facteurs toxiques. [Notes on sleep therapy in psychiatry; sleep and narcosis; danger of toxic factors.] *Ann. méd. psychol., Par.*, 1953, 111 (2): 523-525.

—. Les thérapeutiques psychiatriques. [Psychiatric therapies.] 123 p. Paris, Presses universitaires de France [Que sais-je? Le point des connaissances actuelles (691)] 1955. Les thérapeutiques physiologiques sédatives; cures de sommeil; chlorpromazine. [Physiological sedative therapies; sleep therapy; chlorpromazine.] p. 109-116.

—, Launay, J., Berges, J. Physiologie psychiatrique expérimentale de la chlorpromazine chez les animaux et ses applications thérapeutiques chez l'homme. [Experimental psychopharmacology of chlorpromazine in animals and its therapeutic applications in man.] *Encéphale*, 1956, 45: 1258-1263. * *

Belot, P., Decourt, P. Effet du N68 sur des perturbations psychiques d'origine instinctive chez des chiens. [The effect of N-68 on psycho-sexual disorders of dogs.] *Ann. méd. psychol., Par.*, 1956, 114 (2): 112-116.

Charatan, F. B. An evaluation of chlorpromazine ("largactil") in psychiatry. *J. Ment. Sc., Lond.*, 1954, 100: 882-893. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3639. * *

Gutenkauf, C. Internal medicine. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 59-64.

Neuwirtová, R., Zwetschke, O., Zahradka, L. Pokus o sebevraždu largactilem a barbiturany. [Attempted suicide with largactil and barbiturates.] [English summary] *Cas. lek. cesk.*, 1956, 95: 1361-1364.

Ratschow, M. Der Heilschlaf mit Phenothiazin-Derivaten (Atosil und Megaphen). [Therapeutic sleep with phenothiazine derivatives (atosil and megaphen)] *Medizinische*, 1953: 1351-1354.

—**with Intermittent Photic Stimulation**

see under **CHLORPROMAZINE with INTERMITTENT PHOTIC STIMULATION**
Studies, patients

—**with Psychosurgery—Combined**

see **CHLORPROMAZINE with PSYCHOSURGERY**
[SAGRIPANTI]

—**with Shock therapy [ECT]—Combined**

for shock therapies with chlorpromazine alone

see **CHLORPROMAZINE with SHOCK THERAPIES**
with SHOCK THERAPY [ECT]
with SHOCK THERAPY [ICT]

Abély, P., Abdouchelli, A., Fourment, J., Schmitz, B., Delteil, P. Suite aux essais thérapeutiques de rééquilibration instinctive-affective; essai de traitement par la bromure tétra-éthyl d'ammonium en comparaison avec le R. P. 45-60 et le C. 92-95. [Further therapeutic studies on the restoration of instinctive-affective balance; therapeutic trials with tetraethylammonium bromide in comparison with R. P. 45-60 and with C. 92-95.] *Ann. méd. psychol., Par.*, 1952, 110(2): 262-267.

Bobon, J. Chlorpromazine et cure de sommeil. [Chlor-

promazine and sleep therapy.] *Encéphale*, 1956, 45: 421-427.

Carpitella, A., Cirincione, E. L'associazione ganglioplegici e barbiturici in psichiatria. [Association of ganglioplegics and barbiturates in psychiatry.] [English summary] *Rass. stud. psichiat.*, 1954, 43: 919-936.

Fiore, C. Risultati terapeutici dell'associazione neuroganglioplegici-barbiturici ed elettrochock in alcune malattie mentali. [Therapeutic results of combined neuroganglioplegics, barbiturates and electroshock in some mental diseases.] *Rass. neuropsichiat.*, 1955, 9: 85-98.

Furtado, D. Chlorpromazine dans les dépressions des hypertendus. [Chlorpromazine therapy of depressions in hypertensive patients] [ECT] *Encéphale*, 1956, 45: 572-575.

Gherarducci, D. A propos de l'utilisation de la chlorpromazine associée à d'autres thérapeutiques psychiatriques. [Utilization of chlorpromazine associated with other psychiatric therapeutics.] *Encéphale*, 1956, 45: 1187-1189.

Kalinowsky, L. B. The danger of various types of medication during electric convulsive therapy. *Am. J. Psychiat.*, 1956, 112: 745. * *

Lafon, R., Duc, N., Abric, J., Pouget, R., Comelade, P. Etude comparative du 4.560 R. P. (chlorpromazine) et de la réserpine dans les syndromes schizophréniques. [Comparative study of R. P. 4560 (chlorpromazine) and reserpine in schizophrenic syndromes.] *Encéphale*, 1956, 45: 668-671. [also metrazol shock]

Librando, L., Paretto, E. Considerazioni su un biennio di esperienza in terapia ganglioplegica, in psichiatria. [Two years of ganglioplegic therapy in psychiatry.] [ECT] *Riv. sper. freniat.*, 1955, 79: 696-699.

Lieser, H. Lässt sich die auftretende Angst vor einer Schockbehandlung beeinflussen? [Can one control fear of shock therapy?] *Deut. med. Wschr.*, 1956, 81: 1503-1504.

—. Über die synergistische Megaphen-Krampfbehandlung. [Synergistic combination of megaphen with shock therapy.] *Nervenarzt*, 1956, 27: 69-72.

Marck, H. La cure de sommeil; étude de 103 cas. [Sleep therapy: a study of 103 cases.] 79 p. Paris, 1953. [Thesis—Paris, 1953, no. 579]

Pauly, R. Remarques à propos d'une statistique personnelle sur les avantages, les limites et les accidents de l'hibernothérapie à la chlorpromazine. [Comments on personal experiences with chlorpromazine hibernotherapy, its advantages, limitations and accidents.] [ECT] *J. méd. Bordeaux*, 1954, 131: 235-244. * *

Sal y Rosas, F., Jeri, R., Sánchez, J. La chlorpromazine chez les malades mentaux péruviens. [Chlorpromazine therapy of mental patients in Peru.] *Encéphale*, 1956, 45: 599-604.

—, —, —. Chlorpromazine in neuropsychiatry. *J. Am. M. Ass.*, 1954, 156: 558.

Wachsmuth, R. Phenothiazinderivate (Megaphen) in der Psychiatrie. [Phenothiazine derivatives (megaphen) in psychiatry.] *Medizinische*, 1955: 328-329.

—**with Shock therapy [ICT]—Combined**

Adam, H., Golse, J. Coma insulinique et coma par hibernation. [Insulin coma and coma by hibernation.] *Encéphale*, 1956, 45: 471-473.

—**with Shock therapy [ICT]—Compared**

see also preceding reference

Azima, H. Prolonged sleep treatment in mental disorders; some new psychopharmacological considerations. [Chlorpromazine + barbiturates] *J. Ment. Sc., Lond.*, 1955, 101: 593-603.

with **ATARAXICS** [2 or more]

see **ATARAXICS—Various** [3 or more]

with AZACYCLONOL

see AZACYCLONOL—Psychotherapeutic use
AZACYCLONOL with CHLORPROMAZINE

with CB-1522—COMPARED see CB-1522

with Chlorpromazine as potentiator—Compared
with Chlorpromazine cocktail—Compared

see CHLORPROMAZINE—Various special techniques
—Compared with Chlorpromazine alone

with CETIPROMAN—COMPARED

see under CHLORPROMAZINE with PROMETHA-
ZINE—COMPARED—Studies, animals

with COVATIN—COMBINED

Pharmacodynamics

Decourt, P. Mécanisme d'action de la thérapeutique
narcobiotique en général, et de la chlorpromazine en par-
ticulier, en psychiatrie. [Mechanism of action of nar-
cotic psychiatric therapy in general, and of chlor-
promazine in particular.] *Encéphale*, 1956, 45 : 932-944.

Therapeutic use

—Neuroses

Arnold, O. H. Erfahrungsbericht über das Tagessedati-
vum Covatin. [Experiences with the day-time seda-
tive covatin.] *Wien. med. Wschr.*, 1956, 106 : 510-512.

—Psychoses

Fouks, Laine, François, Pagot. La correction des effets
secondaires des médicaments dits neuroleptiques. [Cor-
rection of the secondary effects of so-called neuroleptic
drugs.] *Ann. méd. psychol., Par.*, 1956, 114(1) : 615-
620.

Mielke, F. A. Methods employed and results obtained
in psychiatric studies with new drugs acting on the
brain stem. *Am. J. Psychiat.*, 1957, 114 : 134-139.

Sarro, R. Récents développements de la thérapeutique
narcobiotique. [Recent developments in narcotic
therapy.] *Encéphale*, 1956, 45 : 501-510.

Werenberg, H. Covatinbehandling af psykoser og neu-
roses. [Covatin therapy of psychoses and neuroses.]
Ugeskr. læger, 1956, 118 : 1099-1100.

with COVATIN—COMPARED

Belot, P., Decourt, P. Effet du N68 sur des perturba-
tions psychiques d'origine instinctive chez des chiens.
[The effect of N-68 on psycho-sexual disorders of dogs.]
Ann. méd. psychol., Par., 1956, 114(2) : 112-116.

Decourt, P. Mécanisme d'action de la thérapeutique
narcobiotique en général, et de la chlorpromazine en
particulier, en psychiatrie. [Mechanism of action of
narcotic psychiatric therapy in general, and of chlor-
promazine in particular.] *Encéphale*, 1956, 45 : 932-
944.

Leyritz, Le Bézu, Azoulay. État dépressif avec obses-
sion résistant au largactil ; guérison rapide par la cova-
tine (N68) ; résultats moins heureux dans quinze cas dif-
férents. [Depressive state with obsession resistant to
chlorpromazine therapy ; rapid recovery with covatin ;
less beneficial results in fifteen other patients.] *Ann.
méd. psychol., Par.*, 1956, 114(2) : 856-861.

with HYDROXYZINE—COMBINED

Fouks, Laine, François, Pagot. La correction des effets
secondaires des médicaments dits neuroleptiques.
[Correction of the secondary effects of so-called neuro-
leptic drugs.] *Ann. méd. psychol., Par.*, 1956, 114(1) :
615-620.

Laboucarié, J., Barrès, P., Rascol, A. Aspects principaux
des cures neuroplégiques en psychiatrie en 1956. [Prin-
cipal features of neuroplegic therapy in psychiatry in
1956.] *Toulouse méd.*, 1956, 57 : 851-867.

with HYDROXYZINE—COMPARED

Farah, L. Preliminary study on the use of hydroxyzine
in psychosomatic affections. *Internat. Rec. M.*, 1956,
169 : 379-389. Abstract: *Excerpta med.*, Sect. 8, 1957,
10 : No. 845.

Robinson, H. M., Jr., Robinson, C. V., Strahan, J. F.
Hydroxyzine (atarax) hydrochloride in dermatological
therapy. *J. Am. M. Ass.*, 1956, 161 : 604-606.

with LYSERGIC ACID DIETHYLAMIDE

see LYSERGIC ACID DIETHYLAMIDE with CHLOR-
PROMAZINE

with LYSERGIC ACID DIETHYLAMIDE, BROMI-
NATED

see LYSERGIC ACID DIETHYLAMIDE, BROMI-
NATED with CHLORPROMAZINE

with LYSERGIC ACID ETHYLAMIDE—COMPARED—
Therapeutic use

see LYSERGIC ACID ETHYLAMIDE—Therapeutic
use

with MEPAZINE—COMBINED

Bouchard, M., Larue, G. H., Turmel, J. Le frenquel
en psychiatrie ; rapport préliminaire. [Frenquel in
psychiatry ; preliminary report.] *Laval méd.*, 1956, 21 :
765-776.

Bowes, H. A. The ataractic drugs ; the present posi-
tion of chlorpromazine, frenquel, pacatal, and reserpine
in the psychiatric hospital. *Am. J. Psychiat.*, 1956, 113 :
530-539.

Braun, M. Pacatal. *Am. J. Psychiat.*, 1957, 113 : 838-
839.

—. Treatment of psychoses with a combination of
pacatal and thorazine. *Am. J. Psychiat.*, 1957, 114 :
460.

Bruckman, N., Kitchener, M., Saunders, J. C., Kline,
N. S. Mepazine (pacatal)—further report. *Am. J.
Psychiat.*, 1957, 114 : 262-263.

Feldman, P. E. Two-year fate study of thorazine-
treated patients. *Am. J. Psychiat.*, 1957, 114 : 237-240.

Friese, K. H. Vorläufige Erfahrungen bei der Behand-
lung psychiatrischer Kranker mit Phenothiazinen.
[Experiences with phenothiazine therapy in psychiatry.]
Medizinische, 1956 : 734-735.

Hiob, J., Hippis, H. Über die Behandlung von Psy-
chosen mit dem Phenothiazinderivat Pacatal. [The
treatment of psychoses with the phenothiazine deriva-
tive pacatal.] *Med. Klin., Berl.*, 1955, 50 : 1746-1748.
Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1544.

Patton, G. O., Garneau, J. The ataractic drugs in dis-
turbed secluded psychiatric patients. *Canad. Serv. M.
J.*, 1957, 13 : 127-133.

Simpson, R. W. The effects of pacatal on chronic
mental illness. *J. Ment. Sc., Lond.*, 1957, 103 : 610-613.

with MEPAZINE—COMPARED

Studies, animals

Nieschulz, O., Pependiker, K., Hoffmann, I. Weitere
pharmakologische Untersuchungen über N-Methyl-
piperidyl-(3)-methyl-phenothiazin. [Further pharma-
cological studies of N-methyl-piperidyl-(3)-methyl-
phenothiazine] [English summary] *Arzneimitt.
Forsch.*, 1955, 5 : 680-695.

Therapeutic studies, controlled—Psychoses

Leiberman, D. M., Vaughan, G. F. The use of some
new pharmacological agents in psychiatry. *J. Ment.
Sc., Lond.*, 1957, 103 : 110-118.

Lomas, J. Treatment of schizophrenia ; "pacatal" and
chlorpromazine compared. *Brit. M. J.*, 1957, 2 : 78-80.

Rudy, L. H., Himwich, H. E., Tasher, D. C. Clinical
evaluation of two phenothiazine compounds promazine
and mepazine. *Am. J. Psychiat.*, 1957, 113 : 979-983.

Simpson, R. W. The effects of pacatal on chronic mental illness. *J. Ment. Sc., Lond.*, 1957, 103 : 610-613.

Thorpe, J. G., Baker, A. A. A research method to assess a new tranquilizing drug. *J. Ment. Sc., Lond.*, 1956, 102 : 790-795.

Therapeutic use

MacGregor, J. MacW. Pacatal-a clinical trial of a new ataractic drug. *S. Afr. M. J.*, 1956, 30 : 1108-1111.

Mitchell, P. H., Sykes, P., King, A. Effects of pacatal on symptoms in chronic psychotic in-patients. *Brit. M. J.*, 1957, 1 : 204-207.

Seitz, D. Die Schlafbehandlung mit Phenothiazinen in der Neurologie. [Sleep therapy with phenothiazines in neurology.] *Nervenarzt*, 1956, 27 : 19-23.

with MEPHENESIN-COMBINED

Psychotherapeutic use

Berger, H. Management of neuroses by the internist and general practitioner. *N. York State J. M.*, 1956, 56 : 1788-1788.

with MEPHENESIN-COMPARED

Mitchell, E. H. Chlorpromazine in the treatment of acute alcoholism. *Am. J. M. Sc.*, 1955, 229 : 363-367. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 884. *Q. J. Alcohol*, 1955, 16 : 589-590.

Sainz, A. A. The treatment of drug and alcohol withdrawal effects with thorazine. *Psychiat. Q.*, 1957, 31 : 275-284.

with MEPROBAMATE-COMBINED

Barsa, J. A., Kline, N. S. Use of meprobamate in the treatment of psychotic patients. *Am. J. Psychiat.*, 1956, 112 : 1023.

Borrus, J. C. Meprobamate in psychiatric disorders. *Med. Clin. N. America*, 1957, 41 : 327-337.

Fox, V. Treatment of withdrawal symptoms in the management of alcoholism. *J. M. Ass. Georgia*, 1956, 45 : 139-142.

Hormia, A. Meprobamaatista neuropsykiatriassa saatuja hoitokokemuksia. [Meprobamate therapy in neuropsychiatry.] [English summary] *Duodecim, Helsinki*, 1956, 72 : 1019-1024.

Osinski, W. A. Treatment of anxiety states with meprobamate (miltown). *Internat. Rec. M.*, 1956, 169 : 589-595.

with MEPROBAMATE-COMPARED

Therapeutic studies, controlled

Dierkens, J., Reeth, P. C. van. Essais cliniques d'un nouveau psychoplégique: le méprobamate. [Clinical trial of a new psychoplegic drug: meprobamate.] [English summary] *Bruelles méd.*, 1956, 36 : 2335-2340.

Kessler, L. N., Barnard, R. D. A new tranquilizer meprobamate, its use for pain associated with cancer. Preliminary report. *Med. Times, Great Neck*, 1956, 84 : 431-435.

LeVan, P., Wright, E. T. Use of tranquilizers in diseases of the skin; a preliminary report. *California M.*, 1956, 85 : 87-88.

Osinski, W. A. Treatment of anxiety states with meprobamate (miltown). *Internat. Rec. M.*, 1956, 169 : 589-595.

Robinson, H. M., Jr., Robinson, C. V., Strahan, J. F. Hydroxyzine (atarax) hydrochloride in dermatological therapy. *J. Am. M. Ass.*, 1956, 161 : 604-606.

Therapeutic use

Follin, S., Sigg, B., Pivet, S., Girard, C. Essais d'une nouvelle drogue tranquillisante. [Clinical study of a new tranquilizer.] [Meprobamate] *Ann. méd. psychol., Par.*, 1956, 114 (1) : 825-830.

Lemere, F. New tranquilizing drugs. *Northwest M.*, 1955, 54 : 1098-1100.

with MESCALINE

see MESCALINE with CHLORPROMAZINE

with METHOPROMAZINE-COMPARED

see METHOPROMAZINE

with METHYLPHENIDYLACETATE-COMBINED

Therapeutic studies, controlled

Ayd, F. J., Jr. A clinical evaluation of methylphenidylacetate hydrochloride (ritalin). *J. Clin. Exp. Psychopath.*, 1957, 18 : 342-346.

Clark, L. D., Ellsworth, R. B., Barrett, W. W., Thurman, A. C., Holland, W. Studies of the behavioral effects of ritalin. *Dis. Nerv. Syst.*, 1956, 17 : 317-321.

Madi, M. L., Kovitz, B. Experiences with methylphenidylacetate hydrochloride (ritalin) in psychotic patients. *Antibiotic M.*, 1956, 3 : 309-311.

Therapeutic use

Ayd, F. J., Jr. Physiologic and neurologic responses to chlorpromazine: their clinical significance and their management. *Psychiat. Res. Rep., Wash.*, 1956 (4) : 64-70.

with METHYLPHENIDYLACETATE and RESERPINE

see CHLORPROMAZINE with RESERPINE and METHYLPHENIDYLACETATE

with N-OBLIVON-COMPARED

see N-OBLIVON-Studies, animals

with NP-207-COMBINED

see NP-207 with CHLORPROMAZINE-COMBINED

with NP-207-COMPARED

see NP-207

with PERPHENAZINE-COMPARED

see PERPHENAZINE-Studies, animals

Therapeutic studies, controlled

with PIPRADROL-COMBINED

Studies, animals

Rinaldi, F., Himwich, H. E. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122 : 424-432.

Therapeutic use

Antos, R. J. A preliminary report of clinical studies on a new stimulant. *Arizona M.*, 1954, 11 : 397-399.

Ayd, F. J., Jr. Physiologic and neurologic responses to chlorpromazine: their clinical significance and their management. *Psychiat. Res. Rep., Wash.*, 1956 (4) : 64-70.

Begg, W. G. A., Reid, A. A. "Meratran", a new stimulant drug. *Brit. M. J.*, 1956, 1 : 946-949.

Le Guillant. Le syndrome neuroleptique: prévention et traitement. [The neuroleptic syndrome: prevention and treatment.] *Ann. méd. psychol., Par.* 1957, 115(1) : 329-338.

Pennington, V. M. A comparative study of six ataraxics in 1130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33 : 336-339.

with PROCLORPERAZINE-COMPARED

see PROCLORPERAZINE with CHLORPROMAZINE

with PROMAZINE-COMPARED

Therapeutic studies, controlled

Azima, H., Durost, H. Effects of promazine in mental syndromes. *Canad. M. Ass. J.*, 1957, 76 : 442-446.

Barsa, J. A., Kline, N. S. Promazine in chronic schizophrenic patients. *Am. J. Psychiat.*, 1957, 113 : 654.

- Burdine, W. E., Shipley, T. E., Papas, T. A. Studies on the use of promazine in acute and chronic nervous and mental disturbances. *J. M. Ass. Georgia*, 1957, 46: 171-173.
- Lesse, S. An evaluation of promazine hydrochloride in psychiatric practice. *Am. J. Psychiat.*, 1957, 113: 984-987.
- Mitchell, E. H. Treatment of acute alcoholism with promazine (sparine). *J. Am. M. Ass.*, 1956, 161: 44-45. Condensed: *Am. Practitioner*, 1956, 7: 1798-1799. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 359.
- Usdin, G. L. Use of promazine in psychiatric practice; an early study. *J. Louisiana M. Soc.*, 1956, 108: 251-257.

Therapeutic use

- Blackley, R. J. Disappearance of chlorpromazine-induced photosensitivity on substitution of promazine; report on eight cases. *Am. Practitioner*, 1957, 8: 46-47.
- Craddock, W. L. Toxic effects of chlorpromazine; hepatitis and agranulocytosis. *U. S. Armed Forces M. J.*, 1956, 7: 1726-1740.
- Fazekas, J. F., Schultz, J. D., Sullivan, P. D., Shea, J. G. Management of acutely disturbed patients with promazine (sparine). *J. Am. M. Ass.*, 1956, 161: 46-49. Condensed: *Am. Practitioner*, 1956, 7: 1807.
- Lemere, F. Promazine (sparine) in the treatment of psychiatric disorders. *Northwest M.*, 1956, 55: 790-791.
- Martin, D. A. The therapeutic and toxic effects of tranquilizing drugs: medical aspects. *North Carolina M. J.*, 1956, 17: 396-401.
- Rudy, L. H., Himwich, H. E., Tasher, D. C. Clinical evaluation of two phenothiazine compounds promazine and mepazine. *Am. J. Psychiat.*, 1957, 113: 979-983.
- Shea, J. G., Ehrmantraut, W. R., Ticktin, H. E., Sullivan, P. D., Jr., Fazekas, J. F. Use of promazine in the management of medical emergencies. *Mil. M.*, 1956, 119: 221-227. *
- Voegele, G. E., May, R. H. Epileptiform seizures under promazine therapy; occurrence in two cases without history of former seizures. *Am. J. Psychiat.*, 1957, 113: 655-656.

with PROMETHAZINE—COMBINED

see CHLORPROMAZINE—Various special techniques

with PROMETHAZINE—COMPARED

Pharmacodynamics

- Baruk, H., Launay, J., Berges, J. Physiologie psychiatrique experimentale de la chlorpromazine chez les animaux et ses applications thérapeutiques chez l'homme. [Experimental psychopharmacology of chlorpromazine in animals and its therapeutic applications in man.] *Encéphale*, 1956, 45: 1258-1263.

Studies, animals

see also preceding reference.

- Cazzullo, C. L., Guareschi, A. Influenza di un derivato della fenotiazina, largactil, sull'attività elettrica dell'encefalo del cane. [Effect of a phenothiazine derivative largactil, on the electric activity of the brain, in dogs.] [English summary] *Riv. neur., Nap.*, 1954, 24: 602-632. Abstract: *Chem. Abstr.*, 1956, 50: 8068b. *Excerpta med.*, Sect. 8, 1955, 8: No. 3097.
- Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 25-37.
- . Sur les propriétés pharmacodynamiques de la chlorpromazine en rapport avec son emploi en psychiatrie. [Pharmacodynamic basis for the use of chlorpromazine in psychiatry.] *Encéphale*, 1956, 45: 1248-1257.
- Guareschi, A., Cazzullo, C. L. Sull'azione centrale del fargan: analisi sintomatologica ed elettroencefalografica. [The central action of fargan: symptomatic

- and electroencephalographic analysis.] [English summary] *Acta neur., Nap.*, 1954, 9: 274-293.
- Nieschulz, O., Popendiker, K., Hoffmann, I. Weitere pharmakologische Untersuchungen über N-Methyl-piperidyl-(3)-methyl-phenothiazin. [Further pharmacological studies of N-methyl-piperidyl-(3)-methyl-phenothiazine] [English summary] *Arzneimitt. Forsch.*, 1955, 5: 680-695.
- Schmiterlöv, C. G., Hedqvist, H. Cetiproman, ett nytt preparat för psykiatriskt bruk. [Cetiproman, a new preparation for psychiatric use.] *Sven. läk. tidn.*, 1955, 52: 2318-2326.

Therapeutic studies, controlled

- Samuels, A. S. Phenergan in treatment of psychiatric patients. *Dis. Nerv. Syst.*, 1957, 18: 183-188.

Therapeutic use

- Erwin, H. J. Clinical observations on the use of promethazine hydrochloride in psychiatric disorders. *Am. J. Psychiat.*, 1957, 113: 783-787.
- Rigal. Traitement de la manie et des états d'hyperthymie par le 3277 R. P. (phénergan). [Phenergan therapy of mania and of hyperthymic conditions.] *J. méd. Bordeaux*, 1952, 129: 899-901.
- Shea, J. G., Ehrmantraut, W. R., Ticktin, H. E., Sullivan, P. D., Jr., Fazekas, J. F. Use of promazine in the management of medical emergencies. *Mil. M.*, 1956, 119: 221-227.

with PROMETHAZINE and OTHER DRUGS—COMBINED [=lytic cocktail]

see CHLORPROMAZINE—Various special techniques

with RP-4909—COMPARED see RP-4909

with RP-6549—COMPARED see RP-6549

with RP-7044—COMPARED

see RP-7044—Studies, animals and Therapeutic use

with RAUWOLFIA SERPENTINA ALKALOIDS—COMBINED

Therapeutic studies, controlled

- Eiber, H. B. Chlorpromazine-Rauwolfia serpentina combination in the treatment of essential hypertension: preliminary report. *J. Am. M. Ass.*, 1955, 158: 730-731.
- . Chlorpromazine (thorazine)-Rauwolfia combination in neuropsychiatry; preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 36-39. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1218.

Therapeutic use

- Sprawls, J. B. Drugs for a changing world. *Am. J. Pharm.*, 1955, 127: 42-52.
- Telatin, L. La Rauwolfia in neuropsychiatria. [Rauwolfia in neuropsychiatry.] *Arch. psicol. neur., Milano*, 1956, 17: 411-413.

with RAUWOLFIA SERPENTINA ALKALOIDS—COMPARED

- Baruk, H., Launay, J., Bergès, J., Mijolla, A. de. Étude clinique de l'action thérapeutique de la réserpine. Comparaison avec l'action des extraits totaux. [Clinical study of the therapeutic effect of reserpine; comparison with total extracts.] *Ann. méd. psychol., Par.*, 1957, 115(1): 704-708.
- Eiber, H. B. Chlorpromazine-Rauwolfia serpentina combination in the treatment of essential hypertension: preliminary report. *J. Am. M. Ass.*, 1955, 158: 730-731.
- Sogliani, G. Ipnoterapia con clorpromazina e Rauwolfia; posologia, associazioni, confronti. [Sleep therapy with chlorpromazine and Rauwolfia; posology, combinations and comparisons. *Minerva med., Tor.*, 1955, 46: 1253-1259.

with *RAUWOLFIA SERPENTINA* ALKALOIDS and OTHER DRUGS—COMBINED

Germano, V., Bellavitis, U. Prime osservazioni cliniche sull'uso parenterale degli alcaloidi della *rauwolfia* in psichiatria. [First clinical observations on the parenteral use of *Rauwolfia* alkaloids in psychiatry.] [barbiturates] *Riv. sper. freniat.*, 1955, 79: 713-722.

Rosina, P. L. Reserpina nelle psicosi acute. [Reserpine in acute psychoses.] [barbiturates] *Arch. psicol. neur.*, Milano, 1956, 17: 417.

with RESERPINE—COMBINED

Studies, animals

Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 25-37.

—. Sur les propriétés pharmacodynamiques de la chlorpromazine en rapport avec son emploi en psychiatrie. [Pharmacodynamic basis for the use of chlorpromazine in psychiatry.] *Encéphale*, 1956, 45: 1248-1257.

Everett, G. M., Toman, J. E. P., Smith, A. H., Jr. Reduction of electroshock seizure latency and other central actions of reserpine. [Abstract] *Fed. Proc.*, Balt., 1955, 14: 337.

Ferro Milone, F., Gomirato, G. Observations expérimentales sur le comportement de l'activité corticale spontanée et évoquée sous l'action des neuroleptiques. [Changes in spontaneous and evoked cortical activity under the influence of neuroleptic drugs; experimental results.] *Encéphale*, 1956, 45: 853-857.

Schwartzbaum, J. S. Effects of reserpine and chlorpromazine on nest building and thermal preference in rats. *Proc. Soc. Exp. Biol.*, N. Y., 1955, 90: 275-277. Abstract: *Chem. Abstr.*, 1956, 50: 2853ab.

Terzian, H. Étude expérimentale de l'action de la réserpine (serpasil) sur les structures nerveuses centrales. [Experimental study of the effects of reserpine (serpasil) on the central nervous system.] *Encéphale*, 1956, 45: 835-842.

Studies, patients

Bente, D. Elektroencephalographische Ergebnisse zur Wirkungsweise der neuroleptischen Behandlungsverfahren. [Mechanism of action of neuroleptic therapies; EEG findings.] *Encéphale*, 1956, 45: 898-903.

—, Itil, T. Das Verhalten des Hirnstrombilders bei hochdosierter Behandlung mit Reserpin (Serpasil) und bei medikamentös erzeugten parkinsonähnlichen Zustandsbildern. [The encephalogram during reserpine (serpasil) therapy with massive doses and in drug-induced parkinsonism.] *Med. Klin.*, Berl., 1955, 50: 1296-1301.

Brooks, G. W. Experiences with the use of chlorpromazine and reserpine in psychiatry, with special reference to the significance and management of extrapyramidal dysfunction. *N. England J. M.*, 1956, 254: 1119-1123. Abstract: *Year book of drug therapy*, 1956-1957, p. 343-344.

Flügel, F. Über medikamentös erzeugte parkinsonähnliche Zustandsbilder. [Drug-induced parkinsonism.] *Med. Klin.*, Berl., 1955, 50: 634-635.

—, Bente, D. Das akinetisch-abulische Syndrom und seine Bedeutung für die pharmakologisch-psychiatrische Forschung. [Akinetic-abulic syndrome and its importance in psychopharmacologic research.] *Deut. med. Wschr.*, 1956, 81: 2071-2074.

Shuman, J. Paralysis agitans developing during reserpine therapy. *J. Am. M. Ass.*, 1955, 158: 73.

Therapeutic studies, controlled

Bordeleau, J. M. Clinical evaluation of chlorpromazine and *Rauwolfia serpentina* in the psychiatric department

of a general hospital. *J. Florida M. Ass.*, 1956, 42: 547-554.

Brooks, G. W. Experiences with the use of chlorpromazine and reserpine in psychiatry, with special reference to the significance and management of extrapyramidal dysfunction. *N. England J. M.*, 1956, 254: 1119-1123. Abstract: *Year book of drug therapy*, 1956-1957, p. 343-344.

Eiber, H. B. Chlorpromazine (thorazine)-*Rauwolfia* combination in neuropsychiatry; preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 36-39. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1218.

Hollister, L. E., Jones, K. P., Brownfield, B., Johnson, F. Chlorpromazine alone and with reserpine; use in the treatment of mental diseases. *California M.*, 1955, 83: 218-221. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1219.

—, Traub, L., Beckman, W. G. Psychiatric use of reserpine and chlorpromazine; results of double-blind studies. In: Kline, N. S., ed. *Psychopharmacology*. Washington, Am. Ass. Adv. Sc., 1956, p. 65-74.

Hormia, A. Yhdistetty serpasil-klooripromatsiinihoito psykiatriassa. [Combined serpasil-chlorpromazine treatment in psychiatry.] [English summary] *Duodecim, Helsin.*, 1956, 72: 76-85.

Knutsen, A. T. Reserpin og klorpromazin i psykiatrien. [Reserpine and chlorpromazine in psychiatry.] [English summary] *Tskr. Norske laegeforen.*, 1956, 76: 368-371.

Lemere, F. Combined chlorpromazine-reserpine therapy of psychiatric disorders. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 1-2. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2235.

Rance, A. M., Jurquet, A., Roger, J. Remarques sur la thérapeutique des affections psychiatriques par la chlorpromazine et la réserpine; étude comparée des diverses modalités d'administration de ces drogues. [Therapy of psychiatric disorders with chlorpromazine and reserpine; comparative study of the various methods of their administration.] *Encéphale*, 1956, 45: 477-487.

Reda, G. C., Germano, V. L'azione combinata della reserpina e clorpromazina nella pratica psichiatrica. [Combined effect of reserpine and chlorpromazine in psychiatric practice.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 647-653.

Wells, R. E. Use of reserpine (serpasil) in the management of chronic alcoholism. *J. Am. M. Ass.*, 1957, 163: 426-429.

—*Psychoses*

Barsa, J. A., Kline, N. S. Combined reserpine-chlorpromazine in treatment of disturbed psychotics. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 280-286. Abstract: *Am. J. Psychiat.*, 1955, 111: 780. *Excerpta med.*, Sect. 8, 1957, 10: No. 368.

—, —. A comparative study of reserpine, chlorpromazine, and combined therapy. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 90-97.

—, —. Use of reserpine in disturbed psychotic patients. *Am. J. Psychiat.*, 1956, 112: 684-691. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4543.

Elkes, C. *Rauwolfia* alkaloids and reserpine in the treatment of the chronic psychotic patient. *J. Ment. Sc.*, Lond., 1957, 103: 464-474.

Feldman, P. E. A comparative study of various ataractic drugs. *Am. J. Psychiat.*, 1957, 113: 589-594. *

Hormia, A. A comparison between combined reserpine-chlorpromazine and chlorpromazine therapies in psychiatry. *Acta psychiat. neur. scand.*, 1956, 31: 437-446. *

Kinross-Wright, V. Chlorpromazine and reserpine in the treatment of psychoses. *Ann. N. York Acad. Sc.*, 1955, 61: 174-182. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2236.

Loch, W. Zur Behandlung fortgeschrittener Schizo-

phrenien mit Megaphen und Reserpin. [Megaphen and reserpine therapy of advanced schizophrenia.] *Nervenarzt*, 1956, 27: 463-467.

Michtom, J., Goldberg, N., Offenkrantz, W., Whittier, J. Readmission rates for state mental hospital patients discharged on maintenance ataractics. Findings with a matched control group and methodological considerations. *J. Nerv. Ment. Dis.*, 1957, 125: 478-480.

Morgan, D. R. Chlorpromazine and reserpine in the treatment of chronic mental illness. *Med. J. Australia*, 1956, 43 (2): 57-62.

Schmidt, K. E. Combined treatment with chlorpromazine and reserpine. *J. Ment. Sc., Lond.*, 1957, 103: 200-208.

Tuteur, W. Combined reserpine-chlorpromazine therapy in highly disturbed psychotics. *Am. J. Psychiat.*, 1955, 112: 206. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2243.

—, W., Lepson, D. Combined reserpine-chlorpromazine therapy in highly disturbed psychotics. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957, p. 163-172.

—, Stiller, R., Whitehill, O. Treatment of regressed schizophrenics with chlorpromazine, reserpine and a combination of both drugs. *Dis. Nerv. Syst.*, 1957, 18: 100-105. *

Therapeutic use

Belsasso, M. Terapia delle malattie mentali con reserpina (serpasil) e cloropromazina (largactil) ad alte dosi. [Treatment of mental disorders with high-dosage reserpine (serpasil) and chlorpromazine (largactil).] *Rass. giuliana med.*, Trieste, 1956, 12: 209-216. *

Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.

Borenstein, P., Dabbah, M., Bare, D. Contribution à l'étude de la réserpine en psychiatrie; résultats cliniques et électro-encéphalographiques. [Research on reserpine in psychiatry; clinical and electroencephalographic results.] *Ann. méd. psychol., Par.*, 1956, 114(1): 545-580. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1532.

Broggi, E. La Rauwolfia serpentina Benth nella cura di alcune psicopatie. [Rauwolfia serpentina Benth in the treatment of some mental diseases.] *Arch. psicol. neur., Milano*, 1956, 17: 399-401.

Bosinelli, M. Reserpina e reserpina associata a cloropromazina in neuropsichiatria infantile. [Reserpine and reserpine combined with chlorpromazine in child neuropsychiatry.] *Arch. psicol. neur., Milano*, 1956, 17: 478-479.

Cervós Navarro, J., Unterharnscheidt, F. Importancia de las fenotiacinas en psiquiatria. [Importance of phenothiazines in psychiatry.] *Rev. españ. otoneuroft.*, 1956, 15: 75-92.

Coirault, R., Girard, V., Benoit, P. Utilisation du serpasil en neuro-psychiatrie. [Use of serpasil in neuro-psychiatry.] *Bull. Soc. méd. mil. fr.*, 1955, 49: 249-250. Abstract: *Presse méd.*, 1956, 64: 315.

Flügel, F. Thérapeutique par médication neuroleptique obtenue en réalisant systématiquement des états parkinsoniformes. [Therapeutic results obtained with neuroleptic drugs by the systematic provocation of parkinsonism.] *Encéphale*, 1956, 45: 1090-1092.

Freeman, H. A critique of the tranquilizing drugs, chlorpromazine and reserpine, in neuropsychiatry. *N. England J. M.*, 1956, 255: 877-883.

Geyer, H. W. Thorazine (chlorpromazine) and serpasil therapy in hyperactive patient of low mentality. *Dela-ware M. J.*, 1955, 27: 187-189.

Gherarducci, D. A propos de l'utilisation de la chlorpromazine associée à d'autres thérapeutiques psychiatriques. [Utilization of chlorpromazine associated with other psychiatric therapeutics.] *Encéphale*, 1956, 45: 1187-1189.

Green, A. Actualités thérapeutiques 1955 en psychiatrie.

[Therapeutic progress in psychiatry in 1955.] *Encéphale*, 1956, 45: 172-200.

Hilliard, E. T. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1035-1040.

Hoff, H. Advantages and disadvantages of treatment with chlorpromazine and serpasil. *Encéphale*, 1956, 45: 352-358.

Kinross-Wright, V. Clinical application of chlorpromazine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956, p. 31-38.

—, A review of the newer drug therapies in psychiatry. *Dis. Nerv. Syst.*, 1956, 17: 187-190.

Kline, N. S., Saunders, J. C. Reserpine in psychiatric and neurologic disorders. *Med. Clin. N. America*, 1957, 41: 307-326.

Maccagnani, G. Trattamento di alcune sindromi psichiche dell'età senile con reserpina, con reserpina associata a cloropromazina. [Treatment of senile psychic syndromes with reserpine and with reserpine associated with chlorpromazine.] *Arch. psicol. neur., Milano*, 1956, 17: 452-454.

Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.

Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.

Mathis, M. Toniques et sédatifs en neuro-psychiatrie infantile. [Tonics and sedatives in child neuro-psychiatry.] *Pédiatrie*, 1956, 11: 807-820.

Paerregaard, G. Chlorpromazinbehandling på en psykiatrisk modtageafdeling. [Chlorpromazine treatment at a psychiatric department.] [English summary] *Nord. med.*, 1956, 56: 1238-1240.

Puca, A. Ibernoterapia, sonno prolungato e neuroplegici in terapia psichiatrica. [Hibernation, prolonged sleep and neuroleptic drugs in psychiatric treatment.] *Rass. internaz. clin. ter.*, 1955, 35: 805-809.

—, Nuove acquisizioni in terapia psichiatrica; ibernoterapia, sonno prolungato e neuroplegici. [New acquisitions in psychiatric therapy; artificial hibernation, prolonged sleep and neuroleptic drugs.] [English summary] *Rass. stud. psychiat.*, 1955, 44: 849-856. Also: *Ann. med. nav., Roma*, 1956, 61: 42-49.

Ramée, F., Lacaton, R., Sanchez, F., Boulanger, M. Effets favorables du largactil dans la pratique psychiatrique algérienne. [Good results with chlorpromazine therapy of mental diseases in Algeria.] *Encéphale*, 1956, 45: 820-827.

Visintini, F. Cloropromazina e reserpina in psichiatria. [Chlorpromazine and reserpine in psychiatry.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 611-621.

—Neuroses

Azima, H., Kent, I., Cleghorn, R. A. Rauwolfia alkaloids in mental syndromes. *Canad. M. Ass. J.*, 1955, 73: 866-871.

Coirault, R., Girard, V., Benoit, P. Utilisation du serpasil en neuropsychiatrie. [Use of serpasil in neuropsychiatry.] *Bull. Soc. méd. mil. fr.*, 1955, 49: 249-250. Abstract: *Presse méd.*, 1955, 64: 315.

Macchi, G., Manghi, E., Saginario, M. L'impiego della reserpina in narcoterapia; primi risultati. [Use of reserpine in sleep therapy; first results.] *Gior. psychiat.*, 1954, 82: 1130-1134.

Rauwolfia et états dépressifs. [Rauwolfia and depressive states.] *Rev. prat., Par.*, 1956, 6: 3342.

—Psychoses

Ellsworth, R. B., Clark, L. D. Prediction of the response of chronic schizophrenics to drug therapy; a preliminary report on the relationship between palmar sweat and the behavioral effects of tranquilizing drugs. *J. Clin. Psychol.*, 1957, 13: 59-61.

Feldman, P. E. Two-year fate study of thorazine-treated patients. *Am. J. Psychiat.*, 1957, 114 : 237-240.

Gayral, L., Hervé, Y., Carrié, J., Fourny, L. Les cures insuliniques prolongées et la post-cure dans le traitement de la démence précoce. [Prolonged insulin treatment and after treatment in therapy of dementia praecox.] *Toulouse méd.*, 1955, 56 : 501-513.

—, —, Fourny, L., Carrié, J. Chlorpromazine et réserpine dans la post-cure insuliniqne des schizophrènes. [Chlorpromazine and reserpine after insulin shock therapy in schizophrenia.] *Encéphale*, 1956, 45 : 663-667.

Huchtemann, K., Pflugfelder, G. Serpasilkuren in der Psychiatrie; Bericht über 100 Kuren. [Serpasil therapy in psychiatry; report on 100 cases.] *Schweiz. med. Wschr.*, 1955, 85 : 627-630. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 2242.

Kasak, M., Schaefer, D. L., Winter, W. The use of chlorpromazine and reserpine in a psychiatric hospital: one year's experience. *Marquette M. Rev.*, 1955, 21 : 17-24.

Leconte, M., Barbier, A. Guérison par l'association chlorpromazine-réserpine d'un grave syndrome hétérophreno-catatonique datant de 10 ans. [Combined chlorpromazine-reserpine therapy of a severe hebephrenic-catatonie syndrome, of ten years' duration.] *Ann. méd. psychol., Par.*, 1956, 114(2) : 637-645.

Lewis, L. F. The use of chlorpromazine and of serpasil in the treatment of psychotic patients. *Carib. M. J., Trinidad*, 1956, 18 : 51-66. * *

Morgan, D. R. The combined use of chlorpromazine and reserpine in the treatment of chronic mental illness: a preliminary report. *Med. J. Australia*, 1955, 42 (2) : 77-80. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 1728.

Patton, G. O., Garneau, J. The ataraxic drugs in disturbed secluded psychiatric patients. *Canad. Serv. M. J.*, 1957, 13 : 127-133.

Racamier, P. C., Blanchard, M., Baudrand, C. Les cures prolongées de chlorpromazine dans les états schizophréniques. [Prolonged chlorpromazine therapy in schizophrenic reactions.] *Encéphale*, 1956, 45 : 647-655.

Rhijn, C. H. van. De invloed van reserpine (serpasil) op acute en chronische geestesziekten. [The effects of reserpine on acute and chronic mental diseases.] [English summary] *Ned. tschr. geneesk.*, 1956, 100 : 1775-1790.

Sarro, R. Récents développements de la thérapeutique narcobiotique. [Recent developments in narcobiotic therapy.] *Encéphale*, 1956, 45 : 501-510.

Silverberg, J. W., Gralnick, A. Possible synergistic action of chlorpromazine, reserpine and frenquel. A preliminary report. *Am. J. Psychiat.*, 1957, 114 : 173.

Untoward effects [see headnote p. 19]

Barsa, J. A., Kline, N. S. Agranulocytosis while receiving combined reserpine-chlorpromazine therapy. Report of two cases. *Dis. Nerv. Syst.*, 1956, 17 : 88-90. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 2092.

Kline, N. S., Barsa, J., Gosline, E. Management of the side effects of reserpine and combined reserpine-chlorpromazine treatment. *Dis. Nerv. Syst.*, 1956, 17 : 352-358.

—, —, —. Management of side effects of reserpine and combined reserpine-chlorpromazine treatment. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 149-161.

with RESERPINE—COMPARED

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46 : 281-398.

Studies, animals

Baruk, H., Launay, S., Bergès, J. Action de la réserpine sur la psychomotricité et catatonie expérimentale. [Effect of reserpine on experimental psychomotricity and catatonia.] *Rev. neur., Par.*, 1956, 95 : 62-63.

Delay, J., Deniker, P., Tardieu, Y., Lemperrière, T. Médicaments et cures neuroleptiques en thérapeutique psychiatrique: premiers essais de la réserpine; comparaison avec les effets de la chlorpromazine. [Drugs and neuroleptic therapies in the treatment of psychiatric diseases; first trials with reserpine; comparison with the effects of chlorpromazine.] *Presse méd.*, 1955, 63 : 633-665.

Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopathol.*, 1956, 17 : 25-37.

—, —. Sur les propriétés pharmacodynamiques de la chlorpromazine en rapport avec son emploi en psychiatrie. [Pharmacodynamic basis for the use of chlorpromazine in psychiatry.] *Encéphale*, 1956, 45 : 1248-1257.

Gliedman, L. H., Gantt, W. H. The effects of reserpine and chlorpromazine on orienting behavior and retention of conditioned reflexes. *South. M. J.*, 1956, 49 : 880-889.

Schneider, J. A. Reserpine antagonism of morphine analgesia in mice. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 87 : 614-615. Abstract: *Chem. Abstr.*, 1955, 49 : 4165ef.

Studies, patients

Balestrieri, A. Azione della clorpromazina e della reserpina sul sistema nervoso extrapiramidale. [The effect of chlorpromazine and reserpine on the extrapyramidal nervous system.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17 : 483-512.

Freyhan, F. A. Psychomotility and parkinsonism in treatment with neuroleptic drugs. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78 : 465-472.

Le Guillant. Le syndrome neuroleptique: étude clinique et psychotechnique. [The neuroleptic syndrome: clinical and psychometric study.] *Ann. méd. psychol., Par.*, 1957, 115 (1) : 316-329.

Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. A comparison of cortical and subcortical brain waves in normal, barbiturate, reserpine, and chlorpromazine sleep. *Ann. N. York Acad. Sc.*, 1955, 61 : 56-71. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 3089.

Therapeutic studies, controlled

Ayd, F. J., Jr. Thorazine and serpasil treatment of private neuropsychiatric patients. *Am. J. Psychiat.*, 1956, 113 : 16-21. *

Bennett, A. E., Ford, F. R., Turk, R. E. Clinical investigation of chlorpromazine and reserpine in private psychiatric practice. *Am. J. Psychiat.*, 1956, 112 : 782-787. Condensed: *Am. Practitioner*, 1956, 7 : 1576-1577. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 4546.

Brooks, G. W. Experiences with the use of chlorpromazine and reserpine in psychiatry, with special reference to the significance and management of extrapyramidal dysfunction. *N. England J. M.*, 1956, 254 : 1119-1123. Abstract: *Year book of drug therapy*, 1956-1957, p. 343-344.

Charlin, A. Action respective de la chlorpromazine et de la réserpine; hypothèses pathogéniques. [The effect of chlorpromazine and of reserpine; pathogenic hypotheses.] *Encéphale*, 1956, 45 : 1099-1105.

Horenstein, S. Reserpine and chlorpromazine in hyperactive mental defectives. *Am. J. Ment. Defic.*, 1957, 61 : 525-529. *

Kline, N. S. Clinical applications of reserpine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 81-108.

Lafon, R., Duc, N., Boyer, Abrie, J., Pouget, R. Exploration psychologique des malades traités par le 4560 RP (chlorpromazine) et la réserpine. (Psychologic exam-

- ination of patients treated with RP 4560 (chlorpromazine) and with reserpine.] *Encéphale*, 1956, 45: 996-999.
- Lemere, F.** Combined chlorpromazine-reserpine therapy of psychiatric disorders. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 1-2. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2235.
- Rance, A. M., Jurquet, A., Roger, J.** Remarques sur la thérapeutique des affections psychiatriques par la chlorpromazine et la réserpine; étude comparée des diverses modalités d'administration de ces drogues. [Therapy of psychiatric disorders with chlorpromazine and reserpine; comparative study of the various methods of their administration.] *Encéphale*, 1956, 45: 477-487.
- Rosner, H., Levine, S., Hess, H., Kaye, H.** A comparative study of the effect on anxiety of chlorpromazine, reserpine, phenobarbital, and a placebo. *J. Nerv. Ment. Dis.*, 1955, 122: 505-512. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2093.
- Sternberg, U., Spitz, H., Goyné, J. B.** Evaluation of chlorpromazine and reserpine therapy with follow-up study. *J. Clin. Exp. Psychopath.*, 1957, 18: 258-268.
- Zeller, W. W., Graffagnino, P. N., Cullen, C. F., Reitman, H. J.** Use of chlorpromazine and reserpine in the treatment of emotional disorders. *J. Am. M. Ass.*, 1956, 160: 179-184. Abstract: *Year book of drug therapy*, 1956-1957: 341-342.
- Neuroses**
- Pellerito, N.** L'Azione della clorpromazina e della reserpina sull'ansia dei psiconevrosici. [Action of chlorpromazine and reserpine on the anxiety of psychoneurotics.] *Minerva med.*, *Tor.*, 1956, 47: 628-631.
- Psychoses**
- Barsa, J. A., Kline, N. S.** Combined reserpine-chlorpromazine in treatment of disturbed psychotics. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 280-286. Abstract: *Am. J. Psychiat.*, 1955, 111: 780.
- , —. A comparative study of reserpine, chlorpromazine, and combined therapy. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 90-97.
- Cutler, R. P., Monroe, J. J., Anderson, T. E.** Effects of "tranquilizers" upon pathological activity in psychotic patients. I. Chlorpromazine. II. Reserpine. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 616-622; 1957, 78: 61-68.
- Freeman, H., Arnold, A. L., Cline, H. S.** Effects of chlorpromazine and reserpine in chronic schizophrenic patients. *Dis. Nerv. Syst.*, 1956, 17: 213-219. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1448.
- Gardner, M. J., Hawkins, H. M., Judah, L. N., Murphree, O. D.** Objective measurement of psychiatric changes produced by chlorpromazine and reserpine in chronic schizophrenia. *Psychiat. Res. Rep.*, *Wash.*, 1955 (1): 77-83.
- Goldman, D.** Comparison of clinical effects of chlorpromazine and reserpine in psychotic patients. *Am. J. M. Sc.*, 1957, 233: 137-144.
- Hollister, L. E., Traub, L., Beckman, W. G.** Psychiatric use of reserpine and chlorpromazine; results of double-blind studies. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 65-74.
- Kinross-Wright, V.** Chlorpromazine and reserpine in the treatment of psychoses. *Ann. N. York Acad. Sc.*, 1955, 61: 174-182. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2236.
- Kovitz, B., Carter, J. T., Addison, W. P.** A comparison of chlorpromazine and reserpine in chronic psychosis. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 467-471. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2087.
- Lafon, R., Duc, N., Abric, J., Pouget, R., Comelade, P.** Étude comparative du 4.560 R. P. (chlorpromazine) et de la réserpine dans les syndromes schizophréniques. [Comparative study of R. P. 4560 (chlorpromazine) and reserpine in schizophrenic syndromes.] *Encéphale*, 1956, 45: 668-671.
- Loch, W.** Zur Behandlung fortgeschrittener Schizophrenien mit Megaphen und Reserpin. [Megaphen and reserpine therapy of advanced schizophrenia.] *Nervenarzt*, 1956, 27: 463-467.
- Schneider, G.** Les indications de divers neuroleptiques et les résultats obtenus à la clinique psychiatrique de Lausanne. [Indications for various neuroleptic drugs and the results obtained at the psychiatric clinic of Lausanne.] *Encéphale*, 1956, 45: 1024-1030.
- Shepherd, M., Watt, D. C.** A controlled clinical study of chlorpromazine and reserpine in chronic schizophrenia. *J. Neur., Lond.*, 1956, 19: 232-235.
- Tripi, G.** Considerazioni generali sull'uso della clorpromazina e della reserpina nel trattamento di circa trecento psicopatici. [Observations on the use of chlorpromazine and reserpine in the treatment of about 300 mental patients.] *Rass. neuropsichiat.*, 1955, 9: 463-469. Also: *Arch. psicol. neur.*, *Milano*, 1956, 17: 635-639.
- Watt, D. C.** Reserpine and chlorpromazine in the treatment of chronic schizophrenics. *Encéphale*, 1956, 45: 661-662.
- Therapeutic use**
- Baruk, H., Launay, J., Bergès, J., Mijolla, A. de** Étude clinique de l'action thérapeutique de la réserpine. Comparaison avec l'action des extraits totaux. [Clinical study of the therapeutic effect of reserpine; comparison with total extracts.] *Ann. méd. psychol.*, *Par.*, 1957, 115 (1): 704-708.
- Beley, A., Foncin, J. F., Leyrie, J.** Quelques inconvénients des doses élevées de réserpine chez le jeune arriéré turbulent; indications posologiques. [Complications with massive reserpine doses in disturbed retarded children; dosage indications.] *Encéphale*, 1956, 45: 802-807.
- Benedetti, G.** Terapia reserpinica in psichiatria. [Reserpine therapy in psychiatry.] [English summary] *Arch. psicol. neur.*, *Milano*, 1956, 17: 295-309.
- Bleuler, M.** Comparaison entre les effets de la chlorpromazine et de la réserpine en psychiatrie. [Comparison between the effects of chlorpromazine and reserpine in psychiatry.] *Encéphale*, 1956, 45: 334-348. *
- , **Stoll, W. A.** Clinical use of reserpine in psychiatry: comparison with chlorpromazine. *Ann. N. York Acad. Sc.*, 1955, 61: 167-173. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4080.
- Delay, J.** Introduction au colloque international. [Introduction to the international colloquium.] [On chlorpromazine and neuroleptic drugs, Paris, October 1955] *Encéphale*, 1956, 45: 303-306.
- , **Deniker, P.** Chlorpromazine and neuroleptic treatments in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 19-24.
- , —. Peut on comparer la reserpine à la chlorpromazine? [Can one compare reserpine with chlorpromazine?] *Arch. psicol. neur.*, *Milano*, 1956, 17: 631-633.
- , —, **Tardieu, Y., Lemperière, T.** Médicaments et cures neuroleptiques en thérapeutique psychiatrique: premiers essais de la réserpine; comparaison avec les effets de la chlorpromazine. [Drugs and neuroleptic therapies in the treatment of psychiatric diseases; first trials with reserpine; comparison with the effects of chlorpromazine.] *Presse méd.*, 1955, 63: 663-665.
- Deniker, P.** Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernotherapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. *
- Erdmann, C. E.** Neues über die Rauwolfia-Behandlung unter besonderer Berücksichtigung der Literatur in den USA. [Review of Rauwolfia therapy with special ref-

erence to literature in the United States of America.] *Nervenarzt*, 1956, 27: 75-79.

Faure, J. L., Abric, J. Remarques cliniques sur les indications valables de la chlorpromazine et de la réserpine en neuro-psychiatrie infantile. [Clinical remarks on the indications for the use of chlorpromazine and reserpine in child neuro-psychiatry.] *Pédiatrie*, 1956, 11: 773-776.

Gherarducci, D. A propos de l'utilisation de la chlorpromazine associée à d'autres thérapeutiques psychiatriques. [Utilization of chlorpromazine associated with other psychiatric therapeutics.] *Encéphale*, 1956, 45: 1187-1189.

Hoch, P. H. Practical and theoretical applications of the new drug therapies in psychiatry. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 325-328.

Hoff, H. Advantages and disadvantages of treatment with chlorpromazine and serpasil. *Encéphale*, 1956, 45: 352-358.

Kinross-Wright, V. A review of the newer drug therapies in psychiatry. *Dis. Nerv. Syst.*, 1956, 17: 187-190.

Landgrebe, B. Über Erfahrungen mit Reserpin (Sedaraupin) in der psychiatrischen Klinik. [Experience with reserpine (sedaraupin) in a psychiatric hospital.] *Medizinische*, 1955: 610-613.

Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.

Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.

Pollack, B. Mental illness. *Med. Times, Great Neck*, 1955, 83: 439-450.

Sarwer-Foner, G. J., Ogle, W. Psychodynamic aspects of reserpine: its uses and effects in open psychiatric settings. *Canad. Psychiat. Ass. J.*, 1956, 1: 11-17.

Schiele, B. C., Anderson, R. W., Simon, W. Current status of chlorpromazine and reserpine in psychiatric practice. *J. Lancet*, 1956, 76: 179-185.

Visintini, F. Chlorpromazina e reserpina in psichiatria. [Chlorpromazine and reserpine in psychiatry.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 611-621.

—Neuroses

Gomirato, G. L'azione della cloropromazina e della reserpina su alcune manifestazioni sintomatologiche delle psiconevrosi. [Action of chlorpromazine and reserpine on symptomatologic manifestations of psychoneuroses.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 531-543.

Ostenfeld, I. Psykiske urotilstande. [Mental excitement.] [English summary] *Nord. med.*, 1955, 54: 1517-1522.

Senseman, L. A. Tranquilizing drugs; uses and abuses for the nervous patient. *Rhode Island M. J.*, 1956, 39: 675-677; 680; 686.

—Psychoses

Bertolini, O. F. Cloropromazina e reserpina nel trattamento delle psicopatie. [Chlorpromazine and reserpine in the treatment of mental diseases.] *Arch. psicol. neur., Milano*, 1956, 17: 623-627. *

Ellsworth, R. B., Clark, L. D. Prediction of the response of chronic schizophrenics to drug therapy; a preliminary report on the relationship between palmar sweat and the behavioral effects of tranquilizing drugs. *J. Clin. Psychol.*, 1957, 13: 59-61.

Leiberman, D. M., Vaughan, G. F. The use of some new pharmacological agents in psychiatry. *J. Ment. Sc., Lond.*, 1957, 103: 110-118.

Mielke, F. A. Methods employed and results obtained in psychiatric studies with new drugs acting on the brain stem. *Am. J. Psychiat.*, 1957, 114: 134-139.

Montagnari, F., Germano, V. Stato preeclamptico con episodio confuso onirico troncato con reserpina endo-

vena. [Intravenous reserpine immediately effective in treatment of a pre-eclamptic state with episode of oniric confusion.] *Riv. sper. freniat.*, 1956, 80: 977-979.

Racamier, P. C., Blanchard, M., Baudrand, C. Les cures prolongées de chlorpromazine dans les états schizophréniques. [Prolonged chlorpromazine therapy in schizophrenic reactions.] *Encéphale*, 1956, 45: 647-655.

Santangelo, G. Modificazioni indotte dal trattamento reserpinico protratto sulla sintomatologia psichica e comportamentale nelle schizofrenie croniche. [Modifications induced by prolonged reserpine treatment on psychic symptomatology and behavior in chronic schizophrenia.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 388-393.

Siguiet, F., Giabican, A., Bétourné, C., Goglin, W. Le serpasil dans les délirés alcooliques. [Serpasil in alcoholic delirium.] *Bull. Soc. méd. hôp. Paris*, 1956, 72: 605-607. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1976.

Vogt, W. Beitrag zum klinischen Vergleich der Wirkung von Largactil und Serpasil. [Clinical comparison of the effects of largactil and serpasil.] *Schweiz. Arch. Neur. Psychiat.*, 1956, 77: 330-336.

Weber, E. Ein Rauwolfiaalkaloid in der Psychiatrie: seine Wirkungsähnlichkeit mit Chlorpromazin. [A Rauwolfia alkaloid in psychiatry: similarity of its effects to those of chlorpromazine.] *Schweiz. med. Wschr.*, 1954, 84: 968-970.

Untoward effects

Altschule, M. D. Use of chlorpromazine and reserpine in mental disorders. *N. England J. M.*, 1956, 254: 515-519. Abstract: *Chem. Abstr.*, 1956, 50: 7318a.

Goldman, D. The major complications of treatment of psychotic states with chlorpromazine and reserpine and their management. *Psychiat. Res. Rep., Wash.*, 1956 (4): 79-88.

Sapir, M., Stroun, J., Hepner, L., Reverchon, J., Selzer, S. A propos de l'action psycho-somatique de la chlorpromazine et de la réserpine. [Psychosomatic action of chlorpromazine and reserpine.] *Encéphale*, 1956, 45: 488-493.

with RESERPINE and METHYLPHENIDYLACETATE—COMBINED

Madi, M. L., Kovitz, B. Experiences with methylphenidylacetate hydrochloride (ritalin) in psychotic patients. *Antibiotic M.*, 1956, 3: 309-311.

Wells, R. E. Use of reserpine (serpasil) in the management of chronic alcoholism. *J. Am. M. Ass.*, 1957, 163: 426-429.

with RESERPINE and OTHER DRUGS—COMBINED

Gherarducci, D. A propos de l'utilisation de la chlorpromazine associée à d'autres thérapeutiques psychiatriques. [Utilization of chlorpromazine associated with other psychiatric therapeutics.] [sedatives; hypnotics] *Encéphale*, 1956, 45: 1187-1189.

Hewat, J. K., Leach, P. W., Simpson, R. W. Chlorpromazine, reserpine, and isoniazid treatment in mental disorder; a preliminary communication. [isoniazid] *Brit. M. J.*, 1955, 2: 1119-1120. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2657.

Reda, G. C., Germano, V. L'azione combinata della reserpina e cloropromazina nella pratica psichiatrica. [Combined effect of reserpine and chlorpromazine in psychiatric practice.] [barbiturates] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 647-653.

with RESERPINE and SHOCK THERAPY [ECT]—COMBINED

Bente, D. Elektroencephalographische Ergebnisse zur Wirkungsweise der neuroleptischen Behandlungsverfahren. [Mechanism of action of neuroleptic therapies; EEG findings.] *Encéphale*, 1956, 45: 898-903.

Bordeleau, J. M. Clinical evaluation of chlorpromazine and Rauwolfia serpentina in the psychiatric department of a general hospital. *J. Florida M. Ass.*, 1956, 42: 547-554.

Foster, M. W., Jr., Gayle, R. F., III. Chlorpromazine and reserpine as adjuncts in electroshock treatment. *South. M. J.*, 1956, 49: 731-735.

Gherarducci, D. A propos de l'utilisation de la chlorpromazine associée à d'autres thérapeutiques psychiatriques. [Utilization of chlorpromazine associated with other psychiatric therapeutics.] *Encéphale*, 1956, 45: 1187-1189.

Paerregaard, G. Chlorpromazinbehandling på en psykiatrisk modtageafdeling. [Chlorpromazine treatment at a psychiatric department.] [English summary] *Nord. med.*, 1956, 56: 1238-1240.

with RESERPINE and SHOCK THERAPY [ICT]—COMBINED

Hormia, A. Havaintoja klooripromatsiini-reserpiini-insuliinisokkihoitoyhdistelmästä. [Observations on combined chlorpromazine, reserpine and insulin coma therapy.] [English summary] *Duodecim, Helsinki*, 1956, 72: 948-955. * *

with SEROTONIN

see SEROTONIN with CHLORPROMAZINE

with TRIFLUPROMAZINE—COMPARED

Studies, animals

Therapeutic use

see TRIFLUPROMAZINE—Studies, animals

with OTHER DRUGS [CNS depressants]—COMBINED:

see also CHLORPROMAZINE—Various special techniques

Alcohol

—Studies, animals

Revol, L. Chlorpromazine et intoxication alcoolique. [Chlorpromazine and alcoholic intoxication.] *Lyon pharm.*, 1954, 5: 349-350.

—Studies, normal subjects

Fazekas, J. F., Albert, S. N., Alman, R. W. Influence of chlorpromazine and alcohol on cerebral hemodynamics and metabolism. *Am. J. M. Sc.*, 1955, 230: 128-132. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2934.

Schultz, J. D., Rea, E. L., Fazekas, J. F., Shea, J. C. Chlorpromazine in the management of acute alcoholic states. *Q. J. Alcohol*, 1955, 16: 245-250. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2598.

—Untoward effects

Drugs and driving. *J. Am. M. Ass.*, 1954, 156: 628-629.

Friend, D. G., Wells, J. C., Jr. The clinical use of chlorpromazine. *Am. Practitioner*, 1955, 6: 698-703. Also as: Uso clínico de la clorpromacina. *Rev. méd. cubana*, 1956, 67: 645-650.

Gutenkauf, C. Internal medicine. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 59-64.

Stachelin, J. E., Kielholz, P. Largactil, ein neues vegetatives Dämpfungsmittel bei psychischen Störungen. [Largactil, a new autonomic inhibitor in mental disorders.] *Schweiz. med. Wschr.*, 1953, 83: 581-586. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1601.

Tillim, S. J. Agranulocytosis associated with chlorpromazine therapy. *Am. J. Psychiat.*, 1956, 112: 1028.

Tintera, J. W. Office rehabilitation of the alcoholic. *N. York State J. M.*, 1956, 56: 3896-3902.

Wallis, R. Potentiation of hypnotics and analgesics; clinical experience with chlorpromazine. *N. York State J. M.*, 1955, 55: 243-245.

Analgesics [narcotics]

—Studies, animals

Arian, E., Gomitato, G. Recherches expérimentales sur l'inhibition des états d'excitation d'origine sous-corticale par moyen de la chlorpromazine et de la reserpine; communication préliminaire. [Experimental studies on the inhibition of sub-cortical excitation by chlorpromazine and by reserpine; preliminary communication.] *Encéphale*, 1956, 45: 1264-1266.

Eeckhoutte, R. van. Le chlorhydrate de chloro-3-diméthylamino-3'-propyl-10-phénothiazine (4560 R. P.); son action sur le système nerveux et sur le système neurovégétatif. [3-Chloro-10-(3-dimethylaminopropyl) phenothiazine (4560 R. P.); its action on the nervous and autonomic nervous system.] 28 p. Ambilly, 1953. [Thesis—Geneva, 1953, no. 2168.]

Friebel, H., Reichle, C. Zur analgetischen und analgesieverstärkenden Wirkung von Chlorpromazin (Megaphen). [Analgesic and analgesic-potentiating effect of chlorpromazine (megaphen).] *Arch. exp. Path., Berl.*, 1955, 226: 551-557. Abstract: *Chem. Abstr.*, 1956, 50: 2063 de.

Martin, J. E., Beck, J. D. Some effects of chlorpromazine hydrochloride in horses. *Am. J. Vet. Res.*, 1956, 17: 678-686.

Sadove, M. S., Balagot, R. C., Reyes, R. M. The potentiating action of chlorpromazine. *Current Res. Anesth.*, 1956, 35: 165-181.

Schneider, J. A. Reserpine antagonism of morphine analgesia in mice. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 87: 614-615. Abstract: *Chem. Abstr.*, 1955, 49: 4165ef.

Wirth, W. Versuche zur kombinierten Wirkung von Megaphen mit stark wirksamen Analgetica. [Experiments on megaphen combined with powerful analgesics.] *Arch. exp. Path., Berl.*, 1954, 222: 75-76.

—Studies, normal subjects

Fraser H. F., Isbell, H. Chlorpromazine and reserpine. A. Effects of each and of combinations of each with morphine. B. Failure of each in treatment of abstinence from morphine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 257-262.

—Therapeutic studies, controlled

Houde, R. W., Wallenstein, S. L. Analgetic power of chlorpromazine alone and in combination with morphine. [Abstract.] *Fed. Proc., Balt.*, 1955, 14: 353.

Jackson, G. L., Smith, D. A. Analgesic properties of mixtures of chlorpromazine with morphine and meperidine. *Ann. Int. M.*, 1956, 45: 640-652.

Sadove, M. S., Balagot, R. C. The value of chlorpromazine in the management of pain. *Internat. Rec. M.*, 1955, 168: 346-350.

—Therapeutic use

Bakwin, H. The uses of chlorpromazine in pediatrics. *J. Pediat.*, S. Louis, 1956, 48: 240-247.

Dobkin, A. B., Gilbert, R. G. B., Lamoureux, L. Physiological effects of chlorpromazine. *Anaesthesia, Lond.*, 1954, 9: 157-174.

Faucett, R. L. Drug addiction and other considerations in the management of pain with narcotic drugs. *Proc. Mayo Clin.*, 1957, 32: 45-54.

Gordon, R. A., Campbell, M. The use of chlorpromazine in intractable pain associated with terminal carcinoma. *Canad. M. Ass. J.*, 1956, 75: 420-421.

Lieser, H. Lässt sich die auftretende Angst vor einer Schockbehandlung beeinflussen? [Can one control fear of shock therapy?] *Deut. med. Wschr.*, 1956, 81: 1503-1504.

Litteral, E. B., Wilkinson, W. E. The advantages, disadvantages and limitations of the use of chlorpromazine as a substitute for certain somatic treatment methods in psychiatry. *Psychiat. Res. Rep., Wash.*, 1955 (1): 63-71.

Lucas, J., Albert, S. N., Bateman, J. C., Klopp, C. T. Thorazine as an aid in management of cancer patients. [Abstract.] *Proc. Am. Ass. Cancer Res.*, 1954, 1(2): 30.

Sadove, M. S., Levin, M. J., Rose, R. F., Schwartz, L., Witt, F. W. Chlorpromazine and narcotics in the management of pain of malignant lesions. *J. Am. M. Ass.*, 1954, 155: 626-628.

Vialard, C. Note sur l'utilisation du largactil (4560 R. P.) comme potentielisateur de médicaments analgésiques chez les cancéreux douloureux résistants aux opiacés. [Largactil (4560 RP) potentiating analgesic drugs in the treatment of cancer patients who are in pain and resistant to opiates.] *Anesthésie, Par.*, 1953, 10: 216-224.

Wallis, R. Potentiation of hypnotics and analgesics; clinical experience with chlorpromazine. *N. York State J. M.*, 1955, 55: 243-245.

—Untoward effects

Fernandes, B., Leitão, G. Incidents and accidents in chlorpromazine therapy. [apomorphine.] *J. Clin. Exp. Psychopath.*, 1956, 17: 70-76.

Anticonvulsants

—Studies, patients

Bente, D., Itil, T. Zur Wirkung des Phenothiazinkörpers Megaphen auf das menschliche Hirnstrombild. [The effect of the phenothiazine megaphen on the human EEG.] *Arzneimitt. Forsch.*, 1954, 4: 418-423. Abstract: *Chem. Abstr.*, 1954, 48: 13097b.

Bonafede, V. I. Chlorpromazine (thorazine) treatment of disturbed epileptic patients; preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 158-162.

— Chlorpromazine (thorazine) treatment of disturbed epileptic patients. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 243-246.

Denber, H. C. B., Merlis, S. Studies on mescaline IV: Antagonism between mescaline and chlorpromazine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956, p. 141-144. *

Meszaros, A. F., O'Reilly, P. O. Relation of chlorpromazine to epilepsy. *Dis. Nerv. Syst.*, 1956, 17: 159-162. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 723.

—Therapeutic studies, controlled

Bonafede, V. I. Chlorpromazine (thorazine) treatment of disturbed epileptic patients; preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 158-162. *

— Chlorpromazine (thorazine) treatment of disturbed epileptic patients. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 243-246.

Carillo-Broatch, A. Le largactil dans le traitement de l'épilepsie essentielle rebelle; résumé d'une communication préliminaire. [Largactil therapy of severe idiopathic epilepsy; summary of a preliminary report.] *Encéphale*, 1956, 45: 1221-1223.

Meszaros, A. F., O'Reilly, P. O. Relation of chlorpromazine to epilepsy. *Dis. Nerv. Syst.*, 1956, 17: 159-162. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 723. *

Rettig, J. H. Chlorpromazine and mescaline in the control of convulsive epilepsy in mentally deficient patients. *J. Nerv. Ment. Dis.*, 1956, 124: 607-611.

—Therapeutic use

Le Guillant. Le syndrome neuroleptique: prévention et traitement. [The neuroleptic syndrome: prevention and treatment.] *Ann. méd. psychol., Par.*, 1957, 115 (1): 329-338.

McCullagh, W. H., Ingram, W., Jr. Headaches and hot tempers. [Diphenylhydantoin] *Dis. Nerv. Syst.*, 1956, 17: 279-281.

MacGregor, J. MacW. Largactil; a new psychomotor brake. *S. Afr. J. Clin. Sc.*, 1954, 5: 228-243. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1724.

—Untoward effects [see headnote p. 19]

Cares, R. M., Asrican, E., Fenichel, M., Sack, P., Severing, J. Therapeutic and toxic effects of chlorpromazine among 3,014 hospitalized cases. *Am. J. Psychiat.*, 1957, 114: 318-327. [case report p. 326-27] **

Hollister, L. E. Unexpected asphyxial death and tranquilizing drugs. *Am. J. Psychiat.*, 1957, 114: 366-367. **

Hypnotics

—Therapeutic use

Kemper, H. Erfahrungen mit einem neuen Schlafmittel aus der Piperidinreihe in der Psychiatrie. [Experiences with a new piperidine hypnotic in psychiatry.] [methypylon.] *Deut. med. Wschr.*, 1955, 80: 1034-1035. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3082.

Laborit, H., Coirault, R., Damasio, R., Gaudard, R., Laborit, G., Charonnat, R., Lechat, P., Chareton, J. Sur un type nouveau d'anesthésie chirurgicale et sur l'emploi en thérapeutique d'un dépresseur du cortex cérébral (S. C. T. Z.). [A new type of surgical anesthesia and the therapeutic use of a cerebral cortex depressant (S. C. T. Z.)] [thiamine hydrochloride] *Presse méd.*, 1957, 65: 1051-1054.

Schmitt, W. Klinische Prüfung einer neuen Piperidin-Verbindung als Schlafmittel. [Clinical trial of a new piperidine compound as soporific.] [methypylon.] *Med. Klin., Berl.*, 1955, 50: 1223-1224. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3610.

with OTHER DRUGS [CNS depressants]—COMPARED

Abély, P., Abdouchelli, A., Fourment, J., Schmitz, B., Delteil, P. Suite aux essais thérapeutiques de rééquilibration instincto-affective; essai de traitement par la bromure tétra-éthyl d'ammonium en comparaison avec le R. P. 45-60 et le C. 92-95. [Further therapeutic studies on the restoration of instinctive-affective balance; therapeutic trials with tetraethylammonium bromide in comparison with R. P. 45-60 and with C. 92-95.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 262-267.

Ey, H., Faure, H., Lairy, G. C. Action du largactil sur l'électro-encéphalogramme de malades mentaux chroniques comparée à l'action des barbituriques. [Comparison between the effects of largactil and barbiturates on the EEG of chronic mental patients.] *Encéphale*, 1956, 45: 843-852.

Glaser, E. M., Newling, P. S. B. Side effects of chlorpromazine hydrochloride. [hyoscine; normal subjects] *Brit. J. Pharm.*, 1955, 10: 429-433.

Lehmann, H. E., Csank, J. Differential screening of phenotropic agents in man: psychophysiological test data. [normal subjects] *J. Clin. Exp. Psychopath.*, 1957, 18: 222-235.

Monnerot, E., Monnerot, E., Benichou, L., Doco Analyse des rôles respectifs du largactil et du sommeil barbiturique, dans les cures de sommeil potentialisées. [Analysis of the effect of chlorpromazine and of barbiturates respectively in potentiated sleep therapy.] *Encéphale*, 1956, 45: 1190-1196.

Shatin, L., Rockmore, L., Funk, I. C. Response of psychiatric patients to massive doses of thorazine. II. Psychological test performance and comparative drug evaluation. [barbiturates] *Psychiat. Q.*, 1956, 30: 402-416.

with OTHER DRUGS [CNS stimulants]—COMBINED:

Amphetamine

—Psychotherapeutic use

Bronner, A. Chlorpromazine (thorazine) in office practice. *Am. J. Psychother.*, 1956, 10: 460-466.

—Therapeutic use

Feldman, P. E. Two-year fate study of thiorazine-treated patients. [dextroamphetamine; ephedrine sulphate] *Am. J. Psychiat.*, 1957, 114: 237-240.

Hart, T. M. Use of a chlorpromazine-dextroamphetamine combination in anxiety neuroses. *Am. Practitioner*, 1956, 7: 1988-1990.

Hoch, P. H. Practical and theoretical applications of the new drug therapies in psychiatry. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 325-328.

Kinross-Wright, V. Chlorpromazine; a major advance in psychiatric treatment. *Postgrad. M.*, 1954, 16: 297-299.

Le Guillant. Le syndrome neuroleptique: prévention et traitement. [The neuroleptic syndrome: prevention and treatment.] *Ann. méd. psychol., Par.*, 1957, 115 (1): 329-338.

Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.

Sigwald, J. La cure ambulatoire par la chlorpromazine. [Ambulatory therapy with chlorpromazine.] *Encéphale*, 1956, 45: 392-400.

—, **Bouttier, D., Nicolas-Charles, P.** Ambulatory treatment with chlorpromazine. *J. Clin. Exp. Psychopath.*, 1956, 17: 57-69.

Strychnine**—Therapeutic use**

Gouttebroze, V. Une année d'expérience de traitement du délirium trémens; 61 cas recueillis dans le service de neuro-psychiatrie de l'Hôpital Bellevue, St. Étienne. [Treatment of delirium tremens; one year's experience in 61 cases from the neuro-psychiatric service of the Hôpital Bellevue, St. Etienne.] 85 p. Lyon, 1955. [Thesis—Lyon, 1954/1955, no. 94]

Kammerer, T., Ebtinger, R. Premiers résultats du traitement du délirium tremens par le chlorpromazine (Largactil). [First results of chlorpromazine therapy in delirium tremens.] *Strasbourg méd.*, 1954, 5: 287-291. Abstract: *Ann. méd. psychol., Par.*, 1954, 112 (1): 102.

—, **Mengus, M., Ebtinger, R.** Traitement du delirium tremens par la chlorpromazine. [Chlorpromazine in the treatment of delirium tremens.] [Abstract] *Ann. méd. psychol., Par.*, 1954, 112 (2): 439.

Postel, J., Cossa, P. Etat actuel de la thérapeutique du delirium tremens; sur 165 cas. [Present state of the therapy of delirium tremens; 165 cases.] *Rev. neur., Par.*, 1956, 94: 660-662.

Ravina, A., Pestel, M., Albouy, R. Alcoolisme aigu et delirium tremens en milieu hospitalier parisien. Considérations cliniques et thérapeutiques à propos de 40 cas récents. [Acute alcoholism and delirium tremens in a Paris hospital setting. Clinical and therapeutic considerations regarding 40 recent cases.] *Bull. Soc. méd. hôp. Paris*, 1955, 71: 698-703.

with OTHER DRUGS [disulfiram]—COMBINED**Therapeutic studies, controlled**

Cummins, J. F., Friend, D. G. Use of chlorpromazine in chronic alcoholics. *Am. J. M. Sc.*, 1954, 227: 561-564. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3552.

Therapeutic use

Friend, D. G., Wells, J. C., Jr. The clinical use of chlorpromazine. *Am. Practitioner*, 1955, 6: 698-703. Also as: Uso clínico de la cloropromacina. *Rev. méd. cubana*, 1956, 67: 645-650.

MacGregor, J. MacW. Largactil; a new psychomotor brake. *S. Afr. J. Clin. Sc.*, 1954, 5: 228-243. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1724.

Tintera, J. W. Office rehabilitation of the alcoholic. *N. York State J. M.*, 1956, 56: 3896-3902.

Williams, E. L. The management of the chronic alcoholic. *Postgrad. M. J., Lond.*, 1954, 30: 626-630.

with OTHER DRUGS [insulin]—COMBINED**Therapeutic studies, controlled**

Lancaster, N. P., Jones, D. H. Chlorpromazine and insulin in psychiatry. *Brit. M. J.*, 1954, 2: 565-567.

with INTERMITTENT PHOTIC STIMULATION**Studies, normal subjects**

Despinoy, M., Saucet, D. Effets électro-encéphalographiques des stimulations auditives et lumineuses sur des sujets soumis à la chlorpromazine. [Effects of auditory and photic stimulations on the EEG of subjects under the influence of chlorpromazine.] *Encéphale*, 1956, 45: 877-883. *

Studies, patients

Azima, H. Proposed sleep treatment in mental disorders; some new psychopharmacological considerations. [chlorpromazine+barbiturates+IPS] *J. Ment. Sc., Lond.*, 1955, 101: 593-603. *

Fabisch, W. Chlorpromazine and epilepsy. *Lancet, Lond.*, 1955, 1: 1277. *

Leroy, C., Sigwald, J. Les myoclonies et épilepsies apparaissant chez certains malades au cours de l'administration de la chlorpromazine. [Myoclonias and epileptic convulsions occurring in some patients during chlorpromazine therapy.] *Encéphale*, 1956, 45: 904-909. *

with PSYCHOSURGERY—COMBINED

Delay, J., Deniker, P., Ropert, R. Quatre années d'expérience de la chlorpromazine dans le traitement des psychoses. [Four years of experience with chlorpromazine in therapy of psychoses.] *Presse méd.*, 1956, 64: 493-496.

Pate, W. H. Chlorpromazine therapy following trans-orbital lobotomy. *J. Nerv. Ment. Dis.*, 1957, 125: 44-50.

Sagripanti, P. Leucotomia e ipnoterapia in un caso di psicosi ossessiva. [Leukotomy and sleep therapy in an obsessive psychotic patient.] *Minerva med., Tor.*, 1953, 44: 259-260. [Not seen]

with PSYCHOSURGERY—COMPARED

Ayd, F. J., Jr. A critique of chlorpromazine and reserpine therapy. In: Himwich, H. E., ed. Tranquilizing drugs. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 173-181.

Choppy, M., Le Beau, J., Petrie, A. Modifications de la personnalité après les opérations frontales sélectives y compris la cingulectomie et après traitement par la chlorpromazine. [Personality changes after selective frontal operations, including cingulectomy, and after chlorpromazine therapy.] *Rev. neur., Par.*, 1955, 93: 843-849.

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernotherapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [p. 370]

Kokkoris, P., Kordas, P., Nikolopoulos, Yanniris, M. The results of chlorpromazine treatment with chronic psychoses in Dromokaiton. *J. Nerv. Ment. Dis.*, 1957, 125: 102-111.

Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.

Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.

Pate, W. H. Chlorpromazine therapy following trans-orbital lobotomy. *J. Nerv. Ment. Dis.*, 1957, 125: 44-50.

Petrie, A., Le Beau, J. The effects on personality of

chlorpromazine as compared with various brain operations. *Encéphale*, 1956, 45: 987-995.

Petrie, A., Le Beau, J. Psychologic changes in man after chlorpromazine and certain types of brain surgery. *J. Clin. Exp. Psychopath.*, 1956, 17: 170-179.

Pollack, B. Preliminary report on 500 patients treated with thorazine at Rochester State Hospital. *Psychiat. Q.*, 1955, 29: 439-456.

with SHOCK THERAPIES—COMBINED

see also CHLORPROMAZINE

Various special techniques with Shock therapy

Achaintre, A., Balvet, P., Beaujard, M., Brousolle, P., Perrin, J., Leveque, F., Requet, A. Evaluation of chlorpromazine in psychotic patients. *Internat. Rec. M.*, 1957, 170: 175-182.

—, Dubor, P. Les thérapeutiques alternantes et leur emploi en psychiatrie. [Alternating therapies and their use in psychiatry.] [Abstract] *J. méd. Lyon*, 1954, 35: 952.

—, —, Lauxerois, G. Trois modes particuliers d'administration de la chlorpromazine dans les affections psychiatriques à longue évolution. [Three special methods of chlorpromazine therapy in chronic psychiatric diseases.] *Encéphale*, 1956, 45: 444-448.

Böszörményi, Z., Gimes, M., Orthmayr, A. A largactil farmakodinamiás hatása és terápiás eredményei a pszichiatriában. [Pharmacodynamic effects and the therapeutic results of largactil in psychiatry] *Orv. hetil.*, 1955, 96: 1039-1045. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2238. [A very short English abstract]

Cervós Navarro, J., Unterharnscheidt, F. Importancia de las fenotiacinas en psiquiatria. [Importance of phenothiazines in psychiatry.] *Rev. españ. otoneuroft.*, 1956, 15: 75-92.

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernotherapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [367-69; 380; 382; 392; 395.]

Falcon, M. Quelques observations cliniques sur l'emploi de la chlorpromazine. [Clinical observations on the use of chlorpromazine.] *Encéphale*, 1956, 45: 587-591.

Follin, S., Soubrier, P. Sur l'utilisation d'une substance neuroplégique dans un service de psychiatrie. [The use of a neuroplegic drug in a psychiatric hospital service.] [Abstract] *Ann. méd. psychol., Par.*, 1953, 111 (2): 403.

Ford, H., Jameson, G. K. Chlorpromazine in conjunction with other psychiatric therapies: a clinical appraisal. *Dis. Nerv. Syst.*, 1955, 16: 179-185.

Kelley, J. W. Thorazine-chlorpromazine. *Nebraska M. J.*, 1954, 39: 305-307. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1797.

Lafon, R., Duc, N., Ribstein, M., Pages, H. Le traitement des syndromes schizophréniques par la 4560 R. P. (chlorpromazine). [Treatment of schizophrenic syndromes with chlorpromazine.] *Montpellier méd.*, 1954, 46: 284-291. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3642.

Lewis, L. F. The use of chlorpromazine and of serpasil in the treatment of psychotic patients. *Carib. M. J.*, *Trinidad*, 1956, 18: 51-66.

Mendes, F., Galvão, P. Experiência clínica com a clorpromazina (4560 R. P.) em psicose. [Clinical experience with chlorpromazine (4560 R. P.) in psychoses.] [English summary] *J. méd., Porto*, 1955, 26: 149-156.

Roeder, F. D. Letter from Germany. *Am. J. Psychiat.*, 1956, 113: 506-509.

Rondepierre, J., Hivert, P. H., Honoré, B., Vaugelade, S. Résultats favorables obtenus par les neuroleptiques dans les psychoses de fâcheux pronostic. [Favorable results obtained with neuroleptics in psychoses of poor

prognosis.] *Ann. méd. psychol., Par.*, 1955, 113 (2): 853-859.

with SHOCK THERAPIES—COMPARED

Ayd, F. J., Jr. A critique of chlorpromazine and reserpine therapy. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 173-181.

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernotherapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [367-69]

Fries, P. E., Gunne, L. M., Lundgren, S., Viding, G., Öhrberg, K. Orienterande undersökning av chlorpromazinets kliniska och farmakologiska effekt å psykiatrisk klientel. [Investigation of the clinical and pharmacological effects of chlorpromazine on psychiatric patients.] *Nord. psykiat. med., Kbh.*, 1955, 9: 192-201. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4072.

Goldman, D. Chlorpromazine treatment of hospitalized psychotic patients. *J. Clin. Exp. Psychopath.*, 1956, 17: 45-56. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 372.

Hartmann, K., Hiob, J., Hippus, H. Comparative psychopathology of shock therapy and pharmacotherapy. *Internat. Rec. M.*, 1957, 170: 119-124.

—, —, —. Zur vergleichenden Psychopathologie der Schock- und Phenothiazinwirkungen. [Comparative psychodynamics of shock therapy and phenothiazines.] *Fortsch. Neur. Psychiat.*, 1955, 23: 354-366.

Kokkoris, P., Kordas, P., Nikolopoulos, Yanniris, M. The results of chlorpromazine treatment with chronic psychoses in Dromokaition. *J. Nerv. Ment. Dis.*, 1957, 125: 102-111.

Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.

with SHOCK THERAPY [ECT]—COMBINED

see also CHLORPROMAZINE—Various special techniques with Shock therapy [ECT]

Studies, animals

Eeckhoutte, R. van. Le chlorhydrate de chloro-3-diméthylamino-3'-propyl-10-phénothiazine (4560 R. P.); son action sur le système nerveux et sur le système neurovégétatif. [3-Chloro-10-(3-dimethylaminopropyl) phenothiazine (4560 R. P.); its action on the nervous and autonomic nervous system.] 28 p. Ambilly, 1953. [Thesis—Geneva, 1953, no. 2168]

Studies, patients

Bente, D. Elektroencephalographische Ergebnisse zur Wirkungsweise der neuroleptischen Behandlungsverfahren. [Mechanism of action of neuroleptic therapies; EEG findings.] *Encéphale*, 1956, 45: 898-903.

Passouant, P., Pelissier, Minvielle, Jr., Dutartre. Modifications électro-encéphalographiques provoquées par la chlorpromazine au cours de l'épilepsie et de la schizophrénie. [EEG changes induced by chlorpromazine in epilepsy and in schizophrenia.] *Encéphale*, 1956, 45: 891-897.

Weiss, D. M. Changes in blood pressure with electroshock therapy in a patient receiving chlorpromazine hydrochloride (thorazine). *Am. J. Psychiat.*, 1955, 111: 617-619.

Therapeutic use

Ayd, F. J., Jr. Chlorpromazine therapy for anxiety associated with electroshock therapy. *Confinia neur., Basel*, 1956, 16: 168-173.

Bennett, A. E., Ford, F. R., Turk, R. E. Clinical investigation of chlorpromazine and reserpine in private psychiatric practice. *Am. J. Psychiat.*, 1956, 112: 782-787. Condensed: *Am. Practitioner*, 1956, 7: 1576-1577. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4546.

- Bertolini, O.** L'azione del 4560 R. P. in diverse sindromi psichiatriche. [Effects of 4560 R. P. in various psychiatric syndromes.] *Riv. sper. freniat.*, 1954, 78: 205-224.
- Bordeleau, J. M.** Clinical evaluation of chlorpromazine and Rauwolfia serpentina in the psychiatric department of a general hospital. *J. Florida M. Ass.*, 1956, 42: 547-554.
- Bronner, A.** Chlorpromazine (thorazine) in office practice. *Am. J. Psychother.*, 1956, 10: 460-466.
- Diifurth, H. von** Anwendungsmöglichkeiten des Megaphens in der psychiatrischen Klinik und Forschung. [Possibilities for the use of megaphen in psychiatric practice and research.] *Nervenarzt*, 1955, 26: 54-59. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4074.
- Gäde, E. B., Heinrich, K.** Die Bedeutung der Phenothiazinderivate, insbesondere des Megaphen, für Psychiatrie und Neurologie. [The importance of phenothiazine derivatives in psychiatry and neurology with special reference to chlorpromazine.] *Fortsch. Neur. Psychiat.*, 1955, 23: 323-353.
- Haq, S. M., Smyth, V. O.** Preliminary observations on the use of largactil in psychiatry. *Med. J. Malaya*, 1955, 9: 205-211. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4070.
- Kardos, G., Pertorini, R.** A largactil psychiatrici alkalmazása. [Psychiatric applications of chlorpromazine.] *Ideg. szemle*, 1955, 8: 65-70.
- Kinross-Wright, V.** Clinical application of chlorpromazine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 31-38.
- Laboucarie, J., Barrès P., Rascol, A.** Aspects principaux des cures neurologiques en psychiatrie en 1956. [Principal features of neurologic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.
- Lesse, S., Malitz, S., Hoch, P. [H.]** Chlorpromazine therapy in private practice. Its benefits and complications. *J. Nerv. Ment. Dis.*, 1957, 125: 25-35.
- Lieser, H.** Lässt sich die auftretende Angst vor einer Schockbehandlung beeinflussen? [Can one control fear of shock therapy?] *Deut. med. Wschr.*, 1956, 81: 1503-1504.
- MacColl, K.** Chlorpromazine hydrochloride (largactil) in the treatment of the disturbed mental defective. *Am. J. Ment. Defic.*, 1956, 61: 378-389.
- Malitz, S., Hoch, P. H., Lesse, S.** A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.
- Margolis, L. H.** Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718. *
- Martin, C. A.** Epreuve de largactil en psychiatrie. [Experiences with largactil in psychiatry.] *Laval méd.*, 1954, 19: 1079-1094. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1723.
- Mayr, F.** Erfahrungen mit der Largactil-Behandlung in der Anstaltspsychiatrie. [Experience with largactil treatment in psychiatric hospitals.] *Ther. Umschau, Bern*, 1955, 11: 184-191; 203-211.
- Paerregaard, G.** Chlorpromazinbehandling på en psykiatrisk modtageafdeling. [Chlorpromazine treatment at a psychiatric department.] [English summary] *Nord. med.*, 1956, 56: 1238-1240.
- Puca, A.** Ibernoterapia, sonno prolungato e neuroplegici in terapia psichiatrica. [Hibernation, prolonged sleep and neuroplegic drugs in psychiatric treatment.] *Rass. internaz. clin. ter.*, 1955, 35: 805-809.
- Resch, J. A., Schut, J. W., Bernstein, I. C.** Premedication in electric convulsive therapy. *Am. J. Psychiat.*, 1956, 113: 78.
- Shulman, L., Ginsberg, M.** A preliminary review of the uses of chlorpromazine in psychiatric diseases. *S. Afr. M. J.*, 1956, 30: 815-818.
- Wachsmuth, R.** Phenothiazinderivate (Megaphen) in der Psychiatrie. [Phenothiazine derivatives (megaphen) in psychiatry.] *Medizinische*, 1955: 328-329.
- Wilcox, P. H., Wilcox, K. W.** Shock therapy; physiodynamic therapy. 1. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 401-424.

—Psychoses

- Abély, P., Abdouchelli, A., Fourment, J., Schmitz, B., Delteil, P.** Suite aux essais thérapeutiques de rééquilibration instincto-affective; essai de traitement par la bromure tétra-éthyl d'ammonium en comparaison avec le R. P. 45-60 et le C. 92-95. [Further therapeutic studies on the restoration of instinctive-affective balance; therapeutic trials with tetraethylammonium bromide in comparison with R. P. 45-60 and with C. 92-95.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 262-267.
- Carillo-Broatch, A.** Tratamiento de la esquizofrenia crónica. [Treatment of chronic schizophrenia.] [English summary] *Rev. neur. psiquiat., Lima*, 1955, 18: 441-445. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1981.
- Carrier, J., Guyotat, J., Grandmottet, J.** Electro-choc et largactil dans les accès maniaques. [Electric shock therapy and largactil in manic attacks.] *J. méd. Lyon*, 1954, 35: 950-951.
- Delay, J., Deniker, P., Ropert, R.** Etude de 300 dossiers de malades psychotiques traités par la chlorpromazine en service fermé depuis 1952. [Hospitalized psychotic patients treated with chlorpromazine since 1952; analysis of 300 case histories.] *Encéphale*, 1956, 45: 528-535.
- Denber, H. C. B., Bird, E. G.** Chlorpromazine in the treatment of mental illness. III. The problem of depression. *Am. J. Psychiat.*, 1956, 112: 1012. Discussion: *ibid.*, 1956, 113: 368-369.
- Foster, M. W., Jr., Gayle, R. F., III.** Chlorpromazine and reserpine as adjuncts in electroshock treatment. *South. M. J.*, 1956, 49: 731-735.
- Goldman, D.** Chlorpromazine treatment of hospitalized psychotic patients. *J. Clin. Exp. Psychopath.*, 1956, 17: 45-56. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 372.
- Kinross-Wright, V.** Chlorpromazine treatment of mental disorders. *Am. J. Psychiat.*, 1955, 111: 907-912.
- Kranz, H.** Krankheitsdauer und Recidivhäufigkeit bei Chlorpromazinbehandlung endogener Psychosen. [Duration of disease and relapse rate of endogenous psychoses treated with chlorpromazine.] *Encéphale*, 1956, 45: 628-634.
- Laboucarie, J., Barrès, P., Rascol, A.** L'action de la chlorpromazine dans le traitement des psychoses délirantes systématisées et des schizophrénies. [Effect of chlorpromazine therapy in chronic delirium and schizophrenia.] *Encéphale*, 1956, 45: 691-697.
- , **Rascol, A., Benichou, L.** L'action de la chlorpromazine dans les schizophrénies. [Mechanism of action of chlorpromazine in schizophrenia.] *Ann. méd. psychol., Par.*, 1954, 112 (2): 751-757.
- Lamarche, A., Roussel, A., Rosendorf.** Comparaisons des résultats obtenus par la cure de sommeil, la cure de somnolence, et la cure à la chlorpromazine seule et à dose élevée; résultats de quelques électro-encéphalogrammes de contrôle. [Comparison of results obtained with sleep therapy, somnolence therapy and chlorpromazine therapy alone and with elevated doses; results controlled by EEG.] *Encéphale*, 1956, 45: 884-890.
- Litteral, E. B., Wilkinson, W. E.** The advantages, disadvantages and limitations of the use of chlorpromazine as a substitute for certain somatic treatment methods in psychiatry. *Psychiat. Res. Rep.*, Wash., 1955 (1): 63-71.
- Perrin, J., Toulet, M.** Utilisation de la chlorpromazine dans le traitement des psychoses chroniques. [Use of chlorpromazine in the treatment of chronic psychoses.] *Encéphale*, 1956, 45: 1210-1218.
- Phillip, E.** Erfahrungen mit Megaphen in der Behandlung psychisch Erkrankter. [Experience with mega-

phen in the treatment of the mentally ill.] *Nervenarzt*, 1955, 26: 49-65. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4075.
Rogg, S. G. Thorazine and electroshock. *Delaware M. J.*, 1955, 27: 83-84.

Untoward effects [see headnote p. 19]

Bini, L. see Kalinowsky, L. B. *Am. J. Psychiat.*, 1956, 113: 79. * *
Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [p. 368] * *
Epstein, J. Drugs and electroconvulsive therapy. *J. Am. M. Ass.*, 1956, 160: 503.
Kalinowsky, L. B. The danger of various types of medication during electric convulsive therapy. *Am. J. Psychiat.*, 1956, 112: 745. * *
——. Additional remarks on the danger of premedication in electric convulsive therapy. *Am. J. Psychiat.*, 1956, 113: 79-80.

with SHOCK THERAPY [ECT]—COMPARED

Ayd, F. J., Jr. Chlorpromazine therapy for anxiety associated with electroshock therapy. *Confinia neur.*, Basel, 1956, 16: 168-173.
Carrier, J., Guyotat, J., Grandmottet, J. Electro-choc et largactil dans les accès maniaques. [Electric shock therapy and largactil in manic attacks.] *J. méd. Lyon*, 1954, 35: 950-951.
Kranz, H. Krankheitsdauer und Recidivhäufigkeit bei Chlorpromazinbehandlung endogener Psychosen. [Duration of disease and relapse rate of endogenous psychoses treated with chlorpromazine.] *Encéphale*, 1956, 45: 628-634.
Kurland, A. A. Chlorpromazine in the management of the institutionalized aged psychiatric patient with chronic brain syndrome. *Dis. Nerv. Syst.*, 1955, 16: 366-369.
Lehmann, H. E., Hanrahan, G. E. Chlorpromazine, new inhibiting agent for psychomotor excitement and manic states. *A. M. A. Arch. Neur. Psychiat.*, 1954, 71: 227-237.
Lesse, S., Malitz, S., Hoch, P. [H.] Chlorpromazine therapy in private practice. Its benefits and complications. *J. Nerv. Ment. Dis.*, 1957, 125: 25-35.
MacColl, K. Chlorpromazine hydrochloride (largactil) in the treatment of the disturbed mental defective. *Am. J. Ment. Defct.*, 1956, 61: 378-389.
Maisonnette, G. Bilan d'un an de traitement par la chlorpromazine. [Chlorpromazine therapy; results of one year.] 59 p. Lyon, 1954. [Thesis—Lyon, 1953/1954, no. 93]
Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.
Passouant, P., Pelissier, Minvielle, J., Dutartre. Modifications électro-encéphalographiques provoquées par la chlorpromazine au cours de l'épilepsie et de la schizophrénie. [EEG changes induced by chlorpromazine in epilepsy and in schizophrenia.] *Encéphale*, 1956, 45: 891-897.
Phillip, E. Erfahrungen mit Megaphen in der Behandlung psychisch Erkrankter. [Experience with megaphen in the treatment of the mentally ill.] *Nervenarzt*, 1955, 26: 59-65. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4075.
Pollack, B. Mental illness. *Med. Times, Great Neck*, 1955, 83: 439-450.
——. Preliminary report on 500 patients treated with thorazine at Rochester State Hospital. *Psychiat. Q.*, 1955, 29: 439-456.

with SHOCK THERAPY [ICT]—COMBINED

Adam, H., Golse, J. Coma insulinaire et coma par hibernation. [Insulin coma and coma by hibernation.]

[chlorpromazine cocktail] *Encéphale*, 1956, 45: 471-473.
Galenko, V. E., Osberg, I. IU., Azbukina, V. D. Aminazin v psikiatricheskoi klinike. [Aminazine in psychiatric practice.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 162-165.
Hes, J. P., Bracha, S. The influence of reserpine on a disturbed male ward and a method for assessing this. *J. Ment. Sc., Lond.*, 1956, 102: 546-549.
Hormia, A. Havaintoja klooripromatsiini—reserpiini—insuliinisokkihoitoysthdistelmästä. [Observations on combined chlorpromazine, reserpine and insulin coma therapy.] [English summary] *Duodecim, Helsin.*, 1956, 72: 948-955. * *
Lancaster, N. P., Jones, D. H. Chlorpromazine and insulin in psychiatry. [with insulin and ICT] *Brit. M. J.*, 1954, 2: 565-567.
Maderna, A., Micheletto, T. Primi risultati sull'associazione largactil-insulina nella terapia di Sakel. [First results with a largactil-insulin combination in Sakel's therapy.] *Pisani*, 1954, 68: 587-598.
Obiols, J. Notre expérience sur la thérapeutique par la chlorpromazine. [Our experience with chlorpromazine therapy.] *Encéphale*, 1956, 45: 698-699.
Ramée, F., Lacaton, R., Sanchez, F., Boulanger, M. Effets favorables du largactil dans la pratique psychiatrique algérienne. [Good results with chlorpromazine therapy of mental diseases in Algeria.] *Encéphale*, 1956, 45: 820-827.
Requet, Leveque. Cure de Sakel et chlorpromazine associés. [Combined Sakel and chlorpromazine therapy.] *J. méd. Lyon*, 1956, 37: 407-409. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 954.
Tarasov, G. K. Rezul'taty klinicheskogo issledovaniia deistviia aminazina pri lechenii psikhicheskoi bol'nykh. [Results of clinical investigations on the effect of aminazine in mental patients.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 146-154.

with SHOCK THERAPY [ICT]—COMPARED

Adam, H., Golse, J. Coma insulinaire et coma par hibernation. [Insulin coma and coma by hibernation.] [chlorpromazine cocktail] *Encéphale*, 1956, 45: 471-473.
D'Aulnay, J., Malineau, R. Depuis l'avènement de la chlorpromazine la cure de Sakel est-elle condamnée? [Is Sakel's therapy obsolete since the advent of chlorpromazine therapy?] *Encéphale*, 1956, 45: 656-660.
Azima, H. Proponged sleep treatment in mental disorders; some new psychopharmacological considerations. [chlorpromazine + barbiturates] *J. Ment. Sc., Lond.*, 1955, 101: 593-603.
Boardman, R. H., Lomas, J., Markowe, M. Insulin and chlorpromazine in schizophrenia; a comparative study in previously untreated cases. *Lancet, Lond.*, 1956, 2: 487-491.

COVATIN

Pharmacodynamics

Decourt, P. Mécanisme d'action de la thérapeutique narcobiotique en général, et de la chlorpromazine en particulier, en psychiatrie. [Mechanism of action of narcobiotic psychiatric therapy in general, and of chlorpromazine in particular.] *Encéphale*, 1956, 45: 932-944.

—Additional data

Perrault, M. Sur les tranquillisateurs. [Tranquilizers.] *Progr. méd., Par.*, 1957, 85: 3-4; 7.

Studies, animals

Belot, P., Decourt, P. Etats psycho-névrotiques chez des chevaux de course; leur traitement par un narcobiotique, le N68. [Neuroses of race horses; their treatment with the narcobiotic drug N-68.] *Ann. méd. psychol., Par.*, 1956, 114(2): 103-112.

—, —. Effet du N68 sur les perturbations psychiques d'origine instinctive chez des chiens. [The effect of N-68 on psycho-sexual disorders of dogs.] *Ann. méd. psychol., Par.*, 1956, 114 (2) : 112-116.

Chauchard, P., Mazoué, H. Recherches sur le mode d'action centropiléique de quelques substances psychotropes. [Research on the mode of centripetal action of some psychotropic substances.] *C. rend. Soc. biol.*, 1956, 150 : 158-160.

Weidmann, H., Petersen, P. V. Farmakologisk undersøgelse af Covatin, et nyt stoff med sedativ virkning. [Pharmacological investigation of covatin, a new substance with sedative action.] [English summary] *Ugeskr. læger*, 1955, 117 : 378-381.

—, —. A new group of potent sedatives. *J. Pharm. Exp. Ther.*, 1953, 108 : 201-216.

Studies, normal subjects

Arnold, O. H. Erfahrungsbericht über das Tagessedativum Covatin. [Experiences with the day-time sedative covatin.] *Wien. med. Wschr.*, 1956, 106 : 510-512.

Therapeutic studies, controlled

Arnold, O. H. Erfahrungsbericht über das Tagessedativum Covatin. [Experiences with the day-time sedative covatin.] *Wien. med. Wschr.*, 1956, 106 : 510-512.

Sarwer-Foner, G. J., Koranyi, E. K., Dancy, T. E. Clinical investigation of suven—a new sedative preparation. *Canad. M. Ass. J.*, 1957, 76 : 933-937.

—Neuroses

Werenberg, H. Covatin et nyt sedativum. [Covatin, a new sedative.] *Ugeskr. læger*, 1955, 117 : 381-383.

Therapeutic use

Leyritz, Le Bézu, Azoulay. Etat dépressif avec obsession résistant au largactil; guérison rapide par la covatine (N68); résultats moins heureux dans quinze cas différents. [Depressive state with obsession resistant to chlorpromazine therapy; rapid recovery with covatin; less beneficial results in fifteen other patients.] *Ann. méd. psychol., Par.*, 1956, 114 (2) : 856-861.

Werenberg, H. Covatinbehandling af psykoser og neuroser. [Covatin therapy of psychoses and neuroses.] *Ugeskr. læger*, 1956, 118 : 1099-1100.

—Additional data

Fremming, K. H. Medikamental behandling af syndssygdomme. [Medical treatment of mental disorders.] *Mskr. prakt. lægegerm., Kbh.*, 1956, 34 : 331-342.

Laboucarie, J., Barrès, P., Rascol, A. Aspects principaux des cures neuroplégiques en psychiatrie en 1956. [Principal features of neuroplegic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57 : 851-867.

Leiberman, D. M., Vaughan, G. F. Tranquillizers. *Practitioner, Lond.*, 1956, 177 : 632-638.

—Neuroses

Ellermann, M. Virkningen af covatin (et nyt dagsedativum) på et ambulant patientmateriale. [The effect of covatin (a new daytime sedative) in out-patients.] [English summary] *Nord. med.*, 1955, 54 : 1531. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 4568.

Fouks, Laine, François, Pagot. Note sur les médications récentes des états névrotiques anxieux et dépressifs. [Note on recent medications for anxious and depressive neurotic states.] *Ann. méd. psychol., Par.*, 1956, 114(1) : 608-615.

—Psychoses

Fouks, Laine, François, Pagot. La correction des effets secondaires des médications dites neuroleptiques. [Correction of the secondary effects of so-called neuroleptic drugs.] *Ann. méd. psychol., Par.*, 1956, 114(1) : 615-620.

Mielke, F. A. Methods employed and results obtained

in psychiatric studies with new drugs acting on the brain stem. *Am. J. Psychiat.*, 1957, 114 : 134-139.

Sarro, R. Récents développements de la thérapeutique narcobiotique. [Recent developments in narcobiotic therapy.] *Encéphale*, 1956, 45 : 501-510.

Untoward effects in psychoses

Leyritz, Le Bézu, Azoulay. Etat dépressif avec obsession résistant au largactil; guérison rapide par la covatine (N68); résultats moins heureux dans quinze cas différents. [Depressive state with obsession resistant to chlorpromazine therapy; rapid recovery with covatin; less beneficial results in fifteen other patients.] *Ann. méd. psychol., Par.*, 1956, 114 (2) : 856-861.

with ATARAXICS [2 or more]

see ATARAXICS—Various [3 or more]—Compared

with CHLORPROMAZINE

see CHLORPROMAZINE with COVATIN

with PIPRADROL—COMPARED

see COVATIN—Pharmacodynamics

with PROMETHAZINE—COMPARED

see COVATIN—Pharmacodynamics

Studies, animals [WEIDMANN + PETERSEN]

ETHYLCROTONYLUREA

Studies, animals

Asung, C. L., Charcowa, A. I., Villa, A. P. Effects of a new tranquilizing drug (nostyn) on the behavior patterns of children recovered from tuberculous meningitis. *Sea View Hosp. Bull., N. Y.*, 1956, 16 : 80-85.

Ferguson, J. T., Linn, F. V. A new compound for the symptomatic treatment of tension and anxiety: 2-ethylcrotonylurea (nostyn). *Antibiotic M.*, 1956, 3 : 329-333.

Kinnard, W. J., Carr, C. J. A preliminary procedure for the evaluation of central nervous system depressants. *J. Pharm. Exp. Ther.*, 1957, 121 : 354-361.

Lim, R. K., Pindell, M. H., Glass, H. G., Rink, K. The experimental evaluation of sedative agents in animals. *Ann. N. York Acad. Sc.*, 1956, 64 : 667-678.

Pindell, M. H., Fancher, O. E., Lim, R. K. S. Sedative-hypnotic properties of 2-ethylcrotonylurea. *Fed. Proc., Balt.*, 1953, 12 : 357.

Studies, patients

Ferguson, J. T., Linn, F. V. A new compound for the symptomatic treatment of tension and anxiety: 2-ethylcrotonylurea (nostyn). *Antibiotic M.*, 1956, 3 : 329-333.

Therapeutic studies, controlled

Asung, C. L., Charcowa, A. I., Villa, A. P. Effects of a new tranquilizing drug (nostyn) on the behavior patterns of children recovered from tuberculous meningitis. *Sea View Hosp. Bull., N. Y.*, 1956, 16 : 80-85.

Ferguson, J. T., Linn, F. V. A new compound for the symptomatic treatment of tension and anxiety: 2-ethylcrotonylurea (nostyn). *Antibiotic M.*, 1956, 3 : 329-333.

Therapeutic use

Ferguson, J. T. Successful therapeutic regimen for the management of behavior problems in the elderly. *J. Am. Geriatr. Soc.*, 1956, 4 : 1080-1084.

Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquilizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. *GP*, 1957, 15 (6) : 97-118.

with ATARAXICS [2 or more]

see ATARAXICS—Various [3 or more]—Compared

with AZACYCLONOL

see AZACYCLONOL with ETHYLCROTONYLUREA

with MEPROBAMATE—COMPARED

Studies, animals see following reference

Therapeutic studies, controlled

Ferguson, J. T., Linn, F. V. A new compound for the symptomatic treatment of tension and anxiety: 2-ethylcrotonylurea (nostyn). *Antibiotic M.*, 1956, 3: 329-333.

with RESERPINE—COMPARED

Therapeutic studies, controlled see preceding reference

with RESERPINE + METHYLPHENIDYLACETATE + anticonvulsants—COMPARED

Therapeutic studies, controlled see preceding reference

HARMINE

Fabing, H. D. The dimensions of neurology. *Neurology*, 1955, 5: 603-611. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1718.

—. Experimental psychoses which mimic schizophrenia. *Nebraska M. J.*, 1956, 41: 455-459.

—. The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drug & Cosmet. Indust.*, 1956, 78: 32-33; 125-129.

Jarvik, M. E. Mechanism of action of lysergic acid diethylamide, serotonin, and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 145-154.

Osmond, H. Ololiuqui: the ancient Aztec narcotic; remarks on the effects of Rivea corymbosa (ololiuqui). *J. Ment. Sc., Lond.*, 1955, 101: 526-537.

—. Research on schizophrenia. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the second conference, May 1955, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1956. p. 183-233.

Rinkel, M., Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18: 323-334.

Shaw, E., Woolley, D. W. Yohimbine and ergot alkaloids as naturally occurring antimetabolites of serotonin. *J. Biol. Chem.*, 1953, 203: 979-989.

Turner, W. J., Merlis, S., Carl, A. Concerning theories of indoles in schizophrenogenesis. *Am. J. Psychiat.*, 1955, 112: 466-467.

Woolley, D. W., Shaw, E. Some neurophysiological aspects of serotonin. *Brit. M. J.*, 1954, 2: 122-126.

Studies, animals

Corriol, J., Mercier, J. Etude électroencéphalographique de l'harminé. [Electroencephalographic study of harmine.] *C. rend. Soc. biol.*, 1952, 146: 1356-1359. Abstract: *Chem. Abstr.*, 1953, 47: 7095h.

Studies, patients

Pennes, H. H., Hoch, P. H. Psychotomimetics, clinical and theoretical considerations: harmine, WIN-2299 and nalline. *Am. J. Psychiat.*, 1957, 113: 887-892.

HIBICON

Studies, animals

Harned, B. K., Cunningham, R. W., Clark, M. C., Hine, C. H., Kane, M. M., Smith, F. H., Jr., Vessey, R. E., Yuda, N. N., Zabransky, F. W. The pharmacology of N-benzyl- β -chloropropionamide (hibicon), a new anticonvulsant. *J. Pharm. Exp. Ther.*, 1953, 107: 403-423.

Therapeutic studies, controlled

Hawkes, C. D. N-Benzyl- β -chloropropionamide (hibicon); a new approach to anticonvulsant therapy. *A. M. A. Arch. Neur. Psychiat.*, 1952, 67: 815-820.

Therapeutic use—Psychoses

Merlis, S., Martin, D. W. Hibicon in treatment of epileptics with mental disorder. *Psychiat. Q.*, 1956, 30: 387-401.

HYDROXYZINE

Studies, animals

Ende, M. Clinical evaluation of atarax; a non-barbiturate calming agent. *Virginia M. Month.*, 1956, 83: 503-505.

Farah, L. Preliminary study on the use of hydroxyzine in psychosomatic affections. *Internat. Rec. M.*, 1956, 169: 379-389. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 845.

Heuyer, G., Lang, J. L., Chevreau, J. P., Juredieu. Premiers résultats obtenus par un dérivé du chlorbenzhydryl en psychiatrie infantile. [First results with a chlorbenzhydryl derivative in child psychiatry.] *Encéphale*, 1956, 45: 579-586.

Segal, L. J., Tansley, A. E. A clinical trial with hydroxyzine (atarax) on a group of maladjusted educationally subnormal children. *J. Ment. Sc., Lond.*, 1957, 103: 677-681.

Shalowitz, M. Hydroxyzine: a new therapeutic agent for senile anxiety states; a preliminary report. *Geriatrics*, 1956, 11: 312-315. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1417.

Walaszek, E. J., Abood, L. G. Effect of tranquilizing drugs on fighting responses of Siamese fighting fish. *Science*, 1956, 124: 440-441.

Studies, normal subjects

Farah, L. Preliminary study on the use of hydroxyzine in psychosomatic affections. *Internat. Rec. M.*, 1956, 169: 379-389. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 845.

Therapeutic studies, controlled

—Neuroses

Segal, L. J., Tansley, A. E. A clinical trial with hydroxyzine (atarax) on a group of maladjusted educationally subnormal children. *J. Ment. Sc., Lond.*, 1957, 103: 677-681.

Shalowitz, M. Hydroxyzine: a new therapeutic agent for senile anxiety states; a preliminary report. *Geriatrics*, 1956, 11: 312-315. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1417.

—Psychosomatic diseases

Farah, L. Preliminary study on the use of hydroxyzine in psychosomatic affections. *Internat. Rec. M.*, 1956, 169: 379-389. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 845.

Robinson, H. M., Jr., Robinson, C. V., Strahan, J. F. Hydroxyzine (atarax) hydrochloride in dermatological therapy. *J. Am. M. Ass.*, 1956, 161: 604-606.

Therapeutic use

De Busscher, J. Impressions personnelles sur les effets de l'atarax, de la chlorpromazine, de la réserpine et du AY 5406-1 (parasan) en thérapeutique psychiatrique. [Personal impressions of atarax, chlorpromazine, reserpine and AY 5406-1 (parasan) in psychiatric therapy.] *Encéphale*, 1956, 45: 1007-1023.

Fouks, Laine, François, Pagot. La correction des effets secondaires des médications dites neuroleptiques. [Correction of the secondary effects of so-called neuroleptic drugs.] *Ann. méd. psychol., Par.*, 1956, 114(1): 615-620.

—, —, —. Note sur l'utilisation en psychiatrie d'un nouveau neuroleptique. [Note on the use of a new neuroleptic drug in psychiatry.] *Ann. méd. psychol., Par.*, 1956, 114(1): 605-608.

—Additional data

- Bergy, G. A. Drugs of sedation with tranquilizing effects. *Am. Profes. Pharmacist*, 1956, 22: 419; 534-538; 619-621; 709-710; 797-799; 888-889; 917-919. [709-710.]
- Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.
- Cohen, I. M. Drugs recently introduced in the treatment of psychiatric disorders. *Texas J. M.*, 1956, 52: 683-687.
- Dellaert, R. De modernste chemopharmaca in de psychiatrie. [New chemical psychopharmaca.] *Belg. tschr. geneesk.*, 1956, 12: 314-321.
- Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hiberno-therapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [364-65]
- Fabing, H. D. The ataractic drugs: their uses and limitations in psychiatry. *Am. Profes. Pharmacist*, 1956, 22: 413-418.
- Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38(1): 102-108; 126.
- Kline, N. S. Chemotherapy in psychiatry; recent advances. *Seminar Internat., Hoddesdon*, 1956, 5(2): 7-10.
- Laboucarie, J. Barrès, P., Rascol, A. Aspects principaux des cures neuroplégiques en psychiatrie en 1956. [Principal features of neuroplegic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.
- Senseman, L. A. Tranquilizing drugs; uses and abuses for the nervous patient. *Rhode Island M. J.*, 1956, 39: 675-677; 680; 686.
- Spencer, R. S. The use of ataraxic drugs in mental illness. *Hawaii M. J.*, 1957, 16: 302.
- Tice, L. F. Some important drug developments of 1956. *Am. J. Pharm.*, 1956, 128: 398-409.
- Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1957, 113: 611-615.

—Neuroses

- Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747.
- Ende, M. Clinical evaluation of atarax; a non-barbiturate calming agent. *Virginia M. Month.*, 1956, 83: 503-505.
- Fouks, Laine, François, Pagot. Note sur les médications récentes des états névrotiques anxieux et dépressifs, [Note on recent medications for anxious and depressive neurotic states.] *Ann. méd. psychol., Par.*, 1956, 114(1): 608-615.
- Heilbrunn, G. Selection of patients for modern psychiatric pharmacotherapy in general practice. *Northwest M.*, 1956, 55: 1198-1205.
- Heuyer, G., Lang, J. L., Chevreau, J. P., Juredieu. Premiers résultats obtenus par un dérivé du chlorbenzhydryl en psychiatrie infantile. [First results with a chlorbenzhydryl derivative in child psychiatry.] *Encéphale*, 1956, 45: 579-586.
- Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquilizing (ataractic) agents: current evaluation of their clinical use, in patients who are not hospitalized. *GP*, 1957, 15(6): 97-118.
- Seneca, H. Hydroxyzine (atarax) as a therapeutic agent. *Antibiotic M.*, 1957, 4: 25-30.

with RESERPINE—COMBINED

- Fouks, Laine, François, Pagot. La correction des effets secondaires des médications dites neuroleptiques. [Correction of the secondary effects of so-called neuroleptic drugs.] *Ann. méd. psychol., Par.*, 1956, 114(1): 615-620.
- Laboucarie, J., Barrès, P., Rascol, A. Aspects principaux des cures neuroplégiques en psychiatrie en 1956. [Principal features of neuroplegic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.

with RESERPINE—COMPARED

- Farah, L. Preliminary study on the use of hydroxyzine in psychosomatic affections. *Internat. Rec. M.*, 1956, 169: 379-389. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 845.

with OTHER DRUGS—COMBINED

- Warter, P. J. Prednisolone-hydroxyzine combination in rheumatoid arthritis. *J. M. Soc. N. Jersey*, 1957, 54: 7-10.

IBOGAINE

- Fabing, H. D. Experimental psychoses which mimic schizophrenia. *Nebraska M. J.*, 1956, 41: 455-459.
- . The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drug & Cosmet. Indust.*, 1956, 78: 32-33; 125-129.
- . Trends in biological research in schizophrenia. *J. Nerv. Ment. Dis.*, 1956, 124: 1-7.
- Schneider, J. A., Sigg, E. B. Neuropharmacological studies on ibogaine, an indole alkaloid with central-stimulant properties. *Ann. N. York Acad. Sc.*, 1957, 66: 765-776.
- Turner, W. J., Merlis, S., Carl, A. Concerning theories of indoles in schizophrenigenesis. *Am. J. Psychiat.*, 1955, 112: 466-467.

Intoxication

- Osmond, H. Ololiuqui: the ancient Aztec narcotic; remarks on the effects of Rivea corymbosa (ololiuqui). *J. Ment. Sc., Lond.*, 1955, 101: 526-537.
- . Research on schizophrenia. In: Abramson H. A., ed. Neuropharmacology. Transactions of the second conference, May 1955, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1956. p. 183-233.
- Schweitzer, A. Old black magic reborn. In: Garrett, E. J., ed. Beyond the five senses. Philadelphia, Lippincott, 1957. p. 203-208.

Studies, animals

- Schneider, J. A., Sigg, E. B. Neuropharmacological studies on ibogaine, an indole alkaloid with central-stimulant properties. *Ann. N. York Acad. Sc.*, 1957, 66: 765-776.

IPRONIAZID

Pharmacodynamics

- Crane, G. E. Further studies on iproniazid phosphate; isonicotinil-isopropylhydrazine phosphate, marsilid. *J. Nerv. Ment. Dis.*, 1956, 124: 322-331.

Studies, animals

- Besendorf, H., Pletscher, A. Beeinflussung zentraler Wirkungen von Reserpin und 5-Hydroxytryptamin durch Isonicotinsäurehydrazide. [The influence of isonicotinic acid hydrazides on the central effects of reserpine and of 5-hydroxytryptamine.] [English summary] *Helvet. physiol. pharm. acta*, 1956, 14: 383-390.
- Brown, B. B. Lysergic acid diethylamide antagonism of certain drugs. *Ann. N. York Acad. Sc.*, 1957, 66: 677-685.

with ATARAXICS [2 or more]
see ATARAXICS—Various [3 or more]

with CHLORPROMAZINE
see CHLORPROMAZINE with HYDROXYZINE

with MEPROBAMATE—COMPARED

- Robinson, H. M., Jr., Robinson, C. V., Strahan, J. F. Hydroxyzine (atarax) hydrochloride in dermatological therapy. *J. Am. M. Ass.*, 1956, 161: 604-606.

- Brodie, B. B., Pletscher, A., Shore, P. A. Possible role of serotonin in brain function and reserpine action. [Abstract] *J. Pharm. Exp. Ther.*, 1956, 116:9.
- Jenkins, D. E., Chofnas, I., Boren, H., Guthrie, R. Clinical and laboratory observations on iproniazid. *Tr. 12. Conf. Chemother. Tuberc.*, 1953: 141-145. *
- Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sc.*, 1957, 66: 496-507.
- , Hart, E. R. An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.
- Schallek, W., Walz, D. Effects of isoniazid and iproniazid on the central nervous system of the dog. *Am. Rev. Tuberc.*, 1954, 69: 261-266.
- Verdeaux, G., Marty, R. Action sur l'électroencéphalogramme de substances pharmacodynamiques d'intérêt clinique. [Effect of clinically important drugs on the encephalogram.] *Rev. neur., Par.*, 1954, 91: 405-427. [p. 423]

Studies, normal subjects

- Bennett, I. F., Cohen, D., Starer, E. Isoniazid in treatment of the chronic schizophrenic patient. *A. M. A. Arch. Neur. Psychiat.*, 1954, 71: 54-65. [p. 55] *
- Bloch, R. G., Dooneief, A. S., Buchberg, A. S., Spellman, S. The clinical effect of isoniazid and iproniazid in the treatment of pulmonary tuberculosis. *Ann. Int. M.*, 1954, 40: 881-900. *
- Bosworth, D. M. The treatment of tuberculous lesions of bones and joints with iproniazid (marsilid). *N. York State J. M.*, 1956, 56: 1281-1284. *
- , Fielding, J. W., Acosta, M. G. Use of iproniazid in nontuberculous bone and joint infections. *J. Am. M. Ass.*, 1955, 157: 132-136.
- Cheifetz, I., Paulin, C., Tuatay, H., Rubin, E. H. Iproniazid in pulmonary tuberculosis. *Dis. Chest*, 1954, 25: 390-396. *
- Crane, G. E. Further studies on iproniazid phosphate; isonicotinil-isopropylhydrazine phosphate, marsilid. *J. Nerv. Ment. Dis.*, 1956, 124: 322-331.
- , The psychiatric side-effects of iproniazid. *Am. J. Psychiat.*, 1956, 112: 494-501. *
- Jenkins, D. E., Chofnas, I., Boren, H., Guthrie, R. Clinical and laboratory observations on iproniazid. *Tr. 12. Conf. Chemother. Tuberc.*, 1953: 141-145. *
- Lukinovich, N., Vichi, A. Modifications psychologiques au cours du traitement de tuberculeux par le "marsilid". [Psychologic modifications in tuberculous subjects during "marsilid" therapy.] [English summary] *Meschr. Psychiat.*, Basel, 1956, 132: 364-380.
- O'Connor, J. B., Howlett, K. S. Side effects accompanying use of iproniazid. *Tr. 12. Conf. Chemother. Tuberc.*, 1953: 139-140. *
- , —, Wagner, R. R. Side effects accompanying use of iproniazid. *Am. Rev. Tuberc.*, 1953, 68: 270-272. *
- Pleasure, H. Psychiatric and neurological side-effects of isoniazid and iproniazid. *A. M. A. Arch. Neur. Psychiat.*, 1954, 72: 313-320. *
- Selikoff, I. J., Robitzek, E. H., Ornstein, G. G. Treatment of pulmonary tuberculosis with hydrazide derivatives of isonicotinic acid. *J. Am. M. Ass.*, 1952, 150: 973-980. *
- , —, —. Withdrawal symptoms upon discontinuance of iproniazid and isoniazid therapy. *Am. Rev. Tuberc.*, 1953, 67: 212-216. *
- Verdeaux, G., Marty, R. Action sur l'électroencéphalogramme de substances pharmacodynamiques d'intérêt clinique. [Effect of clinically important drugs on the encephalogram.] *Rev. neur., Par.*, 1954, 91: 405-427. [p. 423]
- Wiedorn, W. S., Ervin, F. Schizophrenic-like psychotic reactions with administration of isoniazid. *A. M. A. Arch. Neur. Psychiat.*, 1954, 72: 321-324. *

Therapeutic studies, controlled

- Ayd, F. J., Jr. A preliminary report on marsilid. *Am. J. Psychiat.*, 1957, 114: 459. *
- Kamman, G. R., Freeman, J. G., Lucero, R. J. The effect of 1-Isonicotinyl 2-isopropyl hydrazide (IIH) on the behavior of long-term mental patients. *J. Nerv. Ment. Dis.*, 1953, 118: 391-407.

Therapeutic use

- Pennington, V. M. Research findings in phrenotropic drugs important to every physician. *Mississippi Doctor*, 1957, 35: 57-63.
- Smith, J. A. The use of the isopropyl derivative of isonicotinylhydrazine (marsilid) in the treatment of mental disease; a preliminary report. *Am. Practitioner*, 1953, 4: 519-520.

with ADRENOCHROME—COMPARED

with LYSERGIC ACID DIETHYLAMIDE—COMPARED

see IPRONIAZID—Pharmacodynamics

with LYSERGIC ACID DIETHYLAMIDE—INTERACTION

see LYSERGIC ACID DIETHYLAMIDE with IPRONIAZID—INTERACTION

Studies, animals

with RAUWOLFIA CANESCENS ALKALOIDS

see RAUWOLFIA CANESCENS ALKALOIDS with IPRONIAZID—COMBINED

Therapeutic studies, controlled

with RESERPINE—COMBINED

see RESERPINE with IPRONIAZID—COMBINED

Studies, animals

with RESERPINE—COMPARED

see IPRONIAZID—Pharmacodynamics

with SEROTONIN see SEROTONIN with IPRONIAZID

with OTHER DRUGS—COMBINED

Therapeutic use

- Ayd, F. J., Jr. A preliminary report on marsilid. [amphetamine] *Am. J. Psychiat.*, 1957, 114: 459.
- O'Connor, J. B., Howlett, K. S. Side effects accompanying use of iproniazid. [barbiturates] *Tr. 12. Conf. Chemother. Tuberc.*, 1953: 139-140.

Untoward effects [see headnote p. 19]

- Bloch, R. G., Dooneief, A. S., Buchberg, A. S., Spellman, S. The clinical effect of isoniazid and iproniazid in the treatment of pulmonary tuberculosis. [anesthetics] *Ann. Int. M.*, 1954, 40: 881-900.
- Cheifetz, I., Paulin, C., Tuatay, H., Rubin, E. H. Iproniazid in pulmonary tuberculosis. [anesthetics] *Dis. Chest*, 1954, 25: 390-396.
- Selikoff, I. J., Robitzek, E. H., Ornstein, G. G. Treatment of pulmonary tuberculosis with hydrazide derivatives of isonicotinic acid. [anesthetics] *J. Am. M. Ass.*, 1952, 150: 973-980.

with OTHER DRUGS—COMPARED

- Bennett, I. F., Cohen, D., Starer, E. Isoniazid in treatment of the chronic schizophrenic patient. [isoniazid] *A. M. A. Arch. Neur. Psychiat.*, 1954, 71: 54-65.
- Crane, G. E. Further studies on iproniazid phosphate; isonicotinil-isopropylhydrazine phosphate, marsilid. [amphetamine] *J. Nerv. Ment. Dis.*, 1956, 124: 322-331.
- Schallek, W., Walz, D. Effects of isoniazid and iproniazid on the central nervous system of the dog. [isoniazid] *Am. Rev. Tuberc.*, 1954, 69: 261-266.
- Selikoff, I. J., Robitzek, E. H., Ornstein, G. G. Treatment of pulmonary tuberculosis with hydrazide derivatives of

isonicotinic acid. [isoniazid] *J. Am. M. Ass.*, 1952, 150: 973-980.
Verdeaux, G., Marty, R. Action sur l'électroencéphalogramme de substances pharmacodynamiques d'intérêt clinique. [Effect of clinically important drugs on the encephalogram.] [isoniazid] *Rev. neur., Par.*, 1954, 91: 405-427. [p. 423]

LYSERGIC ACID AMIDE

Studies, normal subjects

Solms, H. Chemische Struktur und Psychose bei Lysergsäure-Derivaten. [Chemical structure of and psychosis produced by lysergic acid derivatives.] *Praxis, Bern*, 1956, 45: 746-749.
 —. Relationships between chemical structure and psychoses with the use of psychotoxic substances. "Comparative pharmacopsychiatric analysis:" A new research method. *J. Clin. Exp. Psychopath.*, 1956, 17: 429-433.

with **LYSERGIC ACID DIETHYLAMIDE**—COMPARED
 with **LYSERGIC ACID ETHYLAMIDE**—COMPARED
 see **LYSERGIC ACID AMIDE**

LYSERGIC ACID DIETHYLAMIDE

Abramson, H. A., ed. Neuropharmacology. Transactions of the second conference, May 1955, Princeton, N. J. 328 p. Transactions of the third conference, May 1956, Princeton, N. J. 381 p. New York, *Josiah Macy, Jr. Foundation*, 1956; 1957. [Articles within the scope of this bibliography are listed individually]
Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. 85 p. [Round table at American Psychiatric Association annual meeting held in Atlantic City, N. J., May 1955.] New York, *Grune & Stratton*, 1956. [Articles within the scope of this bibliography are listed individually.]
Denber, H. C. B., Rinkel, M., ed. Psychodynamic and therapeutic aspects of mescaline and lysergic acid diethylamide. [Round table at American Psychiatric Association annual meeting held in Chicago, Ill., May 1956] *J. Nerv. Ment. Dis.*, 1957, 125: 423-451. [Preface p. 423-424; Summary of discussion p. 450-451] [All articles are listed individually]

Bibliographies

Cerletti, A. Literature on LSD-25. In: Abramson, H. A., ed. Neuropharmacology. Transactions of the second conference, May 1955, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1956. Appendix p. 301-308.
Sandoz Chemical Works, inc., Sandoz Pharmaceuticals. Annotated bibliography; LSD 25—Delysid (d-lysergic acid diethylamide). 56 p. Hanover, N. J., 1956.

Pharmacodynamics

Berthiaume, M. La diéthylamide de l'acide lysergique en psychiatrie. [Lysergic acid diethylamide in psychiatry.] *Union méd. Canada*, 1956, 85: 555-560. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1385.
Delay, J., Thuillier, J. Psychiatrie expérimentale et psychopharmacologie. [Experimental psychiatry and psychopharmacology.] *Sem. hôp. Paris*, 1956, 32: 3187-3193.
Evarts, E. V. A review of the neurophysiological effects of lysergic acid diethylamide (LSD) and other psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 479-495.
Jarvik, M. E. Mechanism of action of lysergic acid diethylamide, serotonin, and related drugs. In: Kline,

N. S., ed. Psychopharmacology. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 145-154.
Rinkel, M. Pharmacodynamics of LSD and mescaline. *J. Nerv. Ment. Dis.*, 1957, 125: 424-427.
Rothlin, E. Lysergic acid diethylamide and related substances. *Ann. N. York Acad. Sc.*, 1957, 66: 668-676.
 —, **Cerletti, A.** Pharmacology of LSD-25. In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, *Grune & Stratton*, 1956. p. 1-7.
Smith, R. The CNS action of d-lysergic acid diethylamide (LSD-25). *Mod. Hosp.*, 1953, 80 (1): 106-110.
Solms, H. Relationships between chemical structure and psychoses with the use of psychotoxic substances. "Comparative pharmacopsychiatric analysis:" A new research method. *J. Clin. Exp. Psychopath.*, 1956, 17: 429-433.
Thuillier, J. La sérotonine. [Serotonin.] *Concours méd.*, 1956, 78: 3177-3181.
Walther-Büel, H. Über Pharmakopsychiatrie. [Pharmacopsychiatry.] *Schweiz. med. Wschr.*, 1953, 83: 483-487. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1940.
Wikler, A. The uses of drugs in psychiatric research. *Am. J. Psychiat.*, 1956, 112: 961-969.

—Additional data

Carr, C. J., Kinnard, W. J., Jr. The phrenotropic agents. *Internat. Rec. M.*, 1957, 170: 493-504.
The chemical concept of psychoses. *What's new*, 1955 (189): 3-7.
Fabing, H. D. Experimental psychoses which mimic schizophrenia. *Nebraska M. J.*, 1956, 41: 455-459.
 —. The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drug & Cosmet. Indust.*, 1956, 78: 32-33; 125-129.
Fazekas, J. F., Toupin, H., Alman, R. W. Physiologic and pharmacologic basis for the chemotherapy of psychiatric states. *Am. J. Med.*, 1956, 21: 825-831.
Fremming, K. H. Medikamentel behandling af synds-sygdomme. [Medical treatment of mental disorders.] *Mskr. prakt. laegegern., Kbh.*, 1956, 34: 331-342.
Funderburk, W. H., Wilcox, K. W., Wilcox, P. H. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 425-456.
Graffagnino, P. N., Furr, J. H. New drugs in the treatment of emotional disorders; a review. *Connecticut M. J.*, 1957, 21: 38-43.
Green, A. Actualités thérapeutiques 1955 en psychiatrie. [Therapeutic progress in psychiatry in 1955.] *Encéphale*, 1956, 45: 172-200.
Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38 (1): 102-108; 126.
Klingman, W. O. Neurological and psychiatric disorders; some recent advances in therapy. *Virginia M. Month.*, 1956, 83: 240-246.
Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818.
Pennes, H. H. The nature of drugs with mental actions and their relation to cerebral function. *Bull. N. York Acad. M.*, 1957, 33: 81-88.
Rinkel, M., Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18: 323-334.
Rothlin, E. Die zentralnervösen Wirkungen von Heilmitteln. [The central-nervous effects of drugs.] 39 p. Stuttgart, *Thieme*, 1954.
Sebrell, W. H., Jr. Chemistry in chronic disease research. *Chem. Eng. News*, 1955, 33: 1856-1860.
Turner, W. J., Merlis, S., Carl, A. Concerning theories of indoles in schizophrenogenesis. *Am. J. Psychiat.*, 1955, 112: 466-467.
Wilcox, P. H., Funderburk, W. H., Wilcox, K. W. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1955, 10: 595-608.

—, Rothlin, E. Role of 5-hydroxytryptamine in mental diseases and its antagonism to lysergic acid derivatives *Nature, Lond.*, 1955, 176: 785-786. Abstract: *Chem*

- Abstr., 1956, 50: 4389fgh. *Excerpta med.*, Sect. 8, 1957, 10: No. 973.
- Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.
- Delay, J., Lhermitte, F., Verdeaux, G., Verdeaux, J. Modifications de l'électrocorticogramme du lapin par la diéthylamide de l'acide d-lysergique (LSD-25). [Electrocorticographic changes produced in the rabbit with lysergic acid diethylamide.] *Rev. neur., Par.*, 1952, 86: 81-88.
- Delgado, J. M., Mihailovic, L. Use of intracerebral electrodes to evaluate drugs that act on the central nervous system. *Ann. N. York Acad. Sc.*, 1956, 64: 644-666.
- Elkes, J. Effects of psychosomimetic drugs in animals and man. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the third conference, May 1956, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1957. p. 205-295.
- , Elkes, C., Bradley, P. B. The effect of some drugs on the electrical activity of the brain, and on behaviour. *J. Ment. Sc., Lond.*, 1954, 100: 125-128.
- Evarts, E. [V.] Brain effects of LSD in animals. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 55-56.
- , Some effects of bufotenine and lysergic acid diethylamide on the monkey. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 49-53.
- , Landau, W., Freygang, W., Jr., Marshall, W. H. Some effects of lysergic acid diethylamide and bufotenine on electrical activity in the cat's visual system. *Am. J. Physiol.*, 1955, 182: 594-598.
- , Marshall, W. H. The effects of lysergic acid diethylamide on the excitability cycle of the lateral geniculate. *Tr. Am. Neur. Ass.*, 1955, 80th Meeting: 58-60.
- Garello, L., Dolce, G. Intorno alla azione risolvante della dietilamide dell'acido lisergico e della metilamfetamina sulla catalessia sperimentale da 5-idrossitriptamina (5 HT); ricerche sperimentali sul cane. [Antagonistic effect of diethylamide of lysergic acid and of methylamphetamine on experimental catalepsy caused by 5-hydroxytryptamine; experimental research on dogs.] [English summary] *Sistema nerv., Milano*, 1956, 8: 61-80. Abstract: *Chem. Abstr.*, 1956, 50: 17196a.
- Haley, T. J., McCormick, W. G. Pharmacological effects produced by intracerebral injection of drugs in the conscious mouse. *University of California, School of Medicine, Atomic Energy Project, Los Angeles*, 1956 (UCLA-372): 1-25.
- Himwich, H. E. The effect of frenquel on EEG changes produced by LSD-25 and mescaline. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 19-26.
- Jarvik, M. E. Effect of LSD-25 on snails. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the third conference, May 1956, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1957. p. 29-38.
- Keller, D. L., Umbreit, W. W. Chemically altered permanent behavior patterns in fish and their cure by reserpine. *Science*, 1956, 124: 407.
- , —, Permanent alteration of behavior in mice by chemical and psychological means. *Science*, 1956, 124: 723-724.
- Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sc.*, 1957, 66: 496-507.
- , Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, Am. Ass. Adv. Sc., 1957. p. 9-21.
- , —, An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.
- , —, The possible role of inhibition at adrenergic synapses in the mechanism of hallucinogenic and related drug actions. *J. Nerv. Ment. Dis.*, 1955, 122: 453-457.
- Masserman, J. H., Pechtel, C. An experimental investigation of factors influencing drug action. *Psychiat. Res. Rep., Wash.*, 1956 (4): 95-113.
- , —, Neurophysiologic and pharmacologic influences on experimental neuroses. *Am. J. Psychiat.*, 1956, 113: 510-514.
- Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thiorazine, and meratran. *Psychiat. Res. Rep., Wash.*, 1955 (1): 25-44. Abstract: *Chem. Abstr.*, 1956, 50: 2867gh.
- Murphree, O. D., Peters, J. E. The effect of electroconvulsions, insulin comas and certain chemical agents on fixations in the rat. *J. Nerv. Ment. Dis.*, 1956, 124: 78-83.
- Nathan, P., Aprison, M. H., Himwich, H. E. Effect of some centrally acting drugs on compulsive circling. *Proc. Soc. Exp. Biol., N. Y.*, 1955, 90: 364-367. Abstract: *Chem. Abstr.*, 1956, 50: 3632cd.
- Peters, J. J., Vonderahe, A. R. Behavior of the salamander under the influence of LSD-25 and frenquel, and accompanying electrical activity of brain and spinal cord. *J. Nerv. Ment. Dis.*, 1956, 124: 69-73.
- Pfeiffer, C. C., Jenney, E. H. The inhibition of the conditioned response and the counteraction of schizophrenia by muscarinic stimulation of the brain. *Ann. N. York Acad. Sc.*, 1957, 66: 753-764.
- Purpura, D. P. Electrophysiological analysis of psychotogenic drug action. (1) Effect of LSD on specific afferent systems in the cat. (2) General nature of lysergic acid diethylamide (LSD) action on central synapses. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 122-131; 132-143. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4451; No. 4452.
- , Electrophysiological analysis of psychotogenic drug action on the evoked potentials of the cat's brain. *Tr. Am. Neur. Ass.*, 1955, 80th Meeting: 60-67.
- , Experimental analysis of the inhibitory action of lysergic acid diethylamide on cortical dendritic activity. *Ann. N. York Acad. Sc.*, 1957, 66: 515-536.
- Rinaldi, F. The experimental electroencephalographic approach to psychopharmacology. *Psychiat. Res. Rep., Wash.*, 1956 (4): 1-10.
- , Himwich, H. E. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122: 424-432. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1601.
- , —, Frenquel corrects certain cerebral electrographic changes. *Science*, 1955, 122: 198-199.
- Rinkel, M., Hyde, R. W., Solomon, H. C. Experimental psychiatry. IV. Hallucinogens: tools in experimental psychiatry. *Dis. Nerv. Syst.*, 1955, 16: 229-232.
- Rothlin, E., Cerletti, A. Über einige pharmakologische Untersuchungen an Mäusen mit congenitaler Drehsucht. [Some pharmacological studies on mice with congenital waltzing syndrome.] *Helvet. physiol. pharm. acta*, 1952, 10: 319-327. Abstract: *Chem. Abstr.*, 1953, 47: 766hi.
- Roubíček, J., Srnc, J. Experimentální psychosa vyvolaná LSD. [Experimental psychosis caused by LSD.] [English summary] *Cas. lek. cesk.*, 1955, 94: 189-195. Abstract: *Chem. Abstr.*, 1955, 49: 11875e. *Excerpta med.*, Sect. 8, 1955, 8: No. 4844.
- Rovetta, P. Effects of mescaline and LSD on evoked responses especially of the optic system of the cat. *Electroencephalography, Montreal*, 1956, 8: 15-24. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 501.

Sacchi, U., Bonamini, F., Dolce, G., Garello, L. Dietilamide dell'acido lisergico e catalessia da 5-idrossitriptamina nel cane. [Lysergic acid diethylamide and 5-hydroxytryptamine catalepsy in dogs.] *Boll. Soc. ital. biol. sper.*, 1955, 31: 665-667.

—, Brusa, A., Giannotti, G. Lesions del sistema nervoso centrale del *Carassius auratus* da 5 HT ed azione protettiva dell'LSD. [Lesions of the central nervous system in *Carassius auratus* caused by serotonin and the protective action of lysergic acid diethylamide.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 438-441.

Schwarz, B. E., Wakim, K. G., Bickford, R. G., Lichtenheld, F. R. Behavioral and electroencephalographic effects of hallucinogenic drugs; changes in cats on intraventricular injection. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 83-90. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 328.

Sherwood, S. L. Effects of drugs on the behavior of animals and on psychoses of man. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the second conference*, May 1955, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1956. p. 85-182.

Shore, P. A., Silver, S. L., Brodie, B. B. Interaction of reserpine, serotonin, and lysergic acid diethylamide in brain. *Science*, 1955, 122: 284-285.

—, —, —. Interaction of serotonin and lysergic acid diethylamide (LSD) in the central nervous system. *Experientia, Basel*, 1955, 11: 272-273.

Smith, K., Moody, A. C. Schizophrenia and the Siamese fighting fish. *Dis. Nerv. Syst.*, 1956, 17: 327-328.

Turner, W. J. The effect of lysergic acid diethylamide on *Betta splendens*: I. II. Frenquel. *Dis. Nerv. Syst.*, 1956, 17: 193-197; 198.

Verdeaux, G., Marty, R. Action sur l'électroencéphalogramme de substances pharmacodynamiques d'intérêt clinique. [Effect of clinically important drugs on the encephalogram.] *Rev. neur., Par.*, 1954, 91: 405-427.

Winter, C. A., Flataker, L. Effects of lysergic acid diethylamide upon performance of trained rats. *Proc. Soc. Exp. Biol., N. Y.*, 1956, 92: 285-289. Abstract: *Chem. Abstr.*, 1956, 50: 14891i.

Witt, P. N. Ein einfaches Prinzip zur Deutung einiger Proportionen im Spinnennetz. [A simple principle for the interpretation of several proportions in spider webs.] [English summary] *Behaviour, Leiden*, 1951-52, 4: 172-189.

—, —. Der Netzbau der Spinne als Test zur Prüfung zentralnervös angreifender Substanzen. [Construction of spider webs as a test for drugs with CNS action.] *Arzneimitt. Forsch.*, 1956, 6: 628-635.

Woolley, D. W. Production of abnormal (psychotic?) behavior in mice with lysergic acid diethylamide, and its partial prevention with cholinergic drugs and serotonin. *Proc. Nat. Acad. Sc. U. S.*, 1955, 41: 338-344. Abstract: *Chem. Abstr.*, 1956, 50: 12286def.

—, Shaw, E. N. Evidence for the participation of serotonin in mental processes. *Ann. N. York Acad. Sc.*, 1957, 66: 649-667.

Studies, normal subjects

Abramson, H. A. Lysergic acid diethylamide (LSD-25): XIX. As an adjunct to brief psychotherapy, with special reference to ego enhancement. *J. Psychol., Provincet.*, 1956, 41: 199-229.

—, —. Some observations on normal volunteers and patients. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, *Grune & Stratton*, 1956. p. 51-54.

—, —. Tolerance to LSD-25 and a theory of psychoses. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the second conference*, May 1955, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1956. p. 259-300.

—, Jarvik, M. E., Gorin, M. H., Hirsch, M. W. Lysergic acid diethylamide (LSD-25): XVII. Tolerance

development and its relationship to a theory of psychosis. *J. Psychol., Provincet.*, 1956, 41: 81-105.

—, —, Hirsch, M. W. Lysergic acid diethylamide (LSD-25): VII. Effect upon two measures of motor performance. *J. Psychol., Provincet.*, 1955, 39: 455-464.

—, —, —. Lysergic acid diethylamide (LSD-25): X. Effect on reaction time to auditory and visual stimuli. *J. Psychol., Provincet.*, 1955, 40: 39-52. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3942.

—, —, —, Ewald, A. T. Lysergic acid diethylamide (LSD-25): V. Effect on spatial relations abilities. *J. Psychol., Provincet.*, 1955, 39: 435-442.

—, —, Kaufman, M. R., Kornetsky, C., Levine, A., Wagner, M. Lysergic acid diethylamide (LSD-25): I. Physiological and perceptual responses. *J. Psychol., Provincet.*, 1955, 39: 3-60. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3172.

—, —, Levine, A., Kaufman, M. R., Hirsch, M. W. Lysergic acid diethylamide (LSD-25): XV. The effects produced by substitution of a tap water placebo. *J. Psychol., Provincet.*, 1955, 40: 367-383.

—, Kornetsky, C., Jarvik, M. E., Kaufman, M. R., Ferguson, M. W. Lysergic acid diethylamide (LSD-25): XI. Content analysis of clinical reactions. *J. Psychol., Provincet.*, 1955, 40: 53-60.

—, Waxenberg, S. E., Levine, A., Kaufman, M. R., Kornetsky, C. Lysergic acid diethylamide (LSD-25): XIII. Effect on Bender-Gestalt test performance. *J. Psychol., Provincet.*, 1955, 40: 341-349. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3008.

Agnew, N., Hoffer, A. Nicotinic acid modified lysergic acid diethylamide psychosis. *J. Ment. Sc., Lond.*, 1955, 101: 12-27. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 850.

Alemà, G. Allucinazioni da acido lisergico in cieco senza bulbi oculari. [Lysergic acid hallucinations in blindness after bilateral enucleation.] *Riv. neur., Nap.*, 1952, 22: 720-733.

Anderson, E. W., Rawsley, K. Clinical studies of lysergic acid diethylamide. *Mssch. Psychiat., Basel*, 1954, 128: 38-55. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1800.

Arnold, O. H., Hoff, H. Körperschemastörungen bei LSD-25. [Disturbances in perception of body structure caused by LSD-25.] *Wien. Zschr. Nervenhe.*, 1953, 6: 259-274.

—, —. Untersuchungen über die Wirkungsweise von Lysergsäure-Diäthylamid. I. [Studies on the mechanism of action of lysergic acid diethylamide. I.] *Wien. Zschr. Nervenhe.*, 1953, 6: 129-150.

Belleville, R. E. MMPI score changes induced by lysergic acid diethylamide (LSD-25). *J. Clin. Psychol.*, 1956, 12: 279-282.

Bercel, N. A., Travis, L. E., Olinger, L. B., Dreikurs, E. Model psychoses induced by LSD-25 in normals. I. Psychophysiological investigations, with special reference to the mechanism of the paranoid reaction. II. Rorschach test findings. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 588-611; 612-618. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1984; 1985.

Berlin, L., Guthrie, T., Weider, A., Goodell, H., Wolff, H. G. Studies in human cerebral function: the effects of mescaline and lysergic acid on cerebral processes pertinent to creative activity. *J. Nerv. Ment. Dis.*, 1955, 122: 487-491. Text without drawings: *Tr. Am. Neur. Ass.*, 1955, 80th Meeting: 188-190.

Blickenstorfer, E. Zum ätiologischen Problem der Psychosen vom akuten exogenen Reaktionstypus; Lysergsäurediäthylamid, ein psychisch wirksamer toxischer Spurenstoff. [Etiology of psychoses of the acute, exogenous reaction type; lysergic acid diethylamide, a psychotoxic drug effective in minute doses.] *Arch. Psychiat., Berl.*, 1952, 188: 226-236. Abstract: *Chem. Abstr.*, 1952, 46: 11418b. *Excerpta med.*, Sect. 8, 1953, 6: No. 807.

- Boardman, W. K., Goldstone, S., Lhamon, W. T. Effects of lysergic acid diethylamide (LSD) on the time sense of normals. A preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 321-324.
- Bradley, P. B., Elkes, C., Elkes, J. On some effects of lysergic acid diethylamide (LSD-25) in normal volunteers. *J. Physiol., Lond.*, 1953, 121: 50P-51P.
- Brown, B. B., Braun, D. L., Feldman, R. G. The pharmacologic activity of alpha-(4-piperidyl)-benzhydrol hydrochloride (azacyclonol hydrochloride); an ataractic agent. *J. Pharm. Exp. Ther.*, 1956, 118: 153-161.
- Callaway, E., III. On the production of hallucinated and psychosis-like states. *Ann. Int. M.*, 1955, 42: 721-728.
- Cerletti, A., Rothlin, E. Role of 5-hydroxytryptamine in mental diseases and its antagonism to lysergic acid derivatives. *Nature, Lond.*, 1955, 176: 785-786. Abstract: *Chem. Abstr.*, 1956, 50: 4389fgh. *Excerpta med.*, Sect. 8, 1957, 10: No. 973.
- Clark, L. D., Bliss, E. L. Psychopharmacological studies of lysergic acid diethylamide (LSD-25) intoxication. Effects of premedication with BOL-148 (2-bromo-d-lysergic acid diethylamide), mescaline, atropine, amobarbital, and chlorpromazine. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 653-655.
- , Clark, L. S. The effects of cortisone on LSD-25 intoxication in schizophrenic patients. *J. Nerv. Ment. Dis.*, 1956, 123: 561-562.
- Delay, J., Pichot, P., Lainé, B., Perse, J. Les modifications de la personnalité produites par la diéthylamide de l'acide lysergique (LSD 25); étude par le test de Rorschach. [Personality changes produced by lysergic acid diethylamide; a study with the Rorschach test.] *Ann. méd. psychol., Par.*, 1954, 112(2): 1-13. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 839.
- DeShon, H. J., Rinkel, M., Solomon, H. C. Mental changes experimentally produced by d-lysergic acid diethylamide tartrate. *Psychiat. Q.*, 1952, 26: 33-53.
- Di Mascio, A., Greenblatt, M., Hyde, R. W. A study of the effects of LSD: Physiologic and psychological changes and their interrelations. *Am. J. Psychiat.*, 1957, 114: 309-317.
- , Suter, E., Hyde, R. W., Greenblatt, M. Physiological effects of L. S. D.; report of a detailed investigation in one subject. *Psychiat. Q.*, 1957, 31: 57-71.
- Ebaugh, F. G. The videclinic. *J. Am. M. Ass.*, 1955, 158: 732-733.
- Elkes, J. Effects of psychosomimetic drugs in animals and man. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the third conference, May 1956, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1957. p. 205-295.
- , Elkes, C., Bradley, P. B. The effect of some drugs on the electrical activity of the brain, and on behaviour. *J. Ment. Sc., Lond.*, 1954, 100: 125-128.
- Fabing, H. D. Experimental compound MER-17 (frenquel): a new blocking agent against the development of LSD-25 psychosis. *Tr. Am. Neur. Ass.*, 1955, 80th Meeting: 83-85. Also: *Psychiat. Res. Rep., Wash.*, 1955 (1): 140-144. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 127.
- , Frenquel, a blocking agent against experimental LSD-25 and mescaline psychosis; preliminary note on its clinical application. *Neurology*, 1955, 5: 319-328.
- , New blocking agent against the development of LSD-25 psychosis. *Science*, 1955, 121: 208-210.
- Fragoso Mendes, J. Nota prévia sobre o emprego do L. S. D. 25 na produção de psicoses experimentais. [Preliminary note on the use of LSD-25 in the production of experimental psychoses.] *Med. contemp., Lisb.*, 1956, 74: 565-570.
- Frederking, W. Intoxicant drugs (mescaline and lysergic acid diethylamide) in psychotherapy. *J. Nerv. Ment. Dis.*, 1955, 121: 262-266. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4084.
- , Über die Verwendung von Rauschdrogen (Mekalin und Lysergsäurediäthylamid) in der Psychotherapie. [The use of intoxicating drugs (mescaline and lysergic acid diethylamide) in psychotherapy.] [English summary] *Psyche, Stuttg.*, 1953, 7: 342-364.
- Gamna, G., Bonfante, B., Villata, E. Autoesperiencia con LSD. [Personal experience with LSD.] [Brief English summary] *Rass. stud. psychiat.*, 1954, 43: 979-988. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3109.
- Gastaut, H., Ferrer, S., Castells, C., Lesevre, N., Luschnat, K. Action de la diéthylamide de l'acide d-lysergique (LSD 25) sur les fonctions psychiques et l'électroencéphalogramme. [Effect of d-lysergic acid diethylamide on psychic functions and the electroencephalogram.] [English summary] *Confinia neur., Basel*, 1953, 13: 102-120. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1623.
- Ginzel, K. H., Mayer-Gross, W. Prevention of psychological effects of d-lysergic acid diethylamide (LSD-25) by its 2-brom derivative (BOL 148). *Nature, Lond.*, 1956, 178: 210. Abstract: *Chem. Abstr.*, 1956, 50: 17147hi.
- Haase, H. J. Modellpsychosen und deren Bedeutung für die Vertiefung unserer Kenntnisse über endogene und exogene Psychosen. [Model psychoses and their significance for an improved understanding of endogenous and exogenous psychoses.] *Med. Klin., Berl.*, 1956, 51: 1881-1883. [Not seen].
- Hirsch, M. W., Jarvik, M. E., Abramson, H. A. Lysergic acid diethylamide (LSD-25): XVIII. Effects of LSD-25 and six related drugs upon handwriting. *J. Psychol., Provincet.*, 1956, 41: 11-22. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3944.
- Hoch, P. H. Studies in routes of administration and counteracting drugs. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, *Grune & Stratton*, 1956. p. 8-12.
- , Cattell, J. P., Pennes, H. H. Effect of drugs; theoretical considerations from a psychological viewpoint. *Am. J. Psychiat.*, 1952, 108: 585-589.
- , —, —. Effects of mescaline and lysergic acid (d-LSD-25). *Am. J. Psychiat.*, 1952, 108: 579-584.
- , —, —. Psychoses produced by administration of drugs. *Res. Pub. Ass. Res. Nerv. Ment. Dis.*, 1953, 32: 287-296.
- Hurst, L. A., Reuning, H., Wyk, A. J. van, Crouse, H. S., Booyens, P. J., Nelson, G. Experiences with d-lysergic acid diethylamide (LSD); a symposium. *S. Afr. J. Laborat. Clin. M.*, 1956, 2: 289-310.
- Hyde, R. W., Von Mering, O., Morimoto, K. Hostility in the lysergic psychosis. *J. Nerv. Ment. Dis.*, 1953, 118: 266-267.
- Isbell, H., Belleville, R. E., Fraser, H. F., Wikler, A., Logan, C. R. Studies on lysergic acid diethylamide (LSD-25). I. Effects in former morphine addicts and development of tolerance during chronic intoxication. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 468-478.
- , Fraser, H. F., Wikler, A., Belleville, R. E. Tolerance to diethylamide of lysergic acid (LSD-25). [Abstract] *Fed. Proc., Balt.*, 1955, 14: 354.
- , Logan, C. R. Studies on the diethylamide of lysergic acid (LSD-25). II. Effects of chlorpromazine, azacyclonol, and reserpine on the intensity of the LSD-reaction. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 350-358.
- Jarvik, M. E., Abramson, H. A., Hirsch, M. W. Lysergic acid diethylamide (LSD-25): IV. Effect on attention and concentration. *J. Psychol., Provincet.*, 1955, 39: 373-383.
- , —, —. Lysergic acid diethylamide (LSD-25): VI. Effect upon recall and recognition of various stimuli. *J. Psychol., Provincet.*, 1955, 39: 443-454.
- , —, —. Comparative subjective effects of seven drugs including lysergic acid diethylamide (LSD-25). *J. Abnorm. Psychol.*, 1955, 51: 657-662.

- Johnson, D. M. The hallucinogenic drugs, the insanity-producing drugs: Indian hemp and datura; a neglected aspect of forensic medicine, a loophole in the law. 45 p. Addendum. LSD and schizophrenia. (p. 40). London, Johnson, 1953.
- Kornetsky, C. Relation of physiological and psychological effects of lysergic acid diethylamide. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 657-658.
- , Humphries, O. Relationship between effects of a number of centrally acting drugs and personality. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 325-327.
- , —, Evarts, E. V. Comparison of psychological effects of certain centrally acting drugs in man. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 318-324.
- Lennard, H., Jarvik, M. E., Abramson, H. A. Lysergic acid diethylamide (LSD-25): XII. A preliminary statement of its effects upon interpersonal communication. *J. Psychol., Provincet.*, 1956, 41: 185-198. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3943.
- Levine, A., Abramson, H. A., Kaufman, M. R., Markham, S. Lysergic acid diethylamide (LSD-25): XVI. The effect on intellectual functioning as measured by the Wechsler-Bellevue intelligence scale. *J. Psychol., Provincet.*, 1955, 40: 385-395.
- , —, —, Kornetsky, C. Lysergic acid diethylamide (LSD-25): XIV. Effect on personality as observed in psychological tests. *J. Psychol., Provincet.*, 1955, 40: 351-366.
- Liebert, R. S., Wapner, S., Werner, H. Studies in the effects of lysergic acid diethylamide (LSD-25); visual perception of verticality in schizophrenic and normal adults. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 193-201.
- MacDonald, J. M., Galvin, J. A. Experimental psychotic states. *Am. J. Psychiat.*, 1956, 112: 970-976.
- Mátéfi, L. Mezcalin- und Lysergsäurediethylamid-Rausch; Selbstversuche mit besonderer Berücksichtigung eines Zeichentests. [Mescaline and lysergic acid diethylamide intoxication; autoexperiments with special consideration of a drawing test.] [English summary] *Confinia neur., Basel*, 1952, 12: 146-177. Abstract: *Excerpta med.*, Sect. 8, 1953, 6: No. 1204.
- Mayer-Gross, W., McAdam, W., Walker, J. W. Lysergsäure-Diethylamid und Kohlenhydratstoffwechsel. [Lysergic acid diethylamide and carbohydrate metabolism.] *Nervenarzt*, 1952, 23: 30-31.
- Montanari, C., Tonini, G. Azioni della 5-idrossitriptamina sul sistema nervoso centrale; suo impiego in psichiatria sperimentale. [Effects of 5-hydroxytryptamine on the CNS; its use in experimental psychiatry.] *Riv. sper. freniat.*, 1955, 79: 465-483. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3076.
- Osmond, H. Research on schizophrenia. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the second conference, May 1955, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1956. p. 183-233.
- , A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.
- Primac, D. W., Mirsky, A. F., Rosvold, H. E. Effects of centrally acting drugs on two tests of brain damage. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 328-332.
- Rinkel, M. Experimentally induced psychoses in man. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the second conference, May 1955, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1956. p. 235-258.
- , DeShon, H. J., Hyde, R. W., Solomon, H. C. Experimental schizophrenia-like symptoms. *Am. J. Psychiat.*, 1952, 108: 572-578.
- , Hyde, R. W., Solomon, H. C. Experimental psychiatry. III. A chemical concept of psychosis. *Dis. Nerv. Syst.*, 1954, 15: 259-264.
- , —, —. Experimental psychiatry. IV. Hallucinogens: tools in experimental psychiatry. *Dis. Nerv. Syst.*, 1955, 16: 229-232.
- , —, —, Hoagland, H. Experimental psychiatry. II. Clinical and physico-chemical observations in experimental psychosis. *Am. J. Psychiat.*, 1955, 111: 881-895.
- Roubíček, J., Srnc, J. Experimentální psychosa vyvolaná LSD. [Experimental psychosis caused by LSD.] [English summary] *Čas. lek. česk.*, 1955, 94: 189-195. Abstract: *Chem. Abstr.*, 1955, 49: 11875e. *Excerpta med.*, Sect. 8, 1955, 8: No. 4844.
- Ruiz-Ogara, C., Marti-Tusquets, J. L., González-Monclús, E. Psicosis lisérgica. [Lysergic psychosis.] *Rev. psiquiat. psicol., Barcel.*, 1956, 2: 566-590. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1986.
- Salvatore, S., Hyde, R. W. Progression of effects of lysergic acid diethylamide (LSD). *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 50-59.
- Savage, C. The LSD psychosis as a transaction between the psychiatrist and patient. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 35-43.
- , Lysergic acid diethylamide; a clinical-psychological study. *Am. J. Psychiat.*, 1952, 108: 896-900. Abstract: *Excerpta med.*, Sect. 8, 1953, 6: No. 419.
- , Variations in ego feeling induced by d-lysergic acid diethylamide (LSD-25). *Psychoanal. Rev.*, 1955, 42: 1-16. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3007.
- , Cholden, L. Schizophrenia and the model psychoses. *J. Clin. Exp. Psychopath.*, 1956, 17: 405-413.
- Schwarz, B. E. Electroencephalographic studies of animals and human beings under hypnosis. 40 p. [Type-written] Rochester, 1955. (Thesis—Minnesota.)
- , Bickford, R. G., Mulder, D. W., Rome, H. P. Mescaline and LSD-25 in activation of temporal lobe epilepsy. *Neurology*, 1956, 6: 275-280.
- , —, Rome, H. P. Reversibility of induced psychosis with chlorpromazine. *Proc. Mayo Clin.*, 1955, 30: 407-417.
- Slater, P. E., Morimoto, K., Hyde, R. W. The effect of group administration upon symptom formation under LSD. *J. Nerv. Ment. Dis.*, 1957, 125: 312-315.
- Sloane, B., Lovett Doust, J. W. Psychophysiological investigations in experimental psychoses; results of the exhibition of d-lysergic acid diethylamide to psychiatric patients. *J. Ment. Sc., Lond.*, 1954, 100: 129-144. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 843.
- Solms, H. Chemische Struktur und Psychose bei Lysergsäure-Derivaten. [Chemical structure of and psychosis produced by lysergic acid derivatives.] *Praxis, Bern*, 1956, 45: 746-749.
- , Lysergsäure-äthylamid (LAE), ein neues, stark sedativ wirkendes Psychoticum aus dem Mutterkorn. [Lysergic acid ethylamide (LAE), a new strongly sedative psychotomimetic drug from Mother of Rye.] *Schweiz. med. Wschr.*, 1953, 83: 356-360.
- Stoll, W. A. Rorschach-Versuche unter LSD-Wirkung. [Rorschach tests under the influence of LSD.] [English summary, p. 269.] *Rorschachiana, Bern*, 1952, 1: 249-270. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 3119.
- Tonini, G., Montanari, C. Effects of experimentally induced psychoses on artistic expression. [In English] *Confinia neur., Basel*, 1955, 15: 225-239. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1439.
- Verdeaux, G., Marty, R. Action sur l'électroencéphalogramme de substances pharmacodynamiques d'intérêt clinique. [Effect of clinically important drugs on the encephalogram.] *Rev. neur., Par.*, 1954, 91: 405-427.
- von Felsinger, J. M., Lasagna, L., Beecher, H. K. The response of normal men to lysergic acid derivatives (di- and mono-ethyl amides). *J. Clin. Exp. Psychopath.*, 1956, 17: 414-428.

- Ward, R. H. A drug-taker's notes. 222 p. London, Gollancz, 1957.
- Wikler, A. Mechanisms of action of drugs that modify personality function. *Am. J. Psychiat.*, 1952, 108: 590-599.
- Studies, patients**
- Alèma, G., Donini, G. Sugli effetti della intossicazione sperimentale con dietilamide dell'acido lisergico in due casi di anosognosia visiva. [Effects of experimental lysergic acid diethylamide poisoning in 2 cases of visual anosognosia.] *Riv. sper. freniat.*, 1956, 80: 943-952.
- Anderson, E. W., Rawnsley, K. Clinical studies of lysergic acid diethylamide. *M Schr. Psychiat.*, Basel, 1954, 128: 38-55. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1800.
- Arnold, O. H., Hoff, H. Untersuchungen über die Wirkungsweise von Lysergsäure-Diäthylamid. I. [Studies on the mechanism of action of lysergic acid diethylamide. I.] *Wien. Zschr. Nerven.*, 1953, 6: 129-150.
- Belsanti, R. Modificazioni neuro-psico-biochimiche indotte dalla dietilamide dell'acido lisergico in schizofrenici e frenastenici. [Neurological, psychological and biochemical effects of lysergic acid diethylamide in schizophrenic and phrenasthenic subjects.] [English summary] *Acta neur., Nap.*, 1952, 7: 340-349. Abstract: *Excerpta med.*, Sect. 8, 1953, 6: No. 801.
- Berthiaume, M. La diéthylamide de l'acide lysergique en psychiatrie. [Lysergic acid diethylamide in psychiatry.] *Union méd. Canada*, 1956, 85: 555-560. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1385.
- Callaway, E., III. On the production of hallucinated and psychosis-like states. *Ann. Int. M.*, 1955, 42: 721-728.
- Callieri, B., Ravetta, M. Effetti della dietilamide dell'acido lisergico sulla sintomatologia psichica di schizofrenici; studio psicopatologico. [Effects of lysergic acid diethylamide on the psychic symptoms of schizophrenia; psychopathological study.] [Brief English and French summaries.] *Russ. stud. psychiat.*, 1955, 44: 39-88. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3091.
- Cholden, L. S., Kurland, A., Savage, C. Clinical reactions and tolerance to LSD in chronic schizophrenia. *J. Nerv. Ment. Dis.*, 1955, 122: 211-221. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4015.
- Clark, L. D., Clark, L. S. The effects of cortisone on LSD-25 intoxication in schizophrenic patients. *J. Nerv. Ment. Dis.*, 1956, 123: 561-562.
- Cline, H. S., Freeman, H. Resistance to lysergic acid in schizophrenic patients. *Psychiat. Q.*, 1956, 30: 676-683.
- Elkes, J. Effects of psychosomimetic drugs in animals and man. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the third conference, May 1956, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1957. p. 205-295.
- , Elkes, C., Bradley, P. B. The effect of some drugs on the electrical activity of the brain, and on behaviour. *J. Ment. Sc., Lond.*, 1954, 100: 125-128.
- Flügel, F., Bente, D. Das akinetisch-abulische Syndrom und seine Bedeutung für die pharmakologisch-psychiatrische Forschung. [Akinetic-abulic syndrome and its importance in psychopharmacologic research.] *Deut. med. Wschr.*, 1956, 81: 2071-2074.
- Gastaut, H., Terzian, H., Gastaut, Y. Etude d'une activité électroencéphalographique méconnue: "le rythme rolandique en arc". [Investigation of a misunderstood electroencephalographic activity: "the rolandic rhythm in arc".] *Marseille méd.*, 1952, 89: 296-310.
- Giberti, F., Gregoret, L. Prime esperienze di antagonismo psicofarmacologico; psicosi sperimentale da LSD e trattamento con clorpromazina e reserpina. [First trials of psychopharmacological antagonism; experimental psychoses induced with d-lysergic acid diethylamide and treated with chlorpromazine and reserpine.] [English summary] *Sistema nerv.*, Milano, 1955, 7: 301-310. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4547.
- Hoch, P. H. Experimental psychiatry. *Am. J. Psychiat.*, 1955, 111: 787-790.
- , Cattell, J. P., Pennes, H. H. Effect of drugs; theoretical considerations from a psychological viewpoint. *Am. J. Psychiat.*, 1952, 108: 585-589.
- , —, —. Effects of mescaline and lysergic acid (d-LSD-25). *Am. J. Psychiat.*, 1952, 108: 579-584.
- , —, —. Psychoses produced by administration of drugs. *Res. Pub. Ass. Res. Nerv. Ment. Dis.*, 1953, 32: 287-296.
- Landis, C., Clausen, J. Certain effects of mescaline and lysergic acid on psychological functions. *J. Psychol., Provincet.*, 1954, 38: 211-221. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1336.
- Liddell, D. W., Weil-Malherbe, H. The effects of methedrine and of lysergic acid diethylamide on mental processes and on the blood adrenaline level. *J. Neur., Lond.*, 1953, 16: 7-13. Abstract: *Chem. Abstr.*, 1953, 47: 11560i.
- Liebert, R. S., Wapner, S., Werner, H. Studies in the effects of lysergic acid diethylamide (LSD-25); visual perception of verticality in schizophrenic and normal adults. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 193-201.
- MacDonald, J. M., Galvin, J. A. Experimental psychotic states. *Am. J. Psychiat.*, 1956, 112: 970-976.
- Mårtens, S. Intracerebral elektrografi; ett viktigt hjälpmedel i psykiatrisk forskning. [Electroencephalography, an important aid in psychiatric research.] *Sven. läk. tidn.*, 1956, 53: 2855-2863.
- Mayer-Gross, W., McAdam, W., Walker, J. W. Further observations on the effects of lysergic acid diethylamide. *J. Ment. Sc., Lond.*, 1953, 99: 804-808.
- Montanari, C., Tonini, G. Azioni della 5-idrossitriptamina sul sistema nervoso centrale; suo impiego in psichiatria sperimentale. [Effects of 5-hydroxytryptamine on the CNS; its use in experimental psychiatry.] *Riv. sper. freniat.*, 1955, 79: 465-483. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3076.
- Pennes, H. H. Clinical reactions of schizophrenics to sodium amyl, pervitin hydrochloride, mescaline sulfate, and d-lysergic acid diethylamide (LSD-25). *J. Nerv. Ment. Dis.*, 1954, 119: 95-112.
- , Hoch, P. H. Psychotomimetics, clinical and theoretical considerations: harmine, WIN-2299 and nalline. *Am. J. Psychiat.*, 1957, 113: 887-892.
- Portella Nunes, E. Investigações com a dietilamida do ácido lisérgico. [Clinical studies with lysergic acid diethylamide.] [English summary] *J. brasil. psiquiat.*, 1955, 4: 407-418.
- Rinkel, M. Experimentally induced psychoses in man. In: Abramson, H. A., ed. *Neuropharmacology*. [2 conf. 1955] New York, Josiah Macy, Jr. Foundation, 1956. p. 235-258.
- , Hyde, R. W., Solomon, H. C. Experimental psychiatry. III. A chemical concept of psychosis. *Dis. Nerv. Syst.*, 1954, 15: 259-264.
- Roubíček, J., Srnec, J. Experimentální psychosa vyvolaná LSD. [Experimental psychosis caused by LSD.] [English summary] *Cas. lek. cesk.*, 1955, 94: 189-195. Abstract: *Chem. Abstr.*, 1955, 49: 11875e. *Excerpta med.*, Sect. 8, 1955, 8: No. 4844.
- Ruiz-Ogara, C., Martí-Tusquets, J. L., González-Monclús, E. Psicosis lisérgica. [Lysergic psychosis.] *Rev. psiquiat. psicol., Barcel.*, 1956, 2: 566-590. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1986.
- Sandison, R. A., Spencer, A. M., Whitelaw, J. D. A. The therapeutic value of lysergic acid diethylamide in mental illness. *J. Ment. Sc., Lond.*, 1954, 100: 491-507. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 930.
- Sanguineti, I., Negri, V. U., Laricchia, R. Ritmi elettrici cerebrali dopo somministrazione di mescalina e di acido lisérgico (LSD 25) in malati di mente. [Elec-

trical rhythms of the brain following administration of mescaline and lysergic acid (LSD 25) to mental patients.] *Riv. sper. freniat.*, 1955, 79: 771-797. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1060.

Sanguineti, I., Zapparoli, G. C., Laricchia, R. Studio clinicobiologico delle reazioni indotte dal solfato di mescalina e dall'acido lisergico (LSD-25) in malati di mente. [Clinical and physiological study of mescaline sulfate- and lysergic acid (LSD)-induced reactions in mental patients.] *Riv. sper. freniat.*, 1956, 80: 887-918.

Savage, C. Lysergic acid diethylamide; a clinical-psychological study. *Am. J. Psychiat.*, 1952, 108: 896-900. Abstract: *Excerpta med.*, Sect. 8, 1953, 6: No. 419.

—. Variations in ego feeling induced by d-lysergic acid diethylamide (LSD-25). *Psychoanal. Rev.*, 1955, 42: 1-16. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3007.

—, Cholden, L. Schizophrenia and the model psychoses. *J. Clin. Exp. Psychopath.*, 1956, 17: 405-413.

Schwarz, B. E., Bickford, R. G., Mulder, D. W., Rome, H. P. Mescaline and LSD-25 in activation of temporal lobe epilepsy. *Neurology*, 1956, 6: 275-280.

—, Sem-Jacobsen, C. W., Peterson, M. C. Effects of mescaline, LSD-25, and adrenochrome on depth electrograms in man. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 579-587.

Sherwood, S. L. Effects of drugs on the behavior of animals and on psychoses of man. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the second conference, May 1955, Princeton, N. J.* New York, Josiah Macy, Jr. Foundation, 1956. p. 85-182.

Sloane, B., Lovett Doust, J. W. Psychophysiological investigations in experimental psychoses; results of the exhibition of d-lysergic acid diethylamide to psychiatric patients. *J. Ment. Sc., Lond.*, 1954, 100: 129-144. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 843.

Solms, H. Lysergsäure-äthylamide (LAE), ein neues, stark sedativ wirkendes Psychotikum aus dem Mutterkorn. [Lysergic acid ethylamide (LAE), a new strongly sedative psychotomimetic drug from Mother of Rye.] *Schweiz. med. Wschr.*, 1953, 83: 356-360.

Verdeaux, G., Marty, R. Action sur l'électroencéphalogramme de substances pharmacodynamiques d'intérêt clinique. [Effect of clinically important drugs on the encephalogram.] *Rev. neur., Par.*, 1954, 91: 405-427.

with AZACYCLONOL—INTERACTION

Pharmacodynamics

Jatzkewitz, H. Pharmakologische Aspekte in der Schizophrenieforschung. [Pharmacological aspects in schizophrenia research.] *Nervenarzt*, 1956, 27: 150-152.

Psychotherapeutic use

Sandison, R. A., Whitelaw, J. D. A. Further studies in the therapeutic value of lysergic acid diethylamide in mental illness. *J. Ment. Sc., Lond.*, 1957, 103: 332-343.

Studies, animals

Abramson, H. A. Blocking of the LSD-25 reaction in Siamese fighting fish. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the third conference, May 1956, Princeton, N. J.* New York, Josiah Macy, Jr. Foundation, 1957. p. 9-27.

Brown, B. B. Lysergic acid diethylamide antagonism of certain drugs. *Ann. N. York Acad. Sc.*, 1957, 66: 677-685.

—, Braun, D. L., Feldman, R. G. The pharmacologic activity of alpha-(4-piperidyl)-benzhydrol hydrochloride (azacyclonol hydrochloride): an ataractive agent. *J. Pharm. Exp. Ther.*, 1956, 118: 153-161.

—, Feldman, R., Braun, D. L. Pharmacologic studies of an LSD antagonist 4-piperidyl diphenyl carbinol hydrochloride. [Abstract] *Fed. Proc., Balt.*, 1955, 14, 322.

Himwich, H. E. The effect of frenquel on EEG changes produced by LSD-25 and mescaline. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry.* New York, Grune & Stratton, 1956. p. 19-26.

Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thiorazine, and meratran. *Psychiat. Res. Rep., Wash.*, 1955 (1): 25-44. Abstract: *Chem. Abstr.*, 1956, 50: 2867gh.

Peters, J. J., Vonderahe, A. R. Behavior of the salamander under the influence of LSD-25 and frenquel, and accompanying electrical activity of brain and spinal cord. *J. Nerv. Ment. Dis.*, 1956, 124: 69-73.

Rinaldi, F., Himwich, H. E. Frenquel corrects certain cerebral electrographic changes. *Science*, 1955, 122: 198-199.

—, —. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122: 424-432. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1601.

Smith, K., Moody, A. C. Schizophrenia and the Siamese fighting fish. *Dis. Nerv. Syst.*, 1956, 17: 327-328.

Turner, W. J. The effect of lysergic acid diethylamide on Betta splendens. II. Frenquel. *Dis. Nerv. Syst.*, 1956, 17: 198.

Winter, C. A., Flataker, L. Effects of lysergic acid diethylamide upon performance of trained rats. *Proc. Soc. Exp. Biol., N. Y.*, 1956, 92: 285-289. Abstract: *Chem. Abstr.*, 1956, 50: 14891i.

Studies, normal subjects

Brown, B. B., Braun, D. L., Feldman, R. G. The pharmacologic activity of alpha-(4-piperidyl)-benzhydrol hydrochloride (azacyclonol hydrochloride); an ataractive agent. *J. Pharm. Exp. Ther.*, 1956, 118: 153-161.

Clark, L. D. Further studies of the psychological effects of frenquel and a critical review of previous reports. *J. Nerv. Ment. Dis.*, 1956, 123: 557-560.

Fabing, H. D. Adventures in clinical neuropharmacology. *Internat. Rec. M.*, 1956, 169: 115-119.

—, Experimental compound MER-17 (frenquel): a new blocking agent against the development of LSD-25 psychosis. *Tr. Am. Neur. Ass.*, 1955, 80th Meeting: 83-85. Also: *Psychiat. Res. Rep., Wash.*, 1955 (1): 140-144. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1527.

—, Frenquel, a blocking agent against experimental LSD-25 and mescaline psychosis; preliminary note on its clinical application. *Neurology*, 1955, 5: 319-328.

—, New blocking agent against the development of LSD-25 psychosis. *Science*, 1955, 121: 208-210.

Isbell, H., Logan, C. R. Studies on the diethylamide of lysergic acid (LSD-25). II. Effects of chlorpromazine, azacyclonol, and reserpine on the intensity of the LSD-reaction. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 350-358.

Studies, patients

Clark, L. D. Further studies of the psychological effects of frenquel and a critical review of previous reports. *J. Nerv. Ment. Dis.*, 1956, 123: 557-560.

Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.

Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thiorazine, and meratran. *Psychiat. Res. Rep., Wash.*, 1955 (1): 25-44. Abstract: *Chem. Abstr.*, 1956, 50: 2867gh.

with CHLORPROMAZINE—INTERACTION

Pharmacodynamics

Hoch, P. H. Progress in psychiatric therapies. *Am. J. Psychiat.*, 1955, 112: 241-247.

—. Studies in routes of administration and counter-acting drugs. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 8-12.

Jatzkewitz, H. Pharmakologische Aspekte in der Schizophrenieforschung. [Pharmacological aspects in schizophrenia research.] *Nervenarzt*, 1956, 27: 150-152.

Psychotherapeutic use

Giberti, F., Gregoret, L. Prime esperienze di antagonismo psicofarmacologico; psicosi sperimentale da LSD e trattamento con clorpromazina e reserpina. [First trials of psychopharmacological antagonism; experimental psychoses induced with d-lysergic acid diethylamide and treated with chlorpromazine and reserpine.] [English summary] *Sistema nerv.*, Milano, 1955, 7: 301-310. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4547.

Sandison, R. A., Whitelaw, J. D. A. Further studies in the therapeutic value of lysergic acid diethylamide in mental illness. *J. Ment. Sc., Lond.*, 1957, 103: 332-343.

Studies, animals

Bradley, P. B., Hance, A. J. The effect of chlorpromazine and methopromazine on the electrical activity of the brain in the cat. *Electroencephalography, Montreal*, 1957, 9: 191-215.

Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.

Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 25-37.

Rinaldi, F., Himwich, H. E. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122: 424-432.

Smith, K., Moody, A. C. Schizophrenia and the Siamese fighting fish. *Dis. Nerv. Syst.*, 1956, 17: 327-328.

Taeschler, M., Rothlin, E. Zur Charakterisierung der zentralen Wirkung von Phenothiazinderivaten. [The specific central effect of phenothiazine derivatives.] *Arch. exp. Path., Berl.*, 1956, 228: 184-186. Abstract: *Chem. Abstr.*, 1956, 50: 8902de.

Turner, W. J. The effect of lysergic acid diethylamide on *Betta splendens*: I. *Dis. Nerv. Syst.*, 1956, 17: 193-197.

Studies, normal subjects

Abramson, H. A. Some observations on normal volunteers and patients. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 51-54.

Cerletti, A. Lysergic acid diethylamide (LSD) and related compounds. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the second conference*, May 1955, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1956. p. 9-84.

Clark, L. D., Bliss, E. L. Psychopharmacological studies of lysergic acid diethylamide (LSD-25) intoxication. Effects of premedication with BOL-148 (2-bromo-d-lysergic acid diethylamide), mescaline, atropine, amobarbital, and chlorpromazine. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 653-655.

Isbell, H., Logan, C. R. Studies on the diethylamide of lysergic acid (LSD-25). II. Effects of chlorpromazine, azacyclonol, and reserpine on the intensity of the LSD-reaction. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 350-358.

Schwarz, B. E., Bickford, R. G., Rome, H. P. Reversibility of induced psychosis with chlorpromazine. *Proc. Mayo Clin.*, 1955, 30: 407-417.

Studies, patients

Hoch, P. H. Experimental psychiatry. *Am. J. Psychiat.*, 1955, 111: 787-790.

Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.

Obiols, J. Notre expérience sur la thérapeutique par la chlorpromazine. [Our experience with chlorpromazine therapy.] *Encéphale*, 1956, 45: 698-699.

Schwarz, B. E., Sem-Jacobsen, C. W., Petersen, M. C. Effects of mescaline, LSD-25, and adrenochrome on depth electrograms in man. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 579-587.

Therapeutic studies, controlled—Psychoses

Sandison, R. A., Whitelaw, J. D. A. Further studies in the therapeutic value of lysergic acid diethylamide in mental illness. *J. Ment. Sc., Lond.*, 1957, 103: 332-343.

with IPRONIAZID—COMPARED

see IPRONIAZID—Pharmacodynamics

with IPRONIAZID—INTERACTION

Studies, animals

Brown, B. B. Lysergic acid diethylamide antagonism of certain drugs. *Ann. N. York Acad. Sc.*, 1957, 66: 677-685.

with LYSERGIC ACID AMIDE—COMPARED

see LYSERGIC ACID AMIDE

with LYSERGIC ACID DIETHYLAMIDE, ACETYLATED—COMPARED

Rothlin, E. Lysergic acid diethylamide and related substances. *Ann. N. York Acad. Sc.*, 1957, 66: 668-676.

with LYSERGIC ACID DIETHYLAMIDE, BROMINATED—COMBINED

Studies, normal subjects

Clark, L. D., Bliss, E. L. Psychopharmacological studies of lysergic acid diethylamide intoxication. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 653-655.

Ginzel, K. H., Mayer-Gross, W. Prevention of psychological effects of LSD-25 by its brom derivative (BOL-148). *Nature, Lond.*, 1956, 178: 210.

with LYSERGIC ACID DIETHYLAMIDE, BROMINATED—COMPARED

see LYSERGIC ACID DIETHYLAMIDE, BROMINATED

with LYSERGIC ACID ETHYLAMIDE—COMPARED

see LYSERGIC ACID ETHYLAMIDE

with MEPROBAMATE—INTERACTION

Studies, animals

Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.

with MESCALINE

see MESCALINE with LYSERGIC ACID DIETHYLAMIDE

with METHOPROMAZINE—INTERACTION

see METHOPROMAZINE—Studies, animals

with NP-207—INTERACTION

see NP-207—Studies, animals [TAESCHLER+ROTHLIN]

with PIPRADROL—INTERACTION

Studies, animals

Neue Mittel zur Pharmakotherapie der Psychosen? [New drugs for the pharmacotherapy of psychoses?] *Deut. med. Wschr.*, 1955, 80: 1777.

Winter, C. A., Flataker, L. Effects of lysergic acid diethylamide upon performance of trained rats. *Proc. Soc. Exp. Biol.*, N. Y., 1956, 92: 285-289. Abstract: *Chem. Abstr.*, 1956, 50: 14891i.

with RAUWOLFIA SERPENTINA ALKALOIDS—INTERACTION

Hoch, P. H. Experimental psychiatry. *Am. J. Psychiat.*, 1955, 111: 787-790.

—, Studies in routes of administration and counter-acting drugs. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 8-12.

with RESERPINE—INTERACTION

Pharmacodynamics

Jatzkewitz, H. Pharmakologische Aspekte in der Schizophrenieforschung. [Pharmacological aspects in schizophrenia research.] *Nervenarzt*, 1956, 27: 150-152.

Studies, animals

Brown, B. B. Lysergic acid diethylamide antagonism of certain drugs. *Ann. N. York Acad. Sc.*, 1957, 66: 677-685.

Burton, R. M. The analeptic action of lysergic acid diethylamide on reserpine-sedated mice. *Ann. N. York Acad. Sc.*, 1957, 66: 695-697.

Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.

Keller, D. L., Umbreit, W. W. Chemically altered permanent behavior patterns in fish and their cure by reserpine. *Science*, 1956, 124: 407.

—, —. Permanent alteration of behavior in mice by chemical and psychological means. *Science*, 1956, 124: 723-724.

Purpura, D. P. Electrophysiological analysis of psychotogenic drug action. (1) Effect of LSD on specific afferent systems in the cat. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 122-131.

Rothlin, E. Lysergic acid diethylamide and related compounds. *Ann. N. York Acad. Sc.*, 1957, 66: 668-676.

Shore, P. A., Silver, S. L., Brodie, B. B. Interaction of reserpine, serotonin, and lysergic acid diethylamide in brain. *Science*, 1955, 122: 284-285.

Smith, K., Moody, A. C. Schizophrenia and the Siamese fighting fish. *Dis. Nerv. Syst.*, 1956, 17: 327-328.

Turner, W. J. The effect of lysergic acid diethylamide on *Betta splendens*: I. *Dis. Nerv. Syst.*, 1956, 17: 193-197.

Winter, C. A., Flataker, L. Effects of lysergic acid diethylamide upon performance of trained rats. *Proc. Soc. Exp. Biol.*, N. Y., 1956, 92: 285-289. Abstract: *Chem. Abstr.*, 1956, 50: 14891i.

Studies, normal subjects

Isbell, H., Logan, C. R. Studies on the diethylamide of lysergic acid (LSD-25). II. Effects of chlorpromazine, azacyclonol, and reserpine on the intensity of the LSD-reaction. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 350-358.

Studies, patients

Giberti, F., Gregoretti, L. Prime esperienze di antagonismo psicofarmacologico; psicosi sperimentale da LSD e trattamento con clorpromazina e reserpina. [First trials of psychopharmacological antagonism; experimental psychoses induced with d-lysergic acid diethylamide and treated with chlorpromazine and reserpine.] [English summary] *Sistema nerv.*, Milano, 1955, 7: 301-310. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4547.

with SEROTONIN

see SEROTONIN with LYSERGIC ACID DIETHYLAMIDE—INTERACTION

with YOHIMBINE—COMPARED

see YOHIMBINE with LYSERGIC ACID DIETHYLAMIDE—COMPARED

with OTHER DRUGS—INTERACTION

Pharmacodynamics

Hoch, P. H. Studies in routes of administration and counteracting drugs. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 8-12.

Studies, animals

Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. [morphine] *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.

Studies, normal subjects

Agnew, N., Hoffer, A. Nicotinic acid modified lysergic acid diethylamide psychosis. *J. Ment. Sc., Lond.*, 1955, 101: 12-27. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 850.

Clark, L. D., Bliss, E. L. Psychopharmacological studies of lysergic acid diethylamide (LSD-25) intoxication. Effects of premedication with BOL-148 (2-bromo-d-lysergic acid diethylamide), mescaline, atropine, amobarbital, and chlorpromazine. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 653-655.

Hoffer, A. Studies with niacin and LSD. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 44-45.

Osmond, H. A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

Tonini, G., Montanari, C. Effects of experimentally induced psychoses on artistic expression. [In English] *Confinia neur.*, Basel, 1955, 15: 225-239. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1439.

Studies, patients

Elkes, J. Effects of psychosomimetic drugs in animals and man. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the third conference*, May 1956, Princeton, N. J. New York, Josiah Macy, Jr., Foundation, 1957. p. 205-295.

Hoch, P. H. Experimental psychiatry. *Am. J. Psychiat.*, 1955, 111: 787-790.

Liddell, D. W., Weil-Malherbe, H. The effects of methedrine and of lysergic acid diethylamide on mental processes and on the blood adrenaline level. *J. Neur.*, Lond., 1953, 16: 7-13. Abstract: *Chem. Abstr.*, 1953, 47: 11560i.

Katzenelbogen, S., Fang, A. D. Narcosynthesis effects of sodium amyl, methedrine and LSD-25. *Dis. Nerv. Syst.*, 1953, 14: 85-88. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 3819.

Pennes, H. H. Clinical reactions of schizophrenics to sodium amyl, pervitin hydrochloride, mescaline, sulfate, and d-lysergic acid diethylamide (LSD-25). *J. Nerv. Ment. Dis.*, 1954, 119: 95-112.

Sandison, R. A., Spencer, A. M., Whitelaw, J. D. A. The therapeutic value of lysergic acid diethylamide in mental illness. *J. Ment. Sc., Lond.*, 1954, 100: 491-507. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 930.

with INTERMITTENT PHOTIC STIMULATION

Studies, normal subjects

Bradley, P. B., Elkes, C., Elkes, J. On some effects of lysergic acid diethylamide (LSD-25) in normal volunteers. *J. Physiol.*, Lond., 1953, 121: 50P-51P.

Elkes, J. Effects of psychosomimetic drugs in animals and man. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the third conference*, May 1956.

Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1957. p. 205-295. [p. 266-67]

Osmond, H. A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

with PSYCHOSURGERY

Rinkel, M. Experimentally induced psychoses in man. [1 chr. schiz. 6 weeks post-lob.] In: Abramson, H. A., ed. *Neuropharmacology*. [2. conf. 1955] New York, *Josiah Macy, Jr. Foundation*, 1956. p. 235-258. [241-43]

with SHOCK THERAPY [ECT]—INTERACTION

Hoch, P. H. Studies in routes of administration and counteracting drugs. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, *Grune & Stratton*, 1956. p. 8-12.

LYSERGIC ACID DIETHYLAMIDE, ACETYLATED

Rothlin, E. Lysergic acid diethylamide and related substances. *Ann. N. York Acad. Sc.*, 1957, 66: 668-676.

with LYSERGIC ACID DIETHYLAMIDE—COMPARED LYSERGIC ACID DIETHYLAMIDE, BROMI- NATED—COMPARED

LYSERGIC ACID ETHYLAMIDE—COMPARED

see preceding reference [ROTHLIN]

LYSERGIC ACID DIETHYLAMIDE, BROMINATED

Jarvik, M. E. Mechanism of action of lysergic acid diethylamide, serotonin, and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 145-154.

Rinkel, M., Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18: 323-334.

Rothlin, E. Lysergic acid diethylamide and related substances. *Ann. N. York Acad. Sc.*, 1957, 66: 668-676.

Studies, animals

Abramson, H. A. Blocking of the LSD-25 reaction in Siamese fighting fish. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the third conference, May 1956, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1957. p. 9-27.

—, Jarvik, M. E. Lysergic acid diethylamide (LSD-25): IX. Effect on snails. *J. Psychol., Provincet.*, 1955, 40: 337-340.

Bradley, P. B., Hance, A. J. The effects of intraventricular injections of d-lysergic acid diethylamide (LSD-25) and 5-hydroxytryptamine (serotonin) on the electrical activity of the brain of the conscious cat. *J. Physiol., Lond.*, 1956, 132: 50P-51P.

Cerletti, A., Rothlin, E. Role of 5-hydroxytryptamine in mental diseases and its antagonism to lysergic acid derivatives. *Nature, Lond.*, 1955, 176: 785-786. Abstract: *Chem. Abstr.*, 1956, 50: 4389fgh. *Excerpta med.*, Sect. 8, 1957, 10: No. 973.

Rothlin, E. Lysergic acid diethylamide and related compounds. *Ann. N. York Acad. Sc.*, 1957, 66: 668-676.

Salmoiraghi, G. C., Sollero, L., Page, I. H. Blockade by brom-lysergic-acid-diethylamide (BOL) of the potentiating action of serotonin and reserpine on hexobarbital hypnosis. *J. Pharm. Exp. Ther.*, 1956, 117: 166-168. Abstract: *Chem. Abstr.*, 1956, 50: 14105gh.

Studies, normal subjects

Abramson, H. A., Jarvik, M. E., Gorin, M. H., Hirsch, M. W. Lysergic acid diethylamide (LSD-25): XVII.

Tolerance development and its relationship to a theory of psychosis. *J. Psychol., Provincet.*, 1956, 41: 81-105.

Cerletti, A., Rothlin, E. Role of 5-hydroxytryptamine in mental diseases and its antagonism to lysergic acid derivatives. *Nature, Lond.*, 1955, 176: 785-786. Abstract: *Chem. Abstr.*, 1956, 50: 4389fgh. *Excerpta med.*, Sect. 8, 1957, 10: No. 973.

Clark, L. D., Bliss, E. L. Psychopharmacological studies of lysergic acid diethylamide (LSD-25) intoxication. Effects of premedication with BOL-148 (2-bromo-d-lysergic acid diethylamide), mescaline, atropine, amobarbital, and chlorpromazine. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 653-655.

Ginzel, K. H., Mayer-Gross, W. Prevention of psychological effects of d-lysergic acid diethylamide (LSD-25) by its 2-brom derivative (BOL 148). *Nature, Lond.*, 1956, 178: 210. Abstract: *Chem. Abstr.*, 1956, 50: 17147hi.

Hirsch, M. W., Jarvik, M. E., Abramson, H. A. Lysergic acid diethylamide (LSD-25): XVIII. Effects of LSD-25 and six related drugs upon handwriting. *J. Psychol., Provincet.*, 1956, 41: 11-22. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3944.

Studies, patients

Cholden, L. S., Kurland, A., Savage, C. Clinical reactions and tolerance to LSD in chronic schizoprenia. *J. Nerv. Ment. Dis.*, 1955, 122: 211-221. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4015.

with CHLORPROMAZINE—INTERACTION

Studies, animals

Taeschler, M., Rothlin, E. Zur Charakterisierung der zentralen Wirkung von Phenothiazinderivaten. [The specific central effect of phenothiazine derivatives.] *Arch. exp. Path., Berl.*, 1956, 228: 184-186. Abstract: *Chem. Abstr.*, 1956, 50: 8902de.

with LYSERGIC ACID DIETHYLAMIDE—COMBINED Studies, normal subjects

see LYSERGIC ACID DIETHYLAMIDE, BROMINATED—Studies, normal subjects

[CLARK+BLISS] [GINZEL+MAYER-GROSS]

with LYSERGIC ACID DIETHYLAMIDE—COMPARED see LYSERGIC ACID DIETHYLAMIDE, BROMI- NATED

with LYSERGIC ACID DIETHYLAMIDE, ACETY- LATED—COMPARED

Rothlin, E. Lysergic acid diethylamide and related substances. *Ann. N. York Acad. Sc.*, 1957, 66: 668-676.

with LYSERGIC ACID ETHYLAMIDE—COMPARED see preceding reference [ROTHLIN]

with NP-207—INTERACTION

Studies, animals

Taeschler, M., Rothlin, E. Zur Charakterisierung der zentralen Wirkung von Phenothiazinderivaten. [The specific central effect of phenothiazine derivatives.] *Arch. exp. Path., Berl.*, 1956, 228: 184-186. Abstract: *Chem. Abstr.*, 1956, 50: 8902de.

Therapeutic use

Malitz, S., Hoch, P. H. Preliminary evaluation of a new phenothiazine derivative, NP-207. *Psychiat. Q.*, 1956, 30: 633-646.

with RESERPINE—INTERACTION

Studies, animals

- Burton, R. M. The analeptic action of lysergic acid diethylamide on reserpine-sedated mice. *Ann. N. York Acad. Sc.*, 1957, 66: 695-697.
- Rothlin, E. Lysergic acid diethylamide and related compounds. *Ann. N. York Acad. Sc.*, 1957, 66: 668-676.
- Salmoiraghi, G. C. Sollero, L., Page, I. H. Blockade by brom-lysergic-acid-diethylamide (BOL) of the potentiating action of serotonin and reserpine on hexobarbital hypnosis. *J. Pharm. Exp. Ther.*, 1956, 117: 166-168. Abstract: *Chem. abstr.*, 1956, 50: 14105gh.

with SEROTONIN—INTERACTION

Studies, animals

- see LYSERGIC ACID DIETHYLAMIDE, BROMINATED—Studies, animals

LYSERGIC ACID ETHYLAMIDE

- Jarvik, M. E. Mechanism of action of lysergic acid diethylamide, serotonin, and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, Am. Ass. Adv. Sc., 1956. p. 145-154.
- Rothlin, E. Lysergic acid diethylamide and related substances. *Ann. N. York Acad. Sc.*, 1957, 66: 668-676.
- Rothlin, E., Cerletti, A. Pharmacology of LSD-25. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 1-7.

Studies, animals

- Abramson, H. A. Blocking of the LSD-25 reaction in Siamese fighting fish. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the third conference, May 1956, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1957. p. 9-27.
- , Jarvik, M. E. Lysergic acid diethylamide (LSD-25): IX. Effect on snails. *J. Psychol., Provincet.*, 1955, 40: 337-340.
- Cerletti, A. Lysergic acid diethylamide (LSD) and related compounds. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the second conference, May 1955, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1956. p. 9-84.
- Jarvik, M. E. Effect of LSD-25 on snails. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the third conference, May 1956, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1957. p. 29-38.
- Rothlin, E., Cerletti, A. Über einige pharmakologische Untersuchungen an Mäusen mit congenitaler Drehsucht. [Some pharmacological studies on mice with congenital waltzing syndrome.] *Helvet. physiol. pharm. acta*, 1952, 10: 319-327. Abstract: *Chem. Abstr.*, 1953, 47: 766hi.
- Turner, W. J. The effect of lysergic acid diethylamide on *Betta splendens*: I. *Dis. Nerv. Syst.*, 1956, 17: 193-197.

Studies, normal subjects

- Hirsch, M. W., Jarvik, M. E., Abramson, H. A. Lysergic acid diethylamide (LSD-25): XVIII. Effects of LSD-25 and six related drugs upon handwriting. *J. Psychol., Provincet.*, 1956, 41: 11-22. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3944.
- Jarvik, M. E., Abramson, H. A., Hirsch, M. W. Comparative subjective effects of seven drugs including lysergic acid diethylamide (LSD-25). *J. Abnorm. Psychol.*, 1955, 51: 657-662.
- Solms, H. Chemische Struktur und Psychose bei Lysergsäure-Derivaten. [Chemical structure of and psychosis produced by lysergic acid derivatives.] *Praxis, Bern*, 1956, 45: 746-749.
- , Lysergsäure-äthylamid (LAE), ein neues, stark

sedativ wirkendes Psychoticum aus dem Mutterkorn. [Lysergic acid ethylamide (LAE), a new strongly sedative psychotomimetic drug from Mother of Rye.] *Schweiz. med. Wschr.*, 1953, 83: 356-360.

—, Lysergsäure-monoäthylamid (LAE), ein neuartiges Psychotikum mit sedativer Wirkung aus dem Mutterkorn. [Lysergic acid monoethylamide (LAE), a new psychotomimetic drug with sedative effect from Mother of Rye.] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 440-444.

—, Relationships between chemical structure and psychoses with the use of psychotoxic substances. "Comparative pharmacopsychiatric analysis:" A new research method. *J. Clin. Exp. Psychopath.*, 1956, 17: 429-433.

Tonini, G., Montanari, C. Effects of experimentally induced psychoses on artistic expression. [In English] *Confinia neur.*, Basel, 1955, 15: 225-239. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1439.

—, Effetti psichici della monoetilamide dell'acido lisergico (LAE 32). [Psychological effects of lysergic acid monoethylamide (LAE 32).] *Gior. psichiat.*, 1955, 83: 355-357.

vol Felsinger, J. M., Lasagna, L., Beecher, H. K. The response of normal men to lysergic acid derivatives (di- and mono-ethyl amides). *J. Clin. Exp. Psychopath.*, 1956, 17: 414-428.

Studies, patients

Callieri, B., Ravetta, M. Contributo allo studio psicopatologico degli effetti della monoetilamide dell'acido lisergico. [Contribution to the psychopathological study of the effects of lysergic acid monoethylamide.] *Arch. psicol. neur.*, Milano, 1956, 17: 43-83.

Cholden, L. S., Kurland, A., Savage, C. Clinical reactions and tolerance to LSD in chronic schizophrenia. *J. Nerv. Ment. Dis.*, 1955, 122: 211-221. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4015.

Solms, H. Lysergsäure-äthylamid (LAE), ein neues, stark sedativ wirkendes Psychoticum aus dem Mutterkorn. [Lysergic acid ethylamide (LAE), a new strongly sedative psychotomimetic drug from Mother of Rye.] *Schweiz. med. Wschr.*, 1953, 83: 356-360.

—, Lysergsäure-monoäthylamid (LAE), ein neuartiges Psychotikum mit sedativer Wirkung aus dem Mutterkorn. [Lysergic acid monoethylamide (LAE), a new psychotomimetic drug with sedative effect from Mother of Rye.] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 440-444.

Tonini, G., Montanari, C. Effetti psichici della monoetilamide dell'acido lisergico (LAE 32). [Psychological effects of lysergic acid monoethylamide (LAE 32).] *Gior. psichiat.*, 1955, 83: 355-357.

Therapeutic use

Solms, H. Lysergsäure-monoäthylamid (LAE), ein neuartiges Psychotikum mit sedativer Wirkung aus dem Mutterkorn. [Lysergic acid monoethylamide (LAE), a new psychotomimetic drug with sedative effect from Mother of Rye.] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 440-444.

with CHLORPROMAZINE—COMPARED

see preceding reference [SOLMS]

with LYSERGIC ACID AMIDE—COMPARED

see LYSERGIC ACID AMIDE

with LYSERGIC ACID DIETHYLAMIDE—COMPARED

see LYSERGIC ACID ETHYLAMIDE

with LYSERGIC ACID DIETHYLAMIDE, ACETYLATED—COMPARED

Rothlin, E. Lysergic acid diethylamide and related substances. *Ann. N. York Acad. Sc.*, 1957, 66: 668-676.

with **LYSERGIC ACID DIETHYLAMIDE, BROMINATED—COMPARED**
see preceding reference [ROTHLIN]

with **MESCALINE—COMPARED**
see **MESCALINE** with **LYSERGIC ACID ETHYLAMIDE—COMPARED**

with **OTHER DRUGS** [barbiturates]—**COMBINED**
see **LYSERGIC ACID ETHYLAMIDE—Therapeutic use**

MER-22

Studies, animals

Tripod, J., Sury, E., Hoffmann, K. Zentralerregende Wirkung eines neuen Piperidinderivatives. [Centrally stimulating effect of a new piperidine derivative.] [with methylphenidylacetate, pipradrol compared] *Experientia, Basel*, 1955, 10: 261-262. Abstract: *Chem. Abstr.*, 1955, 48: 10920g.

Studies, normal subjects

Drassdo, A., Schmidt, M. Kreislauf, geistige Leistungsfähigkeit und Stoffwechsel unter dem Einfluss von 2-Diphenylmethylpiperidinhydrochlorid. [Effect of 2-diphenylmethylpiperidinehydrochloride on blood circulation, mental efficacy and metabolism.] [English summary] *Med. Mschr.*, 1956, 10: 738-743.

Therapeutic studies, controlled

Hagenauer, F., Rudy, L. H., Himwich, H. E. A comparative evaluation of two new central nervous system stimulants in severe psychoses. *J. Clin. Exp. Psychopath.*, 1957, 18: 248-257. Condensed as: A comparative study of two central nervous system stimulants, MER-22 and S. K. F. #5, on chronic, blocked and withdrawn psychotic patients. *Am. J. Psychiat.*, 1957, 113: 840.

with **AZACYCLONOL—COMPARED**

Pharmacodynamics *see* preceding reference.

with **METHYLPHENIDYLACETATE—COMPARED**

see **MER-22—Studies, animals**

with **PIPRADROL—COMPARED**

see **MER-22—Studies, animals**

Therapeutic studies, controlled

with **OTHER DRUGS** [barbiturates]—**COMBINED**

see **MER-22—Studies, normal subjects**

MEDMAIN

Jarvik, M. E. Mechanism of action of lysergic acid diethylamide, serotonin, and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 145-154.

Rinkel, M., Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18: 323-334.

Shaw, E., Woolley, D. W. Pharmacological properties of some antimetabolites of serotonin having unusually high activity on isolated tissues. *J. Pharm. Exp. Ther.*, 1954, 111: 43-53.

Woolley, D. W., Shaw, E. A biochemical and pharmacological suggestion about certain mental disorders. *Proc. Nat. Acad. Sc. U. S.*, 1954, 40: 228-231. Abstract: *Science*, 1954, 119: 587-588.

—, —. Some neurophysiological aspects of serotonin. *Brit. M. J.*, 1954, 2: 122-126.

with **SEROTONIN—INTERACTION** *see* **MEDMAIN**

MEPAZINE

Cocktail

Mignault, G. Two years' experience using the phenothiazine amine derivatives in anaesthesia and artificial hibernation with special mention of the new derivative pacatal. [mepazine+promethazine+meperidine] *Canad. Anaesth. Soc. J.*, 1957, 4: 37-42.

Pharmacodynamics

Kopf, R. Phentiazinderivaternes farmakologi, med spesielt henblik på N-methylpiperidyl-3-methylphenothiazin (lacumin [R]). [Pharmacology of phenothiazine derivatives, particularly N-methylpiperidyl-3-methylphenothiazine (lacumin [R])] [Brief English summary] *Nord. med.*, 1955, 54: 1779-1782.

Rösner, K. Therapeutische Anwendung der zentralnervösen Wirkung einiger Phenothiazinderivate in der Allgemeinmedizin. [Therapeutic use of effects of various phenothiazine derivatives on central nervous system in general practice.] *Med. Mschr.*, 1956, 10: 719-723.

Studies, animals

Apter, J., Rinsley, D. B. Counteraction of the effects of mepazine on the eye by means of parasympathomimetic drugs. *J. Clin. Exp. Psychopath.*, 1957, 18: 335-341.

Himwich, H. E., Rinaldi, F., Willis, D. An examination of phenothiazine derivatives with comparisons of their effects on the alerting reaction, chemical structure and therapeutic efficacy. *J. Nerv. Ment. Dis.*, 1956, 124: 53-57.

Nieschulz, O., Hoffmann, I., Popendiker, K. Pharmakologische Untersuchungen über N-Alkyl-piperidyl-phenothiazin-Derivate. [Pharmacological studies of N-alkyl-piperidyl-phenothiazine derivatives.] [English summary] *Arzneimitt. Forsch.*, 1956, 6: 651-660.

—, Popendiker, K., Hoffmann, I. Weitere pharmakologische Untersuchungen über N-Methyl-piperidyl-(3)-methyl-phenothiazin. [Further pharmacological studies of N-methyl-piperidyl-(3)-methyl-phenothiazine] [English summary] *Arzneimitt. Forsch.*, 1955, 5: 680-695.

—, —, Sack, K. H. Pharmakologische Untersuchungen über N-Alkyl-piperidyl-phenothiazin-Derivate. [Pharmacological studies of N-alkyl-piperidyl-phenothiazine derivatives.] *Arzneimitt. Forsch.*, 1954, 4: 232-242.

Studies, patients

Hartmann, K., Hiob, J., Hippius, H. Zur vergleichenden Psychopathologie der Schock- und Phenothiazinwirkungen. [Comparative psychodynamics of shock therapy and phenothiazines.] *Fortsch. Neur. Psychiat.*, 1955, 23: 354-366.

Horst, L. van der. Données sur l'emploi du largactil et d'autres dérivés de la phénothiazine en neurologie, neuro-chirurgie et radiologie. [The use of largactil and other phenothiazines in neurology, neurosurgery and radiology.] *Encéphale*, 1956, 45: 717-721.

Therapeutic studies, controlled

Gillie, A. K. The use of pacatal in low-grade mental defectives. *J. Ment. Sc., Lond.*, 1957, 103: 402-405.

MacGregor, J. MacW. Pacatal—a clinical trial of a new ataractic drug. *S. Afr. M. J.*, 1956, 30: 1108-1111.

—Psychoses

Baker, A. A., Thorpe, J. G. Placebo response. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 57-60.

Bruckman, N., Kitchener, M., Saunders, J. C., Kline, N. S. Mepazine (pacatal)—further report. *Am. J. Psychiat.*, 1957, 114: 262-263.

- Feldman, P. E. Clinical evaluation of pacatal. *Am. J. Psychiat.*, 1957, 114: 143-146. *
- . A comparative study of various ataractic drugs. *Am. J. Psychiat.*, 1957, 113: 589-594. *
- Leiberman, D. M., Vaughan, G. F. The use of some new pharmacological agents in psychiatry. *J. Ment. Sc., Lond.*, 1957, 103: 110-118.
- Lomas, J. Treatment of schizophrenia; "pacatal" and chlorpromazine compared. *Brit. M. J.*, 1957, 2: 78-80. *
- Mitchell, P. H., Sykes, P., King, A. Effects of pacatal on symptoms in chronic psychotic female in-patients. *Brit. M. J.*, 1957, 1: 204-207. **
- Rinaldi, F., Rudy, L. H., Himwich, H. E. Clinical evaluation of azacyclonol, chlorpromazine, and reserpine on a group of chronic psychotic patients. *Am. J. Psychiat.*, 1956, 112: 678-683. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4986.
- Rudy, L. H., Himwich, H. E., Tasher, D. C. Clinical evaluation of two phenothiazine compounds promazine and mepazine. *Am. J. Psychiat.*, 1957, 113: 979-983. *
- Simpson, R. W. The effects of pacatal on chronic mental illness. *J. Ment. Sc., Lond.*, 1957, 103: 610-613.
- Thorpe, J. G., Baker, A. A. A research method to assess a new tranquillizing drug. *J. Ment. Sc., Lond.*, 1956, 102: 790-795.

Therapeutic use

- Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747. *
- Friese, K. H. Vorläufige Erfahrungen bei der Behandlung psychiatrischer Kranker mit Phenothiazinen. [Early results in phenothiazine therapy in psychiatry.] *Medizinische*, 1956: 734-735. *
- Laurendeau, E. Essai clinique sur un nouveau dérivé du phénothiazine: le pacatal. [Clinical trial of a new phenothiazine derivative: pacatal.] *Union méd. Canada*, 1956, 85: 1424-1425.
- Lienau, C. Heilschlafbehandlung mit Pacatal bei Alkoholismus und Morphinismus. [Therapeutic sleep treatment with pacatal in alcoholism and morphinism.] *Münch. med. Wschr.*, 1957, 99: 80-81.
- Pennington, V. M. Research findings in phrenotropic drugs important to every physician. *Mississippi Doctor*, 1957, 35: 57-63.
- Sangowicz, J., Gauthier, J. Résumé d'une étude clinique sur pacatal et médoméne, portant respectivement sur 40 cas. [Results of a clinical study on pacatal and medomin, concerning 40 cases respectively.] *Union méd. Canada*, 1956, 85: 1170-1171.

—Additional data

- Bergy, G. A. Drugs of sedation with tranquilizing effects. *Am. Profes. Pharmacist*, 1956, 22: 419; 534-538; 619-621; 709-710; 797-799; 888-889; 917-919. [709-710.]
- Boon, A. A. Largactil en verwante middelen in de psychiatrie en neurologie. [Largactil and related remedies in psychiatry and neurology.] *Ned. tschr. geneesk.*, 1955, 99: 2735-2741.
- Dellaert, R. De modernste chemopharmaca in de psychiatrie. [New chemical psychopharmaca.] *Belg. tschr. geneesk.*, 1956, 12: 314-321.
- Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernotherapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [p. 362]
- Hilliard, E. T. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1035-1040.
- Kline, N. S. Chemotherapy in psychiatry; recent advances. *Seminar Internat., Hoddesdon*, 1956, 5 (2): 7-10.
- Leiberman, D. M., Vaughan, G. F. Tranquillizers. *Practitioner, Lond.*, 1956, 177: 632-638.

- Morgan, D. R. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1029-1035.
- Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1957, 113: 611-615.

—Psychoses

- Bowes, H. A. The ataractic drugs; the present position of chlorpromazine, frenquel, pacatal, and reserpine in the psychiatric hospital. *Am. J. Psychiat.*, 1956, 113: 530-539.
- Braun, M. Pacatal. *Am. J. Psychiat.*, 1957, 113: 838-839.
- Hiob, J., Hippus, H. Über die Behandlung von Psychosen mit dem Phenothiazinderivat Pacatal. [The treatment of psychoses with the phenothiazine derivative pacatal.] *Med. Klin., Berl.*, 1955, 50: 1746-1748. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1544. *
- Kline, N. S. Pacatal. *Am. J. Psychiat.*, 1956, 113: 565. *
- , Jacob, G. M. Use of pacatal (N-methylpiperidyl-[3]-methylphenothiazine) in psychiatric patients. *Am. J. Psychiat.*, 1955, 112: 63. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3080. *
- Patton, G. O., Garneau, J. The ataractic drugs in disturbed secluded psychiatric patients. *Canad. Serv. M. J.*, 1957, 13: 127-133.
- Werenberg, H. Lacuminterapi ved svaere sindssygdomme. [Lacumin therapy in severe mental disorders.] [English summary] *Nord. med.*, 1955, 54: 1787-1789. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4567. **

Untoward effects [see headnote p. 19]

see also PHENOTHIAZINES—Untoward effects

- Apter, J., Rinsley, D. B. Counteraction of the effects of mepazine on the eye by means of parasympathomimetic drugs. *J. Clin. Exp. Psychopath.*, 1957, 18: 335-341.
- Ayd, F. J., Jr. A clinical evaluation of frenquel. *J. Nerv. Ment. Dis.*, 1956, 124: 507-509.
- . A clinical evaluation of pacatal. *Dis. Nerv. Syst.*, 1957, 18: 142-144.
- Feldman, P. E., Bertone, J., Panthel, H. Fatal agranulocytosis during treatment with pacatal. *Am. J. Psychiat.*, 1957, 113: 842-843. **

with ATARAXICS [2 or more]

see ATARAXICS—Various [3 or more]—Compared

with AZACYCLONOL

see AZACYCLONOL with MEPAZINE—COMBINED

with CHLORPROMAZINE

see CHLORPROMAZINE with MEPAZINE

with METHYLPHENIDYLACETATE—COMBINED

- Ayd, F. J., Jr. A clinical evaluation of pacatal. *Dis. Nerv. Syst.*, 1957, 18: 142-144.

with PIPRADROL—COMBINED see preceding reference

with PROMAZINE—COMPARED

- Rudy, L. H., Himwich, H. E., Tasher, D. C. Clinical evaluation of two phenothiazine compounds promazine and mepazine. *Am. J. Psychiat.*, 1957, 113: 979-983.

with PROMETHAZINE—COMPARED

Studies, animals

- Nieschulz, O., Popendiker, K., Hoffmann, I. Weitere pharmakologische Untersuchungen über N-Methylpiperidyl-(3)-methyl-phenothiazin. [Further pharmacological studies of N-methylpiperidyl-(3)-methyl-phenothiazine] [English summary] *Arzneimitt. Forsch.*, 1955, 5: 680-695.

with PROMETHAZINE and OTHER DRUGS—COMBINED

see MEPAZINE—Cocktail

with RESERPINE—COMBINED

Therapeutic studies, controlled

Bruckman, N., Kitchener, M., Saunders, J. C., Kline, N. S. Mepazine (pacatal)—further report. *Am. J. Psychiat.*, 1957, 114: 262-263. * *

with OTHER DRUGS [sedatives]—COMBINED

see also MEPAZINE—Cocktail

Gillie, A. K. The use of pacatal in low-grade mental defectives. *J. Ment. Sc., Lond.*, 1957, 103: 402-405.

Kleinsorge, H. Erfahrungen mit der Schlaftherapie innerer Erkrankungen. [Experiences with sleep therapy of internal diseases.] [Abstract] *Med. Mschr.*, 1953, 7: 760.

—, Rösner, K. Klinikai megfigyelések phenothiazin készítményekkel. [Clinical observations on phenothiazine preparations.] *Magy. belorv. arch.*, 1956, 9: 106-109.

—, —. Schlaftherapie mit Phenothiazinderivaten. [Sleep therapy with phenothiazine derivatives.] *Ther. Gegenwart*, 1956, 95: 441-446.

Kleinsorge, Reznér. Primenenie proizvodnykh fenotiazina dlia terapii snom. [Use of phenothiazine derivatives in sleep therapy.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 296-299.

Laurendeau, E. Essai clinique sur un nouveau dérivé du phénothiazine: le pacatal. [Clinical trial of a new phenothiazine derivative: pacatal.] *Union méd. Canad.*, 1956, 85: 1424-1425.

Lienau, C. Heilschlafbehandlung mit Pacatal bei Alkoholismus und Morphinismus. [Therapeutic sleep treatment with pacatal in alcoholism and morphinism.] *Münch. med. Wschr.*, 1957, 99: 80-81.

MacGregor, J. MacW. Pacatal—a clinical trial of a new ataractic drug. *S. Afr. M. J.*, 1956, 30: 1108-1111.

Seitz, D. Die Schlafbehandlung mit Phenothiazinen in der Neurologie. [Sleep therapy with phenothiazines in neurology.] *Nervenarzt*, 1956, 27: 19-23.

and with Shock therapy [ECT]

see following reference

with SHOCK THERAPY [ECT]—COMBINED

MacGregor, J. MacW. Pacatal—a clinical trial of a new ataractic drug. *S. Afr. M. J.*, 1956, 30: 1108-1111.

MEPHENESIN

Placebo effect see PSYCHOPHARMACA—Evaluation

Psychotherapeutic use

Berger, H. Management of neuroses by the internist and general practitioner. *N. York State J. M.*, 1956, 56: 1783-1788.

Paul, L. Mephenesin in anxiety-tension states. *Psychosomat. M.*, 1952, 14: 378-382.

Studies, animals

Batterman, R. C., Leifer, P., Grossman, A. J. The advantages of a new combination sedative mixture. *Am. Practitioner*, 1956, 7: 1795-1798.

Felisati, D., Fregni, R. Effets de la mianesina sur différents types de nystagmus; enregistrement par la méthode électrographique. [Effects of myanesin on different types of nystagmus; electroencephalographic study.] *Ann. otolar., Par.*, 1953, 70: 508-516.

Funderburk, W. H., Unna, K. R. Site of action of 2,2-

diethyl-1,3-propanediol (prenderol) on the central nervous system. *J. Pharm. Exp. Ther.*, 1953, 107: 344-355.

Hendley, C. D., Lynes, T. E., Berger, F. M. Effect of meprobamate on electrical activity of thalamus and other subcortical areas. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957, p. 35-46.

Masserman, J. H., Pechtel, C. An experimental investigation of factors influencing drug action. *Psychiat. Res. Rep., Wash.*, 1956 (4): 95-113.

—, —. Neurophysiologic and pharmacologic influences on experimental neuroses. *Am. J. Psychiat.*, 1956, 113: 510-514.

Rinaldi, F., Himwich, H. E. The site of action of anti-parkinson drugs. *Confinia neur., Basel*, 1955, 15: 209-224. Abstract: *Am. J. Physiol.*, 1954, 179: 665. *Excerpta med.*, Sect. 8, 1956, 9: No. 3616.

Yoshii, N., Tsukiyama, K., Hiraiwa, K. Effect of myanesin on the flexion and on the electrical activities of the cerebral cortex and the brain stem. *Fol. psychiat. neur. jap.*, 1954, 7: 285-292.

Studies, normal subjects

Felisati, D., Fregni, R. Effets de la mianesina sur différents types de nystagmus; enregistrement par la méthode électrographique. [Effects of myanesin on different types of nystagmus; electroencephalographic study.] *Ann. otolar., Par.*, 1953, 70: 508-516.

Mendenhall, J. H., Ewing, J. A. Further psychometric evaluation of the effect of mephenesin on anxiety. *J. Ment. Sc., Lond.*, 1954, 100: 262-266. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 927.

Therapeutic studies, controlled

Armour, P. S. A regimen in acute alcoholism. [Mephenesin; mephenesin carbamate; reserpine; also combined and compared] *Arizona M.*, 1956, 13: 169-172.

Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.

Dickes, R., Flamm, G. H., Coltrera, J., Tobin, M. The effect of mephenesin on muscle tension. An experimental study. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 590-597. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4998.

Freedman, A. M., Effron, A. S., Bender, L. Pharmacotherapy in children with psychiatric illness. *J. Nerv. Ment. Dis.*, 1955, 122: 479-486. Abstract: *Year book of drug therapy*, 1956-1957, p. 350-351.

Hampson, J. L., Rosenthal, D., Frank, J. D. A comparative study of the effect of mephenesin and placebo on the symptomatology of a mixed group of psychiatric outpatients. *Bull. Johns Hopkins Hosp.*, 1954, 95: 170-177. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2662.

Hare, E. H. The effects of mephenesin in neurotic anxiety. *J. Ment. Sc., Lond.*, 1955, 101: 172-174. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1717.

Herman, M., Effron, A. S. Tolserol in the treatment of the post-alcoholic state. In: Podolsky, E., ed. *Management of addictions*. New York, *Philosophical Library*, 1955, p. 209-217.

Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. *Internat. Rec. M.*, 1956, 169: 323-338.

Mailer, A. B. Effects of mephenesin and prenderol on intellectual functions of mental patients. *J. Clin. Psychol.*, 1954, 10: 283-285.

Mendenhall, J. H., Ewing, J. A. Further psychometric evaluation of the effect of mephenesin on anxiety. *J. Ment. Sc., Lond.*, 1954, 100: 262-266. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 927.

Sainz, A. A. The treatment of drug and alcohol withdrawal effects with thorazine. *Psychiat. Q.*, 1957, 31: 275-284.

Scott, P. A. A controlled study of the effect of mephenesin on psychiatric out-patients. *J. Ment. Sc., Lond.*, 1955, 101: 163-171. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1716.

- Rosenthal, D., Frank, J. D. Psychotherapy and the placebo effect. *Psychol. Bull.*, 1956, 53 : 294.
- , Imber, S. D. The effects of mephenesin and practice on the Bender-Gestalt performance of psychiatric outpatients. *J. Clin. Psychol.*, 1955, 11 : 90-92.
- Swyer, G. I. M. Treatment of the premenstrual syndrome; value of ethisterone, mephenesin, and a placebo compared. *Brit. M. J.*, 1955, 1 : 1410-1412.
- Tavener, R. H. A new drug in post-alcoholic tension states. *Canad. M. Ass. J.*, 1954, 71 : 387-388. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 3553.
- Wolf, S., Pinsky, R. Effects of placebo administration and occurrence of toxic reactions. *J. Am. M. Ass.*, 1954, 155 : 339-341.

Therapeutic use

- Berger, H. Management of neuroses by the internist and general practitioner. *N. York State J. M.*, 1956, 56 : 1783-1788.
- Block, S. L. Effect of mephenesin upon anxiety. *A. M. A. Arch. Neur. Psychiat.*, 1953, 69 : 727-731. Abstract: *Excerpta med.*, Sect. 8, 1954, 7 : No. 1605. *
- Chatterjee, P. K., Datta, J. K. Mephenesin in morphine addiction. *J. Ind. M. Ass.*, 1956, 26 : 23-24. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 3522.
- Elkes, J. Effects of psychosomimetic drugs in animals and man. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the third conference, May 1956, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1957. p. 205-295. [p. 278]
- , Elkes, C., Bradley, P. B. The effect of some drugs on the electrical activity of the brain, and on behaviour. *J. Ment. Sc., Lond.*, 1954, 100 : 125-128.
- Ende, M., Youngblood, W. The use of myanesin (tolserol) in black widow spider bite. *Virginia M. Month.*, 1953, 80 : 24-25.
- Ewing, J. A., Mendenhall, J. H. Clinical evaluation of the effect of mephenesin on anxiety. *J. Ment. Sc., Lond.*, 1953, 99 : 464-472.
- Feldman, D. J. Drug therapy of chronic alcoholism. [also mephate] *Med. Clin. N. America*, 1957, 41 : 381-392.
- Frankl, V. E. Zur Behandlung der Angst. [Therapy of anxiety.] *Wien. med. Wschr.*, 1952, 102 : 535-537. Abstract: *Excerpta med.*, Sect. 8, 1953, 6 : No. 408.
- Freedman, A. M., Kremer, M. W., Robertiello, R., Efron, A. S. The treatment of behavior disorders in children with tolserol. *J. Pediat.*, S. Louis, 1955, 47 : 369-372. *
- Goldman, H. I. Clinical evaluation of tolserol in the post-alcoholic syndrome. *Rocky Mountain M. J.*, 1954, 51 : 698-699.
- Greenhouse, H. R. Treatment of the postintoxication state in alcoholics with mephenesin and other drugs. *Q. J. Alcohol*, 1954, 15 : 43-46. Abstract: *Excerpta med.*, Sect. 8, 1954, 7 : No. 4228.
- Holt, W. E. Effect of mephenesin on psychotic patients. *J. Nerv. Ment. Dis.*, 1952, 115 : 343-350.
- Hutchinson, J. T. The value of drugs in the treatment of neuroses. *Med. Illustr., Lond.*, 1956, 10 : 541-544.
- Jassin, A. El estado de ansiedad en la tensión premenstrual y en el climaterio, tratado con tolseron. [State of anxiety in premenstrual tension in climacteric; therapy with tolseron.] *Prensa méd. argent.*, 1952, 39 : 2653-2655.
- Laurence, D. R. Effect of mephenesin in spastic paralysis. *Lancet, Lond.*, 1952, 1 : 178-180. *
- Leupold-Löwenthal, H., Ringel, E. Erfahrungen bei Behandlung der Angst mit Myocain. [Experiences with myocaine therapy of anxiety.] *Wien. med. Wschr.*, 1952, 102 : 969-970.
- Mecham, M. J., Stromsta, C., Soderberg, G. Effects of tolserol on the speech errors off mentally defective children. *Am. J. Phys. M.*, 1955, 34 : 535-536.

- Monro, A. B., Steadman, H. H. Myanesin in psychiatry. *J. Ment. Sc., Lond.*, 1953, 99 : 285-287. Abstract: *Excerpta med.*, Sect. 8, 1954, 7, No. 751.
- O'Sullivan, C. J. Myanesin in tension states. *J. Irish M. Ass.*, 1955, 36 : 167-169.
- Paul, L. Mephenesin in anxiety-tension states. *Psychosomat. M.*, 1952, 14 : 378-382.
- Spreng, R. W. E. Tolserol in acute alcoholism. *J. Nerv. Ment. Dis.*, 1953, 118 : 545-551. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 4384.
- Stiess, A. Klinische Erfahrungen mit Dihydroxy-2-methylphenoxy-propan (Byk-M 1). [Clinical experience with dihydroxy-2-methylphenoxy-propanediol (Byk-M 1)] *Ther. Gegenwart*, 1953, 92 : 289-292.
- Weber, H. J., Lehner, F. H. Erfahrungen mit Dihydro-methylphenoxy-propan (BYK-M 1). [Experiences with 3-o-toloxyl-1, 2-propanediol (BYK-M 1).] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73 : 370-378.

—Additional data

- Allen, E. B., Prout, C. T. Alcoholism. *Progr. Neur. Psychiat.*, N. Y., 1955, 10 : 510-521; 1956, 11 : 338-351.
- Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162 : 1610-1619.
- Fabing, H. D. The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169 : 177-183. Also *Drug & Cosmet. Indust.*, 1956, 78 : 32-33; 125-129.
- Feldman, D. J., Zucker, H. D. Present-day medical management of alcoholism. *J. Am. M. Ass.*, 1953, 153 : 895-901.
- Green, A. Actualités thérapeutiques 1955 en psychiatrie. [Therapeutic progress in psychiatry in 1955.] *Encéphale*, 1956, 45 : 172-200.
- Happiness pills in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47 : 57-65.
- Latham, F. A. Symposium on alcoholism. Management of the acute phases. *Memphis M. J.*, 1953, 28 : 128-131.
- Ravreby, M. Pharmacology. In: Happiness pills in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47 : 57-59.
- Rees, L. The role of drugs in the treatment of anxiety-tension states. *Med. Press, Lond.*, 1952, 227 : 295-298.
- Sargent, W. On chemical tranquilizers. *Brit. M. J.*, 1956, 1 : 939-943. *
- Tintera, J. W. Office rehabilitation of the alcoholic. *N. York State J. M.*, 1956, 56 : 3896-3902.

with ATARAXICS [2 or more]

see ATARAXICS—Various [3 or more]

with CHLORPROMAZINE

see CHLORPROMAZINE with MEPHENESIN

with MEPHENESIN CARBAMATE

see MEPHENESIN CARBAMATE—Therapeutic studies, controlled

with MEPROBAMATE—COMPARED

Studies, animals

Berger, F. M. The pharmacological properties of 2-methyl-2-n-propyl-1,3-propanediol dicarbamate (miltown), a new interneural blocking agent. *J. Pharm. Exp. Ther.*, 1954, 112 : 413-423. Abstract: *Chem. Abstr.*, 1955, 49 : 2610i.

with PRENDEROL—COMPARED

see PRENDEROL—Studies, animals

Therapeutic studies, controlled

with RAUWOLFIA SERPENTINA ALKALOIDS and OTHER DRUGS—COMBINED [sedaltine]

Raymond, M. J., Lucas, C. J., Beesley, M. L., O'Connell, B. A., Roberts, J. A. F. A trial of five tranquillizing drugs in psychoneurosis. *Brit. M. J.*, 1957, 2 : 63-66.

with RESERPINE—COMBINED

see under MEPHENESIN CARBAMATE—*Therapeutic studies, controlled*

with RESERPINE—COMPARED

Studies, animals

Tripod, J., Bein, H. J., Meier, R. Characterization of central effects of serpasil (reserpin, a new alkaloid of *Rauwolfia serpentina* B.) and of their antagonistic reactions. *Arch. internat. pharm. dyn., Gand*, 1954, 96: 406-425.

Therapeutic studies, controlled

see under MEPHENESIN CARBAMATE—*Therapeutic studies, controlled*

with RESERPINE and OTHER DRUGS—COMBINED

Studies, animals and Therapeutic use

Batterman, R. C., Leifer, P., Grossman, A. J. The advantages of a new combination sedative mixture. *Am. Practitioner*, 1956, 7: 1795-1798.

with OTHER DRUGS—COMBINED

Studies, animals

Reinhard, J. F., Chessin, M., Tornaben, J., Lewis, M. N. Pharmacologic evaluation of a new sedative-hypnotic drug combination. [Abstract] *Fed. Proc., Balt.*, 1954, 13: 396.

Therapeutic studies, controlled

McLaughlin, J. J., Schlan, L. S. 3-o-Toloxyl 1,2 propanediol as an adjunct in the treatment of drug addiction. *Illinois M. J.*, 1953, 103: 247-249.

Mitchell, E. H. Chlorpromazine in the treatment of acute alcoholism. *Am. J. M. Sc.*, 1955, 229: 363-367. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 884. *Q. J. Alcohol*, 1955, 16: 589-590.

Tavener, R. H. A new drug in post-alcoholic tension states. *Canad. M. Ass., J.*, 1954, 71: 387-388. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3553.

Therapeutic use

Allen, E. B., Prout, C. T. Alcoholism. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 338-351.

Friedlander, H. S. Anxiety, tension and emotional stress; a report on the joint use of mephenesin and a barbiturate in their treatment in general practice. *Med. Times, Great Neck*, 1953, 81: 411-415.

Greenhouse, H. R. Treatment of the postintoxication state in alcoholics with mephenesin and other drugs. *Q. J. Alcohol*, 1954, 15: 43-46. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 4228.

Spreng, R. W. E. Tolserol in acute alcoholism. *J. Nerv. Ment. Dis.*, 1953, 118: 545-551. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 4384.

with OTHER DRUGS [benzazoles]—COMPARED

Studies, animals

Funderburk, W. H. King, E. E., Domino, E. F., Unna, K. R. Pharmacological properties of benzazoles. II. Sites of action in the central nervous system. *J. Pharm. Exp. Ther.*, 1953, 107: 356-367.

—, —, Unna, K. R. Pharmacological properties of benzazoles. III. Effect of 2-aminobenzothiazoles on the electroencephalogram. *J. Pharm. Exp. Ther.*, 1953, 108: 94-103.

King, E. E. Differential action of anesthetics and interneuron depressants upon EEG arousal and recruitment responses. *J. Pharm. Exp. Ther.*, 1956, 116: 404-417.

Studies, animals

Dressel, P. E., Slater, I. H. Observations on the pharmacology of mephenesin carbamate. *Proc. Soc. Exp. Biol.*, N. Y., 1952, 79: 286-287.

Therapeutic studies, controlled

Armour, P. S. A regimen in acute alcoholism [Mephenesin; mephenesin carbamate; reserpine; also combined and compared.] *Arizona M.*, 1956, 13: 169-172.

Therapeutic use

Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.

Feldman, D. J. Drug therapy of chronic alcoholism. *Med. Clin. N. America*, 1957, 41: 381-392.

with MEPHENESIN
with RESERPINE

see MEPHENESIN CARBAMATE—*Therapeutic studies, controlled*

MEPROBAMATE

Gerard, R. W. Drugs for the soul; the rise of psychopharmacology. [Includes report on conference held in New York, October 1956] *Science*, 1957, 125: 201-203.

Meprobamate and other agents used in mental disturbances. [Conference held in New York, October 1956] *Ann. N. York Acad. Sc.*, 1957, 67: 671-894.

Wallace Laboratories. Miltown—the tranquilizer with muscle relaxant action. 33 p. [Literature survey] New Brunswick, N. J., 1957.

Pharmacodynamics

Berger, F. M. Meprobamate; its pharmacologic properties and clinical uses. *Internat. Rec. M.*, 1956, 169: 184-196.

Borror, J. C. Meprobamate in psychiatric disorders. *Med. Clin. N. America*, 1957, 41: 327-337.

Fasanaro, F., Ventra, D. Un nuovo farmaco tranquillizzante: il meprobamate; esperienze cliniche. [A new tranquilizing drug: meprobamate; clinical experience.] *Minerva med., Tor.*, 1956, 47: 2169-2175.

Fazekas, J. F., Toupin, H., Alman, R. W. Physiologic and pharmacologic basis for the chemotherapy of psychiatric states. *Am. J. Med.*, 1956, 21: 825-831.

Floris, V., Rambelli, L. L'impiego del 2-metil-2-n-propil-1,3-propanediolo dicarbamate in psichiatria. [Use of 2-methyl-2-n-propyl-1,3-propanediol dicarbamate in psychiatry.] *Minerva med., Tor.*, 1956, 47: 1455-1457.

Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818. Abstract: *Chem. Abstr.*, 1956, 50: 9615b.

—, New mood-changing drugs. *Ohio M. J.*, 1956, 52: 369-372.

Meprobamate. *J. Am. M. Ass.*, 1956, 160: 1405.

Pennes, H. H. The nature of drugs with mental actions and their relation to cerebral function. *Bull. N. York Acad. M.*, 1957, 33: 81-88.

Perrault, M. Sur les tranquillisateurs. [Tranquilizers.] *Progr. méd., Par.*, 1957, 85: 3-4; 7.

Ravreby, M. Pharmacology. In: Happiness pills in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 57-59.

Rotteglia, E. Miltown; nuovo sedativo nell'ansietà e nelle psicosi. [Miltown: a new sedative in anxiety and psychoses.] *Boll. chim. farm.*, 1956, 95: 10-11.

Placebo effect see PSYCHOPHARMACA—*Evaluation*

MEPHENESIN CARBAMATE

Mephenesin carbamate. *J. Am. M. Ass.*, 1956, 160: 289.

Psychotherapeutic use

- McLaughlin, B. E. Miltown in the treatment of chronically ill psychiatric out-patients. *Pennsylvania M. J.*, 1957, 60: 989-992.
- Ruchwarger, A. Meprobamate in anxiety reactions involving depression. *Med. Ann. District of Columbia*, 1956, 25: 555-556; 586.

Studies, animals

- Berger, F. M. The pharmacological properties of 2-methyl-2-n-propyl-1,3-propanediol dicarbamate (miltown), a new interneural blocking agent. *J. Pharm. Exp. Ther.*, 1954, 112: 413-423. Abstract: *Chem. Abstr.*, 1955, 49: 26101.
- , Campbell, G. L., Hendley, C. D., Ludwig, B. J., Lynes, T. E. The action of tranquilizers on brain potentials and serotonin. *Ann. N. York Acad. Sc.*, 1957, 66: 686-694.
- Chauchard, P., Mazoué, H. Recherches sur le mode d'action centropégique de quelques substances psychotropes. [Research on the mode of centripetal action of some psychotropic substances.] *C. rend. Soc. biol.*, 1956, 150: 158-160.
- Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.
- Davis, G. D. Effects of central excitant and depressant drugs on locomotor activity in the monkey. *Am. J. Physiol.*, 1957, 188: 619-623.
- Essig, C. F., Ainslie, J. D. Addiction to meprobamate (equanil, miltown). *J. Am. M. Ass.*, 1957, 164: 1382.
- Ferguson, J. T., Linn, F. V. A new compound for the symptomatic treatment of tension and anxiety: 2-ethylcrotonylurea (nostyn). *Antibiotic M.*, 1956, 3: 329-333.
- Hendley, C. D., Lynes, T. E., Berger, F. M. Effect of meprobamate on electrical activity of thalamus and other subcortical areas. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957, p. 35-46.
- , —, —. Effect of 2-methyl-2-n-propyl-1,3-propanediol dicarbamate (miltown) on central nervous system. *Proc. Soc. Exp. Biol.*, N. Y., 1954, 87: 608-610. Abstract: *Chem. Abstr.*, 1955, 49: 4872fg.
- , —, —. Effect of 2-methyl-2-n-propyl-1,3-propanediol dicarbamate (miltown) on electrical activity of the brain. [Abstract] *Fed. Proc., Balt.*, 1955, 14: 351.
- Kinnard, W. J., Carr, C. J. A preliminary procedure for the evaluation of central nervous system depressants. *J. Pharm. Exp. Ther.*, 1957, 121: 354-361.
- Lim, R. K., Pindell, M. H., Glass, H. G., Rink, K. The experimental evaluation of sedative agents in animals. *Ann. N. York Acad. Sc.*, 1956, 64: 667-678.
- Masserman, J. H., Pechtel, C. Neurophysiologic and pharmacologic influences on experimental neuroses. *Am. J. Psychiat.*, 1956, 113: 510-514.
- Pfeiffer, C. C., Jenney, E. H. The inhibition of the conditioned response and the counteraction of schizophrenia by muscarinic stimulation of the brain. *Ann. N. York Acad. Sc.*, 1957, 66: 753-764.
- Norton, S., De Beer, E. J. Effects of drugs on the behavioral patterns of cats. *Ann. N. York Acad. Sc.*, 1956, 65: 249-257.
- Schallek, W., Kuehn, A., Seppelin, D. K. Central depressant effects of methyprylon. *J. Pharm. Exp. Ther.*, 1956, 118: 139-147.
- Swinyard, E. A., Chin, L., Fingl, E. Withdrawal hyperexcitability following chronic administration of meprobamate to mice. *Science*, 1957, 125: 739-741.
- Walaszek, E. J., Abood, L. G. Effect of tranquilizing drugs on fighting response of Siamese fighting fish. *Science*, 1956, 124: 440-441.

Studies, normal subjects

- Reitan, R. M. The comparative effects of placebo, ultran, and meprobamate on psychologic test performances. *Antibiotic M.*, 1957, 4: 158-165.
- Smith, J. A., Rutherford, A., Fanning, R. A comparison of phenaglycodol (ultran), meprobamate and placebo in abstinent alcoholics. *Am. J. Psychiat.*, 1957, 114: 364-365.

Studies, patients

- Essig, C. F., Ainslie, J. D. Addiction to meprobamate (equanil, miltown). *J. Am. M. Ass.*, 1957, 164: 1382.
- Glotfelty, J. S., Wilson, W. P. Effects of tranquilizing drugs on reticular system activity in man. *North Carolina M. J.*, 1956, 17: 401-405.
- Lanzoni, E., Cavazzuti, G. B. Azione del meprobamate sui bambini della prima infanzia; rilievi clinici ed elettroencefalografici. [Effect of meprobamate on infants; clinical and electroencephalographic studies.] *Minerva med., Tor.*, 1956, 47: 2191-2192.
- Therapeutic studies, controlled**
- Dierkens, J., Reeth, P. C. van. Essais cliniques d'un nouveau psychopégique: le méprobamate. [Clinical trial of a new psychopégic drug: meprobamate.] [English summary] *Bruelles méd.*, 1956, 36: 2335-2340.
- Selling, L. S. Clinical study of a new tranquilizing drug; use of miltown (2-methyl-2-n-propyl-1,3-propanediol dicarbamate). *J. Am. M. Ass.*, 1955, 157: 1594-1596. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1719.
- , A clinical study of miltown, a new tranquilizing agent. *J. Clin. Exp. Psychopath.*, 1956, 17: 7-14. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 391.
- Smigel, J. O. Mood therapy in the aged. *Med. Times, Great Neck*, 1957, 85: 149-158.

—Neuroses

- Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.
- Dickel, H. A., Dixon, H. H., Wood, J., Shanklin, J. G. Electromyographic studies on patients treated with meprobamate. *West. J. Surg.*, 1956, 64: 197-201.
- Ferguson, J. T., Linn, F. V. A new compound for the symptomatic treatment of tension and anxiety: 2-ethylcrotonylurea (nostyn). *Antibiotic M.*, 1956, 3: 329-333.
- Fox, V. Treatment of withdrawal symptoms in the management of alcoholism. *J. M. Ass. Georgia*, 1956, 45: 139-142.
- Gardner, A. Meprobamate—a clinical study. *Am. J. Psychiat.*, 1957, 114: 524-526.
- Heller, G. C., Walton, D., Black, D. A. Meprobamate in the treatment of tension states. *J. Ment. Sc., Lond.*, 1957, 103: 581-588.
- Hollister, L. E., Stannard, A. N., Drake, C. F. Treatment of anxious patients with drugs. *Dis. Nerv. Syst.*, 1956, 17: 289-293.
- Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. *Internat. Rec. M.*, 1956, 169: 323-338.
- Millen, F. J. Miltown—clinical experiences in neuropsychiatric office use. *Wisconsin M. J.*, 1957, 56: 198-201.
- Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquilizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. *GP*, 1957, 15 (6): 97-118.
- Osinski, W. A. Treatment of anxiety states with meprobamate (miltown). *Internat. Rec. M.*, 1956, 169: 589-595.
- Pennington, V. M. Meprobamate (Miltown) in premenstrual tension. *J. Am. M. Ass.*, 1957, 164: 638-640.

- Pevey, J. K., Moyer, J. H., Handley, C. A., Heider, C. A comparison of clinical results with phenobarbital, meprobamate and two similar experimental agents. [Abstract] [benactyzine: meprobamate: phenaglycodol] *J. Pharm. Exp. Ther.*, 1957, 119: 176.
- Raymond, M. J., Lucas, C. J., Beesley, M. L., O'Connell, B. A., Roberts, J. A. F. A trial of five tranquilizing drugs in psychoneurosis. *Brit. M. J.*, 1957, 2: 63-66.
- Smith, J. A., Rutherford, A., Fanning, R. A comparison of phenaglycodol (ultran), meprobamate and placebo in abstinent alcoholics. *Am. J. Psychiat.*, 1957, 114: 364-365.
- West, E. D., Fernandes da Fonseca, A. Controlled trial of meprobamate. *Brit. M. J.*, 1956, 2: 1206-1209.

—Psychoses

- Barsa, J. A., Kline, N. S. Use of meprobamate in the treatment of psychotic patients. *Am. J. Psychiat.*, 1956, 112: 1023.
- Lemere, F. Failure of azacyclonol (frenquel) to relieve non-experimental mental confusion and hallucinations. *Am. J. Psychiat.*, 1957, 113: 840-841.
- Pennington, V. M. A comparative study of six ataraxics in 1130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33: 336-339.
- , Meprobamate, a tranquilizing drug with muscle relaxant properties in psychotic cases. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, Am. Ass. Adv. Sc., 1957. p. 125-131.
- , Use of miltown (meprobamate) with psychotic patients. *Am. J. Psychiat.*, 1957, 114: 257-260.
- Thal, N. Premedication for electroshock treatment. Effect of meprobamate in 120 psychotic patients. *Dis. Nerv. Syst.*, 1956, 17: 52-57.
- Tucker, K., Wilensky, H. A clinical evaluation of meprobamate therapy in a chronic schizophrenic population. *Am. J. Psychiat.*, 1957, 113: 698-703. *

—Psychosomatic diseases

- Friedman, A. P. Use of tranquilizers in the treatment of headache. *Am. Practitioner*, 1957, 8: 94-97.
- Kessler, L. N., Barnard, R. D. A new tranquilizer meprobamate; its use for pain associated with cancer. Preliminary report. *Med. Times, Great Neck*, 1956, 84: 431-435.
- Lasagna, L. A study of hypnotic drugs in patients with chronic diseases; comparative efficacy of placebo; methypyrion (noludar) meprobamate (miltown, equanil) pentobarbital; phenobarbital; secobarbital. *J. Chronic Dis.*, 1956, 3: 122-133.
- LeVan, P., Wright, E. T. Use of tranquilizers in diseases of the skin; a preliminary report. *California M.*, 1956, 85: 87-88.
- Robinson, H. M., Robinson, C. V., Strahan, J. F. Hydroxyzine (atarax) hydrochloride in dermatological therapy. *J. Am. M. Ass.*, 1956, 161: 604-606.
- Sokoloff, O. J. Meprobamate (miltown) as adjunct in treatment of anogenital pruritus. *A. M. A. Arch. Derm.*, 1956, 74: 393-396.

Therapeutic use

- Berger, F. M. Meprobamate; its pharmacologic properties and clinical uses. *Internat. Rec. M.*, 1956, 169: 184-196.
- Borris, J. C. Meprobamate in psychiatric disorders. *Med. Clin. N. America*, 1957, 41: 327-337. *
- , Study of effect of miltown (2-methyl-2-n-propyl-1,3-propanediol dicarbamate) on psychiatric states. *J. Am. M. Ass.*, 1955, 157: 1596-1598. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1720.
- Collomb, H., Miletto, G., Chaupin, M. Le méprobamate dans le traitement des psychoses et des névroses. [Meprobamate in the treatment of psychoses and neuroses.] *Rev. prat., Par.*, 1956, 6: 1200-1204.
- Fasanaro, F., Ventra, D. Un nuovo farmaco tranquillizzante: il meprobamato; esperienze cliniche. [A new

- tranquilizing drug: meprobamate; clinical experience.] *Minerva med., Tor.*, 1956, 47: 1455-1457.
- Fazekas, J. F., Shea, J. G., Sullivan, P. D., Jr. Ataractics in medical practice. *GP*, 1956, 14 (6): 75-81.
- Feldman, D. J. Drug therapy of chronic alcoholism. *Med. Clin. N. America*, 1957, 41: 381-392.
- Ferrari, D. Il meprobamato in psichiatria; osservazioni cliniche. [Meprobamate in psychiatry; clinical observations.] *Minerva med., Tor.*, 1956, 47: 1458-1462.
- Floris, V., Rambelli, L. L'impiego del 2-metil-2-n-propil-1,3-propanediolo dicarbamate in psichiatria. [Use of 2-methyl-2-n-propyl-1,3-propanediol dicarbamate in psychiatry.] *Minerva med., Tor.*, 1956, 47: 1455-1457.
- Follin, S., Sigg, B., Pivet, S., Girard, C. Essais d'une nouvelle drogue tranquillisante. [Clinical study of a new tranquilizer.] [Meprobamate] *Ann. méd. psychol., Par.*, 1956, 114 (1): 825-830.
- Gillette, H. E. Relaxant effects of meprobamate in disabilities resulting from musculoskeletal and central nervous system disorders. Clinical observations in fifty-five cases. *Internat. Rec. M.*, 1956, 169: 453-468. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1841.
- Hollister, L. E. Tranquilizing drugs and the generalist. *Med. Times, Great Neck*, 1956, 84: 1021-1026. *
- Hormia, A. Meprobamaatista neuropsykiatriassa saatua hoitokokemuksia. [Meprobamate therapy in neuro-psychiatry.] [English summary] *Duodecim, Helsin.*, 1956, 72: 1019-1024.
- Imberciadori, S., Manganaro, D. Effetti della somministrazione di 2-metil-2-n-propil-1, 3-propanediolo dicarbamate (meprobamato) nei malati di mente. [Effects of administration of 2-methyl-2-n-propyl-1,3-propanediol dicarbamate (meprobamate) in mental disorders.] *Minerva med., Tor.*, 1956, 47: 2181-2184.
- Lasagna, L. The newer hypnotics. *Med. Clin. N. America*, 1957, 41: 359-368. *
- Lepage, M. Le traitement de l'anxiété chronique. [The treatment of chronic anxiety.] *Bull. méd., Par.*, 1955, 69: 273-275.
- Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.
- Osterman, E., Lassenius, B., Bohn, L., Elkjaer, P. Meprobamat i psykiatrisk praksis. [Meprobamate in psychiatric practice.] *Sven. läk. tidn.*, 1956, 53: 2689-2698.
- Peak, W. P. Meprobamate (miltown) in rheumatic diseases. *J. Am. M. Ass.*, 1957, 163: 535-538.
- Pennington, V. M. Research findings in phrenotropic drugs important to every physician. *Mississippi Doctor*, 1957, 35: 57-63.
- Phillips, R. E. Use of meprobamate (miltown) for the treatment of emotional disorders. *Am. Practitioner*, 1956, 7: 1573-1576.
- Ravina, A. Une nouvelle médication de l'anxiété et des psychoses. [A new medication for anxiety and psychoses.] [Meprobamate] *Presse méd.*, 1955, 63: 1233. Abstract: *Praxis, Bern*, 1956, 45: 749.

—Additional data

- Alexander, L. Therapeutic process in electroshock and the newer drug therapies; psychopathological considerations. *J. Am. M. Ass.*, 1956, 162: 966-969.
- , Objective approaches to treatment in psychiatry. *Canad. Psychiat. Ass. J.*, 1957, 2: 77-94.
- Allen, E. B., Prout, C. T. Alcoholism. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 338-351.
- Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747. *
- Bergy, G. A. Drugs of sedation with tranquilizing effects. *Am. Profes. Pharmacist*, 1956, 22: 419; 534-538; 619-621; 709-710; 797-799; 888-889; 917-919. [619-621.]
- Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.

- Cohen, I. M. Drugs recently introduced in the treatment of psychiatric disorders. *Texas J. M.*, 1956, 52: 683-687.
- Dean, S. R. Ataractics. *Am. J. Psychiat.*, 1956, 112: 850.
- Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-298. [p. 365.]
- Fabing, H. D. The ataractic drugs: their uses and limitations in psychiatry. *Am. Profes. Pharmacist*, 1956, 22: 413-418.
- . The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drug & Cosmet. Indust.*, 1956, 78: 32-33; 125-129.
- Fishbein, M. The tranquilizing drugs. *Postgrad. M.*, 1956, 19: 509-511.
- Fouks, Laine, François, Pagot. Note sur les médications récentes des états névrotiques anxieux et dépressifs. [Note on recent medications for anxious and depressive neurotic states.] *Ann. méd. psychol., Par.*, 1956, 114(1): 608-615.
- Fremming, K. H. Medikamental behandling af syndssygdomme. [Medical treatment of mental disorders.] *Mskr. rakt. laegegern., Kbh.*, 1956, 34: 331-342.
- French, E. G. Epilepsy. *Am. J. Psychiat.*, 1957, 113: 629-631.
- Graffagnino, P. N., Furr, J. H. New drugs in the treatment of emotional disorders; a review. *Connecticut M. J.*, 1957, 21: 38-43.
- Gutenkauf, C. Internal medicine. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 59-64.
- Happiness pills in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 57-65.
- Heilbrunn, G. Selection of patients for modern psychiatric pharmacotherapy in general practice. *Northwest M.*, 1956, 55: 1198-1205.
- Hubbard, O. E., Glasser, J. Newer psychotropic drugs; their characteristics and use in general practice. *Northwest M.*, 1956, 55: 1191-1197.
- Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38 (1): 102-108; 126.
- Keyes, B. L. Ataraxic drugs. *Pennsylvania M. J.*, 1957, 60: 177-181.
- Kinross-Wright V. A review off the newer drug therapies in psychiatry. *Dis. Nerv. Syst.*, 1956, 17: 187-190.
- . The uses and limitations of the newer drugs in the treatment of nervous conditions. *Wisconsin M. J.*, 1956, 55: 1073-1078.
- Kline, N. S. Chemotherapy in psychiatry; recent advances. *Seminar Internat., Hoddesdon*, 1956, 5 (2): 7-10.
- Klingman, W. O. Neurological and psychiatric disorders; some recent advances in therapy. *Virginia M. Month.*, 1956, 83: 240-246.
- Laboucarie, J., Barrès, P., Rascol, A. Aspects principaux des cures neuroplégiques en psychiatrie en 1956. [Principal features of neuroleptic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.
- Overholser, W. La chlorpromazine, ouvre-t-elle une ère nouvelle dans les hopitaux psychiatriques? [Chlorpromazine—the beginning off a new era in psychiatric hospitals?] *Encéphale*, 1956, 45: 313-319.
- Skobba, J. S. Drugs in the management of emotional conditions. *J. M. Ass. Georgia*, 1956, 45: 397-399.
- Spencer, R. S. The use of ataraxic drugs in mental illness. *Hawaii M. J.*, 1957, 16: 302.
- Stewart, R. H. The use of tranquilizing drugs in gynecology. *West. J. Surg.*, 1956, 64: 650-657.
- Stimulants and depressants. *Brit. M. J.*, 1956, 1: 969-970.
- Weinberg, H. B. Drug therapy for the emotionally and mentally disturbed; the internist's point of view. *J. Iowa M. Soc.*, 1957, 47: 17-19.
- Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1956, 112: 526-529; 1957, 113: 611-615.
- ### —Neuroses
- Berglund, M., Blumenthal, B., Flordh, P. Restenil (meprobamat) på ett psykiatriskt poliklinikmaterial. [Restenil (meprobamate) in psychiatric outpatients.] *Sven. läk. tidn.*, 1956, 53: 3362-3364.
- Borroni, G., Casadio, V. Sull'impiego terapeutico di un farmaco antiansia muscolorilassante. [Therapeutic use of a muscle relaxant anti-anxiety drug.] *Gazz. med. ital.*, 1956, 115: 365-367.
- Bross, R. B. Near fatality with combined ECT and reserpine. *Am. J. Psychiat.*, 1957, 113: 933.
- Catalano-Nobili, C., Cerquetelli, G. Esperienza terapeutica con i meprobamati in psichiatria. [Clinical experience with meprobamate in psychiatry.] *Minerva med., Tor.*, 1956, 47: 2185-2191.
- Colombati, S. L'azione tranquillante di un nuovo farmaco neurolettico. [Tranquilizing action of a new neuroleptic drug.] *Minerva med., Tor.*, 1956, 47: 2175-2178.
- Lemere, F. New tranquilizing drugs. *Northwest M.*, 1955, 54: 1098-1100.
- Rigotti, S. Sull'impiego clinico di un nuovo farmaco ad azione sedativa; il 2 metil-2-n-propil-1,3-propanediolo dicarbamato. [Clinical use of a new drug with sedative action; 2 methyl-2-n-propyl-1,3-propanediol dicarbamate.] *Minerva med., Tor.*, 1956, 47: 2178-2181.
- Sottong, P. C. The use and abuse of the tranquilizing drugs. *J. Tennessee M. Ass.*, 1956, 49: 413-418.
- Turvey, S. E. Meprobamate (equanil) for relief of anxiety and nervous tension from various causes. *Canad. M. Ass. J.*, 1956, 74: 863-865. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 362.
- Thimann, J., Gauthier, J. W. Miltown as a tranquilizer in the treatment of alcohol addicts. *Q. J. Alcohol*, 1956, 17: 19-23.
- Walker, A. Las nuevas drogas atarácicas. [New ataraxic drugs.] *Prensa méd. argent.*, 1956, 43: 2667-2669.
- ### —Psychosomatic diseases
- Cahn, M. M. The use of tranquilizing drugs in dermatology; review and side reactions. *J. Albert Einstein M. Center*, 1956, 4: 161-165.
- Castrovilli, G., Ginouliaci, R., Merli, G. M. Il meprobamato: alcune indicazioni del suo uso in medica interna; studio clinico e sperimentale. [Meprobamate: some indications for its use in internal medicine; clinical and experimental study.] *Minerva med., Tor.*, 1956, 47: 1465-1474.
- Cicala, P. Osservazioni sull'impiego del meprobamato, con particolare riguardo adegli stati ansiosi di soggetti enteropatici. [Use of meprobamate, especially in states of anxiety in cases of intestinal diseases.] *Minerva med., Tor.*, 1956, 47: 1463-1464.
- Ermiglia, G. Sull'impiego del meprobamato in ginecologia; primi risultati. [Use of meprobamate in gynecology; initial results.] *Minerva med., Tor.*, 1956, 47: 1477-1478.
- Fabricant, N. D. Tension headache therapeutics. *Eye, Ear & Month.*, 1956, 35: 658; 662.
- Friedman, A. P., Von Storch, T. J. A review of headache, 1950-1955. *N. York State J. M.*, 1956, 56: 3883-3895.
- Kaminsky, A., Sevinsky, B., Kaplan, A. Il metil-propil-propanediolo-dicarbamato (meprobamato) in dermatologia. [Meprobamate in dermatology.] *Minerva med., Tor.*, 1956, 47: 1478-1480. Also: *Dia méd., B. Air.*, 1956, 28: 2284-2286.
- Mitis, Z. K., Ford, H. Functional headaches. *Texas J. M.*, 1956, 52: 678-683.
- Ogden, H. D. Headache. *Ann. Allergy*, 1956, 14: 385-428.

Williamson, P. Office treatment of atopic dermatitis. *Med. Times, Great Neck*, 1956, 84: 1086-1087.

Untoward effects [see headnote p. 19]

Carmel, W. J., Jr., Dannenberg, T. Nonthrombocytopenic purpura due to miltown (2-methyl-2-n-propyl-1,3 propanediol dicarbamate). *N. England J. M.*, 1956, 255: 770-771.

Carmichael, L. P. Serum sickness type of reaction to meprobamate. *J. Florida M. Ass.*, 1957, 43: 779.

Friedman, H. T., Marmelzat, W. L. Adverse reactions to meprobamate. *J. Am. M. Ass.*, 1956, 162: 628-630.

Gottlieb, F. I. Tranquilizers and purpura hemorrhagica. *J. Am. M. Ass.*, 1956, 161: 96.

Hollister, L. E. Complications from the use of tranquilizing drugs. *N. England J. M.*, 1957, 257: 170-177.

Kositchek, R. J. Reactions to meprobamate. *J. Am. M. Ass.*, 1956, 161: 644.

Levan, N. E., Mundy, C. F. Untoward reaction to meprobamate (Equanil). *California M.*, 1956, 85: 190.

Potential hazards of meprobamate. *J. Am. M. Ass.*, 1957, 164: 1332-1333.

Steffen, C. G., Chervin, M., Van Vranken, B. Reaction following the use of meprobamate (miltown). *California M.*, 1956, 85: 189-190.

Toxic effects of meprobamate. *Brit. M. J.*, 1957, 2: 300.

Witherspoon, F. G. Toxic purpura from meprobamate. *Am. Practitioner*, 1957, 8: 270-271.

—Addiction

Essig, C. F., Ainslie, J. D. Addiction to meprobamate (equanil, miltown). *J. Am. M. Ass.*, 1957, 164: 1382.

Expert committee on addiction-producing drugs. Seventh report. *World Health Org. Techn. Rep. Ser.*, 1957 (116): 1-15. [p. 12-15].

Hollister, L. E. Tranquilizing drugs and the generalist. *Med. Times, Great Neck*, 1956, 84: 1021-1026.

Lemere, F. Drug habituation. *J. Am. M. Ass.*, 1956, 160: 1431.

—. Habit-forming properties of meprobamate. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 205-206.

—. Promazine (sparine) in the treatment of psychiatric disorders. *Northwest M.*, 1956, 55: 790-791.

Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.

Swinyard, E. A., Chin, L., Fingl, E. Withdrawal hyperexcitability following chronic administration of meprobamate to mice. *Science*, 1957, 125: 739-741.

Tucker, K., Wilensky, H. A. clinical evaluation of meprobamate therapy in a chronic schizophrenic population. *Am. J. Psychiat.*, 1957, 113: 698-703.

—Poisoning

Allen, A. G., Black, A. V. Near-fatal case of intoxication with meprobamate treated with electro-stimulation and levarterenol. *Ohio M. J.*, 1956, 52: 1303.

Charet, R., Brill, B., Elloso, C. Coma after miltown overdose. *Ann. Int. M.*, 1956, 45: 1211-1213.

Collins-Dineen, M. Meprobamate toxicity; report of a case. *Ohio M. J.*, 1956, 52: 1304-1305.

Deisher, J. B. Ingestion of 12 grams of meprobamate with recovery. *Northwest M.*, 1956, 55: 1083-1085.

Fryers, G. R. Drugs for tension and anxiety. [Compared with barbiturates.] *Brit. M. J.*, 1957, 1: 1074.

Heberden, P., Cooper, W. Attempted suicide with meprobamate treated with leptazol. *Brit. M. J.*, 1957, 1: 1513.

Hiestand, E. C. Overdosage with meprobamate; presentation of case. *Ohio M. J.*, 1956, 52: 1306-1307.

Lockhart, W. E. Suicidal miltown, hazard of overhydration in treatment. *Southwest M.*, 1956, 37: 428. * *

Senseman, L. A. Tranquilizing drugs; uses and abuses for the nervous patient. *Rhode Island M. J.*, 1956, 39: 675-677; 680; 686.

Shane, A. M., Hirsch, S. Three cases of meprobamate poisoning. *Canad. M. Ass. J.*, 1956, 74: 908-909.

with ATARAXICS [2 or more]

see ATARAXICS—Various [3 or more]

with AZACYCLONOL—COMBINED

see AZACYCLONOL—Psychotherapeutic use

with CHLORPROMAZINE

see CHLORPROMAZINE with MEPROBAMATE

with ETHYLCROTONYLUREA

see ETHYLCROTONYLUREA with MEPROBAMATE

with HYDROXYZINE

see HYDROXYZINE with MEPROBAMATE

with LYSERGIC ACID DIETHYLAMIDE

see LYSERGIC ACID DIETHYLAMIDE with MEPROBAMATE

with MEPHENESIN

see MEPHENESIN with MEPROBAMATE

with METHYLPHENIDYLACETATE and RESERPINE

see MEPROBAMATE with RESERPINE and METHYLPHENIDYLACETATE—COMBINED

with N-OBLIVON—COMPARED

see N-OBLIVON—Studies, animals

with PHENAGLYCODOL—COMPARED

see MEPROBAMATE—Studies normal subjects

with PIPRADROL—COMBINED

Pennington, V. M. A comparative study of six ataraxics in 1130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33: 336-339.

with PROMAZINE—COMBINED

Fox, V. The management of acute alcoholism; experiences with an additional series of 61 cases. *Am. Practitioner*, 1956, 7: 1461-1464.

Kurtzke, J. F. Seizures with promazine. Preliminary report. *J. Nerv. Ment. Dis.*, 1957, 125: 119-125.

with PROMAZINE—COMPARED

Lemere, F. Promazine (sparine) in the treatment of psychiatric disorders. *Northwest M.*, 1956, 55: 790-791.

with RESERPINE—COMBINED

Barsa, J. A., Kline, N. S. Use of meprobamate in the treatment of psychotic patients. *Am. J. Psychiat.*, 1956, 112: 1023.

Hormia, A. Meprobamaatista neuropsykiatriassa saatua hoitokokemuksia. [Meprobamate therapy in neuropsychiatry.] [English summary] *Duodecim, Helsinki*, 1956, 72: 1019-1024.

Osinski, W. A. Treatment of anxiety states with meprobamate (miltown). *Internat. Rec. M.*, 1956, 169: 589-595.

with RESERPINE—COMPARED

Lemere, F. New tranquilizing drugs. *Northwest M.*, 1955, 54: 1098-1100.

—. Promazine (sparine) in the treatment of psychiatric disorders. *Northwest M.*, 1956, 55: 790-791.

LeVan, P., Wright, E. T. Use of tranquilizers in diseases of the skin; a preliminary report. *California M.*, 1956, 85: 87-88.

Osinski, W. A. Treatment of anxiety states with meprobamate (miltown). *Internat. Rec. M.*, 1956, 169: 589-595.

with RESERPINE and METHYLPHENIDYLACETATE—COMBINED

Sottong, P. C. The use and abuse of the tranquilizing drugs. *J. Tennessee M. Ass.*, 1956, 49: 413-418.

with OTHER DRUGS—COMBINED

Ayd, F. J., Jr. Tranquilizing drugs in private practice. [stimulants] *N. York State J. M.*, 1957, 57: 1742-1747.
 Borrus, J. C. Meprobamate in psychiatric disorders. [amphetamine] *Med. Clin. N. America*, 1957, 41: 327-337.
 Osinski, W. A. Treatment of anxiety states with meprobamate (miltown). [amphetamine, amobarbital; also compared] *Internat. Rec. M.*, 1956, 169: 589-595.
 Peak, W. P. Meprobamate (miltown) in rheumatic diseases. [prednisolone] *J. Am. M. Ass.*, 1957, 163: 535-538.

with SHOCK THERAPY [ECT]—COMBINED

Laboucarié, J., Barrès, P., Rascol, A. Aspects principaux des cures neurologiques en psychiatrie en 1956. [Principal features of neurologic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.
 Osinski, W. A. Treatment of anxiety states with meprobamate (miltown). *Internat. Rec. M.*, 1956, 169: 589-595.
 Thal, N. Premedication for electroshock treatment. Effect of meprobamate in 120 psychotic patients. *Dis. Nerv. Syst.*, 1956, 17: 52-57.

Mescaline

Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. 85 p. [Round table at American Psychiatric Association annual meeting held in Atlantic City, N. J., May 1955] New York, Grune & Stratton, 1956. [Articles within the scope of this bibliography are listed individually.]
 Denber, H. C. B., Rinkel, M., ed. Psychodynamic and therapeutic aspects of mescaline and lysergic acid diethylamide. [Round table at American Psychiatric Association annual meeting held in Chicago, Ill., May 1956.] *J. Nerv. Ment. Dis.*, 1957, 125: 423-451. [Preface p. 423-424; Summary of discussion p. 450-451] [All articles are listed individually]

Diagnostic use see under Mescaline—Studies, patients

Intoxication

see Mescaline—Pharmacodynamics
 Studies, normal subjects

Pharmacodynamics

Delay, J., Thuillier, J. Psychiatrie expérimentale et psychopharmacologie. [Experimental psychiatry and psychopharmacology.] *Sem. hôp. Paris*, 1956, 32: 3187-3193.
 Evarts, E. V. A review of the neurophysiological effects of lysergic acid diethylamide (LSD) and other psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 479-495.
 MacDonald, J. M., Galvin, J. A. Experimental psychotic states. *Am. J. Psychiat.*, 1956, 112: 970-976.
 Pearson, J., Dewhurst, K. Mescaline: apotheosis of the devil's root. *Irish J. M. Sc.*, 1956: 139-143.
 Rinkel, M. Pharmacodynamics of LSD and mescaline. *J. Nerv. Ment. Dis.*, 1957, 125: 424-427.
 Walther-Büel, H. Über Pharmakopsychiatrie. [Pharmacopsychiatry.] *Schweiz. med. Wschr.*, 1953, 83: 483-487. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1940.

—Additional data

The chemical concepts of psychoses. *What's new*, 1955 (189): 3-7.
 Fabling, H. D. Experimental psychoses which mimic schizophrenia. *Nebraska M. J.*, 1956, 41: 455-459.
 —. The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drug & Cosmet. Indust.*, 1956, 78: 32-33; 125-129.
 Fazekas, J. F., Toupin, H., Alman, R. W. Physiologic and pharmacologic basis for the chemotherapy of psychiatric states. *Am. J. Med.*, 1956, 21: 825-831.
 Fremming, K. H. Medikamentel behandling af syndssygdomme. [Medical treatment of mental disorders.] *Mskr. prakt. lægegerm., Kbh.*, 1956, 34: 331-342.
 Funderburk, W. H., Wilcox, K. W., Wilcox, P. H. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 425-456.
 Graffagnino, P. N., Furr, J. H. New drugs in the treatment of emotional disorders; a review. *Connecticut M. J.*, 1957, 21: 38-43.
 Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38 (1): 102-108; 126.
 Klingman, W. O. Neurological and psychiatric disorders; some recent advances in therapy. *Virginia M. Month.*, 1956, 83: 240-246.
 Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818. Abstract: *Chem. Abstr.*, 1956, 50: 9615b.
 Pennes, H. H. The nature of drugs with mental actions and their relation to cerebral function. *Bull. N. York Acad. M.*, 1957, 33: 81-88.
 Peretz, D. I., Smythies, J. R., Gibson, W. C. A new hallucinogen: 3,4,5-trimethoxyphenyl- β -aminopropane with notes on the stroboscopic phenomenon. *J. Ment. Sc., Lond.*, 1955, 101: 317-329.
 Rothlin, E. Die zentralnervösen Wirkungen von Heilmitteln. [The central-nervous effects of drugs.] 39 p. Stuttgart, Thieme, 1954.
 Turner, W. J., Merlis, S., Carl, A. Concerning theories of indoles in schizophrenogenesis. *Am. J. Psychiat.*, 1955, 112: 466-467.
 Wilcox, P. H., Funderburk, W. H., Wilcox, K. W. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1955, 10: 595-608.
 Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1957, 113: 611-615.

Psychotherapeutic use

Denber, H. C. B., Merlis, S. A note on some therapeutic implications of the mescaline-induced state. *Psychiat. Q.*, 1954, 28: 634-640. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2659.
 —, —. Studies on mescaline. VI. Therapeutic aspects of the mescaline-chlorpromazine combination. *J. Nerv. Ment. Dis.*, 1955, 122: 463-469. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 889.
 Frederking, W. Intoxicant drugs (mescaline and lysergic acid diethylamide) in psychotherapy. *J. Nerv. Ment. Dis.*, 1955, 121: 262-266. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4084.
 —. Über die Verwendung von Rauschdrogen (Meskalin und Lysergsäurediethylamid) in der Psychotherapie. [The use of intoxicating drugs (mescaline and lysergic acid diethylamide) in psychotherapy.] [English summary] *Psyche, Stuttg.*, 1953, 7: 342-364.
 Hoch, P. H. Remarks on LSD and mescaline. *J. Nerv. Ment. Dis.*, 1957, 125: 442-444.
 MacDonald, J. M., Galvin, J. A. Experimental psychotic states. *Am. J. Psychiat.*, 1956, 112: 970-976.
 Merlis, S. The effects of mescaline sulfate in chronic schizophrenia. *J. Nerv. Ment. Dis.*, 1957, 125: 432-434.
 Osmond, H. A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

- Peretz, D. I., Smythies, J. R., Gibson, W. C. A new hallucinogen: 3,4,5-trimethoxyphenyl- β -aminopropane with notes on the stroboscopic phenomenon. *J. Ment. Sc., Lond.*, 1955, 101: 317-329.
- Teirich, H. Über eine Meskalinschädigung. [Injurious effect of mescaline.] *Psyche, Stuttg.*, 1954, 7: 637-640. *

Studies, animals

- Apter, J. T., Pfeiffer, C. C. Effect of hallucinogenic drugs on the electroretinogram. *Am. J. Ophth.*, 1956, 42 (4, Part 2): 206-211.
- . The effect of the hallucinogenic drugs LSD-25 and mescaline on the electroretinogram. *Ann. N. York Acad. Sc.*, 1957, 66: 508-514.
- Bridger, W. H., Gantt, W. H. The effect of mescaline on differentiated conditional reflexes. *Am. J. Psychiat.*, 1956, 113: 352-360.
- Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.
- Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 25-37.
- . Sur les propriétés pharmacodynamiques de la chlorpromazine en rapport avec son emploi en psychiatrie. [Pharmacodynamic basis for the use of chlorpromazine in psychiatry.] *Encephale*, 1956, 45: 1248-1257.
- Haley, T. J., McCormick, W. G. Pharmacological effects produced by intracerebral injection of drugs in the conscious mouse. *University of California, School of Medicine, Atomic Energy Project, Los Angeles*, 1956 (UCLA-372): 1-25.
- Himwich, H. E. The effect of frenquel on EEG changes produced by LSD-25 and mescaline. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 19-26.
- Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sc.*, 1957, 66: 496-507.
- , Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, Am. Ass. Adv. Sc., 1957. p. 9-21.
- , ———. An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.
- , ———. The possible role of inhibition at adrenergic synapses in the mechanism of hallucinogenic and related drug actions. *J. Nerv. Ment. Dis.*, 1955, 122: 453-457.
- Rinaldi, F. The experimental electroencephalographic approach to psychopharmacology. *Psychiat. Res. Rep., Wash.*, 1956 (4): 1-10.
- , Himwich, H. E. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122: 424-432. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1601.
- , ———. Frenquel corrects certain cerebral electrographic changes. *Science*, 1955, 122: 198-199.
- Rinkel, M., Hyde, R. W., Solomon, H. C. Experimental psychiatry. IV. Hallucinogens: tools in experimental psychiatry. *Dis. Nerv. Syst.*, 1955, 16: 229-232.
- Rovetta, P. Effects of mescaline and LSD on evoked responses especially of the optic system of the cat. *Electroencephalography, Montreal*, 1956, 8: 15-24. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 501.
- Schwarz, B. E., Wakim, K. G., Bickford, R. G., Lichtenheld, F. R. Behavioral and electroencephalographic effects of hallucinogenic drugs; changes in cats on intraventricular injection. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 83-90. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 328.
- Sturtevant, F. M., Drill, V. A. Effects of mescaline in laboratory animals and influence of ataraxics on mescaline-response. *Proc. Soc. Exp. Biol., N. Y.*, 1956, 92: 383-387. Abstract: *Chem. Abstr.*, 1956, 50: 15956b.

- Turner, W. J. The effect of lysergic acid diethylamide on *Betta splendens*: I. *Dis. Nerv. Syst.*, 1956, 17: 193-197.
- Verdeaux, G., Marty, R. Action sur l'électroencéphalogramme de substances pharmacodynamiques d'intérêt clinique. [Effect of clinically important drugs on the encephalogram.] *Rev. neur., Par.*, 1954, 91: 405-427.
- Witt, P. N. Der Netzbau der Spinne als Test zur Prüfung zentralnervös angreifender Substanzen. [Construction of spider webs as a test for drugs with CNS action.] *Arzneimitt. Forsch.*, 1956, 6: 628-635.

Studies, normal subjects

- Ardis, J. A., McKellar, P. Hypnagogic imagery and mescaline. *J. Ment. Sc., Lond.*, 1956, 102: 22-29.
- Beltrán del Río, C. A. Estudio del peyote en el Indio tarahumara, habituado a su masticación. [Study of habitual peyote-chewing in the Tarahumara.] 61 p. México, 1953. (Thesis—Mexico)
- Berlin, L., Guthrie, T., Weider, A., Goodell, H., Wolff, H. G. Studies in human cerebral function: the effects of mescaline and lysergic acid on cerebral processes pertinent to creative activity. *J. Nerv. Ment. Dis.*, 1955, 122: 487-491. Text without drawings: *Tr. Am. Neur. Ass.*, 1955, 80th Meeting: 188-190.
- Callaway, E., III. On the production of hallucinated and psychosis-like states. *Ann. Int. M.*, 1955, 42: 721-728.
- Delay, J., Denber, Deniker, P., Raclot, M., Ropert, M. Deux auto-observations d'intoxication mescalinique expérimentale. [Mescaline intoxication; two auto-experiments.] *Ann. méd. psychol., Par.*, 1956, 114 (2): 306-309. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1963.
- Ebaugh, F. G. The videclinic. *J. Am. M. Ass.*, 1955, 158: 732-733.
- Endo, K. Experimental study of mescaline intoxication on relation between clinical picture and EEG in man. *Fol. psychiat. neur. jap.*, 1952, 6: 104-113.
- Fabing, H. D. Frenquel, a blocking agent against experimental LSD-25 and mescaline psychosis; preliminary note on its clinical application. *Neurology*, 1955, 5: 319-328.
- Frederking, W. Intoxicant drugs (mescaline and lysergic acid diethylamide) in psychotherapy. *J. Nerv. Ment. Dis.*, 1955, 121: 262-266. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: 4084.
- . Über die Verwendung von Rauschdrogen (Mekalin und Lysergsäureäthylamid) in der Psychotherapie. [The use of intoxicating drugs (mescaline and lysergic acid diethylamide) in psychotherapy.] [English summary] *Psyche, Stuttg.*, 1953, 7: 342-364.
- Hoch, P. H. Studies in routes of administration and counteracting drugs. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 8-12.
- , Cattell, J. P., Pennes, H. H. Effect of drugs; theoretical considerations from a psychological viewpoint. *Am. J. Psychiat.*, 1952, 108: 585-589.
- , ———. Effects of mescaline and lysergic acid (d-LSD-25). *Am. J. Psychiat.*, 1952, 108: 579-584.
- , Pennes, H. H., Cattell, J. P. Psychoses produced by administration of drugs. *Res. Pub. Ass. Res. Nerv. Ment. Dis.*, 1953, 32: 287-296.
- Huxley, A. The doors of perception. 79 p. New York, Harper, 1954.
- . Heaven and hell. 88 p. London, Chatto & Windus, 1956.
- . Mescaline and the "other world." In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 46-50.

- Kelly, J. The influence of mescaline on Rorschach responses. [In English] *Psychol. Forsch.*, 1954, 24: 542-556.
- Lindemann, E., Clarke, L. D. Modifications in ego structure and personality reactions under the influence of the effects of drugs. *Am. J. Psychiat.*, 1952, 108: 561-567.
- Marriott, A. The opened door. *New Yorker*, 1954, 30 (32, Sept. 25): 90-101.
- Mátéfi, L. Mezcalin- und Lysergsäurediethylamid-Rausch; Selbstversuche mit besonderer Berücksichtigung eines Zeichentests. [Mescaline and lysergic acid diethylamide intoxication; autoexperiments with special consideration of a drawing test.] [English summary] *Confinia neur.*, Basel, 1952, 12: 146-177. Abstract: *Excerpta med.*, Sect. 8, 1953, 6: No. 1204.
- Mayer-Gross, W., McAdam, W., Walker, J. W. Further observations on the effects of lysergic acid diethylamide. *J. Ment. Sc.*, Lond., 1953, 99: 804-808.
- Osmond, H. Research on schizophrenia. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the second conference, May 1955, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1956. p. 183-233.
- . A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.
- , Smythies, J. Schizophrenia: a new approach. *J. Ment. Sc.*, Lond., 1952, 98: 309-315.
- Pearson, J., Dewhurst, K. Mescaline: apotheosis of the devil's root. *Irish J. M. Sc.*, 1956: 139-143.
- The peyote cult. *Science*, 1952, 115: 503-504.
- Rinkel, M., Hyde, R. W., Solomon, H. C. Experimental psychiatry. IV. Hallucinogens: tools in experimental psychiatry. *Dis. Nerv. Syst.*, 1955, 16: 229-232.
- Schwarz, B. E., Bickford, R. G., Mulder, D. W., Rome, H. P. Mescaline and LSD-25 in activation of temporal lobe epilepsy. *Neurology*, 1956, 6: 275-280.
- , —, Rome, H. P. Reversibility of induced psychosis with chlorpromazine. *Proc. Mayo Clin.*, 1955, 30: 407-417.
- Stevenson, I. Comments on the psychological effects of mescaline and allied drugs. *J. Nerv. Ment. Dis.*, 1957, 125: 438-442.
- , Sanchez, A. J. The antidotal action of sodium succinate in the mescaline psychosis. *Am. J. Psychiat.*, 1957, 114: 328-332.
- Tonini, G., Montanari, C. Effects of experimentally induced psychoses on artistic expression. [In English] *Confinia neur.*, Basel, 1955, 15: 225-239. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1439.
- Verdeaux, G., Marty, R. Action sur l'électroencéphalogramme de substances pharmacodynamiques d'intérêt clinique. [Effect of clinically important drugs on the encephalogram.] *Rev. neur.*, Par., 1954, 91: 405-427.
- Wikler, A. Clinical and electroencephalographic studies on the effects of mescaline, N-allylnormorphine and morphine in man; a pharmacologic analysis of the functions of the spontaneous electrical activity of the cerebral cortex. *J. Nerv. Ment. Dis.*, 1954, 120: 157-175.
- . Mechanisms of action of drugs that modify personality function. *Am. J. Psychiat.*, 1952, 108: 590-599.
- Wilhelm, M. T. J. Intérêt de l'épreuve mescalinique dans les maladies mentales. [The mescaline test in mental diseases.] 153 p. [Typewritten] Strasbourg, 1955. [Thesis—Strasbourg 1955, no. 48]
- Wolf, R., Das Raum-und Zeiterleben unter abnormen Bedingungen, besonders im Meskalinrausch. [Space and time perception under anomalous conditions, especially during mescaline intoxication.] *Deut. med. Wschr.*, 1952, 77: 168-170.
- Delay, J., Deniker, P., Raclot, M., Ropert, M. La mescaline chez les malades mentaux; (constatations cliniques). [The effect of mescaline on mental patients; (clinical observations).] *Ann. méd. psychol.*, Par., 1956, 114 (2): 300-305. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1962.
- Denber, H. C. B. Chlorpromazine et mescaline. [Chlorpromazine and mescaline.] *Encéphale*, 1956, 45: 440-443.
- . Studies on mescaline. III. Action in epileptics. *Psychiat. Q.*, 1955, 29: 433-437. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3660.
- . Studies on mescaline. VII. The role of anxiety in the mescaline-induced state and its influence on the therapeutic result. *J. Nerv. Ment. Dis.*, 1956, 124: 74-77.
- , Merlis, S. Studies on mescaline. I. Action in schizophrenic patients; clinical observations and brain wave patterns, showing effects before and after electric convulsive treatments. *Psychiat. Q.*, 1955, 29: 421-429.
- , —. Studies on mescaline IV: Antagonism between mescaline and chlorpromazine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 141-144.
- Deniker, P. Biological changes in man following intravenous administration of mescaline. *J. Nerv. Ment. Dis.*, 1957, 125: 427-431.
- . Recent advances in "pharmaco-psychiatry." *J. Clin. Exp. Psychopath.*, 1956, 17: 381-384.
- Endo, K. Experimental study of mescaline intoxication on relation between clinical picture and EEG in man. *Fol. psychiat. neur. jap.*, 1952, 6: 104-113.
- Hoch, P. H. Experimental psychiatry. *Am. J. Psychiat.*, 1955, 111: 787-790.
- , Cattell, J. P., Pennes, H. H. Effect of drugs; theoretical considerations from a psychological viewpoint. *Am. J. Psychiat.*, 1952, 108: 585-589.
- , —, —. Effects of mescaline and lysergic acid (d-LSD-25). *Am. J. Psychiat.*, 1952, 108: 579-584.
- , Pennes, H. H., Cattell, J. P. Psychoses produced by administration of drugs. *Res. Pub. Ass. Res. Nerv. Ment. Dis.*, 1953, 32: 287-296.
- Kelly, J. The influence of mescaline on Rorschach responses. [In English] *Psychol. Forsch.*, 1954, 24: 542-556.
- Landis, C., Clausen, J. Certain effects of mescaline and lysergic acid on psychological functions. *J. Psychol.*, Provincet., 1954, 38: 211-221. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1336.
- Mårtens, S. Intracerebral elektrografi; ett viktigt hjälpmedel i psykiatrisk forskning. [Electroencephalography, an important aid in psychiatric research.] *Sven. läk. tidn.*, 1956, 53: 2855-2863.
- Merlis, S. The effects of mescaline sulfate in chronic schizophrenia. *J. Nerv. Ment. Dis.*, 1957, 125: 432-434.
- , Denber, H. C. B. Studies on mescaline. V. Electroencephalographic evidence for the antagonism between mescaline and chlorpromazine hydrochloride. *J. Nerv. Ment. Dis.*, 1956, 123: 542-545.
- , Hunter, W. Studies on mescaline. II. Electroencephalogram in schizophrenics; effects of administration after electric convulsive treatment of schizophrenic patients. *Psychiat. Q.*, 1955, 29: 430-432. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3659.
- Pearson, J., Dewhurst, K. Mescaline: apotheosis of the devil's root. *Irish J. M. Sc.*, 1956: 139-143.
- Pennes, H. H. Clinical reactions of schizophrenics to sodium amytal, pervitin hydrochloride, mescaline sulfate, and d-lysergic acid diethylamide (LSD-25). *J. Nerv. Ment. Dis.*, 1954, 119: 95-112.
- , Hoch, P. H. Psychotomimetics, clinical and theoretical considerations: harmine, WIN-2299 and naline. *Am. J. Psychiat.*, 1957, 113: 887-892.
- Sanguineti, I., Negri, V. U., Laricchia, R. Ritmi elettrici cerebrali dopo somministrazione di mescalina e di acido lisergico (LSD 25) in malati di mente. [Electrical

Studies, patients

- Callaway, E., III. On the production of hallucinated and psychosis-like states. *Ann. Int. M.*, 1955, 42: 721-728.
- Cattell, J. P. The influence of mescaline on psychodynamic material. *J. Nerv. Ment. Dis.*, 1954, 119: 233-244.

rhythms of the brain following administration of mescaline and lysergic acid (LSD 25) to mental patients.] *Riv. sper. freniat.*, 1955, 79: 771-797. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1060.

—, Zapparo, G. C., Laricchia, R. Studio clinico-biologico delle reazioni indotte dal solfato di mescalina e dall'acido lisergico (LSD-25) in malati di mente. [Clinical and physiological study of mescaline sulfate and lysergic acid (LSD)-induced reactions in mental patients.] *Riv. sper. freniat.*, 1956, 80: 887-918.

Schwarz, B. E., Bickford, R. G., Mulder, D. W., Rome, H. P. Mescaline and LSD-25 in activation of temporal lobe epilepsy. *Neurology*, 1956, 6: 275-280.

—, Sem-Jacobsen, C. W., Petersen, M. C. Effects of mescaline, LSD-25, and adrenochrome on depth electrograms in man. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 579-587.

Verdeux, G., Marty, R. Action sur l'électroencéphalogramme de substances pharmacodynamiques d'intérêt clinique. [Effect of clinically important drugs on the encephalogram.] *Rev. neur. Par.*, 1954, 91: 405-427.

Wilhelm, M. T. J. Intérêt de l'épreuve mescalinique dans les maladies mentales. [The mescaline test in mental diseases.] 153 p. [Typewritten] Strasbourg, 1955. [Thesis—Strasbourg 1955, no. 48]

Therapeutic studies, controlled

Delay, J., Deniker, P., Raclot, M., Ropert, M. La mescaline chez les malades mentaux; (constatations cliniques). [The effect of mescaline on mental patients; (clinical observations).] *Ann. méd. psychol. Par.*, 1956, 114 (2): 300-305. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1962.

Merlis, S. The effects of mescaline sulfate in chronic schizophrenia. *J. Nerv. Ment. Dis.*, 1957, 125: 432-434.

with AZACYCLONOL—INTERACTION

Studies, animals

Hart, E. R., Langfitt, T. W., Marrazzi, A. S. Some cerebral synaptic aspects of the pharmacology of toxic psychoses, tranquilizers and antidotes. [Abstract] *J. Pharm. Exp. Ther.*, 1956, 116: 27-28.

Himwich, H. E. The effect of frenquel on EEG changes produced by LSD-25 and mescaline. In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, Grune & Stratton, 1956. p. 19-26.

Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sc.*, 1957, 66: 496-507.

—, Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E., ed. Tranquilizing drugs. Washington, Am. Ass. Adv. Sc., 1957. p. 9-21.

—, —. An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.

Rinaldi, F., Himwich, H. E. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122: 424-432. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1601.

—, —. Frenquel corrects certain cerebral electrographic changes. *Science*, 1955, 122: 198-199.

Sturtevant, F. M., Drill, V. A. Effects of mescaline in laboratory animals and influence of ataraxics on mescaline-response. *Proc. Soc. Exp. Biol., N. Y.*, 1956, 92: 383-387. Abstract: *Chem. Abstr.*, 1956, 50: 15956b.

Studies, normal subjects

Clark, L. D., Further studies of the psychological effects of frenquel and a critical review of previous reports. *J. Nerv. Ment. Dis.*, 1956, 123: 557-560.

Fabing, H. D. Adventures in clinical neuropharmacology. *Internat. Rec. M.*, 1956, 169: 115-119.

—, Frenquel, a blocking agent against experimental LSD-25 and mescaline psychosis; preliminary note on its clinical application. *Neurology*, 1955, 5: 319-328.

—, New blocking agent against the development of LSD-25 psychosis. *Science*, 1955, 121: 208-210.

Studies, patients

Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.

with CHLORPROMAZINE—INTERACTION

Pharmacodynamics

Hoch, P. H. Progress in psychiatric therapies. *Am. J. Psychiat.*, 1955, 112: 241-247.

Psychotherapeutic use

Denber, H. C. B. Chlorpromazine et mescaline. [Chlorpromazine and mescaline. *Encéphale*, 1956, 45: 440-443.]

—, Studies on mescaline. VII. The role of anxiety in the mescaline-induced state and its influence on the therapeutic result. *J. Nerv. Ment. Dis.*, 1956, 124: 74-77.

—, Merlis, S. A note on some therapeutic implications of the mescaline induced state. *Psychiat. Q.*, 1954, 28: 634-640. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2659.

—, —, Studies on mescaline. VI. Therapeutic aspects of the mescaline-chlorpromazine combination. *J. Nerv. Ment. Dis.*, 1955, 122: 463-469. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 889.

Studies, animals

Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.

Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 25-37.

—, Sur les propriétés pharmacodynamiques de la chlorpromazine en rapport avec son emploi en psychiatrie. [Pharmacodynamic basis for the use of chlorpromazine in psychiatry.] *Encéphale*, 1956, 45: 1248-1257.

Deniker, P. Psychophysiological aspects of the new chemotherapeutic drugs in psychiatry; some practical features of "neuroleptics" in order to screen new drugs. *J. Nerv. Ment. Dis.*, 1956, 124: 371-376.

Hart, E. R., Langfitt, T. W., Marrazzi, A. S. Some cerebral synaptic aspects of the pharmacology of toxic psychoses, tranquilizers and antidotes. [Abstract] *J. Pharm. Exp. Ther.*, 1956, 116: 27-28.

Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sc.*, 1957, 66: 496-507.

—, Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E., ed. Tranquilizing drugs. Washington, Am. Ass. Adv. Sc., 1957. p. 9-21.

—, —. An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.

Rinaldi, F., Himwich, H. E. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122: 424-432.

Sturtevant, F. M., Drill, V. A. Effects of mescaline in laboratory animals and influence of ataraxics on mescaline-response. *Proc. Soc. Exp. Biol., N. Y.*, 1956, 92: 383-387. Abstract: *Chem. Abstr.*, 1956, 50: 15956b.

Studies, normal subjects

Delay, J., Denber, Deniker, P., Raclot, N., Ropert, M. Deux auto-observations d'intoxication mescalinique expérimentale. [Mescaline intoxication; two auto-experiments.] *Ann. méd. psychol. Par.*, 1956, 114 (2): 306-309. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1963.

Schwarz, B. E., Bickford, R. G., Rome, H. P. Reversibility of induced psychosis with chlorpromazine. *Proc. Mayo Clin.*, 1955, 30 : 407-417.

Studies, patients

Denber, H. C. B. Studies on mescaline. VII. The role of anxiety in the mescaline-induced state and its influence on the therapeutic result. *J. Nerv. Ment. Dis.*, 1956, 124 : 74-77.

—, Merlis, S. Studies on mescaline IV : Antagonism between mescaline and chlorpromazine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, Am. Ass. Adv. Sc., 1956. p. 141-144.

Deniker, P. Biological changes in man following intravenous administration of mescaline. *J. Nerv. Ment. Dis.*, 1957, 125 : 427-431.

—, Recent advances in "pharmaco-psychiatry". *J. Clin. Exp. Psychopath.*, 1956, 17 : 381-384.

Hoch, P. H. Experimental psychiatry. *Am. J. Psychiat.*, 1955, 111 : 787-790.

Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113 : 540-545.

Merlis, S., Denber, H. C. B. Studies on mescaline. V. Electroencephalographic evidence for the antagonism between mescaline and chlorpromazine hydrochloride. *J. Nerv. Ment. Dis.*, 1956, 123 : 542-545.

Obiols, J. Notre expérience sur la thérapeutique par la chlorpromazine. [Our experience with chlorpromazine therapy.] *Encéphale*, 1956, 45 : 698-699.

Schwarz, B. E., Sem-Jacobsen, C. W., Peterson, M. C. Effects of mescaline, LSD-25, and adrenochrome on depth electrograms in man. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75 : 579-587.

Therapeutic studies, controlled

Delay, J., Deniker, P., Raclot, M., Ropert, M. La mescaline chez les malades mentaux; (constatations cliniques). [The effect of mescaline on mental patients; (clinical observations).] *Ann. méd. psychol., Par.*, 1956, 114 (2) : 300-305. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1962.

Denber, H. C. B. Chlorpromazine et mescaline. [Chlorpromazine and mescaline.] *Encéphale*, 1956, 45 : 440-443.

—, Studies on mescaline. VII. The role of anxiety in the mescaline-induced state and its influence on the therapeutic result. *J. Nerv. Ment. Dis.*, 1956, 124 : 74-77.

with LYSERGIC ACID DIETHYLAMIDE—COMBINED

Studies, normal subjects

Clark, L. D., Bliss, E. L. Psychopharmacological studies of lysergic acid diethylamide (LSD-25) intoxication. Effects of premedication with BOL-148 (2-bromo-d-lysergic acid diethylamide), mescaline, atropine, amobarbital, and chlorpromazine. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78 : 653-655.

with LYSERGIC ACID DIETHYLAMIDE—COMPARED

Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17 : 25-37.

Jarvik, M. E. Mechanism of action of lysergic acid diethylamide, serotonin, and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, Am. Ass. Adv. Sc., 1956. p. 145-154.

Jatzkewitz, H. Pharmakologische Aspekte in der Schizophrenieforschung. [Pharmacological aspects in schizophrenia research.] *Nervenarzt*, 1956, 27 : 150-152.

Pearson, J., Dewhurst, K. Mescaline: apotheosis of the devil's root. *Irish J. M. Sc.*, 1956 : 139-143.

Rinkel, M., Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18 : 323-334.

Savage, C., Cholden, L. Schizophrenia and the model psychoses. *J. Clin. Exp. Psychopath.*, 1956, 17 : 405-413.

Wikler, A. The uses of drugs in psychiatric research. *Am. J. Psychiat.*, 1956, 112 : 961-969.

Studies, animals

Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66 : 740-752.

Keller, D. L., Umbreit, W. W. Chemically altered permanent behavior patterns in fish and their cure by reserpine. *Science*, 1956, 124 : 407.

—, Permanent alteration of behavior in mice by chemical and psychological means. *Science*, 1956, 124 : 723-724.

Studies, normal subjects

Hoch, P. H., Cattell, J. P., Pennes, H. H. Effects of mescaline and lysergic acid (d-LSD-25). *Am. J. Psychiat.*, 1952, 108 : 579-584.

Matéfi, L. Mezcalin- und Lysergsäurediäthylamid-Rausch; Selbstversuche mit Berücksichtigung eines Zeichentests. [Mescaline and lysergic acid diethylamide intoxication; autoexperiments with special consideration of a drawing test.] [English summary] *Confinia neur., Basel*, 1952, 12 : 146-177. Abstract: *Excerpta med.*, Sect. 8, 1953, 6 : No. 1204.

Mayer-Gross, W., McAdam, W., Walker, J. W. Further observations on the effects of lysergic acid diethylamide. *J. Ment. Sc., Lond.*, 1953, 99 : 804-808.

Rinkel, M. Experimentally induced psychoses in man. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the second conference*, May 1955, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1956. p. 235-258.

Tonini, G., Montanari, C. Effects of experimentally induced psychoses on artistic expression. [In English] *Confinia neur., Basel*, 1955, 15 : 225-239. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1439.

Studies, patients

Cholden, L. S., Kurland, A., Savage, C. Clinical reactions and tolerance to LSD in chronic schizophrenia. *J. Nerv. Ment. Dis.*, 1955, 122 : 211-221. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 4015.

Hoch, P. H., Cattell, J. P., Pennes, H. H. Effects of mescaline and lysergic acid (d-LSD-25). *Am. J. Psychiat.*, 1952, 108 : 579-584.

Landis, C., Clausen, J. Certain effects of mescaline and lysergic acid on psychological functions. *J. Psychol., Provincet.*, 1954, 38 : 211-221. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 1336.

Sandison, R. A., Spencer, A. M., Whitelaw, J. D. A. The therapeutic value of lysergic acid diethylamide in mental illness. *J. Ment. Sc., Lond.*, 1954, 100 : 491-507. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 930.

with LYSERGIC ACID ETHYLAMIDE—COMPARED

Studies, normal subjects

Tonini, G., Montanari, C. Effetti psichici della monoetilamide dell'acido lisergico (LAE 32). [Psychological effects of lysergic acid monoethylamide (LAE 32).] *Gior. psichiat.*, 1955, 83 : 355-357.

with METHOPROMAZINE—INTERACTION

Therapeutic use

Delay, J., Deniker, P., Raclot, M., Ropert, M. La mescaline chez les malades mentaux; (constatations cliniques). [The effect of mescaline on mental patients; (clinical observations).] *Ann. méd. psychol., Par.*, 1956, 114 (2) : 300-305. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1962.

with PROMETHAZINE—INTERACTION

Therapeutic studies, controlled

Denber, H. C. B. Studies on mescaline. VII. The role of anxiety in the mescaline-induced state and its influence on the therapeutic result. *J. Nerv. Ment. Dis.*, 1956, 124: 74-77.

with RESERPINE—INTERACTION

Studies, animals

Burton, R. M. The analeptic action of lysergic acid diethylamide on reserpine-sedated mice. *Ann. N. York Acad. Sc.*, 1957, 66: 695-697.

Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.

Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sc.*, 1957, 66: 496-507.

—, Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 9-21.

—, —. An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.

Sturtevant, F. M., Drill, V. A. Effects of mescaline in laboratory animals and influence of ataraxics on mescaline-response. *Proc. Soc. Exp. Biol.*, N. Y., 1956, 92: 383-387. Abstract: *Chem. Abstr.*, 1956, 50: 15956b.

Studies, patients

Hoch, P. H. Experimental psychiatry. *Am. J. Psychiat.*, 1955, 111: 787-790.

with SEROTONIN—INTERACTION

see SEROTONIN with Mescaline

with TMA—COMPARED see TMA

with OTHER DRUGS—INTERACTION

Studies, animals

Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.

Rovetta, P. Effects of mescaline and LSD on evoked responses especially of the optic system of the cat. *Electroencephalography, Montreal*, 1956, 8: 15-24. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 501.

Studies, normal subjects

Tonini, G., Montanari, C. Effects of experimentally induced psychoses on artistic expression. [In English] *Confinia neur.*, Basel, 1955, 15: 225-239. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1439.

Studies, patients

Deniker, P. Recent advances in "pharmaco-psychiatry." *J. Clin. Exp. Psychopath.*, 1956, 17: 381-384.

Hoch, P. H. Experimental psychiatry. *Am. J. Psychiat.*, 1955, 111: 787-790.

Pennes, H. H. Clinical reactions of schizophrenics to sodium amylal, pervitin hydrochloride, mescaline sulfate, and d-lysergic acid diethylamide (LSD-25). *J. Nerv. Ment. Dis.*, 1954, 119: 95-112.

with INTERMITTENT PHOTIC STIMULATION

Studies, normal subjects

Elkes, J. Effects of psychosomimetic drugs in animals and man. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the third conference*, May 1956, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1957. p. 205-295. [p. 266-67]

Osmond, H. A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

with SHOCK THERAPY [EST]

Studies, patients

Hoch, P. H. Experimental psychiatry. *Am. J. Psychiat.*, 1955, 111: 787-790.

METHOPROMAZINE

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [p. 362; 383-84.]

Perrault, M. Sur les tranquillisateurs. [Tranquilizers.] *Progr. méd., Par.*, 1957, 85: 3-4; 7.

Viaud, P. Les amines dérivées de la phénothiazine. [The amino-derivatives of phenothiazine.] *J. Pharm., Lond.*, 6: 361-389.

Studies, animals

Bradley, P. B., Hance, A. J. The effect of chlorpromazine and methopromazine on the electrical activity of the brain in the cat. *Electroencephalography, Montreal*, 191-215.

Therapeutic use

see METHOPROMAZINE [DENIKER]

with CHLORPROMAZINE—COMPARED

see METHOPROMAZINE

with LYSERGIC ACID DIETHYLAMIDE—INTERACTION

see METHOPROMAZINE—Studies, animals

with Mescaline

see Mescaline with METHOPROMAZINE—INTERACTION—Therapeutic use

METHYLPHENIDYLACETATE

Fabing, H. D. The newer analeptic drugs. *Med. Clin. N. America*, 1957, 41: 339-351.

Symposium: The relative values of drugs in the various psychiatric syndromes. *Psychiat. Res. Rep.*, Wash., 1956 (4): 35-78. [All articles are listed individually]

Diagnostic use

Stier, C. Die Anwendung des zentralen Stimulans Ritalin bei depressiven Zuständen und zur Unterstützung der Elektroschocktherapie. [The use of ritalin, a stimulant of the central nervous system, in depressive states and as adjuvant in electroshock therapy.] *Ther. Gegenwart*, 1955, 94: 92-95.

Studies, animals

Cole, J., Glees, P. Ritalin as an antagonist to reserpine in monkeys. *Lancet, Lond.*, 1956, 1: 338.

—, —. Some effects of methyl-phenidate (ritalin) and amphetamine on normal and leucotomized monkeys. *J. Ment. Sc., Lond.*, 1957, 103: 406-417.

Davis, G. D. Effects of central excitant and depressant drugs on locomotor activity in the monkey. *Am. J. Physiol.*, 1957, 188: 619-623.

Meier, R., Gross, F., Tripod, J. Ritalin, eine neuartige synthetische Verbindung mit spezifischer zentralerregender Wirkungskomponente. [Ritalin, a new synthetic compound with specific analeptic action.] *Klin. Wschr.*, 1954, 32: 445-450. Abstract: *Chem. Abstr.*, 1954, 48: 8945e.

Plummer, A. J., Maxwell, R., Earl, A. E. Influence of methyl-alpha-phenyl-2-piperidine acetate hydrochloride on the pharmacological actions of reserpine. [Abstract] *Fed. Proc., Balt.*, 1956, 15: 468.

Studies, normal subjects

Drassdo, A., Schmidt, M. Ritalin, ein zentrales Stimulans mit neuartiger chemischer Konstitution. 1. Kreislaufuntersuchungen. 2. Verbesserung der geistigen Leistungsfähigkeit und psychische Wirkung durch Ritalin. [Ritalin, a central stimulant of novel chemical constitution. 1. Studies on blood circulation. 2. Improvement of mental efficacy and the psychologic effects of ritalin.] [English summaries, p. 310; 395] *Med. Mschr.*, 1954, 8: 306-310; 393-395.

Gruber, K., Illig, H., Pflanz, M. Zur Prüfung der sogenannten zentralen Stimulantien am Menschen. [Evaluation of so-called central stimulants in man.] *Deut. med. Wschr.*, 1956, 81: 1130-1133.

Heiss, R., Becker, H., Hiltmann, H., Honsberg, I. Über psychische Wirkungen eines neuartigen Psychotonikums. [Psychological effects of a new central stimulant.] *Medizinische*, 1956: 260-262.

Morpurgo, V. Osservazioni cliniche su una nuova sostanza ad azione eccitante centrale. [Clinical observations on a new substance with central stimulating effect] [English summary] *Minerva anest., Tor.*, 1956, 22: 110-114. Abstract: *J. Am. M. Ass.*, 1956, 161: 1514.

Therapeutic studies, controlled

Arbesman, C. E. Report of the Committee on drugs of the research council of the American Academy of Allergy, 1954-1955. Plimasin. *J. Allergy*, 1955, 26: 379-381. Abstract as: Clinical studies in allergy with several new drugs. Drug I. *J. Allergy*, 1955, 26: 87.

Ayd, F. J., Jr. A clinical evaluation of methyl-phenidylacetate hydrochloride (ritalin). *J. Clin. Exp. Psychopath.*, 1957, 18: 342-346.

Carey, B., Weber, M., Smith, J. A. Methyl-phenidylacetate hydrochloride (ritalin) in the treatment of chronic schizophrenic patients. *Am. J. Psychiat.*, 1956, 113: 546-547.

Clark, L. D., Ellsworth, R. B., Barrett, W. W., Thurman, A. C., Holland, W. Studies of the behavioral effects of ritalin. *Dis. Nerv. Syst.*, 1956, 17: 317-321.

Daly, D. D., Yoss, R. E. The treatment of narcolepsy with methyl phenylpiperidylacetate: a preliminary report. *Proc. Mayo Clin.*, 1956, 31: 620-625.

Davidoff, E., Best, J. L., McPheeters, H. L. The effect of ritalin (methyl-phenidylacetate hydrochloride) on mildly depressed ambulatory patients. *N. York State J. M.*, 1957, 57: 1753-1757.

Ferguson, J. T. Improved behavior patterns in the hospitalized mentally ill with reserpine and methyl-phenidylacetate. *Psychiat. Res. Rep.*, Wash., 1956 (4): 35-43.

—. What's new and usable in the chemical treatment of abnormal behavior. *J. Michigan M. Soc.*, 1956, 55: 1095-1101.

—, Funderburk, W. H. Improving senile behavior with reserpine and ritalin; new approach with use of methyl phenylpiperidylacetate. *J. Am. M. Ass.*, 1956, 160: 259-263. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3520. *Year book of drug therapy*, 1956-1957, p. 344-346.

—, Linn, F. V., Sheets, J. A., Jr., Nickels, M. M. Methylphenidate (ritalin) hydrochloride parenteral solution; preliminary report. *J. Am. M. Ass.*, 1956, 162: 1303-1304.

Friedlaender, S. Report of the Committee on new drugs of the research council of the American Academy of Allergy, 1955-1956. Plimasin. *J. Allergy*, 1956, 27: 288-290.

Jacobson, A. Ritalin—a new agent for mild depressions; a preliminary report. *Med. Ann. District of Columbia*, 1956, 25: 491-494; 527-528.

Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. *Internat. Rec. M.*, 1956, 169: 323-338.

McPheeters, H., Fox, W. W. Evaluation of reserpine and methyl phenidylacetate used separately and in combination in chronic psychotic patients. *J. Kentucky M. Ass.*, 1956, 54: 785-791.

Madi, M. L., Kovitz, B. Experiences with methyl-phenidylacetate hydrochloride (ritalin) in psychotic patients. *Antibiotic M.*, 1956, 3: 309-311.

Rashkis, H. A., Smarr, E. R. Drug and milieu effects with chronic schizophrenics. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 89-94.

Wells, R. E. Use of reserpine (serpasil) in the management of chronic alcoholism. *J. Am. M. Ass.*, 1957, 163: 426-429.

Therapeutic use

Alemà, G., Sergio, C. Prime esperienze cliniche con una nuova sostanza psicomimetica. [First clinical experiences with a new psychomimetic drug.] *Riv. sper. freniat.*, 1956, 80: 989-994.

Brooks, G. W. Experiences with the use of chlorpromazine and reserpine in psychiatry, with special reference to the significance and management of extrapyramidal dysfunction. *N. England J. M.*, 1956, 254: 1119-1123. Abstract: *Year book of drug therapy*, 1956-1957, p. 343-344.

Coulter, E. B. Nursing care problems associated with the use of ataraxic drugs. *Hawaii M. J.*, 1957, 16: 303-304.

Fabing, H. D. The newer analeptic drugs. *Med. Clin. N. America*, 1957, 41: 339-351.

Ferguson, J. T. Further evaluation of the new drug: methyl-phenidylacetate. [Abstract] *J. Pharm. Exp. Ther.*, 1956, 116: 20.

—. Successful therapeutic regimen for the management of behavior problems in the elderly. *J. Am. Geriat. Soc.*, 1956, 4: 1080-1084.

—. Treatment of reserpine-induced depression with a new analeptic: phenidylate. *Ann. N. York Acad. Sc.*, 1955, 61: 101-107. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1721.

Geller, W. Behandlung depressiver Verstimmungszustände mit einem neuen zentralen Stimulans. [Treatment of depressive states with a new central stimulant.] *Medizinische*, 1955: 606-608.

Kurtzke, J. F. Seizures with promazine. Preliminary report. *J. Nerv. Ment. Dis.*, 1957, 125: 119-125. *

Natenshon, A. L. Clinical evaluation of ritalin. *Dis. Nerv. Syst.*, 1956, 17: 392-396.

Pennington, V. M. Research findings in phrenotropic drugs important to every physician. *Mississippi Doctor*, 1957, 35: 57-63.

Sainz, A. A. The management of side effects of chlorpromazine and reserpine. *Psychiat. Q.*, 1956, 30: 647-653.

Stier, C. Die Anwendung des zentralen Stimulans Ritalin bei depressiven Zuständen und zur Unterstützung der Elektroschocktherapie. [The use of ritalin, a stimulant of the central nervous system, in depressive states and as adjuvant in electroshock therapy.] *Ther. Gegenwart*, 1955, 94: 92-95.

—Additional data

Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.

Cohen, I. M. Drugs recently introduced in the treatment of psychiatric disorders. *Texas J. M.*, 1956, 52: 683-687.

Fabing, H. D. The ataractic drugs: their uses and limitations in psychiatry. *Am. Profes. Pharmacist*, 1956, 22: 413-418.

Funderburk, W. H., Wilcox, K. W., Wilcox, P. H. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 425-456.

Graffagnino, P. N., Furr, J. H. New drugs in the treatment of emotional disorders; a review. *Connecticut M. J.*, 1957, 21: 38-43.

Heilbrunn, G. Selection of patients for modern psychiatric pharmacotherapy in general practice. *Northwest M.*, 1956, 55: 1198-1205.

Hilliard, E. T. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1035-1040.

Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38 (1): 102-108; 126.

Kinross-Wright, V. A review of the new drug therapies in psychiatry. *Dis. Nerv. Syst.*, 1956, 17: 187-190.

—. The uses and limitations of the newer drugs in the treatment of nervous conditions. *Wisconsin M. J.*, 1956, 55: 1073-1078.

Klingman, W. O. Neurological and psychiatric disorders; some recent advances in therapy. *Virginia M. Month.*, 1956, 83: 240-246.

Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818. Abstract: *Chem. Abstr.*, 1956, 50: 9615b.

—. New mood-changing drugs. *Ohio M. J.*, 1956, 52: 369-373.

Morgan, D. R. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1029-1035.

Sottong, P. C. The use and abuse of the tranquilizing drugs. *J. Tennessee M. Ass.*, 1956, 49: 413-418.

Weinberg, H. B. Drug therapy for the emotionally and mentally disturbed; the internist's point of view. *J. Iowa M. Soc.*, 1957, 47: 17-19.

Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1957, 113: 611-615.

with AZACYCLONOL

see AZACYCLONOL with METHYLPHENIDYLACETATE—COMBINED

with CHLORPROMAZINE

see CHLORPROMAZINE with METHYLPHENIDYLACETATE

with CHLORPROMAZINE and RESERPINE

see CHLORPROMAZINE with RESERPINE and METHYLPHENIDYLACETATE

with MER-22—COMPARED

see MER-22—Studies, animals

with MEPROBAMATE and RESERPINE

see MEPROBAMATE with RESERPINE and METHYLPHENIDYLACETATE

with PROMAZINE—COMBINED

see PROMAZINE with METHYLPHENIDYLACETATE

with PIPRADROL—COMPARED

see also under MER-22—Studies, animals

Daly, D. D., Yoss, R. E. The treatment of narcolepsy with methyl phenylpiperidylacetate: a preliminary report. *Proc. Mayo Clin.*, 1956, 31: 620-625.

Fabing, H. D. The newer analeptic drugs. *Med. Clin. N. America*, 1957, 41: 339-351.

with RESERPINE

see RESERPINE with METHYLPHENIDYLACETATE

with RESERPINE and CHLORPROMAZINE

see CHLORPROMAZINE with RESERPINE and METHYLPHENIDYLACETATE—COMBINED

with RESERPINE and MEPROBAMATE

see MEPROBAMATE with RESERPINE and METHYLPHENIDYLACETATE—COMBINED

with OTHER DRUGS—COMBINED

see also METHYLPHENIDYLACETATE—Studies, normal subjects
RESERPINE with METHYLPHENIDYLACETATE and OTHER DRUGS

Therapeutic studies, controlled

Arbesman, C. E. Report of the Committee on drugs of the research council of the American Academy of Allergy, 1954-1955. Plimasin. *J. Allergy*, 1955, 26: 379-381. Abstract as: Clinical studies in allergy with several new drugs. Drug I. *J. Allergy*, 1955, 26: 87.

Carter, C. H. The effects of reserpine and methylphenidylacetate (ritalin) in mental defectives, spastics, and epileptics. *Psychiat. Res. Rep., Wash.*, 1956 (4): 44-48.

Friedlaender, S. Report of the Committee on new drugs of the research council of the American Academy of Allergy, 1955-1956. Plimasin. *J. Allergy*, 1956, 27: 288-290.

Fuchs, M., Brown, H. Plimasin in the treatment of hay fever. *Med. Ann. District of Columbia*, 1956, 25: 553-554.

Kuhn, B. H. Plimasin; a preliminary evaluation. *A. M. A. Arch. Derm.*, 1955, 72: 59-62.

Morpurgo, V. Osservazioni cliniche su una nuova sostanza ad azione eccitante centrale. [Clinical observations on a new substance with central stimulating effect] [English summary] [anesthetics] *Minerva anest., Tor.*, 1956, 22: 110-114. Abstract: *J. Am. M. Ass.*, 1956, 161: 1514.

Polak, F. Über eine antiallergische Wirkung des Rauwolfiaalkaloids Reserpin. [An antiallergic effect of the Rauwolfia alkaloid reserpine.] [plimasin] *Schweiz. med. Wschr.*, 1955, 85: 751-752.

Rashkis, H. A., Smarr, E. R. Drug and milieu effects with chronic schizophrenics. [amobarbital; trihexyphenidyl] *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 89-94.

Wortmann, F. Erfahrungen mit einem neuartigen antiallergisch wirksamen Kombinationspräparat. [Experiences with a new antiallergic combination preparation.] [Plimasin] *Schweiz. med. Wschr.*, 1954, 84: 715-716.

with OTHER DRUGS—COMPARED

see also METHYLPHENIDYLACETATE—Studies, normal subjects

Therapeutic studies, controlled

Daly, D. D., Yoss, R. E. The treatment of narcolepsy with methyl phenylpiperidylacetate: a preliminary report. *Proc. Mayo Clin.*, 1956, 31: 620-625.

Therapeutic use

Fabing, H. D. The newer analeptic drugs. *Med. Clin. N. America*, 1957, 41: 339-351.

with SHOCK THERAPY [ECT]

Stier, C. Die Anwendung des zentralen Stimulans Ritalin bei depressiven Zuständen und zur Unterstützung der Elektroschocktherapie. [The use of ritalin, a stimulant of the central nervous system, in depressive states and as adjuvant in electroshock therapy.] *Ther. Gegenwart*, 1955, 94: 92-95.

METHYLPROMAZINE

Callaway, J. L., Olansky, S. Trimeprazine: an adjuvant in the management of itching dermatoses. *North Carolina M. J.*, 1957, 18: 320-321. [Not seen]

Feldman, P. E., Statman, J. Agranulocytosis during treatment with methylpromazine. *Am. J. Psychiat.*, 1957, 114: 464-465.

N-OBLIVON

Studies, animals

Chauchard, P., Mazoué, H. Effets du carbamate de méthyl-3-pentyne-1 ol-3 (N-oblivon) sur les centres nerveux. [Effects of 3-methyl-1-pentyne-3-ol carbamate (N-oblivon) on nerve centers.] *C. rend. Soc. biol.*, 1956, 150: 679-680.

Halpern, B. N. Propriétés sédatives et anticonvulsivantes du carbamate de méthyl-3-pentyne-1 ol-3. [Sedative and anticonvulsant properties of 3-methyl-1-pentyne-3-ol carbamate.] *C. rend. Soc. biol.*, 1956, 150: 1152-1157.

—, Lehmann, A. Bases expérimentales de l'action thérapeutique d'une nouvelle médication sédative et antianxieuse: le carbamate de méthyl-3-pentyne-1 ol-3. [Experimental bases of the therapeutic action of a new sedative and tranquilizing drug: 3-methyl-1-pentyne-3-ol carbamate.] *Presse méd.*, 1957, 65: 622-625.

Therapeutic use

Laboucarié, J., Barrès, P., Rascol, A. Aspects principaux des cures neuroplégiques en psychiatrie en 1956. [Principal features of neuroplegic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.

Mathis, M. Toniques et sédatifs en neuro-psychiatrie infantile. [Tonics and sedatives in child neuro-psychiatry.] *Pédiatrie*, 1956, 11: 807-820.

Perrault, M. Sur les tranquillisateurs. [Tranquilizers.] *Progr. méd., Par.*, 1957, 85: 3-4; 7.

with CHLORPROMAZINE—COMPARED

with MEPROBAMATE—COMPARED

with PROMETHAZINE—COMPARED

with RESERPINE—COMPARED

see N-OBLIVON—Studies, animals

NP-207

Studies, animals

Himwich, H. E., Rinaldi, F., Willis, D. An examination of phenothiazine derivatives with comparisons of their effects on the alerting reaction, chemical structure and therapeutic efficacy. [chlorpromazine: mepazine: NP-207: promazine: promethazine: pyrazithazine: Wy-1107] *J. Nerv. Ment. Dis.*, 1956, 124: 53-57.

Taeschler, M., Rothlin, E. Zur Charakterisierung der zentralen Wirkung von Phenothiazinderivaten. [The specific central effect of phenothiazine derivatives.] *Arch. exp. Path., Berl.*, 1956, 228: 184-186. Abstract: *Chem. Abstr.*, 1956, 50: 8902de.

Therapeutic use [see headnote p. 19]

Hollister, L. E. Complications from the use of tranquilizing drugs. *N. England J. M.*, 1957, 257: 170-177 [p. 177] *

Kinross-Wright, V. Clinical trial of a new phenothiazine compound: NP-207. *Psychiat. Res. Rep., Wash.*, 1956 (4): 89-94. *

Labhardt, F. Erfahrungen mit einem neuen Neuroplegicum. [Experiences with a new neuroplegic drug.] [NP-207] *Schweiz. Arch. Neur. Psychiat.*, 1956, 77: 481-485. *

Malitz, S., Hoch, P. H. Preliminary evaluation of a new phenothiazine derivative, NP-207. *Psychiat. Q.*, 1956, 30: 633-646.

—, —, Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545. *

Remy, M. A propos d'un nouveau neuroplégique: le NP de Sandoz. [A new neuroplegic drug: NP by Sandoz.] [Abstract] *Schweiz. Arch. Neur. Psychiat.*, 1956, 77: 480. *

Untoward effects see NP-207—Therapeutic use

with CHLORPROMAZINE—COMBINED

Therapeutic use

Labhardt, F. Erfahrungen mit einem neuen Neuroplegicum. [Experiences with a new neuroplegic drug.] [NP-207] *Schweiz. Arch. Neur. Psychiat.*, 1956, 77: 481-485.

with CHLORPROMAZINE—COMPARED see NP-207

with LYSERGIC ACID DIETHYLAMIDE—INTERACTION

see NP-207—Studies, animals [TAESCHLER+ROTHLIN]

with LYSERGIC ACID DIETHYLAMIDE, BROMINATED—INTERACTION

Studies, animals

see NP-207—Studies, animals [TAESCHLER+ROTHLIN]

Therapeutic use

see NP-207—Therapeutic use [MALITZ+HOCH]

with PROMETHAZINE—COMBINED

see NP-207 with CHLORPROMAZINE—COMBINED

with OTHER DRUGS—COMBINED and COMPARED
see NP-207—Studies, animals

NP-207, BROMINATED

Therapeutic use

Malitz, S., Hoch, P. H., Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.

OLOLIQUI

Studies, normal subjects

Osmond, H. Ololiuqui: the ancient Aztec narcotic; remarks on the effects of *Rivea corymbosa* (ololiuqui). *J. Ment. Sc., Lond.*, 1955, 101: 526-537.

—, Research on schizophrenia. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the second conference*, May 1955, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1956. p. 183-233.

—, A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434

OPILON

Studies, animals

Greff, K., Schumann, H. J. Zur Pharmakologie des Sympathicolyticums 6-Acetoxythymoxy-ethylidimethylamin. [Pharmacology of the sympatholytic 6-acetoxythymoxy-ethylidimethylamine.] *Arzneimitt. Forsch.*, 1953, 3: 341-345.

Studies, patients

Serra, C., Severgini, B. Ricerche elettroencefalografiche sopra un nuovo simpaticolitico di sintesi. [Elec-

troencephalographic studies of a new synthetic sympatholytic.] *Riv. neur., Nap.*, 1953, 23: 494-504.

Therapeutic use

Germano, V., Bellavitis, U. Osservazioni cliniche e terapeutiche sull'uso del cloridrato 6 acetossi-timossi-etildimetil-amina (opilon) negli stati d'ansia e nelle terapie da shock. [Clinical and therapeutic observations on the use of 6-acetoxymethoxy-ethyl-dimethylamine hydrochloride (opilon) in anxiety states and shock therapy.] [English summary] *Riv. neur., Nap.*, 1955, 25: 928-940.

Walch, R., Hoheisel, H. P. Über die Behandlung von vegetativen Zuständen nach Kopftrauma mit Opiilon. [Opiilon therapy of autonomic nervous conditions after head injuries.] *Deut. med. Wschr.*, 1952, 77: 767-768.

with CHLORPROMAZINE and RESERPINE

Therapeutic use

Reda, G. C., Germano, V. L'azione combinata della reserpina e clorpromazina nella pratica psichiatrica. [Combined effect of reserpine and chlorpromazine in psychiatric practice.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 647-653.

with OTHER DRUGS—COMBINED

Psychotherapeutic and Therapeutic use

Engelmeier, M. P. Lytische Therapie in der Nervenklinik. [Lytic therapy in neuropsychiatric hospitals.] [English summary] *Mschr. Psychiat., Basel*, 1956, 131: 89-150.

with SHOCK THERAPY [ECT]

see OPIILON—Therapeutic use [GERMANO+BELLAVITIS]

PM—1090

Therapeutic use—Psychoses

Edwards, R. M. Experimental studies with PM 1090; preliminary report. *Internat. Rec. M.*, 1956, 169: 469-472. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1546. *

PERPHENAZINE

Studies animals

Cahn, C. H., Lehmann, H. E. Perphenazine; observations on the clinical effects of a new tranquilizing agent in psychotic conditions. *Canad. Psychiat. Ass. J.*, 1957, 2: 104-112.

Irwin, S., Govier, W. M. Chlorpiproazine, a new tranquilizer: comparison with chlorpromazine in the mouse, rat, cat, dog, and monkey. [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 154-155.

Therapeutic studies, controlled

Ayd, F. J., Jr. A clinical appraisal of trilacon. *Am. J. Psychiat.*, 1957, 114: 554-555.

Cahn, C. H., Lehmann, H. E. Perphenazine; observations on the clinical effects of a new tranquilizing agent in psychotic conditions. [perphenazine+reserpine**] *Canad. Psychiat. Ass. J.*, 1957, 2: 104-112. *

Mason-Browne, N. L. Perphenazine—a drug modifying consciousness. *Am. J. Psychiat.*, 1957, 114: 173-174.

Therapeutic use

Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747.

—. The treatment of anxiety, agitation and excitement in the aged; a preliminary report on trilacon. *J. Am. Geriat. Soc.*, 1957, 5: 92-96.

Pennington, V. M. Research findings in phrenotropic drugs important to every physician. *Mississippi Doctor*, 1957, 35: 57-63.

Shanon, J., Kaplan, S. M., Pierce, C. M., Ross, W. D. An interesting reaction to a tranquilizer: tonic seizures with perphenazine (trilacon). *Am. J. Psychiat.*, 1957, 114: 556.

with CHLORPROMAZINE—COMPARED

see PERPHENAZINE—Studies, animals

Therapeutic studies, controlled

with RESERPINE—COMBINED

Cahn, C. H., Lehmann, H. E. Perphenazine; observations on the clinical effects of a new tranquilizing agent in psychotic conditions. *Canad. Psychiat. Ass. J.*, 1957, 2: 104-112. * *

PHENAGLYCODOL

Studies, animals

Slater, I. H., Jones, G. T., Young, W. K. Mode of action of phenaglycodol, a new neurosedative agent. *Proc. Soc. Exp. Biol., N. Y.*, 1956, 93: 528-531.

Studies, normal subjects

Reitan, R. M. The comparative effects of placebo, ultran, and meprobamate on psychologic test performances. *Antibiotic M.*, 1957, 4: 158-165.

Smith, J. A., Rutherford, A., Fanning, R. A comparison of phenaglycodol (ultran), meprobamate and placebo in abstinent alcoholics. *Am. J. Psychiat.*, 1957, 114: 364-365.

Therapeutic studies, controlled

Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquilizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. *GP*, 1957, 15 (6): 97-118. *

Pevey, J. K., Moyer, J. H., Handley, C. A., Heider, C. A comparison of clinical results with phenobarbital, meprobamate and two similar experimental compounds. [Abstract] [benactyzine; meprobamate; phenaglycodol] *J. Pharm. Exp. Ther.*, 1957, 119: 176. *

Therapeutic use

Pennington, V. M. Research findings in phrenotropic drugs important to every physician. *Mississippi Doctor*, 1957, 35: 57-63.

Senseman, L. A. Tranquilizing drugs; uses and abuses for the nervous patient. *Rhode Island M. J.*, 1956, 39: 675-677; 680; 686.

with ATARAXICS [2 or more]

see ATARAXICS—Various [3 or more]—Compared

with MEPROBAMATE—COMPARED

see PHENAGLYCODOL—Studies, normal subjects

PHENOTHIAZINES

see also individual phenothiazines

cf. DRUG INDEX: PHENOTHIAZINES

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398.

Gäde, E. B., Heinrich, K. Die Bedeutung der Phenothiazinderivate, insbesondere des Megaphen, für Psychi-

atrie und Neurologie. [The importance of phenothiazine derivatives in psychiatry and neurology with special reference to chlorpromazine.] *Fortsch. Neur. Psychiat.*, 1955, 23: 323-353.

Koetschet, P. Can it be said that chlorpromazine has specific properties? *Internat. Rec. M.*, 1955, 168: 295-300.

Mashkovskii, M. D. [The pharmacologic properties of aminazine and of other compounds of the phenothiazine order.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 81-83. Abstract: *Chem. Abstr.*, 1956, 50: 17174e.

Rösner, K. Therapeutische Anwendung der zentralnervösen Wirkung einiger Phenothiazinderivate in der Allgemeinmedizin. [Therapeutic use of effects of various phenothiazine derivatives on central nervous system in general practice.] *Med. Mschr.*, 1956, 10: 719-723.

Viaud, P. Les amines dérivées de la phénothiazine. [The amino-derivatives of phenothiazine.] *J. Pharm., Lond.*, 1954, 6: 361-389.

Westerink, D. De farmacologie en toepassing der fenothiazinderivaten. [The pharmacology and use of phenothiazine derivatives.] *Pharm. wbl., Amst.*, 1956, 91: 113-125.

Studies, animals

Begany, A. J., Seifter, J., Pless, H. H., Huber, R. D., Bruce, W. F. Tranquilizing effect of phenothiazines in cats and rabbits. *Fed. Proc., Balt.*, 1956, 15: 399-400.

Burke J. C., Hassert, G. L., High, J. P. The tranquilizing activity of 10-(3-dimethylaminopropyl)-2-(trifluoromethyl)-phenothiazine hydrochloride (MC 4703) and related phenothiazines in animals. [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 136.

Himwich, H. E., Rinaldi, F., Willis, D. An examination of phenothiazine derivatives with comparisons of their effects on the alerting reaction, chemical structure and therapeutic efficacy. [Chlorpromazine: mepazine: NP-207: promazine: promethazine: pyrazithiazine: Wy-1107] *J. Nerv. Ment. Dis.*, 1956, 124: 53-57.

Hosko, M. J., Gore, E. M., Tislow, R., Seifter, J. Taming effect of promazine in the rhesus monkey. [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 153-154.

Nieschulz, O., Hoffmann, I., Popendiker, K. Pharmakologische Untersuchungen über N-Alkyl-piperidyl-phenothiazin-Derivate. [Pharmacological studies of N-alkyl-piperidyl-phenothiazine derivatives.] [English summary] *Arzneimitt. Forsch.*, 1956, 6: 651-660.

—, Popendiker, K., Hoffmann, I. Weitere pharmakologische Untersuchungen über N-Methyl-piperidyl-(3)-methyl-phenothiazin. [Further pharmacological studies of N-methyl-piperidyl-(3)-methyl-phenothiazine] [English summary] *Arzneimitt. Forsch.*, 1955, 5: 680-695.

—, —, Sack, K. H. Pharmakologische Untersuchungen über N-Alkyl-piperidyl-phenothiazin-Derivate. [Pharmacological studies of N-alkyl-piperidyl-phenothiazine derivatives.] *Arzneimitt. Forsch.*, 1954, 4: 232-242.

Studies, normal subjects

Noell, W. K., Chinn, H. I., Haberer, C. E. Electroencephalographic evaluation of the sedative effects of antihistaminic drugs. [promethazine; pyrazithiazine; thiazinamium] *Air Force School of Aviation Medicine, Randolph Air Force Base, Texas*, 1955 (55-35): 1-20.

Studies, patients

Avenarius, R. Zur Wirkungsweise von Rauwolfiaalkaloiden und Phenothiazinderivaten bei Schizophrenen. [Mechanism of action of Rauwolfia alkaloids and phenothiazine derivatives in schizophrenics.] *Nervenarzt*, 1956, 27: 454-458.

Hartmann, K., Hiob, J., Hippius, H. Zur vergleichenden Psychopathologie der Schock- und Phenothiazinwirkung. [Comparative psychodynamics of shock therapy and

phenothiazines.] *Fortsch. Neur. Psychiat.*, 1955, 23: 354-366.

Selbach, C., Selbach, H. Phenothiazinwirkung und somato-psychische Dynamik. [Phenothiazine action and psychosomatic dynamics.] *Nervenarzt*, 1956, 27: 145-149.

Therapeutic use

Begany, A. J., Seifter, J., Pless, H. H., Huber, R. D., Bruce, W. F. Tranquilizing effect of phenothiazines in cats and rabbits. *Fed. Proc., Balt.*, 1956, 15: 399-400.

Himwich, H. E., Rinaldi, F., Willis, D. An examination of phenothiazine derivatives with comparisons of their effects on the alerting reaction, chemical structure and therapeutic efficacy. *J. Nerv. Ment. Dis.*, 1956, 124: 53-57.

Untoward effects [see headnote p. 19]

Fazekas, J. F., Shea, J. G., Ehrmantraut, W. R., Alman, R. W. Convulsant action of phenothiazine derivatives. *J. Am. M. Ass.*, 1957, 165: 1241-1245.

Feldman, P. E. An unusual death associated with tranquilizer therapy. ["with a phenothiazine drug"] *Am. J. Psychiat.*, 1957, 113: 1032-1033. * *

—, Statman, J. Agranulocytosis during treatment with methylpromazine. *Am. J. Psychiat.*, 1957, 114: 464-465.

Hollister, L. E. Complications from the use of tranquilizing drugs. *N. England J. M.*, 1957, 257: 170-177. * *

—, Unexpected asphyxial death and tranquilizing drugs. *Am. J. Psychiat.*, 1957, 114: 366-367. * *

PIPRADROL

Fabing, H. D. The newer analeptic drugs. *Med. Clin. N. America*, 1957, 41: 339-351.

Symposium: Clinical value and limitations of reserpine, meratran, and a "new blocking agent". *Psychiat. Res. Rep., Wash.*, 1955 (1): 105-152. [All articles are listed individually]

Symposium: Physiologic, pharmacologic, neurologic, and psychologic actions of drugs recently introduced in the treatment of psychiatric disorders. *Psychiat. Res. Rep., Wash.*, 1955 (1): 1-51. [Articles within the scope of this bibliography are listed individually]

Pharmacodynamics

Carr, C. J., Kinnard, W. J., Jr. The phrenotropic agents. *Internat. Rec. M.*, 1957, 170: 493-504.

Fabing, H. D. Frenquel, a blocking agent against experimental LSD-25 and mescaline psychosis; preliminary note on its clinical application. *Neurology*, 1955 5: 319-328.

Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818.

Neue Mittel zur Pharmakotherapie der Psychosen? [New drugs for the pharmacotherapy of psychoses?] *Deut. med. Wschr.*, 1955, 80: 1777.

Pipradrol hydrochloride. *J. Am. M. Ass.*, 1956, 160: 390.

Proctor, R. C., Odland, T. Frenquel. *Dis. Nerv. Syst.*, 1956, 17: 25-28. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4539.

Placebo effect see PSYCHOPHARMACA—Evaluation

Studies, animals

Antos, R. J. A preliminary report of clinical studies on a new stimulant. *Arizona M.*, 1954, 11: 397-399.

Brown, B. B., Werner, H. W. Pharmacologic studies on a new central stimulant, α -(2-piperidyl) benzhydrol hydrochloride (MRD-108). *J. Pharm. Exp. Ther.*, 1954, 110: 180-187. Abstract: *Fed. Proc., Balt.*, 1953, 12: 304.

- , Braun, D. L., Feldman, R. G. The pharmacologic activity of alpha-(4-piperidyl)-benzhydrol hydrochloride (azacyclonol hydrochloride); an ataractic agent. *J. Pharm. Exp. Ther.*, 1956, 118: 153-161.
- Himwich, H. E. The effect of frenquel on EEG changes produced by LSD-25 and mescaline. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 19-26.
- Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thiorazine, and meratran. *Psychiat. Res. Rep.*, Wash., 1955 (1): 25-44. Abstract: *Chem. Abstr.*, 1956, 50: 2867gh
- Rinaldi, F., Himwich, H. E. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122: 424-432.
- , —. Drugs affecting psychotic behavior and the function of the mesodiencephalic activating system. *Dis. Nerv. Syst.*, 1955, 16: 133-141. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4566.
- , —. Frenquel corrects certain cerebral electrographic changes. *Science*, 1955, 122: 198-199.
- Studies, normal subjects**
- Antos, R. J. A preliminary report of clinical studies on a new stimulant. *Arizona M.*, 1954, 11: 397-399.
- Begg, W. G. A., Reid, A. A. "Meratran", a new stimulant drug. *Brit. M. J.*, 1956, 1: 946-949.
- Cohen, S. Clinical experiences with pipradrol and a pipradrol-reserpine combination. *Internat. Rec. M.*, 1956, 169: 751-756.
- Fabing, H. D. The newer analeptic drugs. *Med. Clin. N. America*, 1957, 41: 339-351. [p. 344]
- Gottschalk, L. A., Kapp, F. T., Ross, W. D., Kaplan, S. M., Silver, H., MacLeod J. A., Kahn, J. B., Jr., Van Maanen, E. F., Acheson, G. H. Explorations in testing drugs affecting physical and mental activity; studies with a new drug of potential value in psychiatric illness. *J. Am. M. Ass.*, 1956, 161: 1054-1058.
- Kleemeier, R. W., Rich, T. A., Justiss, W. A. The effects of alpha-(2-piperidyl) benzhydrol hydrochloride (meratran) on psychomotor performance in a group of aged males. *J. Geront.*, 1956, 11: 165-170.
- Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thiorazine, and meratran. *Psychiat. Res. Rep.*, Wash., 1955 (1): 25-44. Abstract: *Chem. Abstr.*, 1956, 50: 2867gh.
- Payne, R. B., Moore, E. W. Effects of some analeptic and depressant drugs on tracking behavior. *J. Pharm. Exp. Ther.*, 1955, 115: 480-484. Abstract: *Chem. Abstr.*, 1956, 50: 3632ab.
- Therapeutic studies, controlled**
- Antos, R. J. A preliminary report of clinical studies on a new stimulant. *Arizona M.*, 1954, 11: 397-399.
- Begg, W. G. A., Reid, A. A. "Meratran", a new stimulant drug. *Brit. M. J.*, 1956, 1: 946-949. *
- Cohen, S. Clinical experiences with pipradrol and a pipradrol-reserpine combination. *Internat. Rec. M.*, 1956, 169: 751-756. *
- Daly, D. D., Yoss, R. E. The treatment of narcolepsy with methyl phenolpiperidylacetate: a preliminary report. *Proc. Mayo Clin.*, 1956, 31: 620-625.
- Fabing, H. D. Alpha-(2-piperidyl) benzhydrol hydrochloride, a new central stimulant, in the treatment of blepharospasm, spasmodic torticollis and narcolepsy; preliminary report. *Tr. Am. Neur. Ass.*, 1954, 79th Meeting: 159-163.
- , —. Clinical experience with meratran: a new central nervous system stimulant. *Dis. Nerv. Syst.*, 1955, 16: 10-15.
- , —. Experiencia clínica con meratran; un nuevo estimulante nervioso central. [Clinical experience with meratran; a new central nervous system stimulant.] *Rev. méd. cubana*, 1955, 66: 923-931.
- Gelvin, E. P., McGavack, T. H., Kenigsberg, S. Alpha-(2-piperidyl) benzhydrol hydrochloride (pipradrol) as an adjunct in the dietary management of obesity. *N. York State J. M.*, 1955, 55: 2336-2338.
- , —, Pogge, R. C. Alpha-(piperidyl) benzhydrol hydrochloride (meratran) as an anorexigenic agent in the management of obesity. *Clin. Res. Proc.*, 1955, 3: 40-41.
- Martin, K. E., Overley, H. G., Krone, R. E. Pipradrol: combined therapy for geriatric and agitated patients. *Internat. Rec. M.*, 1957, 170: 33-36. *
- Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thiorazine, and meratran. *Psychiat. Res. Rep.*, Wash., 1955 (1): 25-44. Abstract: *Chem. Abstr.* 1956, 50: 2867gh. *
- Psychoses**
- Fullerton, A. G. Psychiatric uses of meratran. *J. Ment. Sc., Lond.*, 1956, 1052: 801-804.
- Houston, F. Group behaviour in chronic schizophrenics treated with meratran. *Brit. M. J.*, 1956, 1: 949-952. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2084. *
- Le Guillaud, Le syndrome neuroleptique: prévention et traitement. [The neuroleptic syndrome: prevention and treatment.] *Ann. méd. psychol., Par.*, 1957, 115 (1): 329-338.
- Pennington, V. M. A comparative study of six ataraxics in 1130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33: 336-339.
- Rosner, B. S., Fierman, L. B., Kramer, J. F. Clinical evaluation of meratran and frenquel on a chronic psychotic population. *Am. J. Psychiat.*, 1957, 113: 993-996.
- Schut, J. W., Himwich, H. E. The effect of meratran on twenty-five institutionalized mental patients. *Am. J. Psychiat.*, 1955, 111: 837-840.
- Therapeutic use**
- Allin, T. G., Jr., Pogge, R. C. The use of azacyclonol and pipradrol in general practice. *Internat. Rec. M.*, 1956, 169: 222-230.
- Andrén, H. E. Meratran: a new drug proposed as an alternative to shock therapy in depressions. *Clin. Res. Proc.*, 1955, 3: 41.
- , —. Treatment of depression with meratran and electroshock. *Dis. Nerv. Syst.*, 1955, 16: 275-276. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4541.
- Antos, R. J. Meratran. Use of a new antidepressant in internal medicine. *Southwest. M.*, 1955, 36: 166-167.
- , —. Use of an antidepressant in general practice. *Med. Times, Great Neck*, 1955, 83: 612-614.
- Bensoussan, P., Villiaumey, E. M. Note sur les premiers résultats de l'utilisation d'un nouveau médicament dépressolytique: le chlorhydrate de pipradrol. [Note on the first results with the use of a new antidepressive drug: pipradrol chlorhydrate.] *Ann. méd. psychol., Par.*, 1956, 114 (1): 438-443.
- Fabing, H. D. The newer analeptic drugs. *Med. Clin. N. America*, 1957, 41: 339-351. *
- , Hawkins, J. R., Moulton, J. A. Clinical studies on alpha-(2-piperidyl) benzhydrol hydrochloride, a new antidepressant drug. *Am. J. Psychiat.*, 1955, 111: 832-836.
- Forster, W., Henderson, L., Schultz, S. The clinical effects of alpha-(2-piperidyl)-benzhydrol hydrochloride (meratran) in states of inactivity in elderly psychiatric patients. *Canad. M. Ass. J.*, 1955, 72: 678-681. Abstract: *Digest Neurol. Psychiat.*, 1955, 23: 278. *Excerpta med.*, Sect. 8, 1956, 9: No. 2227.

- Kistner, R. W., Duncan, C. J. Use of pipradrol in obstetrics and gynecology. *N. England J. M.*, 1956, 254: 507-510.
- Levy, S. Mild depression states. *Northwest M.*, 1954, 53: 1233-1236.
- Lönnberg, B. Leptidrol (pipradrol), ett nytt psykoanaleptikum. [Leptidrol (pipradrol), a new psychoanaleptic.] *Sven. läk. tidn.*, 1956, 53: 3346-3357.
- Oettinger, L., Jr. Meratran; preliminary report of a new drug for the treatment of behavior disorders in children. *Dis. Nerv. Syst.*, 1955, 16: 229-302.
- Perlstein, I. B. The use of pipradrol in the problems of obesity. *Internat. Rec. M.*, 1957, 170: 55-58.
- Pomeranze, J. A new antidepressant (M. R. D.-108) in geriatrics. [Abstract] *J. Geront.*, 1954, 9: 486.
- Proctor, R. C. A new therapeutic approach to certain cases of alcoholism. *South. M. J.*, 1956, 49: 73-75.
- , Griffin, R. A. Clinical studies on alpha-(2-piperidyl) benzhydrol hydrochloride (meratran) in prophylactic treatment of alcoholism. *Clin. Res. Proc.*, 1955, 3: 149.
- Talley, J. E. Meratran, a new cerebral stimulant: report on the results of clinical investigation. *Psychiat. Res. Rep.*, Wash., 1955 (1): 133-139.

—Additional data

- Bergy, G. A. Drugs of sedation with tranquilizing effects. *Am. Profes. Pharmacist*, 1956, 22: 419; 534-538; 619-621; 709-710; 797-799; 888-889; 917-919. [419; 534-538.]
- Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.
- Cohen, I. M. Drugs recently introduced in the treatment of psychiatric disorders. *Texas J. M.*, 1956, 52: 683-687.
- Fabing, H. D. Adventures in clinical neuropharmacology. *Internat. Rec. M.*, 1956, 169: 115-119.
- , The ataractic drugs; their uses and limitations in psychiatry. *Am. Profes. Pharmacist*, 1956, 22: 413-418.
- Fouks, Laine, François, Pagot. Note sur les médications récentes des états névrotiques anxieux et dépressifs. [Note on recent medications for anxious and depressive neurotic states.] *Ann. méd. psychol.*, Par., 1956, 114 (1): 608-615.
- Fremming, K. H. Medikamenter behandling af synds-sygdomme. [Medical treatment of mental disorders.] *Mskr. prakt. lægegerm.*, Kbh., 1956, 34: 331-342.
- Freyhan, F. A., Turner, P., Stenzler, R. New drug therapies in psychiatry. *Delaware M. J.*, 1956, 28: 180-186.
- Funderburk, W. H., Wilcox, K. W., Wilcox, P. H. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 425-456.
- Graffagnino, P. N., Furr, J. H. New drugs in the treatment of emotional disorders; a review. *Connecticut M. J.*, 1957, 21: 38-43.
- Hagenauer, F., Rudy, L. H., Himwich, H. E. A comparative evaluation of two central system stimulants in severe psychoses. *J. Clin. Exp. Psychopath.*, 1957, 18: 248-257. Condensed as: A comparative study of two central nervous system stimulants, MER-22 and S. K. F. #5, on chronic, blocked and withdrawn psychotic patients. *Am. J. Psychiat.*, 1957, 113: 840.
- Heilbrunn, G. Selection of patients for modern psychiatric pharmacotherapy in general practice. *Northwest M.*, 1956, 55: 1198-1205.
- Hilliard, E. T. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1035-1040.
- Hubbard, O. E., Glasser, J. Newer psychotropic drugs; their characteristics and use in general practice. *Northwest M.*, 1956, 55: 1191-1197.
- Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38 (1): 102-108; 126.

- Kinross-Wright, V. A review of the newer drug therapies in psychiatry. *Dis. Nerv. Syst.*, 1956, 17: 187-190.
- , The uses and limitations of the newer drugs in the treatment of nervous conditions. *Wisconsin M. J.*, 1956, 55: 1073-1078.
- Klingman, W. O. Neurological and psychiatric disorders; some recent advances in therapy. *Virginia M. Month.*, 1956, 83: 240-246.
- Laboucarie, J., Barrès, P., Rascol, A. Aspects principaux des cures neuroplégiques en psychiatrie en 1956. [Principal features of neuroplegic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.
- Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818. Abstract: *Chem. Abstr.*, 1956, 50: 9615b.
- , New mood-changing drugs. *Ohio M. J.*, 1956, 52: 369-373.
- Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.
- Morgan, D. R. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1029-1035.
- New drugs for patients with emotional disorders. *J. Am. M. Ass.*, 1955, 157: 665.
- Stimulants and depressants. *Brit. M. J.*, 1956, 1: 969-970.
- Weinberg, H. B. Drug therapy for the emotionally and mentally disturbed; the internist's point of view. *J. Iowa M. Soc.*, 1957, 47: 17-19.
- Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1956, 112: 526-529.

with AZACYCLONOL

see AZACYCLONOL with PIPRADROL

with CHLORPROMAZINE

see CHLORPROMAZINE with PIPRADROL

with COVATIN—COMPARED

see COVATIN—Pharmacodynamics

with LYSERGIC ACID DIETHYLAMIDE

see LYSERGIC ACID DIETHYLAMIDE with PIPRADROL—INTERACTION
Studies, animals

with MER-22—COMPARED

see MER-22—Studies, animals
Therapeutic studies, controlled

with MEPAZINE—COMBINED

see MEPAZINE with PIPRADROL

with MEPROBAMATE—COMBINED

see MEPROBAMATE with PIPRADROL

with METHYLPHENIDYLACETATE—COMPARED

see MER-22—Studies, animals
METHYLPHENIDYLACETATE with PIPRADROL—COMPARED

with RAUWOLFIA SERPENTINA ALKALOIDS

see RAUWOLFIA SERPENTINA ALKALOIDS with PIPRADROL—COMBINED

with RESERPINE

see RAUWOLFIA SERPENTINA ALKALOIDS with PIPRADROL—COMBINED
RESERPINE with PIPRADROL—COMBINED

with OTHER DRUGS—COMBINED

Begg, W. G. A., Reid, A. A. "Meratran", a new stimulant drug. *Brit. M. J.*, 1956, 1: 946-949.

Martin, K. E., Overley, H. G., Krone, R. E. Pipradrol: combined therapy for geriatric and agitated patients. *Internat. Rec. M.*, 1957, 170: 33-36.

with OTHER DRUGS—COMPARED

Fabing, H. D. The newer analeptic drugs. *Med. Clin. N. America*, 1957, 41: 339-351.

Le Guillant Le syndrome neuroleptique: prévention et traitement. [The neuroleptic syndrome: prevention and treatment.] *Ann. méd. psychol., Par.*, 1957, 115 (1): 329-338.

with SHOCK THERAPY [ECT]

Andrén, H. E. Meratran: a new drug proposed as an alternative to shock therapy in depressions. *Clin. Res. Proc.*, 1955, 3: 41.

— Treatment of depression with meratran and electroshock. *Dis. Nerv. Syst.*, 1955, 16: 275-276. Abstract: *Excerpta méd.*, Sect. 8, 1956, 9: No. 4541.

Laboucarie, J., Barres, P., Rascol, A. Aspects principaux des cures neuroplégiques en psychiatrie en 1956. [Principal features of neuroplegic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.

PRENDEROL

Studies, animals

Funderburk, W. H., Unna, K. R. Site of action of 2,2-diethyl-1,3-propanediol (prenderol) on the central nervous system. *J. Pharm. Exp. Ther.*, 1953, 107: 344-355.

Therapeutic studies, controlled

Mailer, A. B. Effects of mephenesin and prenderol on intellectual functions of mental patients. *J. Clin. Psychol.*, 1954, 10: 283-285.

Selling, L. S. Findings in patients suffering from anxiety states treated with a muscle relaxant. *South. M. J.*, 1953, 46: 1204-1210.

Therapeutic use

Lacchin, R. Osservazioni cliniche sull'impiego di un nuovo farmaco: il prenderol. [Clinical observations on use of a new drug: prenderol.] *Riv. sper. freniat.*, 1952, 76: 649-655.

Perlstein, M. A. Prenderol: a new drug used with retarders in petit mal epilepsy. *Neurology*, 1953, 3: 744-751.

with MEPHENESIN—COMPARED

see PRENDEROL—Studies, animals

Therapeutic studies, controlled

PROCLORPERAZINE

Pharmacodynamics

Studies, animals

see PROCLORPERAZINE—Therapeutic use
[DUCHESNAY]

Studies, normal subjects

Lehmann, H. E., Csank, J. Differential screening of phrenotropic agents in man: psychophysiologic test data. *J. Clin. Exp. Psychopath.*, 1957, 18: 222-235.

Therapeutic use

Broussolle, P., Dubor (Dubon [sic]) P. Premier bilan des effets cliniques d'un nouveau neuroleptique. [First results of a new neuroleptic's clinical effects] [Abstract] *Ann. méd. psychol., Par.*, 1956, 114 (2): 512.

Duchesnay, G. Intérêt du stémétil (6. 140 R. P.) en

thérapeutique. [Stemetil (6140 RP); its place in therapeutics.] *Bull. méd., Par.*, 1957, 71: 13-15.

Fazekas, J. F., Shea, J. G., Ehrmantraut, W. R., Alman, R. W. Convulsant action of phenothiazine derivatives. *J. Am. M. Ass.*, 1957, 165: 1241-1245. *

Lesse, S. An evaluation of prochlorperazine in the ambulatory treatment of psychiatric patients. *Internat. Rec. M.*, 1957, 170: 599-602.

Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquilizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. *GP*, 1957, 15 (6): 97-118.

Vischer, T. J. Clinical study of prochlorperazine, a new tranquilizer for the treatment of nonhospitalized psychoneurotic patients. *N. England J. M.*, 1957, 256: 26-27.

—Additional data

Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747.

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [362; 381] *

Keyes, B. L. Ataraxic drugs. *Pennsylvania M. J.*, 1957, 60: 177-181.

Kline, N. S. Chemotherapy in psychiatry; recent advances. *Seminar Internat., Hoddesdon*, 1956, 5 (2): 7-10.

Senseman, L. A. Tranquilizing drugs; uses and abuses for the nervous patient. *Rhode Island M. J.*, 1956, 39: 675-677; 680; 686.

Tice, L. F. Some important drug developments of 1956. *Am. J. Pharm.*, 1956, 128: 398-409.

Untoward effects [see headnote p. 19]

Hollister, L. E. Complications from the use of tranquilizing drugs. *N. England J. M.*, 1957, 257: 170-177. [p. 172]

— Unexpected asphyxial death and tranquilizing drugs. *Am. J. Psychiat.*, 1957, 114: 366-367. **

with CHLORPROMAZINE—COMPARED

Duchesnay, G. Intérêt du stémétil (6. 140 R. P.) en thérapeutique. [Stemetil (6140 RP); its place in therapeutics.] *Bull. méd., Par.*, 1957, 71: 13-15.

Lehmann, H. E., Csank, J. Differential screening of phrenotropic agents in man: psychophysiologic test data. [chlorpromazine; reserpine; other drugs=depressants; stimulants] *J. Clin. Exp. Psychopath.*, 1957, 18: 222-235.

with RESERPINE—COMPARED

see preceding reference

with OTHER DRUGS—COMPARED

see preceding reference

PROMAZINE

Pharmacodynamics

see also PROMAZINE with PROMETHAZINE—COMPARED—Pharmacodynamics

Fazekas, J. F., Toupin, H., Alman, R. W. Physiologic and pharmacologic basis for the chemotherapy of psychiatric states. *Am. J. Med.*, 1956, 21: 825-831.

Studies, animals

Himwich, H. E., Rinaldi, F., Willis, D. An examination of phenothiazine derivatives with comparisons of their effects on the alerting reaction, chemical structure and therapeutic efficacy. *J. Nerv. Ment. Dis.*, 1956, 124: 53-57.

- Hosko, M. J., Gore, E. M., Tislow, R., Seifter, J. Taming effect of promazine in the rhesus monkey. [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 153-154.
- Lasagna, L., McCann, W. P. Effect of "tranquilizing" drugs on amphetamine toxicity in aggregated mice. *Science*, 1957, 125: 1241-1242.

Studies, patients

- Fazekas, J. F., Shea, J. G., Ehrmantraut, W. R., Alman, R. W. Convulsant action of phenothiazine derivatives. *J. Am. M. Ass.*, 1957, 165: 1241-1245.
- Glotfelty, J. S., Wilson, W. P. Effects of tranquilizing drugs on reticular system activity in man. *North Carolina M. J.*, 1956, 17: 401-405.
- Kurtzke, J. F. Seizures with promazine. Preliminary report. *J. Nerv. Ment. Dis.*, 1957, 125: 119-125.

Therapeutic studies, controlled

- Azima, H., Durost, H. Effects of promazine in mental syndromes. *Canad. M. Ass. J.*, 1957, 76: 442-446. *
- Burdine, W. E., Shipley, T. E., Papas, T. A. Studies on the use of promazine in acute and chronic nervous and mental disturbances. *J. M. Ass. Georgia*, 1957, 46: 171-173.
- Figurelli, F. A. The promazine treatment of alcoholism; a preliminary report. *Indust. M. & S.*, 1956, 25: 376-380.
- Lesse, Sr. An evaluation of promazine hydrochloride in psychiatric practice. *Am. J. Psychiat.*, 1957, 113: 984-987. *
- Mitchell, E. H. Treatment of acute alcoholism with promazine (sparine). *J. Am. M. Ass.*, 1956, 161: 44-45. Condensed: *Am. Practitioner*, 1956, 7: 1798-1799. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 359.
- Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquilizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. *GP*, 1957, 15 (6): 97-118. **
- Smigel, J. O. Mood therapy in the aged. *Med. Times, Great Neck*, 1957, 85: 149-158.

—Neuroses

- Usdin, G. L. Use of promazine in psychiatric practice; an early study. *J. Louisiana M. Soc.*, 1956, 108: 251-257.

—Psychoses

- Barsa, J. A., Kline, N. S. Promazine in chronic schizophrenic patients. *Am. J. Psychiat.*, 1957, 113: 654. *
- Frain, M. K. Promazine treatment of chronic psychoses in 100 hospitalized patients. *J. Nerv. Ment. Dis.*, 1957, 125: 529-533. *
- Mangun, C. W., Webb, W. W. Promazine hydrochloride in the treatment of chronic catatonic schizophrenics. *J. Nerv. Ment. Dis.*, 1956, 123: 553-556. *
- Rudy, L. H., Himwich, H. E., Tasher, D. C. Clinical evaluation of two phenothiazine compounds promazine and mepazine. *Am. J. Psychiat.*, 1957, 113: 979-983. *
- Sibilio, J. P., Andrew, G., Dart, D., Moore, K. B., Stehman, V. A. Treatment of chronic schizophrenia with promazine hydrochloride. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 419-424.

Therapeutic use

- Blackley, R. J. Disappearance of chlorpromazine-induced photosensitivity on substitution of promazine; report on eight cases. *Am. Practitioner*, 1957, 8: 46-47.
- Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [361-62; 395] *
- Fazekas, J. F., Schultz, J. D., Sullivan, P. D., Shea, J. G. Management of acutely disturbed patients with promazine (sparine). *J. Am. M. Ass.*, 1956, 161: 46-49. Condensed: *Am. Practitioner*, 1956, 7: 1807.

—, Shea, J. G., Sullivan, P. D., Jr. Ataractics in medical practice. *GP*, 1956, 14 (6): 75-81.

—, Sullivan, P. D., Schultz, J. D. Use of dimethylamino-n-propylphenothiazine in the management of patients with acute mental disturbances. *Med. Ann. District of Columbia*, 1956, 25: 67-69.

Fox, V. The management of acute alcoholism; experiences with an additional series of 61 cases. *Am. Practitioner*, 1956, 7: 1461-1464.

Lemere, F. Promazine (sparine) in the treatment of psychiatric disorders. *Northwest M.*, 1956, 55: 790-791. *

Plazak, D. J. A case of corticotropic hormone-induced psychosis treated with promazine hydrochloride. *Mil. M.*, 1957, 120: 99-101.

Shea, J. G., Ehrmantraut, W. R., Ticktin, H. E., Sullivan, P. D., Jr., Fazekas, J. F. Use of promazine in the management of medical emergencies. *Mil. M.*, 1956, 119: 221-227. *

—Additional data

- Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747.
- Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.
- Cohen, I. M. Drugs recently introduced in the treatment of psychiatric disorders. *Texas J. M.*, 1956, 52: 683-687.
- Fabing, H. D. The ataractic drugs: their uses and limitations in psychiatry. *Am. Profes. Pharmacist*, 1956, 22: 413-418.
- Feldman, D. J. Drug therapy of chronic alcoholism. *Med. Clin. N. America*, 1957, 41: 381-392.
- Graffagnino, P. N., Furr, J. H. New drugs in the treatment of emotional disorders; a review. *Connecticut M. J.*, 1957, 21: 38-43.
- Gutenkauf, C. Internal medicine. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 59-64.
- Happiness pills in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 57-65.
- Heilbrunn, G. Selection of patients for modern psychiatric pharmacotherapy in general practice. *Northwest M.*, 1956, 55: 1198-1205.
- Hewitt, D. W. Alcoholism, a treatment guide for general practitioners. 112 p. Philadelphia, Lea & Febiger, 1957.
- Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38 (1): 102-108; 126.
- Keyes, B. L. Ataraxic drugs. *Pennsylvania M. J.*, 1957, 60: 177-181.
- Kline, N. S. Chemotherapy in psychiatry; recent advances. *Seminar Internat., Hoddesdon*, 1956, 5 (2): 7-10.
- Ravreby, M. Pharmacology. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 57-59.
- Skobba, J. S. Drugs in the management of emotional conditions. *J. M. Ass. Georgia*, 1956, 45: 397-399.
- Spencer, R. S. The use of ataraxic drugs in mental illness. *Hawaii M. J.*, 1957, 16: 302.
- Tice, L. F. Some important drug developments of 1956. *Am. J. Pharm.*, 1956, 128: 398-409.
- Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1957, 113: 611-615.
- Untoward effects [see headnote p. 19]
- see also PROMAZINE with PROMETHAZINE—COMPARED—Pharmacodynamics
- PHENOTHIAZINES—Untoward effects
- Fazekas, J. F., Shea, J. G., Ehrmantraut, W. R., Alman, R. W. Convulsant action of phenothiazine derivatives. *J. Am. M. Ass.*, 1957, 165: 1241-1245.
- Hollister, L. E. Complications from the use of tranquilizing drugs. *N. England J. M.*, 1957, 257: 170-177.

Kurtzke, J. F. Seizures with promazine. Preliminary report. *J. Nerv. Ment. Dis.*, 1957, 125: 119-125.
 Reinhart, M. J., Silverstein, B. S., Cross, T. N. A case of agranulocytosis following "sparine" administration. *Am. J. Psychiat.*, 1957, 114: 462-463.
 Voegelé, G. E., May, R. H. Epileptiform seizures under promazine therapy; occurrence in two cases without history of former seizures. *Am. J. Psychiat.*, 1957, 113: 655-656.

with ATARAXICS [2 or more]

see ATARAXICS—Various [3 or more]—Compared

with CHLORPROMAZINE—COMPARED

see CHLORPROMAZINE with PROMAZINE

with MEPAZINE

see MEPAZINE with PROMAZINE—COMPARED

with MEPROBAMATE

see MEPROBAMATE with PROMAZINE

with METHYLPHENIDYLACETATE—COMBINED

Kurtzke, J. F. Seizures with promazine. Preliminary report. *J. Nerv. Ment. Dis.*, 1957, 125: 119-125. *

with PROMETHAZINE—COMPARED

Pharmacodynamics

Shea, J. G., Ehrmantraut, W. R., Ticktin, H. E., Sullivan, P. D., Jr., Fazekas, J. F. Use of promazine in the management of medical emergencies. *Mil. M.*, 1956, 119: 221-227.

with RESERPINE—COMBINED

Kurtzke, J. F. Seizures with promazine. Preliminary report. *J. Nerv. Ment. Dis.*, 1957, 125: 119-125.

with RESERPINE—COMPARED

Therapeutic studies, controlled

Frain, M. K. Promazine treatment of chronic psychoses in 100 hospitalized patients. *J. Nerv. Ment. Dis.*, 1957, 125: 529-533.

Therapeutic use

Lemere, F. Promazine (sparine) in the treatment of psychiatric disorders. *Northwest M.*, 1956, 55: 790-791.

with OTHER DRUGS—COMBINED

Studies, patients

Fazekas, J. F., Shea, J. G., Ehrmantraut, W. R., Alman, R. W. Convulsive action of phenothiazine derivatives. [metrazol] *J. Am. M. Ass.*, 1957, 165: 1241-1245.

with SHOCK THERAPY [ECT]—COMBINED

Usdin, G. L. Use of promazine in psychiatric practice; an early study. *J. Louisiana M. Soc.*, 1956, 108: 251-257.

with SHOCK THERAPY [ECT]—COMPARED

Frain, M. K. Promazine treatment of chronic psychoses in 100 hospitalized patients. *J. Nerv. Ment. Dis.*, 1957, 125: 529-533.

PROMETHAZINE

Lytic cocktail

see CB-1522—Cocktail

CHLORPROMAZINE—Various special techniques
 MEPAZINE—Cocktail

Pharmacodynamics

Decourt, P. Mécanisme d'action de la thérapeutique narcobiotique en général, et de la chlorpromazine en particulier, en psychiatrie. [Mechanism of action of narcobiotic psychiatric therapy in general, and of chlorpromazine in particular.] *Encéphale*, 1956, 45: 932-944.
 Gäde, E. B., Heinrich, K. Die Bedeutung der Phenothiazinderivate, insbesondere des Megaphen, für Psychiatrie und Neurologie. [The importance of phenothiazine derivatives in psychiatry and neurology, with special reference to chlorpromazine.] *Fortsch. Neur. Psychiat.*, 1955, 23: 323-353.

Kuschinsky, G. Wichtige neue Arzneimittel. [Important new drugs.] *Deut. med. Wschr.*, 1954, 79: 1375-1376.

Martí-Ibáñez, F., Sackler, A. M., Sackler, M. D., Sackler, R. R. The challenge of bio- and chemotherapy in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 15-18. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 975.

Mashkovskii, M. D. [The pharmacologic properties of aminazine and of other compounds of the phenothiazine order.] *Zh. nevropat. psikhiat.*, Moskva, 1956, 56: 81-93. Abstract: *Chem. Abstr.*, 1956, 50: 17174e.

Promethazine hydrochloride. *J. Am. M. Ass.*, 1956, 161: 457-458.

Rösner, K. Therapeutische Anwendung der zentral-nervösen Wirkung einiger Phenothiazinderivate in der Allgemeinmedizin. [Therapeutic use of effects of various phenothiazine derivatives on central nervous system in general practice.] *Med. Mschr.*, 1956, 10: 719-723.

Tice, L. F. Some important drug developments of 1956. *Am. J. Pharm.*, 1956, 128: 398-409.

Viaud, P. Les amines dérivées de la phénothiazine. [The amino-derivatives of phenothiazine.] *J. Pharm.*, Lond., 1954, 6: 361-389.

Studies, animals

Baruk, H., Launay, J., Bergès, J. Physiologie psychiatrique expérimentale de la chlorpromazine chez les animaux et ses applications thérapeutiques chez l'homme. [Experimental psychopharmacology of chlorpromazine in animals and its therapeutic applications in man.] *Encéphale*, 1956, 45: 1258-1263.

Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 25-37.

—. Sur les propriétés pharmacodynamiques de la chlorpromazine en rapport avec son emploi en psychiatrie. [Pharmacodynamic basis for the use of chlorpromazine in psychiatry.] *Encéphale*, 1956, 45: 1248-1257.

Guareschi, A., Cazzullo, C. L. Sull'azione centrale del fargan: analisi sintomatologica ed elettroencefalografica. [The central action of fargan: symptomatic and electroencephalographic analysis.] [English summary.] *Acta neur.*, Nap., 1954, 9: 274-293.

Himwich, H. E., Rinaldi, F., Willis, D. An examination of phenothiazine derivatives with comparisons of their effects on the alerting reaction, chemical structure and therapeutic efficacy. *J. Nerv. Ment. Dis.*, 1956, 124: 53-57.

Nathan, P., Aprison, M. H., Himwich, H. E. Effect of some centrally acting drugs on compulsive circling. *Proc. Soc. Exp. Biol.*, N. Y., 1955, 90: 364-367. Abstract: *Chem. Abstr.*, 1956, 50: 3632cd.

Rinaldi, F., Himwich, H. E. The site of action of anti-parkinson drugs. *Confinia neur.*, Basel, 1955, 15: 209-224. Abstract: *Am. J. Physiol.*, 1954, 179: 665. *Excerpta med.*, Sect. 8, 1956, 9: No. 3616.

Votava, Z., Vaněček, M. The influence of some antihistaminics and neuroplegics on the higher nervous activity of rats and dogs. *Physiol. bohém.*, 1956, 5 (Suppl.): 58-62.

Walaszek, E. J., Abood, L. G. Effect of tranquilizing drugs on fighting response of Siamese fighting fish. *Science*, 1956, 124 : 440-441.

Weidmann, H., Petersen, P. V. Farmakologisk undersøgelse af Covatin, et nyt stoff med sedativ virkning. [Pharmacological investigation of covatin, a new substance with sedative action.] [English summary] *Ugeskr. læger*, 1955, 117 : 378-381.

—, —. A new group of potent sedatives. *J. Pharm. Exp. Ther.*, 1953, 108 : 201-216.

Studies, normal subjects

Noell, W. K., Chinn, H. I., Haberer, C. E. Electroencephalographic evaluation of the sedative effects of antihistaminic drugs. *Air Force School of Aviation Medicine, Randolph Air Force Base, Texas*, 1955 (55-35) : 1-20.

Payne, R. B., Moore, E. W. Effects of some analeptic and depressant drugs on tracking behavior. *J. Pharm. Exp. Ther.*, 1955, 115 : 480-484. Abstract : *Chem. Abstr.*, 1956 50 : 3632ab.

Studies, patients

see PHENOTHIAZINES—Studies, patients

Therapeutic studies, controlled

Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56 : 2791-2795.

Fox, V. Treatment of withdrawal symptoms in the management of alcoholism. *J. M. Ass. Georgia*, 1956, 45 : 139-142.

Samuels, A. S. Phenergan in treatment of psychiatric patients. *Dis. Nerv. Syst.*, 1957, 18 : 183-188.

Tolan, E. J., Olariu, J. Treatment of parkinsonism. Preliminary report on use of promethazine in 12 cases. *Am. J. Psychiat.*, 1957, 114 : 518-523.

Therapeutic use

Boittelle, G., Boittelle-Lentulo, C. Quelques remarques sur l'action du 3277 R. P. chez les malades mentaux. [Effect of 3277 R. P. on mental patients.] *Ann. méd. psychol., Par.*, 1952, 110 (2) : 295-296.

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernotherapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46 : 281-398. [361 ; 379 ; 385]

Hedqvist, H. Några erfarenheter av promethazinklorid som sedativum och hypnoticum. [Experience with promethazine chloride as sedative and hypnotic.] *Sven. läk. tidn.*, 1954, 51 : 1286-1297.

Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38 (1) : 102-108 ; 126.

Klingman, W. O. Neurological and psychiatric disorders; some recent advances in therapy. *Virginia M. Month.*, 1956, 83 : 240-246.

Leiberman, D. M., Vaughan, G. F. Tranquillizers. *Practitioner, Lond.*, 1956, 177 : 632-638.

Morgan, D. R. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1) : 1029-1035.

Roeder, F. D. Letter from Germany. *Am. J. Psychiat.*, 1956, 113 : 506-509.

—Neuroses

Erwin, H. J. Clinical observations on the use of promethazine hydrochloride in psychiatric disorders. *Am. J. Psychiat.*, 1957, 113 : 783-787.

Jacobowsky, B. Experiences from clinical psychiatry, with special reference to general and methodological viewpoints. *Acta psychiat. neur. scand.*, 1952, Suppl. 80 : 86-101.

Martin, G. Über die sedativen Eigenschaften des Antihistaminicums Atosil. [The sedative qualities of the antihistaminic atosil.] *Ther. Gegenwart*, 1953, 92 : 338-340.

Shorvon, H. J. Drug therapy in psychiatry. *Practitioner, Lond.*, 1955, 175 : 161-169.

—Psychoses

Guiraud, P. Discussion to: Hamon, Paraire, Velluz. Remarques sur l'action du 4560 R. P. sur l'agitation maniaque. [Effect of R. P. 4560 on manic agitation.] *Ann. méd. psychol., Par.*, 1952, 110 (1) : 335.

Lundquist, G., Leche, H. G. Några erfarenheter av lergiganbehandling vid psykos. [Experiences with lergigan therapy of psychoses.] *Sven. läk. tidn.*, 1954, 51 : 1402-1412. Abstract : *Excerpta med.*, Sect. 8, 1955, 8 : No. 1793.

Rigal. Traitement de la manie et des états d'hyperthyrie par le 3277 R. P. (phénergan). [Phenergan therapy of mania and hyperthyroid conditions.] *J. méd. Bordeaux*, 1952, 129 : 899-901.

—Psychosomatic diseases

Bente, D. Zur Wirkung des Phenothiazinkörpers Atosil auf das Schmerzgeschehen. [Effect of the phenothiazine derivative atosil on pain.] *Arch. exp. Path., Berl.*, 1954, 222 : 71-73.

Guilly, P. Formes cliniques et traitement de l'insomnie. [Clinical forms and treatment of insomnia.] *Rev. prat., Par.*, 1954, 4 : 1571-1581.

Haggenmüller, F. Atosil-Sirup in der Kinderheilkunde. [Atosil elixir in pediatrics.] *Med. Klin., Berl.*, 1952, 47 : 320-321.

Kleinsorge, H., Rösner, K. Schlaftherapie mit Phenothiazinderivaten. [Sleep therapy with phenothiazine derivatives.] *Ther. Gegenwart*, 1956, 95 : 441-446.

Korting, G. W., Borelli, S., Kimmig, J. Welche Bedeutung besitzen die Phenothiazine für die Behandlung von Hautkrankheiten? [Of what significance are phenothiazines in the treatment of skin diseases?] *Derm. Wschr.*, 1956, 134 : 1245-1252.

Scholten, C. Über besondere therapeutische Eigenschaften des Antihistaminicums Atosil. [Special therapeutic qualities of the antihistaminic atosil.] *Med. Mschr.*, 1953, 7 : 552-554.

Untoward effects [see headnote p. 19]

Löfgren, B. Sedativa och hypnotica. [Sedatives and hypnotics.] [Brief English summary] *Nord. med.*, 1955, 53 : 220-222.

Niedermeyer, E. Über einen Fall von akuter halluzinatorischer Psychose durch Phenerganvergiftung. [A case of acute hallucinatory psychosis caused by phenergan poisoning.] *Klin. Med., Wien*, 1956, 11 : 280-284. Abstract : *Excerpta med.*, Sect. 8, 1957, 10 : No. 872.

Oulès, J., Salles, P., Soubrié, R. Tentative de suicide au phénergan. [Attempted suicide with phenergan.] *Ann. méd. psychol., Par.*, 1956, 114(1) : 271-273.

with ATARAXICS [2 or more]

see ATARAXICS—Various [3 or more]

with CB-1522 and OTHER DRUGS—COMBINED

see CB-1522—Cocktail

with CHLORPROMAZINE—COMBINED

see CHLORPROMAZINE—Various special techniques

with CHLORPROMAZINE—COMPARED

see CHLORPROMAZINE with PROMETHAZINE—COMPARED

with CHLORPROMAZINE and OTHER DRUGS—COMBINED

see CHLORPROMAZINE—Various special techniques

with COVATIN—COMPARED

see PROMETHAZINE—Pharmacodynamics [DECOURT]
Studies, animals [WEIDMANN—PETERSEN]

with MEPAZINE and OTHER DRUGS—COMBINED

see MEPAZINE—Cocktail

with MESCALINE—INTERACTION

see MESCALINE with PROMETHAZINE

with N-OBLIVON—COMPARED

see N-OBLIVON—Studies, animals

with NP-207—COMBINED

see NP-207 with CHLORPROMAZINE—COMBINED

with PROMAZINE—COMPARED

see PROMAZINE with PROMETHAZINE

with RP-6549—COMPARED see RP-6549

with RAUWOLFIA SERPENTINA ALKALOIDS—COMPARED

Erwin, H. J. Clinical observations on the use of promethazine hydrochloride in psychiatric disorders. *Am. J. Psychiat.*, 1957, 113: 783-787.

with OTHER DRUGS—COMBINED

Studies, animals

Guareschi, A., Cazzullo, C. L. Sull'azione centrale del fargan: analisi sintomatologica ed elettroencefalografica. [The central action of fargan: symptomatic and electroencephalographic analysis.] [English summary] [meperidine] *Acta neur., Nap.*, 1954, 9: 274-293.

Schmiterlów, C. G., Hedqvist, H. Cetiproman, ett nytt preparat för psykiatriskt bruk. [Cetiproman, a new preparation for psychiatric use.] *Sven. läk. tidn.*, 1955, 52: 2318-2326.

Therapeutic studies, controlled

Kellner, H. Klinische Erfahrungen mit einem neuen phenothiazinhaltigen Schlafmittel. [Clinical experiences with a new phenothiazine-containing soporific.] [Adalat] *Med. Klin., Berl.*, 1956, 51: 728-729.

Nitsch, W., Thein, K. Klinische Erfahrungen mit dem neuen Schlafmittel Doroma. [Clinical experiences with the new sedative Doroma.] [Adalat] *Ther. Gegenwart*, 1956, 95: 264.

Therapeutic use

Demay, G., Montremy, J. de, Mises, R. Les curarissants par voie rectale en psychiatrie. [Rectal administration of curare-like drugs in psychiatry.] *Ann. méd. psychol., Par.*, 1953, 111 (1): 660-665.

Schmiterlów, C. G., Hedqvist, H. Cetiproman, ett nytt preparat för psykiatriskt bruk. [Cetiproman, a new preparation for psychiatric use.] *Sven. läk. tidn.*, 1955, 52: 2318-2326.

Seabra-Dinis, J. A terapêutica pelo sono prolongado. [Prolonged sleep therapy.] *J. méd., Porto*, 1954, 23: 233-251.

Seyffert, H. M., Strubel, H. Klinische Erfahrungen mit dem Schlafmittel und Tagessedativum Doroma. [Clinical experience with doroma, a hypnotic and diurnal sedative.] [Adalat] *Medizinische*, 1956, 2: 997-999.

Williams, E. L. The management of the chronic alcoholic. [with disulfiram] *Postgrad. M. J., Lond.*, 1954, 30: 626-630.

—Psychoses

Ey, H., Bérard, E. Les nouvelles techniques de cure de sommeil dans la pratique psychiatrique. [New techniques of sleep therapy in psychiatric practice.] *Evolut. psychiat.*, 1952: 661-682.

Gallian, U., Gamna, G. Primi tentativi di terapia di sindromi amenziali con preparati derivati dalle tecniche della "ipotensione controllata" e della "ibernazione artificiale"; nota preliminare. [First attempts to treat the syndrome of amnesia with drugs derived from the techniques of "controlled hypotension" and "artificial hibernation"; preliminary note.] *Minerva med., Tor.*, 1953, 44: 357-360.

Golse, J. Le traitement du délire aigu par l'hibernation. [Hibernotherapy of acute delirium.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 731-734.

Laborit, H., Coirault, R., Damasio, R., Gaujard, R., Laborit, G., Charonnat, R., Lechat, P., Charetton, J. Sur un type nouveau d'anesthésie chirurgicale et sur l'emploi en thérapeutique d'un dépressur du cortex cérébral (S. C. T. Z.) [A new type of surgical anesthesia and the therapeutic use of a cerebral cortex depressant (S. C. T. Z.) [thiamine hydrochloride] *Presse méd.*, 1957, 65: 1051-1054.

Lacroix-Herpin, M. P. de Cure de sommeil dans les hallucinations. [Sleep therapy in hallucinations.] 60 p. Paris, 1954. [Thesis—Paris, 1954, no. 248]

Rives, Ménager, V. Neuroplégie et delirium tremens. [Neuroplegic therapy and delirium tremens.] *Anesthésie, Par.*, 1953, 10: 450-453.

—Psychosomatic diseases

Lundy, J. S. Modern technics for the relief of pain. [+ethchlorvynol] *J. Lancet*, 1957, 77: 32-37.

Zettl, G. Zur Therapie der Schlafstörungen. [Therapy of sleep disorders.] [Adalat] *Ther. Gegenwart*, 1956, 95: 455-456.

with INTERMITTENT PHOTIC STIMULATION

Studies, patients

Leroy, C., Sigwald, J. Les myoclonies et épilepsies apparaissant chez certains malades au cours de l'administration de la chlorpromazine. [Myoclonias and epileptic convulsions occurring in some patients during chlorpromazine therapy.] *Encéphale*, 1956, 45: 904-909.

PSYCHOPHARMACA

see also ATARAXICS

PSYCHOTOMIMETICS
STIMULANTS

Cole, J. O., Ross, S., Bouthilet, L. Recommendations for reporting studies of psychiatric drugs. [Conference held in Washington, D. C., January 1957] *Pub. Health Rep.*, 1957, 72: 638-645.

An evaluation of the newer pharmacologic agents and their role in current psychiatric practice. *Psychiat. Res. Rep., Wash.*, 1956 (4): 1-129. [Symposium; articles within the scope of this bibliography are listed individually]

Gerard, R. W. Drugs for the soul; the rise of psychopharmacology. [Includes report on conference on the "Evaluation of pharmacotherapy in mental illness" held in Washington, D. C., September 1956] *Science*, 1957, 125: 201-203.

Himwich, H. E., ed. Tranquilizing drugs. 197 p. [Symposium held in Atlanta, Georgia, December 1955] Washington, *Am. Ass. Adv. Sc.*, 1957. [Articles within the scope of this bibliography are listed individually]

Kline, N. S., ed. Psychopharmacology. 165 p. [Symposium held in Berkeley, Calif., December 1954] Washington, *Am. Ass. Adv. Sc.*, 1956. [Articles within the scope of this bibliography are listed individually.]

McIlwain, H. Chemotherapy and the central nervous system. 328 p. Boston, *Little, Brown & Company*, 1957.

Pharmacologic products recently introduced in the treatment of psychiatric disorders. *Psychiat. Res. Rep., Wash.*, 1955 (1): 1-152. [Symposium; articles within the scope of this bibliography are listed individually]

The pharmacology of psychotomimetic and psychotherapeutic drugs. [Conference held in New York, April

1956] *Ann. N. York Acad. Sc.*, 1957, 66: 415-840. [Articles within the scope of this bibliography are listed individually]
Symposium on tranquilizing agents in clinical medicine. *Internat. Rec. M.*, 1956, 169: 177-232. [All articles are listed individually]
Symposium: The role of drug therapies in current and future psychiatric practice. *Psychiat. Res. Rep.*, Wash., 1956 (4): 95-129.

Bibliographies and literature surveys

Green, A. Actualités thérapeutiques 1955 en psychiatrie. [Therapeutic progress in psychiatry in 1955.] *Encéphale*, 1956, 45: 172-200.
Wikler, A. The relation of psychiatry to pharmacology. 322 p. Baltimore, *Williams & Wilkins* [for the American Society for Pharmacology and Experimental Therapeutics] 1957.
Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1957, 113: 611-615.

Evaluation

see also ATARAXICS—*Psychosocial considerations*

Abramson, H. A., Jarvik, M. E., Levine, A., Kaufman, M. R., Hirsch, M. W. Lysergic acid diethylamide (LSD-25): XV. The effects produced by substitution of a tap water placebo. *J. Psychol., Provincet.*, 1955, 40: 367-383.
Alexander, L. Objective approaches to treatment in psychiatry. *Canad. Psychiat. Ass. J.*, 1957, 2: 77-94.
Allen, A., Mackinnon, H. L. Response to wonder drugs. *Dis. Nerv. Syst.*, 1956, 17: 262-263.
Altschule, M. D. Use of chlorpromazine and reserpine in mental disorders. *N. England J. M.*, 1956, 254: 515-519.
Baker, A. A., Thorpe, J. C. Deteriorated psychotic patients—their treatment and its assessment. *J. Ment. Sc., Lond.*, 1956, 102: 780-789.
 —, —. Placebo response. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 57-60.
Batterman, R. C. The evaluation of sedatives. *J. Am. Geriat. Soc.*, 1956, 4: 172-176.
Bazzi, T. Reserpina e psicoterapia. [Reserpine and psychotherapy.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 675-681.
Chertok, L. A propos de l'emploi de médicaments neuroleptiques dans le traitement des psychonévroses. [Neuroleptic drugs in the treatment of psychoneuroses.] *Encéphale*, 1956, 45: 705-706.
Clark, L. D. Evaluation of the therapeutic effects of drugs in psychiatric patients. *Dis. Nerv. Syst.*, 1956, 17: 282-286.
Cole, J. O., Ross, S., Bouthilet, L. Recommendations for reporting studies of psychiatric drugs. [Conference held in Washington, D. C., January 1957] *Pub. Health Rep.*, 1957, 72: 638-645.
Di Mascio, A., Suter, E., Hyde, R. W., Greenblatt, M. Physiological effects of L. S. D.; report of a detailed investigation in one subject. *Psychiat. Q.*, 1957, 31: 57-71.
Feldman, P. E. The personal element in psychiatric research. *Am. J. Psychiat.*, 1956, 113: 52-54.
Fischer, H. K., Dlin, B. M. The dynamics of placebo therapy; a clinical study. *Am. J. M. Sc.*, 1956, 232: 504-512.
Gerard, R. W. Drugs for the soul; the rise of psychopharmacology. [Includes report on conference on the "Evaluation of pharmacotherapy in mental illness" held in Washington, D. C., September 1956] *Science*, 1957, 125: 201-203.
Gliedman, L. H., Gantt, W. H., Teitelbaum, H. A. Some implications of conditional reflex studies for placebo research. *Am. J. Psychiat.*, 1957, 113: 1103-1107.
Gore, C. P., Egan, G. P., Walton, D. The place of reserpine in the treatment of the chronic psychotic patient. *Am. J. Psychiat.*, 1957, 114: 333-337.

Gottschalk, L. A., Kapp, F. T., Ross, W. D., Kaplan, S. M., Silver, H., MacLeod, J. A., Kahn, J. B., Jr., Van Maanen, E. F., Acheson, G. H. Explorations in testing drugs affecting physical and mental activity; studies with a new drug of potential value in psychiatric illness. *J. Am. M. Ass.*, 1956, 161: 1054-1058.
Hampson, J. L., Rosenthal, D., Frank, J. D. A comparative study of the effect of mephenesin and placebo on the symptomatology of a mixed group of psychiatric outpatients. *Bull. Johns Hopkins Hosp.*, 1954, 95: 170-177. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2662.
Held, R. Sur la chlorpromazine et les médicaments neuroleptiques; incidences psychothérapeutiques. [Chlorpromazine and neuroleptic drugs; psychotherapeutic incidences.] *Encéphale*, 1956, 45: 1000-1004.
Heller, G. C., Walton, D., Black, D. A. Meprobamate in the treatment of tension states. *J. Ment. Sc., Lond.*, 1957, 103: 581-588.
Hes, J. P., Bracha, S. The influence of reserpine on a disturbed male ward and a method for assessing this. *J. Ment. Sc., Lond.*, 1956, 102: 546-549.
Hoffer, A. Experimental pharmacodynamics and psychobiology. *J. Clin. Exp. Psychopath.*, 1956, 17: 376-377.
Houde, R. W., Wallenstein, S. L. Clinical aspects of the evaluation of analgesics. *J. Am. Geriat. Soc.*, 1956, 4: 167-171.
Kline, N. S. Relation of psychiatry to the pharmaceutical industry. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 611-615.
Lomas, J. Tranquillizing drugs in psychoneurosis. *Brit. M. J.*, 1957, 2: 238.
Meath, J. A., Feldberg, T. M., Rosenthal, D., Frank, J. D. Comparison of reserpine and placebo in treatment of psychiatric outpatients. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 207-214.
Mielke, F. A. Methods employed and results obtained in psychiatric studies with new drugs acting on the brain stem. *Am. J. Psychiat.*, 1957, 114: 134-139.
New drugs for patients with emotional disorders. *J. Am. M. Ass.*, 1955, 157: 665.
Osmond, H. Research on schizophrenia. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the second conference, May 1955, Princeton, N. J.* New York, *Josiah Macy, Jr. Foundation*, 1956. p. 183-233.
Rashkis, H. A., Smarr, E. R. Drug and milieu effects with chronic schizophrenics. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 89-94.
 —, —. Psychopharmacotherapeutic research; a triadistic approach. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 202-209.
"Rose is a rose is a rose is a rose" *Psychiat. Q.*, 1957, 31: 346-361.
Rosenthal, D., Frank, J. D. Psychotherapy and the placebo effect. *Psychol. Bull.*, 1956, 53: 294.
Roth, M. In: Symposium on tranquilizers. *Brit. M. J.*, 1957, 2: 221.
Sabshin, M., Ramot, J. Pharmacotherapeutic evaluation and the psychiatric setting. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 362-370.
Sainz, A., Bigelow, N., Barwise, C. On a methodology for the clinical evaluation of phrenopraxic drugs. *Psychiat. Q.*, 1957, 31: 10-16.
Schrut, A. H. Controlled study on clinical use of reserpine in psychotic patients with special comments on source of error. *J. Nerv. Ment. Dis.*, 1955, 122: 513-517.
Symposium on the evaluation of pharmacologic agents in psychiatry. *J. Clin. Exp. Psychopath.*, 1957, 18: 221-283. [Articles within the scope of this bibliography are listed individually]
Thorpe, J. G., Baker, A. A. A research method to assess a new tranquilizing drug. *J. Ment. Sc., Lond.*, 1956, 102: 790-795.
Tranquilizers. *Nebraska M. J.*, 1956, 41: 417.
West, L. J. Problems in measuring the effects of drugs on emotions. *Psychiat. Res. Rep., Wash.*, 1955 (1): 45.

Whitman, R. M., Lipton, M. A., Kavan, E. Rauwiloid and preoperative anxiety; a double blind placebo study. *Q. Bull. Northwest Univ. M. School*, 1956, 30: 170-174.

Wikler, A. The relation of psychiatry to pharmacology. 322 p. Baltimore, *Williams & Wilkins* [for the American Society for Pharmacology and Experimental Therapeutics] 1957.

Wolf, S. The evaluation of therapeutic agents, with special reference to the tranquilizing drugs. 23 p. Washington. *Am. Psychiat. Ass. Mental Hospital Service* [Monograph series (2)] 1957.

—, Pinsky, R. Effects of placebo administration and occurrence of toxic reactions. *J. Am. M. Ass.*, 1954, 155: 339-341.

Pharmacodynamics

Bazzi, T. Reserpina e psicoterapia. [Reserpine and psychotherapy.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 675-681.

Boor, W. de. Pharmakopsychologie und Psychopathologie. [Psychopharmacology and psychopathology.] 291 p. Berlin, *Springer*, 1956.

Carr, C. J., Kinnard, W. J., Jr. The phrenotropic agents. *Internat. Rec. M.*, 1957, 170: 493-504.

Fabing, H. D. The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drug & Cosmet. Indust.*, 1956, 78: 32-33; 125-129.

Himwich, H. E. Prospects in psychopharmacology. *J. Nerv. Ment. Dis.*, 1955, 122: 413-423. Also: *Dis. Nerv. Syst.*, 1956, 17: 109-116.

—, Viewpoints obtained from basic and clinical symposia on tranquilizing drugs. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 183-192.

Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818. Abstract: *Chem. Abstr.*, 1956, 50: 9615b.

—, Introductory note [to symposium on tranquilizing drugs, Atlanta, Georgia, December 1955] In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 1-5.

Mayer-Gross, W. A survey of the pharmacological possibilities in psychiatry. *Encéphale*, 1956, 45: 307-312.

Rinkel, M. Summary of papers on drugs affecting behavior. *J. Nerv. Ment. Dis.*, 1955, 122: 496-497.

Tedeschi, G. F. Psicoterapia e farmacoterapia. [Psychotherapy and pharmacotherapy.] *Arch. psicol. neur., Milano*, 1956, 17: 682-684.

Placebo effect see **PSYCHOPHARMACA—Evaluation**

Psychosocial considerations

see **ATARAXICS—Psychosocial considerations**

Terminology

Gerard, R. W. Drugs for the soul; the rise of psychopharmacology. *Science*, 1957, 125: 201-203.

Himwich, H. E. Prospects in psychopharmacology. *J. Nerv. Ment. Dis.*, 1955, 122: 413-423. Also: *Dis. Nerv. Syst.*, 1956, 17: 109-116.

Kety, S. S. The conference and its aim. *Ann. N. York Acad. Sc.*, 1957, 66: 417.

Puca, A. Ibernoterapia, sonno prolungato e neuroplegici in terapia psichiatrica. [Hibernation, prolonged sleep and neuroplegic drugs in psychiatric treatment.] *Rass. internaz. clin. ter.*, 1955, 35: 805-809. ["psicofarmaci" p. 809]

Rinkel, M. Experimentally induced psychoses in man. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the second conference, May 1955, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1956. p. 235-258. [p. 240-41]

"Rose is a rose is a rose is a rose" *Psychiat. Q.*, 1957, 31: 346-361.

Sainz, A., Bigelow, N., Barwise, C. On a methodology for the clinical evaluation of phrenopraxic drugs. *Psychiat. Q.*, 1957, 31: 10-16.

PSYCHOTOMIMETICS

see also **PSYCHOPHARMACA**

individual psychotomimetics

cf. **DRUG INDEX: PSYCHOTOMIMETICS**

Abramson, H. A., ed. *Neuropharmacology*. Transactions of the second conference, May 1955, Princeton, N. J. 328 p. Transactions of the third conference, May 1956, Princeton, N. J. 381 p. New York, *Josiah Macy, Jr. Foundation*, 1956; 1957. [Articles within the scope of this bibliography are listed individually]

Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. 85 p. [Round table at American Psychiatric Association annual meeting held in Atlantic City, N. J., May 1955] New York, *Grune & Stratton*, 1956. [Articles within the scope of this bibliography are listed individually]

Cole, J. O., Ross, S., Bouthilet, L. Recommendations for reporting studies of psychiatric drugs. [Conference held in Washington, D. C., January 1957] *Pub. Health Rep.*, 1957, 72: 638-645.

Denber, H. C. B., Rinkel, M., ed., Psychodynamic and therapeutic aspects of mescaline and lysergic acid diethylamide. [Round table at American Psychiatric Association annual meeting held in Chicago, Ill., May 1956] *J. Nerv. Ment. Dis.*, 1957, 125: 423-451. [Preface p. 423-424; Summary of discussion p. 450-451] [All articles are listed individually]

Gerard, R. W. Drugs for the soul; the rise of psychopharmacology. *Science*, 1957, 125: 201-203.

Kline, N. S., ed. *Psychopharmacology*. 165 p. [Symposium held in Berkeley, Calif., December 1954] Washington, *Am. Ass. Adv. Sc.*, 1956. [Articles within the scope of this bibliography are listed individually.]

The pharmacology of psychotomimetic and psychotherapeutic drugs. [Conference held in New York, April 1956] *Ann. N. York Acad. Sc.*, 1957, 66: 415-840. [Articles within the scope of this bibliography are listed individually]

Symposium: Physiologic, pharmacologic, neurologic, and psychologic actions of drugs recently introduced in the treatment of psychiatric disorders. *Psychiat. Res. Rep., Wash.*, 1955 (1): 1-51. [Articles within the scope of this bibliography are listed individually]

Symposium: The neurophysiology and neuropharmacology of the new drugs. *Psychiat. Res. Rep., Wash.*, 1956 (4): 1-34. [Articles within the scope of this bibliography are listed individually]

Wikler, A. The relation of psychiatry to pharmacology. 322 p. Baltimore, *Williams & Wilkins* [for the American Society for Pharmacology and Experimental Therapeutics] 1957.

Compared

see [Psychotomimetic] with [Psychotomimetic]

Compared

PSYCHOTOMIMETICS—Various [3 or more]

Compared

Intoxication—History

see also **PSYCHOTOMIMETICS—Studies, normal subjects**

Fabing, H. D. Experimental psychoses which mimic schizophrenia. *Nebraska M. J.*, 1956, 41: 455-459.

—, On going berserk: a neuro-chemical inquiry. *Am. J. Psychiat.*, 1956, 113: 409-415.

Martí-Ibáñez, F. The historical and philosophic background of psychobiology. *J. Clin. Exp. Psychopath.*, 1956, 17: 360-369.

Pharmacodynamics

- Callaway, S., III. On the production of hallucinated and psychosis-like states. *Ann. Int. M.*, 1955, 42: 721-728.
- Carr, C. J., Kinnard, W. J., Jr. The phrenotropic agents. *Internat. Rec. M.*, 1957, 170: 493-504.
- The chemical concept of psychoses. *What's new*, 1955 (189): 3-7.
- Delay, J., Thuillier, J. Psychiatrie expérimentale et psychopharmacologie. [Experimental psychiatry and psychopharmacology.] *Sem. hôp. Paris*, 1956, 32: 3187-3193.
- Deniker, P. Recent advances in "pharmaco-psychiatry." *J. Clin. Exp. Psychopath.*, 1956, 17: 381-384.
- Evarts, E. V. A review of the neurophysiological effects of lysergic acid diethylamide (LSD) and other psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 479-495.
- Fabing, H. D. The dimensions of neurology. *Neurology*, 1955, 5: 603-611. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1718.
- . Experimental psychoses which mimic schizophrenia. *Nebraska M. J.*, 1956, 41: 455-459.
- Himwich, H. E. Discussion of the neurophysiological effects of new psychopharmacological agents. *Psychiat. Res. Rep.*, Wash., 1956 (4): 24-31.
- . Prospects in psychopharmacology. *J. Nerv. Ment. Dis.*, 1955, 122: 413-423. Also: *Dis. Nerv. Syst.*, 1956, 17: 109-116.
- Hoch, P. H., Pennes, H. H., Cattell, J. P. Psychoses produced by administration of drugs. *Res. Pub. Ass. Res. Nerv. Ment. Dis.*, 1953, 32: 287-296.
- Hoffer, A. Experimental pharmacodynamics and psychobiology. *J. Clin. Exp. Psychopath.*, 1956, 17: 376-377.
- Jarvik, M. E. Mechanism of action of lysergic acid diethylamide, serotonin, and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 145-154.
- Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818.
- Page, I. H. Chemistry of the brain. Past imperfect, present indicative, and—future perfect? *Science*, 1957, 125: 721-727.
- Pearson, J., Dewhurst, K. Mescaline: apotheosis of the devil's root. *Irish J. M. Sc.*, 1956: 139-143.
- Rinkel, M., Hyde, R. W., Solomon, H. C. Experimental psychiatry. IV. Hallucinogens: tools in experimental psychiatry. *Dis. Nerv. Syst.*, 1955, 16: 229-232.
- , Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18: 323-334.
- Sherwood, W. K. Experience with "BGE", a naturally occurring indole compound. *J. Nerv. Ment. Dis.*, 1957, 125: 490-491.
- Turner, W. J., Merlis, S., Carl, A. Concerning theories of indoles in schizophrenogenesis. *Am. J. Psychiat.*, 1955, 112: 466-467.
- Woolley, D. W., Shaw, E. Some neurophysiological aspects of serotonin. *Brit. M. J.*, 1954, 2: 122-126.

Placebo effect see PSYCHOPHARMACA—Evaluation

Studies, animals

- Jarvik, M. E. Effect of LSD-25 on snails. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the third conference, May 1956, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1957. p. 29-38.
- Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sc.*, 1957, 66: 496-507.
- , Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 9-21.
- , —. An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.

Schwarz, B. E., Wakim, K. G., Bickford, R. G., Lichtenheld, F. R. Behavioral and electroencephalographic effects of hallucinogenic drugs; changes in cats on intraventricular injection. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 83-90. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 328.

Turner, W. J. The effect of lysergic acid diethylamide on *Betta splendens*: I. *Dis. Nerv. Syst.*, 1956, 17: 193-197.

Studies, normal subjects

- Fabing, H. D. On going berserk: a neuro-chemical inquiry. *Am. J. Psychiat.*, 1956, 113: 409-415.
- . Trends in biological research in schizophrenia. *J. Nerv. Ment. Dis.*, 1956, 124: 1-7.
- Huxley, A. Heaven and hell. 88 p. London, *Chatto & Windus*, 1956.
- Lindemann, E., Clarke, L. D. Modifications in ego structure and personality reactions under the influence of the effects of drugs. *Am. J. Psychiat.*, 1952, 108: 561-567.
- Osmond, H. Ololiuqui: the ancient Aztec narcotic; remarks on the effects of *Rivea corymbosa* (ololiuqui). *J. Ment. Sc., Lond.*, 1955, 101: 526-537.
- . Research on schizophrenia. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the second conference, May 1955, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1956. p. 183-233.
- . A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.
- Solms, H. Relationships between chemical structure and psychoses with the use of psychotoxic substances "Comparative pharmacopsychiatric analysis": A new research method. *J. Clin. Exp. Psychopath.*, 1956, 17: 429-433.
- Stevenson, I. Comments on the psychological effects of mescaline and allied drugs. *J. Nerv. Ment. Dis.*, 1957, 125: 438-442.
- Turner, W. J., Merlis, S., Carl, A. Concerning theories of indoles in schizophrenogenesis. *Am. J. Psychiat.*, 1955, 112: 466-467.

Studies, patients

- Cholden, L. S., Kurland, A., Savage, C. Clinical reactions and tolerance to LSD in chronic schizophrenia. *J. Nerv. Ment. Dis.*, 1955, 122: 211-221. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4015.
- Pennes, H. H., Hoch, P. H. Psychotomimetics, clinical and theoretical considerations: harmine, WIN-2299 and nalline. *Am. J. Psychiat.*, 1957, 113: 887-892.
- Sandison, R. A. The clinical uses of lysergic acid diethylamide. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, *Grune & Stratton*, 1956. p. 27-34.

Terminology

- Gerard, R. W. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the second conference, May 1955, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1956. p. 241. ["psychosomimetic"]
- . Drugs for the soul; the rise of psychopharmacology. *Science*, 1957, 125: 201-203. ["psychosomimetic"]
- Osmond, H. A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

Various [3 or more]—Compared

see also PSYCHOTOMIMETICS—Studies, animals

- Cholden, L. S., Kurland, A., Savage, C. Clinical reactions and tolerance to LSD in chronic schizophrenia. *J. Nerv. Ment. Dis.*, 1955, 122: 211-221. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4015.
- Hoffer, A. Epinephrine derivatives as potential schizophrenic factors. *J. Clin. Exp. Psychopath.*, 1957, 18: 27-60.

Pennes, H. H., Hoch, P. H. Psychotomimetics, clinical and theoretical considerations: harmine, WIN-2299 and nalline. *Am. J. Psychiat.*, 1957, 113: 887-892.

Rolls, E. J., Stafford-Clark, D. Depersonalization treated by *Cannabis indica*. *Guy's Hosp. Rep., Lond.*, 1954, 103: 330-336.

Solms, H. Relationships between chemical structure and psychoses with the use of psychotoxic substances. "Comparative pharmacopsychiatric analysis." A new research method. *J. Clin. Exp. Psychopath.*, 1956, 17: 429-433.

with ATARAXICS—INTERACTION

see also [Psychotomimetic] with [Ataraxic]-Interaction

Deniker, P. Psychophysiologic aspects of the new chemotherapeutic drugs in psychiatry; some practical features of "neuroleptics" in order to screen new drugs. *J. Nerv. Ment. Dis.*, 1956, 124: 371-376.

—. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernotherapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [355-56]

Evarts, E. V. A review of the neurophysiological effects of lysergic acid diethylamide (LSD) and other psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 479-495.

Fabing, H. D. Adventures in clinical neuropharmacology. *Internat. Rec. M.*, 1956, 169: 115-119.

—. The dimensions of neurology. *Neurology*, 1955, 5: 603-611. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1718.

Fazekas, J. F., Toupin, H., Alman, R. W. Physiologic and pharmacologic basis for the chemotherapy of psychiatric states. *Am. J. Med.*, 1956, 21: 825-831.

Fazio, C. Risultati e considerazioni sull'impiego della reserpina nel trattamento delle psicosi. [Results and considerations on the use of reserpine in the treatment of psychoses.] *Arch. psicol. neur., Milano*, 1956, 17: 313-315.

Forster, W., Henderson, A. L. A clinical study of frenquel (alpha [4-piperidyl] benzhydrol hydrochloride) in chronic schizophrenia. *Canad. M. Ass. J.*, 1957, 76: 97-101.

Graffagnino, P. N., Furr, J. H. New drugs in the treatment of emotional disorders; a review. *Connecticut M. J.*, 1957, 21: 38-43.

Himwich, H. E. Discussion of papers on basic observations of new psychopharmacological agents. *Psychiat. Res. Rep., Wash.*, 1956 (4): 24-31.

Hoch, P. H. Experimental psychiatry. *Am. J. Psychiat.*, 1955, 111: 787-790.

Jatzkewitz, H. Pharmakologische Aspekte in der Schizophrenieforschung. [Pharmacological aspects in schizophrenia research.] *Nervenarzt*, 1956, 27: 150-152.

Osmond, H. A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

Sebrell, W. H., Jr. Chemistry in chronic disease research. *Chem. Eng. News*, 1955, 33: 1856-1860.

Wikler, A. The uses of drugs in psychiatric research. *Am. J. Psychiat.*, 1956, 112: 961-969.

Studies, animals

Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.

Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sc.*, 1957, 66: 496-507.

—, Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E. ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 9-21.

—, —. An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.

Rinaldi, F. The experimental electroencephalographic approach to psychopharmacology. *Psychiat. Res. Rep., Wash.*, 1956 (4): 1-10.

with INTERMITTENT PHOTIC STIMULATION

Combined

Bradley, P. B., Elkes, C., Elkes, J. On some effects of lysergic acid diethylamide (LSD-25) in normal volunteers. *J. Physiol., Lond.*, 1953, 121: 50P-51P.

Elkes, J. Effects of psychosomimetic drugs in animals and man. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the third conference*, May 1956, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1957. p. 205-295. [p. 266-67]

Osmond, H. A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

Peretz, D. I., Smythies, J. R., Gibson, W. C. A new hallucinogen: 3,4,5-trimethoxyphenyl- β -aminopropane with notes on the stroboscopic phenomenon. *J. Ment. Sc., Lond.*, 1955, 101: 317-329.

Compared

Huxley, A. Heaven and hell. 88 p. London, *Chatto & Windus*, 1956.

PYRATHIAZINE

Viaud, P. Les amines dérivées de la phénothiazine. [The amino-derivatives of phenothiazine.] *J. Pharm., Lond.*, 1954, 6: 361-389.

Studies, animals

Himwich, H. E., Rinaldi, F., Willis, D. An examination of phenothiazine derivatives with comparisons of their effects on the alerting reaction, chemical structure and therapeutic efficacy. [chlorpromazine: mepazine: NP-207; promazine: promethazine: pyrathiazine: Wy-1107] *J. Nerv. Ment. Dis.*, 1956, 124: 53-57.

Studies, normal subjects

see PHENOTHIAZINES—Studies, normal subjects

with AZACYCLONOL—COMBINED

Ferguson, J. T. Azacyclonol: use of a new pharmacologic agent in chronic schizophrenia. *Antibiotic M.*, 1956, 3: 146-150.

QUIACTIN

Studies, animals and Therapeutic studies, controlled

Feuss, C. D., Gragg, L., Jr. Quiactin: an adjunct in the treatment of chronic psychoses. *Dis. Nerv. Syst.*, 1957, 18: 29-33.

Therapeutic use—Psychoses

Coats, E. A., Gray, R. W. Quiactin in treatment of emotional and mental disorders. *Dis. Nerv. Syst.*, 1957, 18: 191-193.

RP-4909

Therapeutic use

Broussolle, P., Hamoneau, G. Traitement prolongé à la chlorpromazine (45.60 R. P.); treize observations de

psychoses graves. [Prolonged treatment with chlorpromazine; thirteen patients with severe psychoses.] *Lyon méd.*, 1953, 85 (2): 389-401.

with CHLORPROMAZINE—COMPARED *see* RP-4909

RP-6549

Therapeutic use—Psychoses

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [p. 362-63]

with CHLORPROMAZINE—COMPARED
with PROMETHAZINE—COMPARED

see RP-6549

RP-7044

Pharmacodynamics

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398. [p. 363]
Perrault, M. Sur les tranquillisateurs. [Tranquilizers.] *Progr. méd., Par.*, 1957, 85: 3-4; 7.

Studies, animals and Therapeutic use

Sigwald, J., Henne, M., Bouttier, D., Raymondeaud, C., Quetin, A. Activité d'une nouvelle phénothiazine en psychiatrie et en neurologie; propriétés thérapeutiques du maleate acide de levo methoxy-3 (diméthylamino-3'-methyl-2' propyl) 10 phénothiazine (7044 RP). [Activity of a new phenothiazine in psychiatry and neurology; therapeutic properties of 10-(3-diméthylamino-2-methyl-propyl)-3-methoxyphenothiazine.] *Presse méd.*, 1956, 64: 2011-2014.

with CHLORPROMAZINE—COMPARED

see RP-7044—Studies, animals and Therapeutic use

RAUWOLFIA ALKALOIDS

see also RAUWOLFIA CANESCENS ALKALOIDS
RAUWOLFIA SERPENTINA ALKALOIDS
RESCINNAMINE
RESERPINE

Pharmaceuticals & Drugs Committee, Council of Scientific & Industrial Research. Symposium on Rauwolfia, Calcutta, 1955. [Abstracts] 38 p. Lucknow, *Pioneer Press*, 1955. [Abstracts within the scope of this bibliography are listed individually.]

Schneider, J. A. The pharmacology of Rauwolfia. In following reference p. 109-143.

Woodson, R. E., Youngken, H. W., Schlittler, E., Schneider, J. A. Rauwolfia: botany, pharmacognosy, chemistry & pharmacology. 149 p. Boston, *Little, Brown & Company*, 1957.

Yonkman, F. F., ed. Reserpine (serpasil) and other alkaloids of Rauwolfia serpentina: chemistry, pharmacology, and clinical applications. Reserpine in the treatment of neuropsychiatric, neurological and related clinical problems. [Conferences held in New York, February 1954 and February 1955.] *Ann. N. York Acad. Sc.*, 1954, 59: 1-140; 1955, 61: 1-280. [Articles within the scope of this bibliography are listed individually.]

Bibliographies and literature surveys

Bein, H. J. The pharmacology of Rauwolfia. *Pharm. Rev.*, 1956, 8: 435-483.

Kline, N. S. Use of Rauwolfia serpentina Benth. in neuropsychiatric conditions. *Ann. N. York Acad. Sc.*, 1954, 59: 107-132.

Penick, S. B. and Company Rauwolfia and alkaloids, a bibliography; chemistry, pharmacology, pharmacognosy, therapeutic uses. 50 p. New York, 1956.

—, Suppl. 1. 18 p. New York, 1957.

Ray, P. K. The use of Rauwolfia serpentina in psychiatry. *Ind. J. Neur. Psychiat.*, 1952, 3: 380-398.

RAUWOLFIA CANESCENS ALKALOIDS

Bein, H. J. The pharmacology of Rauwolfia. *Pharm. Rev.*, 1956, 8: 435-483.

Schneider, J. A. The pharmacology of Rauwolfia. In: Woodson, R. E., Youngken, H. W., Schlittler, E., Schneider, J. A. Rauwolfia: botany, pharmacognosy, chemistry & pharmacology. Boston, *Little, Brown & Company*, 1957. p. 109-143.

Studies, animals

Cronheim, G., Orcutt, J. A., Toekes, I. M. Pharmacological properties of canescine (recanescine), a new alkaloid isolated from Rauwolfia canescens Linn. *Proc. Soc. Exp. Biol., N. Y.*, 1955, 89: 21-23.

—, Toekes, I. M. Comparison of "sedative" properties of single alkaloids of Rauwolfia and their mixtures. *J. Pharm. Exp. Ther.*, 1957, 119: 357-360.

Kohli, J. D., De, N. N. Pharmacological action of rauwolfscine. *Nature, Lond.*, 1956, 117: 1182. Abstract: *Chem. Abstr.*, 1956, 50: 14097bc.

Pfeiffer, C. C., Jenney, E. H. The inhibition of the conditioned response and the counteraction of schizophrenia by muscarinic stimulation of the brain. *Ann. N. York Acad. Sc.*, 1957, 66: 753-764.

Schneider, J. A., Plummer, A. J., Earl, A. E., Barrett, W. E., Rinehart, R., Dibble, R. C. Pharmacological studies with deserpidine, a new alkaloid from Rauwolfia canescens. *J. Pharm. Exp. Ther.*, 1955, 114: 10-13.

Shore, P. A., Carlsson, A., Brodie, B. B. Mechanism of serotonin-release by reserpine. [Abstract] *Fed. Proc., Balt.*, 1956, 15: 483.

Slater, I. H., Rathbun, R. C., Henderson, F. G., Neuss, N. Pharmacological properties of recanescine, a new sedative alkaloid from Rauwolfia canescens Linn. *Proc. Soc. Exp. Biol., N. Y.*, 1955, 88: 293-295.

Therapeutic studies, controlled

Pennington, V. M. A two-year comparative study of ataraxics in neuropsychiatric patients. *J. Am. Geriat. Soc.*, 1957, 5: 421-429. [Not seen]

Zeller, W. W., Graffagnino, P. N., Cullen, C. F., Reitman, H. J. Use of chlorpromazine and reserpine in the treatment of emotional disorders. *J. Am. M. Ass.*, 1956, 160: 179-184. Abstract: *Year book of drug therapy*, 1956-1957, p. 341-342.

—Psychoses

Ferguson, J. T. Comparison of reserpine and harmonyl in psychiatric patients; a preliminary report. *J. Lancet*, 1956, 76: 389-390.

Gallagher, W. J., Berry, J. M., Durden, W. D., Lazenby, W. D. Comparative study of reserpine, 11-desmethoxy-reserpine, and Rauwolfia alkaloids in treatment of schizophrenia. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 133-147.

Malamud, W., Barton, W. E., Fleming, A. M., Middleton, P. McK., Friedman, T. T., Schleifer, M. J. The evalua-

tion of the effects of derivatives of *Rauwolfia* in the treatment of schizophrenia. *Am. J. Psychiat.*, 1957, 114: 193-200.

Therapeutic use

Kline, N. S., Saunders, J. C. Reserpine in psychiatric and neurologic disorders. *Med. Clin. N. America*, 1957, 41: 307-326.

Morgan, D. R. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1029-1035.

with AZACYCLONOL—COMBINED

Ferguson, J. T. Azacyclonol: use of a new pharmacologic agent in chronic schizophrenia. *Antibiotic M.*, 1956, 3: 146-150.

with IPRONIAZID—COMBINED

Therapeutic studies, controlled

Gallagher, W. J., Berry, J. M., Durden, W. D., Lazenby, W. D. Comparative study of reserpine, 11-desmethoxyreserpine, and *Rauwolfia* alkaloids in treatment of schizophrenia. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 133-147.

with RAUWOLFIA SERPENTINA ALKALOIDS—COMPARED

Achor, R. W., Hanson, N. O. Hypertension treated with *Rauwolfia* canescens; a comparison with *Rauwolfia serpentina*. *N. England J. M.*, 1956, 255: 646-650. * Gallagher, W. J., Berry, J. M., Durden, W. D., Lazenby, W. D. Comparative study of reserpine, 11-desmethoxyreserpine, and *Rauwolfia* alkaloids in treatment of schizophrenia. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 133-147.

with RESCINNAMINE and RESERPINE—COMBINED [triserpine]

Studies, animals

Cronheim, G., Toekes, I. M. Comparison of "sedative" properties of single alkaloids of *Rauwolfia* and their mixtures. [reserpine: rescinnamine: deserpidine: Riker 529-1: Riker 529-2: triserpine] *J. Pharm. Exp. Ther.*, 1957, 119: 357-360.

Therapeutic studies, controlled

Malamud, W., Barton, W. E., Fleming, A. M., Middleton, P. McK., Friedman, T. T., Schleifer, M. J. The evaluation of the effects of derivatives of *Rauwolfia* in the treatment of schizophrenia. *Am. J. Psychiat.*, 1957, 114: 193-200.

with RESERPINE—COMBINED [Riker 529-1]

Studies, animals

Cronheim, G., Toekes, I. M. Comparison of "sedative" properties of single alkaloids of *Rauwolfia* and their mixtures. *J. Pharm. Exp. Ther.*, 1957, 119: 357-360.

Therapeutic studies, controlled

Gallagher, W. J., Berry, J. M., Durden, W. D., Lazenby, W. D. Comparative study of reserpine, 11-desmethoxyreserpine and *Rauwolfia* alkaloids in treatment of schizophrenia. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 133-147.

with RESERPINE—COMPARED

Pharmacodynamics

Schneider, J. A., Plummer, A. J., Earl, A. E., Gaunt, R. Neuropharmacological aspects of reserpine. *Ann. N.*

York Acad. Sc., 1955, 61: 17-26. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2480.

Studies, animals

Cronheim, G., Toekes, I. M. Comparison of "sedative" properties of single alkaloids of *Rauwolfia* and their mixtures. [reserpine: rescinnamine: deserpidine: Riker 529-1: Riker 529-2: triserpine] *J. Pharm. Exp. Ther.*, 1957, 119: 357-360.

Slater, I. H., Rathbun, R. C., Henderson, F. G., Neuss, N. Pharmacological properties of recanescine, a new sedative alkaloid from *Rauwolfia canescens* Linn. *Proc. Soc. Exp. Biol.*, N. Y., 1955, 88: 293-295.

Therapeutic studies, controlled

Therapeutic use

see RAUWOLFIA CANESCENS ALKALOIDS

Therapeutic studies, controlled

Therapeutic use

RAUWOLFIA SERPENTINA ALKALOIDS

see also RAUWOLFIA ALKALOIDS

RESCINNAMINE

RESERPINE

Raudixin in the treatment of the affective disorders. Original reports by clinical and laboratory investigators. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 1-44 [Articles within the scope of this bibliography are listed individually]

Diagnostic use

Benda, C. E. The differentiation between mental deficiency and emotional disorders, and some therapeutic experiments with *Rauwolfia serpentina* (koglucoid). [In English] *Arch. pediat. Uruguay*, 1955, 26: 32-46

Pharmacodynamics

Abrams, R. E., Tice, L. F. Modern medicinals in review. *Am. J. Pharm.*, 1955, 127: 4-22.

Alseroxylon. *Rauwolfia*. Reserpine. *J. Am. M. Ass.*, 1955, 159: 1206-1207.

Bein, H. J. The pharmacology of *Rauwolfia*. *Pharm. Rev.*, 1956, 8: 435-483.

Bergy, G. A. Drugs of sedation with tranquilizing effects. *Am. Profes. Pharmacist*, 1956, 22: 419; 534-538; 619-621; 709-710; 797-799; 888-889; 917-919. [797-799; 888-889; 917-919.]

Ciba Pharmaceutical Products, inc. The *Rauwolfia* story, from primitive medicine to alkaloidal therapy. 63 p. Summit, N. J., 1954.

—. The story of serpasil. 55 p. Summit, N. J., 1955.

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398.

Goldstein, S. W. New drugs; old drugs. *Am. J. Pharm.*, 1954, 126: 404-408.

Kiessling, J. *Rauwolfia serpentina*; Überblick über Chemie, Pharmakologie und moderne Therapie. [*Rauwolfia serpentina*; review on its chemistry, pharmacology and modern therapy.] *Zschr. ärztl. Fortbild.*, 1956, 50: 637-650.

Kress, R. Chemisches und Medizinisches über *Rauwolfia serpentina* Benth. [Chemical and medical data on *Rauwolfia serpentina* Benth.] *Pharmazie*, 1953, 8: 726-728.

Kuschinsky, G. Wichtige neue Arzneimittel. [Important new drugs.] *Deut. med. Wschr.*, 1953, 78: 646.

Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818. Abstract: *Chem. Abstr.*, 1956, 50: 9615b.

—. New mood-changing drugs. *Ohio M. J.*, 1956, 52: 369-373.

Peters, L. Pharmacology of the useful antihypertensive drugs. *A. M. A. Arch. Int. M.*, 1956, 98 : 409-415.

Piccinelli, O. Farmacologia e clinica della Rauwolfia serpentina. [Pharmacology and clinical aspects of Rauwolfia serpentina.] *Farmaco, ed. prat.*, Pavia, 1954, 9 : 574-582.

Plummer, A. J., Earl A., Schneider, J. A., Trapold, J., Barrett, W. Pharmacology of Rauwolfia alkaloids, including reserpine. *Ann. N. York Acad. Sc.*, 1954, 59 : 8-21.

Rauwolfia serpentina. *Bull. Calcutta School Trop. Med.*, 1954, 1 (3) : 22-23.

Schneider, J. A. The pharmacology of Rauwolfia. In: Woodson, R. E., Youngken, H. W., Schlittler, E., Schneider, J. A. Rauwolfia: botany, pharmacognosy, chemistry & pharmacology. Boston, Little, Brown & Company, 1957. p. 109-143.

Thompson, J. From snake pit to snake root. *Bull. M. Libr. Ass.*, 1956, 44 : 465-472.

Vivien, P. Les effets neuro-psychiques du Rauwolfia et de ses alcaloïdes. [Neurological and psychological effects of Rauwolfia and its alkaloids.] *Ann. méd. psychol., Par.*, 1955, 113 (1) : 217-226.

Placebo effect see PSYCHOPHARMACA—Evaluation

Psychotherapeutic use

see RESERPINE—Psychotherapeutic use

Studies, animals

Baruk, H., Launay, S., Bergès, J. Action de la réserpine sur la psychomotricité et catatonie expérimentale. [Effect of reserpine on experimental psychomotricity and catatonia.] *Rev. neur., Par.*, 1956, 95 : 62-63.

Cronheim, G., Brown, W., Cawthorne, J., Toekes, I. M., Ungari, J. Pharmacological studies with rescinnamine, a new alkaloid isolated from Rauwolfia serpentina. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 86 : 120-124.

—, Stipp, C., Brown, W. Hypotensive agents from Rauwolfia serpentina: reserpine and other alkaloids. [Abstract] *J. Pharm. Exp. Ther.*, 1954, 110 : 13.

—, Toekes, I. M. Sedative effect of Rauwolfia serpentina. [Abstract] *Fed. Proc., Balt.*, 1954, 13 : 345.

Kahan, I. H. Accidental Rauwolfia poisoning in a dog. *J. Am. Vet. M. Ass.*, 1955, 216 : 472.

Kohli, J. D., Mukerji, B. Comparative activity of reserpine and total alkaloids of Rauwolfia. [Abstract] In: Pharmaceuticals & Drugs Committee, Council of Scientific & Industrial Research. Symposium on Rauwolfia, Calcutta, 1955. Lucknow, Pioneer Press, 1955. p. 33-34.

Norton, S., De Beer, E. J. Effects of drugs on the behavioral patterns of cats. *Ann. N. York Acad. Sc.*, 1956, 65 : 249-257.

Pfeiffer, C. C., Jenney, E. H. The inhibition of the conditioned response and the counteraction of schizophrenia by muscarinic stimulation of the brain. *Ann. N. York Acad. Sc.*, 1957, 66 : 753-764.

Rubin, B., Malone, M. H., Waugh, M. H., Burke, J. C. Comparative activity of Rauwolfia serpentina whole root and reserpine in laboratory animals. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2) : 40-44.

Studies, normal subjects

Kline, N. S. Use of Rauwolfia serpentina Benth. in neuropsychiatric conditions. *Ann. N. York Acad. Sc.*, 1954, 59 : 107-132. Abstract: *Chem. Abstr.*, 1954, 48 : 10220c.

Whitman, R. M., Lipton, M. A., Kavan, E. Rauwiloid and preoperative anxiety; a double blind placebo study. *Q. Bull. Northwest Univ. M. School*, 1956, 30 : 170-174.

Studies, patients

Avenarius, R. Zur Wirkungsweise von Rauwolfia-alkaloiden und Phenothiazinderivaten bei Schizophrenen. [Mechanism of action of Rauwolfia alkaloids

and phenothiazine derivatives in schizophrenics.] *Nervenarzt*, 1956, 27 : 454-458.

Baruk, H., Launay, J., Bergès, J., Lanteri-Laura, G. Étude de l'action de la réserpine sur l'initiative psychomotrice et les grandes constantes physiologiques et biologiques. Comparison sur l'action des extraits totaux. [Study of the effects of reserpine on psychomotor initiative and the significant physiologic and biologic values; comparison with the effects of total extracts.] *Ann. méd. psychol., Par.*, 1957, 115 (1) : 708-712.

Therapeutic studies, controlled

Blumberg, A. G., Cohen, L., Miller, J. S. A. The effect of Rauwolfia serpentina on anxiety states. *J. Hillside Hosp.*, 1954, 3 : 140-146. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 3900.

Kline, N. S. Use of Rauwolfia serpentina Benth. in neuropsychiatric conditions. *Ann. N. York Acad. Sc.*, 1954, 59 : 107-132. Abstract: *Chem. Abstr.*, 1954, 48 : 10220c.

Marini, M., Caprini, G., Benciolini, P. La Rauwolfia in malate croniche, normotese ed ipertese; contributo clinico. [Rauwolfia in chronic, normotensive and hypertensive patients; clinical contribution.] *Arch. psicol. neur., Milano*, 1956, 17 : 419-432.

Smigel, J. O. Mood therapy in the aged. *Med. Times, Great Neck*, 1957, 85 : 149-158.

—Neuroses

Folkson, A., May, A. R. Use of reserpine and Rauwolfia in psychoneuroses. *Brit. M. J.*, 1955, 2 : 1121-1122. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 2658.

Hollister, L. E., Stannard, A. N., Drake, C. F. Treatment of anxious patients with drugs. *Dis. Nerv. Syst.*, 1956, 17 : 289-293.

Meller, R. L. Reserpine and alseroxylon therapy in emotionally disturbed patients. *J. Lancet*, 1955, 75 : 339-342. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 5000.

Thimann, J., Bucknam, F. G., Gauthier, J. W., O'Connell, T. A. Rauwiloid therapy in alcoholism. *Am. J. Psychiat.*, 1957, 113 : 694-697.

Weir, H. F., Anderson, R. L. The effects of reserpine and Rauwolfia in minor disorders of adjustment in children. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2) : 33-39. *

—Psychoses

Azima, H., Cramer-Azima, F. J., De Verteuil, R. A comparative behavioral and psychodynamic study of reserpine and equally potent doses of raudixin in schizophrenics. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2) : 15-25. *

Baruk, H., Launay, J., Bergès, J., Mijolla, A. de. Étude clinique de l'action thérapeutique de la réserpine. Comparaison avec l'action des extraits totaux. [Clinical study of the therapeutic effect of reserpine; comparison with total extracts.] *Ann. méd. psychol., Par.*, 1957, 115 (1) : 704-708.

Elkes, C. Rauwolfia alkaloids and reserpine in the treatment of the chronic psychotic patient. *J. Ment. Sc., Lond.*, 1957, 103 : 464-474.

Gallagher, W. J., Berry, J. M., Durden, W. D., Lazenby, W. D. Comparative study of reserpine, 11-desmethoxyreserpine, and Rauwolfia alkaloids in treatment of schizophrenia. In: Himwich, H. E., ed. Tranquillizing drugs. Washington, Am. Ass. Adv. Sc., 1957. p. 133-147. *

Holt, E. K., Ward-Dunn, G., Nedilsky, B. T., Niswander, G. D. Clinical comparison of raudixin and rau-serp in chronic mental illness. *Dis. Nerv. Syst.*, 1955, 16 : 222-223. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 4564.

Malamud, W., Barton, W. E., Fleming, A. M., Middleton, P. McK., Friedman, T. T., Schleifer, M. J. The evaluation of the effects of derivatives of Rauwolfia in the treatment of schizophrenia. *Am. J. Psychiat.*, 1957, 114 : 193-200.

Pennington, V. M. A comparative study of six ataraxics in 1130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33: 336-339.

Ruskin, I. W., Avol, M. Rauwolfia tranquilization for the disturbed aged. *J. Am. Geriatr. Soc.*, 1956, 4: 998-1003.

Torseño, M., Zucchi, M. Trattamento di ammalati mentali con un preparato iniettabile di alcaloidi totali di Rauwolfia serpentina Benth. [Therapy of mental patients with an injectable preparation of total alkaloids from Rauwolfia serpentina Benth.] *Minerva med., Tor.*, 1955, 46: 604-607. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3087. *

Tripi, G. Considerazioni generali sull'uso della clorpromazina e della reserpina nel trattamento di circa trecento psicopatici. [Observations on the use of chlorpromazine and reserpine in the treatment of about 300 mental patients.] *Rass. neuropsichiat.*, 1955, 9: 463-469. Also: *Arch. psicol. neur., Milano*, 1956, 17: 635-639.

—Psychosomatic diseases

Doyle, J. C. Raudixin (Squibb Rauwolfia serpentina): a clinical investigation of thirty patients suffering from premenstrual tension. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 9-14.

Eiber, H. B. Chlorpromazine-Rauwolfia serpentina combination in the treatment of essential hypertension: preliminary report. *J. Am. M. Ass.*, 1955, 158: 730-731.

Ferrara, R. J., Pinkus, H. Alseroxylon in the treatment of pruritic and psychogenic dermatoses. *A. M. A. Arch. Derm.*, 1955, 72: 23-28.

Leslie, G. Rauwolfia serpentina in the treatment of psoriasis. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 29-32.

Policzer, M., Székely, A., Földes, J. A Rauwolfia serpentina alkalmazása a vegetatív működések regulatív zavarain. [Use of Rauwolfia serpentina in autonomic disorders.] *Orv. hetil.*, 1955, 96: 548-549.

Therapeutic use

Benda, C. E. The differentiation between mental deficiency and emotional disorders, and some therapeutic experiments with Rauwolfia serpentina (koglucoid). [In English] *Arch. pediat. Uruguay*, 1955, 26: 32-46.

Broggi, E. La Rauwolfia serpentina Benth nella cura di alcune psicopatie. [Rauwolfia serpentina Benth in the treatment of some mental diseases.] *Arch. psicol. neur., Milano*, 1956, 17: 399-401.

Carlioni, G. La reserpina e la clorpromazina nei malati mentali cronici. [Reserpine and chlorpromazine in chronic mental disease.] *Arch. psicol. neur., Milano*, 1956, 17: 629-630.

Floris, V. L'impiego della Rauwolfia serpentina in neuropsichiatria. [Use of Rauwolfia serpentina in neuropsychiatry.] *Minerva med., Tor.*, 1956, 47: 944-945.

Germano, V., Bellavitis, U. Prime osservazioni cliniche sull'uso parenterale degli alcaloidi della rauwolfia in psichiatria. [First clinical observations on the parenteral use of Rauwolfia alkaloids in psychiatry.] *Riv. sper. freniat.*, 1955, 79: 713-722. *

Laguerre, G. Rauwolfia serpentina (ou sarpagandah) et ses alcaloides. [Rauwolfia serpentina (or sarpagandah) and its alkaloids.] *Vie méd., Par.*, 1956, 37 (Special-May): 111-112.

Maccagnani, G. Trattamento di alcune sindromi psichiche dell'età senile con reserpina, con reserpina associata a clorpromazina. [Treatment of senile psychic syndromes with reserpine and with reserpine associated with chlorpromazine.] *Arch. psicol. neur., Milano*, 1956, 17: 452-454.

Molina, A. La Rauwolfia serpentina, con especial referencia a la reserpina. [Rauwolfia serpentina, with special

reference to reserpine.] *Prensa méd. argent.*, 1956, 43: 423-425. Also: *Rev. méd. cubana*, 1956, 67: 623-627.

Pennington, V. M. Research findings in phrenotropic drugs important to every physician. [whole root] *Mississippi Doctor*, 1957, 35: 57-63.

Rauwolfia serpentina: raudixin. *Univ. Michigan M. Bull.*, 1953, 19: 278-279.

Telatin, L. La Rauwolfia in neuropsichiatria. [Rauwolfia in neuropsychiatry.] *Arch. psicol. neur., Milano*, 1956, 17: 411-413.

Thuillier, J. Rauwolfia serpentina. *Concours méd.*, 1954, 76: 3353-3354.

Vergani, O., Aldeghi, E. L'impiego degli alcaloidi totali di Rauwolfia serpentina in neuropsichiatria infantile. [Use of total alkaloids of Rauwolfia serpentina in child neuropsychiatry.] [English summary] *Minerva pediat., Tor.*, 1956, 8: 1161-1165.

—Additional data

Carr, C. J., Kinnard, W. J., Jr. The phrenotropic agents. *Internat. Rec. M.*, 1957, 170: 493-504.

Crémieux, A. Traitement de l'anxiété. [Treatment of anxiety.] *Marseille méd.*, 1956, 93: 327-331.

Feldman, D. J. The treatment of chronic alcoholism: a survey of current methods. *Ann. Int. M.*, 1956, 44: 78-87.

Hoch, P. H. Progress in psychiatric therapies. *Am. J. Psychiat.*, 1955, 112: 241-247.

Klingman, W. O. Neurological and psychiatric disorders; some recent advances in therapy. *Virginia M. Month.*, 1956, 83: 240-246.

New drugs for patients with emotional disorders. *J. Am. M. Ass.*, 1955, 157: 665.

Skobba, J. S. Drugs in the management of emotional conditions. *J. M. Ass. Georgia*, 1956, 45: 397-399.

Sproles, J. B. Drugs for a changing world. *Am. J. Pharm.*, 1955, 127: 42-52.

Tranquilizing agents. *N. England J. M.*, 1955, 252: 74-75.

Weinberg, H. B. Drug therapy for the emotionally and mentally disturbed; the internist's point of view. *J. Iowa M. Soc.*, 1957, 47: 17-19.

—Neuroses

Frank, D. E. Practical significance and treatment of anxiety. *Med. Times, Great Neck*, 1956, 84: 924-928.

—Psychoses

Garavaglia, G. Risultati clinici in campo neuropsichiatrico con alcaloidi totali di Rauwolfia serpentina (iniettabile ed orale). [Clinical results of total Rauwolfia serpentina alkaloids (injectable and oral) in neuropsychiatry.] *Minerva med., Tor.*, 1955, 46: 1259-1263.

Palazzuoli, M. Osservazioni preliminari sull'azione degli estratti di Rauwolfia serpentina (Ra-Valeas) in malati di mente eccitati ed ansiosi. [Preliminary observations on the action of Rauwolfia serpentina extracts (Ra-Valeas) in excited and anxious mental patients.] *Riv. pat. nerv.*, 1956, 77: 251-254.

Ray, P. K. The use of Rauwolfia serpentina in psychiatry. *Ind. J. Neur. Psychiat.*, 1952, 3: 380-398.

Rosina, P. L. Gli alcaloidi totali di Rauwolfia in psichiatria; premesse fisiologiche ed esperienze cliniche. [Total Rauwolfia alkaloids in psychiatry; physiological basis and clinical experience.] *Minerva med., Tor.*, 1955, 46: 1249-1262.

—. Reserpina nelle psicosi acute. [Reserpine in acute psychoses.] *Arch. psicol. neur., Milano*, 1956, 17: 417.

—Psychosomatic diseases

Cahn, M. M. The use of tranquilizing drugs in dermatology; review and side reactions. *J. Albert Einstein M. Center*, 1956, 4: 161-165. *

- Fabricant, N. D. Tension headache therapeutics. *Eye, Ear & Mouth*, 1956, 35 : 658 ; 662.
- Finch, J. W. Experience with Rauwolfia. *Mod. Med.*, 1954, 22 (9) : 22-23.
- Genest, J., Adamkiewicz, L., Robillard, R., Tremblay, G. Clinical uses of Rauwolfia. II. In psoriasis and in constitutional leanness. *Canad. M. Ass. J.*, 1955, 72 : 490-491. Also as: Nouvelles applications thérapeutiques de la réserpine et des extraits de la Rauwolfia. [New therapeutic use of reserpine and Rauwolfia extracts.] *Union méd. Canada*, 1954, 83 : 915-916. Preliminary communication: new therapeutic applications of reserpine and of purified extracts of Rauwolfia. *Canad. M. Ass. J.*, 1954, 71 (August-News and Notes) : 73.
- Grupper, C. Le traitement du prurit en dermatologie par la Rauwolfia serpentina, note préliminaire. [Rauwolfia serpentina therapy of pruritus in dermatology; preliminary note.] *Bull. Soc. fr. derm. syph.*, 1955, 62 : 159-162.
- Pomeranze, J. Preliminary observations on the use of Rauwolfia in labile diabetes. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2) : 26-28.
- Wilkins, R. W. Clinical usage of Rauwolfia alkaloids, including reserpine (serpasil). *Ann. N. York Acad. Sc.*, 1954, 59 : 36-44. Also: *N. England J. M.*, 1954, 59 : 1-7.
- , Current therapeutics: Rauwolfia serpentina. *Practitioner, Lond.*, 1954, 173 : 84-89.
- , New drug therapies in arterial hypertension. *A. M. A. Arch. Int. M.*, 1952, 37 : 1144-1155.
- , Judson, W. E. The use of Rauwolfia serpentina in hypertensive patients. *N. England J. M.*, 1953, 248 : 48-53. Abstract: *Proc. N. England Cardiovas. Soc.*, 1951-1952 : 34.
- Wright, W. T., Jr., Pokorny, C., Foster, T. L. Alseroxyton; a study of the psychological effects of the drug. *J. Kansas M. Soc.*, 1956, 57 : 410-411.
- Untoward effects** [see headnote p. 19]
- Achor, R. W., Hanson, N. O. Hypertension treated with Rauwolfia canescens; a comparison with Rauwolfia serpentina. *N. England J. M.*, 1956, 255 : 646-650.
- , —, Gifford, R. W., Jr. Hypertension treated with Rauwolfia serpentina (whole root) and with reserpine: Controlled study disclosing occasional severe depression. *J. Am. M. Ass.*, 1955, 159 : 841-845.
- Duboucher, G. Etats dépressifs d'allure mélancolique au cours du traitement de l'hypertension artérielle par la réserpine ou les alcaloïdes de Rauwolfia serpentina. [Depressive states with melancholia during treatment of arterial hypertension with reserpine or Rauwolfia serpentina alkaloids.] *Algérie méd.*, 1956, 60 : 417-420.
- Faucett, R. L., Litin, E. M., Achor, R. W. P. Neuropharmacologic action of Rauwolfia compounds and its psychodynamic implications. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77 : 513-518.
- Feinblatt, T. M., Feinblatt, H. M., Ferguson, E. A., Jr. Rauwolfia-ephedrine as a hypotensive-tranquillizer. *J. Am. M. Ass.*, 1956, 161 : 424-426. Abstract: *Chem. Abstr.*, 1956, 50 : 14098i.
- Friend, D. G., McLemore, G. A., Jr. Some abuses of drugs in therapy. *N. England J. M.*, 1956, 254 : 1223-1231.
- Harris, T. H. Depression induced by Rauwolfia compounds. *Am. J. Psychiat.*, 1957, 113 : 950.
- Hollister, L. E. Hematemesis and melena complicating treatment with Rauwolfia alkaloids. *A. M. A. Arch. Int. M.*, 1957, 99 : 218-221.
- Jones, H. H., Jr. Reversible depression and parkinsonian occurring during treatment of hypertension with Rauwolfia. [whole root] *J. Oklahoma M. Ass.*, 1955, 48 : 380-381.
- Kass, I., Brown, E. C. Treatment of hypertensive patients with Rauwolfia compounds and reserpine; depressive and psychotic changes. *J. Am. M. Ass.*, 1955, 159 : 1513-1516.
- Lasater, J. H., Collins, J. D. Are we causing depression? *Northwest M.*, 1956, 55 : 863-864.
- Lemieux, G., Davignon, A., Genest, J. Depressive states during Rauwolfia therapy for arterial hypertension; a report of 30 cases. *Canad. M. Ass. J.*, 1956, 74 : 522-526.
- Levy, S. Mild depression states. *Northwest M.*, 1954, 53 : 1233-1236.
- Litin, E. M., Faucett, R. L., Achor, R. W. P. Depression in hypertensive patients treated with Rauwolfia serpentina. *Proc. Mayo Clin.*, 1956, 31 : 233-237.
- Locket, S. Oral preparations of Rauwolfia serpentina in treatment of essential hypertension. *Brit. M. J.*, 1955, 1 : 809-813.
- Muller, J. C., Pryor, W. W., Gibbons, J. E., Orgain, E. S. Depression and anxiety occurring during Rauwolfia therapy. *J. Am. M. Ass.*, 1955, 159 : 836-839. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1536. *Year book of drug therapy*, 1956-1957, p. 323-324.
- Nick, J. Dépressions mélancoliques secondaires à l'usage thérapeutique de Rauwolfia serpentina chez des hypertendus. [Melancholia in hypertensive patients caused by therapeutic use of Rauwolfia serpentina.] *Bull. Soc. méd. hôp. Paris*, 1955, 71 : 884-893. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 4544.
- Paine, R. Hypertension; precaution in treatment. *Missouri M.*, 1956, 53 : 947-949.
- Rauwolfia et états dépressifs. [Rauwolfia and depressive states.] *Rev. prat., Par.*, 1956, 6 : 3342.
- Wilkins, R. W. Hypertension: recent trends in treatment. *Med. Clin. N. America*, 1953, 37 : 1303-1312.
- , Judson, W. E., Stone, R. W., Hollander, W., Huckabee, W. E., Friedman, I. H. Reserpine in the treatment of hypertension: A note on the relative dosage and effects. *N. England J. M.*, 1954, 250 : 477-478.
- with ATARAXICS [2 or more]
see ATARAXICS—Various [3 or more]—Compared
- with AZACYCLONOL
see AZACYCLONOL with RAUWOLFIA SERPENTINA ALKALOIDS
- with CHLORPROMAZINE
see CHLORPROMAZINE with RAUWOLFIA SERPENTINA ALKALOIDS
- with LYSERGIC ACID DIETHYLAMIDE
see LYSERGIC ACID DIETHYLAMIDE with RAUWOLFIA SERPENTINA ALKALOIDS
- with MEPHENESIN and OTHER DRUGS—COMBINED [sedatlaine]
Raymond, M. J., Lucas, C. J., Beesley, M. L., O'Connell, B. A., Roberts, J. A. F. A trial of five tranquillizing drugs in psychoneurosis. *Brit. M. J.*, 1957, 2 : 63-66.
- with PIPRADROL—COMBINED
Antos, R. J. Meratran. Use of a new antidepressant in internal medicine. *Southwest M.*, 1955, 36 : 166-167.
—, A preliminary report of clinical studies on a new stimulant. *Arizona M.*, 1954, 11 : 397-399.
- Pennington, V. M. A comparative study of six ataraxics in 1130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33 : 336-339.
- with PROMETHAZINE
see PROMETHAZINE with RAUWOLFIA SERPENTINA ALKALOIDS—COMPARED
- with RAUWOLFIA CANESCENS ALKALOIDS
see RAUWOLFIA CANESCENS ALKALOIDS with RAUWOLFIA SERPENTINA ALKALOIDS

with RESCINNAMINE—COMPARED

Studies, animals

- Cronheim, G., Brown, W., Cawthorne, J., Toekes, I. M., Ungari, J. Pharmacological studies with rescinnamine, a new alkaloid isolated from Rauwolfia serpentina. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 86: 120-124.
- Kohli, J. D., Mukerji, B. Comparative activity of reserpine and total alkaloids of Rauwolfia. [Abstract] In: Pharmaceuticals & Drugs Committee. Council of Scientific & Industrial Research. Symposium on Rauwolfia, Calcutta, 1955. Lucknow, Pioneer Press, 1955, p. 33-34.

with RESERPINE—COMBINED

- Grupper, C. Le traitement du prurit en dermatologie par la Rauwolfia serpentina, note préliminaire. [Rauwolfia serpentina therapy of pruritus in dermatology; preliminary note.] *Bull. Soc. fr. derm. syph.*, 1955, 62: 159-162.

with RESERPINE—COMPARED

Studies, animals

- Cronheim, G., Brown, W., Cawthorne, J., Toekes, I. M., Ungari, J. Pharmacological studies with rescinnamine, a new alkaloid isolated from Rauwolfia serpentina. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 86: 120-124.
- Kohli, J. D., Mukerji, B. Comparative activity of reserpine and total alkaloids of Rauwolfia. [Abstract] In: Pharmaceuticals & Drugs Committee, Council of Scientific & Industrial Research. Symposium on Rauwolfia, Calcutta, 1955. Lucknow, Pioneer Press, 1955, p. 33-34.
- Rubin, B., Malone, M. H., Waugh, M. H., Burke, J. C. Comparative activity of Rauwolfia serpentina whole root and reserpine in laboratory animals. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 40-44.

Studies, patients

- Baruk, H., Launay, J., Bergès, J., Lanteri-Laura, G. Étude de l'action de la réserpine sur l'initiative psychomotrice et les grandes constantes physiologiques et biologiques. Comparaison sur l'action des extraits totaux. [Study of the effects of reserpine on psychomotor initiative and the significant physiologic and biologic values; comparison with the effects of total extracts.] *Ann. méd. psychol., Par.*, 1957, 115 (1): 708-712.

Therapeutic studies, controlled

- Azima, H., Cramer-Azima, F. J., De Verteuil, R. A comparative behavioral and psychodynamic study of reserpine and equally potent doses of raudixin in schizophrenics. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 15-25.
- Baruk, H., Launay, J., Bergès, J., Mijolla, A. de. Étude clinique de l'action thérapeutique de la réserpine. Comparaison avec l'action des extraits totaux. [Clinical study of the therapeutic effect of reserpine; comparison with total extracts.] *Ann. méd. psychol., Par.*, 1957, 115 (1): 704-708.
- Elkes, C. Rauwolfia alkaloids and reserpine in the treatment of the chronic psychotic patient. *J. Ment. Sc., Lond.*, 1957, 103: 464-474.
- Folkson, A., May, A. R. Use of reserpine and Rauwolfia in psychoneuroses. *Brit. M. J.*, 1955, 2: 1121-1122. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2658.
- Gallagher, W. J., Berry, J. M., Durden, W. D., Lazenby, W. D. Comparative study of reserpine, 11-desmethoxy-reserpine, and Rauwolfia alkaloids in treatment of schizophrenia. In: Himwich, H. E., ed. Tranquilizing drugs. Washington, Am. Ass. Adv. Sc., 1957, p. 133-147.
- Holt, E. K., Ward-Dunn, G., Nedilsky, B. T., Niswander, G. D. Clinical comparison of raudixin and rau-sed in chronic mental illness. *Dis. Nerv. Syst.*, 1955, 16: 222-223. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4564.
- Kline, N. S. Use of Rauwolfia serpentina Benth. in

neuropsychiatric conditions. *Ann. N. York Acad. Sc.*, 1954, 59: 107-132. Abstract: *Chem. Abstr.*, 1954, 48: 10220c.

Marini, M., Caprini, G., Benciolini, P. La Rauwolfia in malate croniche, normotese ed ipertese; contributo clinico. [Rauwolfia in chronic, normotensive and hypertensive patients; clinical contribution.] *Arch. psicol. neur., Milano*, 1956, 17: 419-432.

Meller, R. L. Reserpine and alseroxylon therapy in emotionally disturbed patients. *J. Lancet*, 1955, 75: 339-342. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 5000.

Pennington, V. M. A comparative study of six ataraxics in 1130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33: 336-339.

Ruskin, I. W., Avol, M. Rauwolfia tranquilization for the disturbed aged. *J. Am. Geriat. Soc.*, 1956, 4: 998-1003.

Torseghio, M., Zucchi, M. Trattamento di ammalati mentali con un preparato iniettabile di alcaloidi totali di Rauwolfia serpentina Benth. [Therapy of mental patients with an injectable preparation of total alkaloids from Rauwolfia serpentina Benth.] *Minerva med., Tor.*, 1956, 46: 604-607. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3087.

Tripi, G. Considerazioni generali sull'uso della clorpromazina e della reserpina nel trattamento di circa trecento psicopatici. [Observations on the use of chlorpromazine and reserpine in the treatment of about 300 mental patients.] *Rass. neuropsichiat.*, 1955, 9: 463-469. Also: *Arch. psicol. neur., Milano*, 1956, 17: 635-639.

Weir, H. F., Anderson, R. L. The effects of reserpine and Rauwolfia in minor disorders of adjustment in children. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 33-39.

Therapeutic use

Kline, N. S., Saunders, J. C. Reserpine in psychiatric and neurologic disorders. *Med. Clin. N. America*, 1957, 41: 307-326.

Telatin, L. La Rauwolfia in neuropsichiatria. [Rauwolfia in neuropsychiatry.] *Arch. psicol. neur., Milano*, 1956, 17: 411-413.

Untoward effects

Achor, R. W. P., Hanson, N. O., Gifford, R. W., Jr. Hypertension treated with Rauwolfia serpentina (whole root) and with reserpine: Controlled study disclosing occasional severe depression. *J. Am. M. Ass.*, 1955, 159: 841-845.

Tweedy, P. S. Treatment of hypertension. *Lancet, Lond.*, 1955, 2: 249.

with OTHER DRUGS—COMBINED

Barbiturates

see also CHLORPROMAZINE

with RAUWOLFIA SERPENTINA ALKALOIDS and OTHER DRUGS—COMBINED

Sogliani, G. Ipnoterapia con clorpromazina e Rauwolfia; posologia, associazioni, confronti. [Sleep therapy with chlorpromazine and Rauwolfia; posology, combinations and comparisons.] *Minerva med., Tor.*, 1955, 46: 1253-1259.

Stimulants

Feinblatt, T. M., Feinblatt, H. M., Ferguson, E. A., Jr. Rauwolfia-ephedrine as a hypotensive-tranquilizer. *J. Am. M. Ass.*, 1956, 161: 424-426. Abstract: *Chem. Abstr.*, 1956, 50: 14098i.

Prouet, P. E. Rauwolfia and amphetamine therapy in the treatment of psychosomatic complaints. *J. Louisiana M. Soc.*, 1955, 107: 114-116.

Thimann, J., Bucknam, F. G., Gauthier, J. W., O'Connell, T. A. Rauwiloid therapy in alcoholism. [rauwilridine] *Am. J. Psychiat.*, 1957, 113: 694-697.
 Trinity, G. J. Management of the depressed patient. *Med. Times, Great Neck*, 1954, 82: 753-757.

RESCINNAMINE

see also RAUWOLFIA ALKALOIDS
 RAUWOLFIA SERPENTINA ALKALOIDS

Pharmacodynamics

Klohs, M. W., Draper, M. D., Keller, F. Alkaloids of Rauwolfia serpentina Benth. III. Rescinnamine, a new hypotensive and sedative principle. *J. Am. Chem. Soc.*, 1954, 76: 2843.

Studies, animals

Cronheim, G., Brown, W., Cawthorne, J., Toekes, I. M., Ungari, J. Pharmacological studies with rescinnamine, a new alkaloid isolated from Rauwolfia serpentina. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 86: 120-124.

—, Toekes, I. M. Comparison of "sedative" properties of single alkaloids of Rauwolfia and their mixtures. *J. Pharm. Exp. Ther.*, 1957, 119: 357-360.

—, —. Comparison of some pharmacological properties of rescinnamine and reserpine, two alkaloids isolated from Rauwolfia serpentina. *J. Pharm. Exp. Ther.*, 1955, 113: 13.

Kohli, J. D., Mukerji, B. Comparative activity of reserpine and total alkaloids of Rauwolfia. [Abstract] In: Pharmaceuticals & Drugs Committee, Council of Scientific & Industrial Research. Symposium on Rauwolfia, Calcutta, 1955. Lucknow, Pioneer Press, 1955. p. 33-34.

Kroneberg, G. Rescinnamin, das zweite sedative Alkaloid der Rauwolfia serpentina. [Rescinnamine, the second sedative alkaloid of Rauwolfia serpentina.] *Arzneimitt. Forsch.*, 1956, 6: 579-583.

Orcutt, J. A., Cronheim, G. E. Quantitative comparison of the hypotensive and sedative effects of rescinnamine in dogs. *Fed. Proc., Balt.*, 1955, 14: 375-376.

Shore, P. A., Carlsson, A., Brodie, B. B. Mechanism of serotonin-release by reserpine. [Abstract] *Fed. Proc., Balt.*, 1956, 15: 483.

Therapeutic studies, controlled

Malamud, W., Barton, W. E., Fleming, A. M., Middleton, P. McK., Friedman, T. T., Schleifer, M. J. The evaluation of the effects of derivatives of Rauwolfia in the treatment of schizophrenia. *Am. J. Psychiat.*, 1957, 114: 193-200.

Therapeutic use

Hollister, L. E., Stannard, A. N., Drake, C. F. Treatment of anxious patients with drugs. *Dis. Nerv. Syst.*, 1956, 17: 289-293.

Kline, N. S., Saunders, J. C. Reserpine in psychiatric and neurologic disorders. *Med. Clin. N. America*, 1957, 41: 307-326.

Reserpine and the mind. *Lancet, Lond.*, 1955, 2: 330-331. *

Smirk, F. H., McQueen, E. G. Comparison of rescinnamine and reserpine as hypotensive agents. *Lancet, Lond.*, 1955, 2: 115-116. *

Winton, S. S. Therapeutic value and limitations of an ataractic drug (rescinnamine). *Internat. Rec. M.*, 1957, 170: 665-671.

Untoward effects [see headnote p. 19]

see under RESCINNAMINE—Therapeutic use

with RAUWOLFIA CANESCENS ALKALOIDS and RESERPINE—COMBINED [triserpine]

see RESCINNAMINE—Studies, animals [CRONHEIM+TOEKES, 1957]

with RAUWOLFIA SERPENTINA ALKALOIDS—COMPARED—Studies, animals

see RESCINNAMINE—Studies, animals [CRONHEIM+BROWN+others] [KOHLI+MUKERJI]

with RESERPINE—COMBINED [RIKER 529-2]

Studies, animals

Cronheim, G., Toekes, I. M. Comparison of "sedative" properties of single alkaloids of Rauwolfia and their mixtures. [reserpine: rescinnamine: deserpidine: Riker 529-1: Riker 529-2: triserpine] *J. Pharm. Exp. Ther.*, 1957, 119: 357-360.

Therapeutic studies, controlled

Gallagher, W. J., Berry, J. M., Durden, W. D., Lazenby, W. D. Comparative study of reserpine, 11-desmethoxy-reserpine, and Rauwolfia alkaloids in treatment of schizophrenia. In: Himwich, H. E., ed. Tranquilizing drugs. Washington, Am. Ass. Adv. Sc., 1957. p. 133-147.

with RESERPINE—COMPARED

see RESCINNAMINE

except for:

Pharmacodynamics

Studies, animals [ORCUTT+CRONHEIM]

Therapeutic use [WINTON]

RESERPINE

see also RAUWOLFIA SERPENTINA ALKALOIDS

Atti del symposium sulla reserpina e clorpromazina neuropsichiatria. [Proceedings of the symposium on reserpine and chlorpromazine in neuropsychiatry.] *Arch. psicol. neur., Milano*, 1956, 17: p. III-XI; 115-684. [Articles within the scope of this bibliography are listed individually.]

Azima, H. Report on the international colloquium on chlorpromazine and neuroleptic medications in psychiatric treatment, Paris, October 20-22, 1955. *Am. J. Psychiat.*, 1956, 112: 749-750.

Broggi, E. Risultati del convegno nazionale tenuto a Vercelli il 24-25 settembre su: ibernazione artificiale, sonno prolungato e neuroplegici in neuropsichiatria. [Results of the national convention held at Vercelli on September 24-25 on artificial hibernation, prolonged sleep and neuroplegic drugs in neuropsychiatry.] *Encéphale*, 1956, 45: 1035-1041.

Le colloque international de Paris sur la chlorpromazine et les médicaments neuroleptiques en thérapeutique psychiatrique. [International colloquium in Paris (October 1955) on chlorpromazine and neuroleptic drugs in psychiatric therapy.] *J. méd. Lyon*, 1956, 37: 103-105.

Colloque international sur la chlorpromazine et les médicaments neuroleptiques en thérapeutique psychiatrique. [International colloquium on chlorpromazine and neuroleptic drugs in psychiatric therapy.] [Paris, October 1955] *Encéphale*, 1956, 45: 301-1266. [Articles within the scope of this bibliography are listed individually.]

Fernandes, B. Clorpromazina, reserpina e a chamada "farmacopsiquiatria". [Chlorpromazine and reserpine at the colloquium on "pharmacopsychiatry".] [Paris, October 1955] *J. méd., Porto*, 1956, 29: 237-243.

Happiness pills in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 57-65.

Overholser, W., Waldrop, F. N., Riesenman, F. R., Fong, T. C. C., Farley, O. R., Hoffman, J. L. Chlorpromazine and reserpine: symposium on experiences at Saint Elizabeths Hospital. *Med. Ann. District of Columbia*, 1956, 25: 255-268; 298. [All articles are listed individually.] Pharmaceuticals & Drugs Committee, Council of Scientific & Industrial Research. Symposium on Rauwolfia,

Calcutta, 1955. [Abstracts] 38 p. Lucknow, *Pioneer Press*, 1955. [Abstracts within the scope of this bibliography are listed individually.]

Raudixin in the treatment of the affective disorders. Original reports by clinical and laboratory investigators. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2) : 1-44. [Articles within the scope of this bibliography are listed individually.]

Stoll, W. A. Conference on reserpine in the treatment of neuropsychiatric, neurological, and related clinical problems. New York, February 1955. *Schweiz. med. Wschr.*, 1955, 85: 439-440. [English title-German text]

Symposium: Clinical value and limitations of reserpine, meratan, and a "new blocking agent". *Psychiat. Res. Rep., Wash.*, 1955 (1) : 105-152. [All articles are listed individually.]

Symposium on tranquillizers. [Summary of proceedings. British Medical Association, annual meeting, Newcastle upon Tyne, July 1957] *Brit. M. J.*, 1957, 2: 219-221.

Tranquillizers in psychiatry. [Report on Royal Medical-Psychological Association Meeting, London, February 1956] *Brit. M. J.* 1956, 1: 512-513.

Yonkman, F. F., ed. Reserpine (serpasil) and other alkaloids of *Rauwolfia serpentina*: chemistry, pharmacology, and clinical applications. Reserpine in the treatment of neuropsychiatric, neurological and related clinical problems. [Conferences held in New York, February 1954 and February 1955.] *Ann. N. York Acad. Sc.*, 1954, 59: 1-140; 1955, 61: 1-280. [Articles within the scope of this bibliography are listed individually.]

Zambianchi, A. Écho du symposium de Milan sur la reserpine et la chlorpromazine en psychiatrie. [Review of the symposium in Milan on reserpine and chlorpromazine in psychiatry.] *Encéphale*, 1956, 45: 1071-1075.

Bibliographies and literature surveys

Bein, H. J. The pharmacology of *Rauwolfia*. *Pharm. Rev.*, 1956, 8: 435-483.

Bryant, J. H., Bass, B. M., Hine, F. R. Drug therapy; a survey of the literature. *State of Louisiana, Department of Institutions, Division of Research, Baton Rouge*, 1956 (3) : 1-24.

Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hibernothérapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46: 281-398.

Erdmann, C. E. Neues über die *Rauwolfia*-Behandlung unter besonderer Berücksichtigung der Literatur in den USA. [Review of *Rauwolfia* therapy with special reference to literature in the U. S. A.] *Nervenarzt*, 1956, 27: 75-79.

Funderburk, W. H., Wilcox, K. W., Wilcox, P. H. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 425-456.

Galenko, V. E. Serpasil; obzor inostrannoi literature. [Serpasil; review of foreign literature.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 344-352. Abstract: *Chem. Abstr.*, 1956, 50: 17177g.

Kline, N. S. Use of *Rauwolfia serpentina* Benth. in neuropsychiatric conditions. *Ann. N. York Acad. Sc.*, 1954, 59: 107-132.

Mikes, A. Serpasil; pregled literature. [Serpasil; literature review.] *Med. arch., Sarajevo*, 1955, 9: 161-167.

Munch-Petersen, S. Effects of chlorpromazine (largactil) and reserpine (serpasil) within the field of neurology; a study of the pertinent literature. *Acta psychiat. neur. scand.*, 1956, Suppl. 108: 269-280.

Penick, S. B. and Company *Rauwolfia* and alkaloids, a bibliography; chemistry, pharmacology, pharmacognosy, therapeutic uses. 50 p. New York, 1956.

—, Suppl. 1. 18 p. New York, 1957.

Reserpine. *Antibiotic M.*, 1957, 4: 108-113. Also: *Internat. Rec. M.*, 1957, 170: 214-219.

Wilcox, P. H., Funderburk, W. H., Wilcox, K. W. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1955, 10: 595-608.

Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1955, 111: 515-518; 1956, 112: 526-529; 1957, 113: 611-615.

Diagnostic use

Ellsworth, R. B., Clark, L. D. Prediction of the response of chronic schizophrenics to drug therapy; a preliminary report on the relationship between palmar sweat and the behavioral effects of tranquilizing drugs. *J. Clin. Psychol.*, 1957, 13: 59-61.

Shankel, L. W., Whittier, J. R. Effects of reserpine therapy on Funkenstein test reactions in maladapting patients. *Dis. Nerv. Syst.*, 1956, 17: 258-261.

Pharmacodynamics

Bein, H. J. The pharmacology of *Rauwolfia*. *Pharm. Rev.*, 1956, 8: 435-483.

Ciba Pharmaceutical Products, inc. The story of serpasil. 55 p. Summit, N. J., 1955.

Deniker, P. Psychophysiologic aspects of the new chemotherapeutic drugs in psychiatry; some practical features of "neuroleptics" in order to screen new drugs. *J. Nerv. Ment. Dis.*, 1956, 124: 371-376.

Fazekas, J. F., Toupin, H., Alman, R. W. Physiologic and pharmacologic basis for the chemotherapy of psychiatric states. *Am. J. Med.*, 1956, 21: 825-831.

Himwich, H. E. Prospects in psychopharmacology. *J. Nerv. Ment. Dis.*, 1955, 122: 413-423. Also: *Dis. Nerv. Syst.*, 1956, 17: 109-116.

Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818.

—, New mood changing drugs. *Ohio M. J.*, 1956, 52: 369-373.

Meyers, F. H. Pharmacology of chlorpromazine, reserpine and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 131-140.

Moore, R. B., Pierce, W. J., Dennison, A. D., Jr. The story of reserpine. *J. Indiana M. Ass.*, 1954, 47: 853-861.

Orsi, C. I farmaci atarassici. [Ataraxics.] *Boll. chim. farm.*, 1956, 95: 432-436.

Pennes, H. H. The nature of drugs with mental actions and their relation to cerebral function. *Bull. N. York Acad. M.*, 1957, 33: 81-88.

Perrault, M. Sur les tranquillisateurs. [Tranquilizers.] *Progr. méd., Par.*, 1957, 85: 3-4; 7.

Ravreby, M. Pharmacology. In: Happiness pills in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 57-59.

Reserpine. *J. Am. M. Ass.*, 1955, 159: 1206-1207.

Schipa, S. Basi farmacologiche e farmacodinamiche delle cure neuroangioplegiche. [Pharmacologic and pharmacodynamic basis of neuroangioplegic therapy.] *Osp. psichiat., Nap.*, 1956, 24: 75-90.

Schneider, J. A. The pharmacology of *Rauwolfia*. In: Woodson, R. E., Youngken, H. W., Schlittler, E., Schneider, J. A. *Rauwolfia*: botany, pharmacognosy, chemistry & pharmacology. Boston, *Little, Brown & Company*, 1957. p. 109-143.

Placebo effect see PSYCHOPHARMACA—Evaluation

Psychosocial considerations

see ATARAXICS—Psychosocial considerations

Psychotherapeutic use

Achaintre, A., Lauxerois, G. Intérêt de la psychothérapie auprès des malades mentaux. II. Psychothérapie explicative individuelle dans les psychoses de longue évolution traitées par la chlorpromazine. [The value

- of psychotherapy in mental diseases. II. Individual explanatory psychotherapy in chronic psychoses treated with chlorpromazine.] *J. méd. Lyon*, 1956, 37: 403-406.
- Bazzi, T. Reserpine e psicoterapia. [Reserpine and psychotherapy.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 675-681.
- Berger, H. Management of neuroses by the internist and general practitioner. *N. York State J. M.*, 1956, 56: 1783-1788.
- Cowden, R. C., Zax, M., Sproles, J. A. Group psychotherapy in conjunction with a physical treatment. *J. Clin. Psychol.*, 1956, 12: 53-54.
- , —, —. Reserpine alone and as an adjunct to psychotherapy in the treatment of schizophrenia. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 518-522.
- Mielke, F. A. Über die medikamentöse und psychotherapeutische Führung der Serpasil-Kur. [Medical and psychotherapeutic management of serpasil therapy.] *Schweiz. med. Wschr.*, 1956, 86: 162-165. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1531.
- Sarwer-Foner, G. J., Ogle, W. Psychodynamic aspects of reserpine: its uses and effects in open psychiatric settings. *Canad. Psychiat. Ass. J.*, 1956, 1: 11-17.
- , —. Psychosis and enhanced anxiety produced by reserpine and chlorpromazine. *Canad. M. Ass. J.*, 1956, 74: 526-532.
- , —. The use of reserpine in an open psychiatric setting. *Canad. M. Ass. J.*, 1955, 73: 187-191.
- Silverberg, J. W., Gralnick, A. Possible synergistic action of chlorpromazine, reserpine and frenquel. A preliminary report. *Am. J. Psychiat.*, 1957, 114: 173.
- Tedeschi, G. F. Psicoterapia e farmacoterapia. [Psychotherapy and pharmacotherapy.] *Arch. psicol. neur.*, Milano, 1956, 17: 682-684.
- Tyhurst, J. S., Richman, A. An evaluation of the clinical significance of reserpine. *J. Nerv. Ment. Dis.*, 1955, 122: 492-495.
- Westcott, G. F. Serpasil as an adjunct to brief intensive psychotherapy with two psychotic patients. *J. Nerv. Ment. Dis.*, 1956, 123: 53-56.
- Wodraska, T. W. The effect of reserpine on chronic schizophrenia. *Med. Times, Great Neck*, 1955, 83: 1029-1033.
- ### Studies, animals
- Arian, E., Gmirato, G. Recherches expérimentales sur l'inhibition des états d'excitation d'origine sous-corticale par moyen de la chlorpromazine et de la réserpine; communication préliminaire. [Experimental studies on the inhibition of sub-cortical excitation by chlorpromazine and by reserpine; preliminary communication.] *Encéphale*, 1956, 45: 1264-1266.
- Baruk, H., Launay, S., Bergès, J. Action de la réserpine sur la psychomotricité et catatonie expérimentale. [Effect of reserpine on experimental psychomotricity and catatonia.] *Rev. neur., Par.*, 1956, 95: 62-63.
- Batterman, R. C., Leifer, P., Grossman, A. J. The advantages of a new combination sedative mixture. *Am. Practitioner*, 1956, 7: 1795-1798.
- Bein, H. J. Zur Pharmakologie des Reserpin, eines neuen Alkaloids aus Rauwolfia serpentina Benth. [Pharmacology of reserpine, a new alkaloid from Rauwolfia serpentina Benth.] [English summary] *Experientia, Basel*, 1953, 9: 107-110.
- , Gross, F., Tripod, J., Meier, R. Experimentelle Untersuchungen über "Serpasil" (Reserpin), ein neues, sehr wirksames Rauwolfiaalkaloid mit neuartiger zentraler Wirkung. [Experimental studies on serpasil (reserpine) a new and very effective Rauwolfia alkaloid with a new and different central effect.] *Schweiz. med. Wschr.*, 1953, 83: 1007-1012.
- Berger, F. M., Campbell, G. L., Hendley, C. D., Ludwig, B. J., Lynes, T. E. The action of tranquilizers on brain potentials and serotonin. *Ann. N. York Acad. Sc.*, 1957, 66: 686-694.
- Besendorf, H., Pletscher, A. Beeinflussung zentraler Wirkungen von Reserpin und 5-Hydroxytryptamin durch Isonicotinsäurehydrazide. [The influence of isonicotinic acid hydrazides on the central effects of reserpine and of 5-hydroxytryptamine.] [English summary] *Helvet. physiol. pharm. acta*, 1956, 14: 383-390.
- Bianchi, C. Reserpine and serotonin in experimental convulsions. *Nature, Lond.*, 1957, 179: 202-203.
- Brady, J. V. Assessment of drug effects on emotional behavior. *Science*, 1956, 123: 1033-1034. Abstract: *Chem. Abstr.*, 1956, 50: 15959b.
- , —. A comparative approach to the evaluation of drug effects upon affective behavior. *Ann. N. York Acad. Sc.*, 1956, 64: 632-643.
- , —. A review of comparative behavioral pharmacology. *Ann. N. York Acad. Sc.*, 1957, 66: 719-732.
- Brodie, B. B., Olin, J. S., Kuntzman, R. G., Shore, P. A. Possible interrelationship between release of brain norepinephrine and serotonin by reserpine. *Science*, 1957, 125: 1293-1294.
- , Pletscher, A., Shore, P. A. Evidence that serotonin has a role in brain function. *Science*, 1955, 122: 968.
- , —, —. Possible role of serotonin in brain function and reserpine action. [Abstract] *J. Pharm. Exp. Ther.*, 1956, 116: 9.
- , Shore, P. A., Silver, S. L. Potentiating action of chlorpromazine and reserpine. *Nature, Lond.*, 1955, 175: 1133-1134. Abstract: *Chem. Abstr.*, 1956, 50: 479g.
- Brown, B. B. Lysergic acid diethylamide antagonism of certain drugs. *Ann. N. York Acad. Sc.*, 1957, 66: 677-685.
- Carreras, M., Angeleri, F. Basi sperimentali alle indicazioni della clorpromazina e della reserpina nella terapia neuropsichiatrica. [Experimental basis for chlorpromazine and for reserpine therapy in neuropsychiatry.] *Riv. neurobiol.*, 1955, 1: 473-525. [Not seen] Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4991.
- Chauchard, P., Mazoué, H. Recherches sur le mode d'action centropégique de quelques substances psychotropes. [Research on the mode of centripetal action of some psychotropic substances.] *C. rend. Soc. biol.*, 1956, 150: 158-160.
- Chen, G., Ensor, C. R., Bohner, B. A facilitation action of reserpine on the central nervous system. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 86: 507-510.
- Chusid, J. G., Kopeloff, L. M., Kopeloff, N. Reserpine (serpasil) effects on epileptic monkeys. *Proc. Soc. Exp. Biol., N. Y.*, 1955, 88: 276-277.
- Cole, J., Glee, P. Ritalin as an antagonist to reserpine in monkeys. *Lancet, Lond.*, 1956, 1: 338.
- Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopathol.*, 1956, 17: 25-37.
- , —. Sur les propriétés pharmacodynamiques de la chlorpromazine en rapport avec son emploi en psychiatrie. [Pharmacodynamic basis for the use of chlorpromazine in psychiatry.] *Encéphale*, 1956, 45: 1248-1257.
- Cronheim, G., Brown, W., Cawthorne, J., Toekes, I. M., Ungari, J. Pharmacological studies with rescinnamine, a new alkaloid isolated from Rauwolfia serpentina. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 86: 120-124.
- , Stipp, C., Brown, W. Hypotensive agents from Rauwolfia serpentina: reserpine and other alkaloids. [Abstract] *J. Pharm. Exp. Ther.*, 1954, 110: 13.
- , Toekes, I. M. Comparison of "sedative" properties of single alkaloids of Rauwolfia and their mixtures. [Reserpine: rescinnamine: deserpidine: Riker 529-1: Riker 529-2: triserpine.] *J. Pharm. Exp. Ther.*, 1957, 119: 357-360.
- , —. Comparison of some pharmacological properties of rescinnamine and reserpine, two alkaloids

- isolated from *Rauwolfia serpentina*. *J. Pharm. Exp. Ther.*, 1955, 113: 13.
- Davis, G. D. Effects of central excitant and depressant drugs on locomotor activity in the monkey. *Am. J. Physiol.*, 1957, 188: 619-623.
- Delay, J., Deniker, P., Tardieu, Y., Lemperière, T. Médicaments et cures neuroleptiques en thérapeutique psychiatrique: premiers essais de la réserpine; comparaison avec les effets de la chlorpromazine. [Drugs and neuroleptic therapies in the treatment of psychiatric diseases; first trials with reserpine; comparison with the effects of chlorpromazine.] *Presse méd.*, 1955, 63: 663-665.
- Delgado, J. M., Mihailovic, L. Use of intracerebral electrodes to evaluate drugs that act on the central nervous system. *Ann. N. York Acad. Sc.*, 1956, 64: 644-666.
- Earl, A. E. A report on the tranquilizing effect of reserpine (serpasil). *Internat. J. Anesth.*, 1954, 1: 214-219.
- . Reserpine (serpasil) in veterinary practice. *J. Am. Vet. M. Ass.*, 1956, 129: 227-233. Abstract: *Chem. Abstr.*, 1956, 50: 15890h.
- Ederle, W. Zur zentralnervösen Wirkung des Serpasil. [Effects of serpasil on the central nervous system.] *Nervenarzt*, 1956, 27: 33.
- Everett, G. M., Toman, J. E. P., Smith, A. H., Jr. Reduction of electroshock seizure latency and other central actions of reserpine. [Abstract] *Fed. Proc., Balt.*, 1955, 14: 337.
- Ferro Milone, F., Gomirato, G. Observations expérimentales sur le comportement de l'activité corticale spontanée et évoquée sous l'action des neuroleptiques. [Changes in spontaneous and evoked cortical activity under the influence of neuroleptic drugs; experimental results.] *Encéphale*, 1956, 45: 853-857.
- Gangloff, H., Monnier, M. Topische Bestimmung des zerebralen Angriffs von Reserpine (Serpasil). [Local determination of cerebellar effects of reserpine.] *Experientia, Basel*, 1955, 11: 404-407. Abstract: *Chem. Abstr.*, 1956, 50: 4384b.
- Garattini, S., Valzelli, L. Sostanze interferenti sulla attività potenziante gli ipnotici svolta dalla serotonina. [Substances that interfere with the potentiating effect of serotonin on hypnotics.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 292-295.
- Gliedman, L. H., Gantt, W. H. The effects of reserpine and chlorpromazine on orienting behavior and retention of conditioned reflexes. *South. M. J.*, 1956, 49: 880-889.
- Guha, G., Dasgupta, S. R., Werner, G. Effects of some central depressant drugs on conditioned reflexes. *Bull. Calcutta School Trop. Med.*, 1954, 2: 46-47. Abstract: *Chem. Abstr.*, 1955, 49: 12709de.
- Hall, J. F., Warren, J. M., Harlow, H. F. The effects of reserpine (serpasil) on the delayed response in monkeys. *J. Psychol., Provincet.*, 1955, 40: 159-161. Abstract: *Excerpta med.*, Sec. 8, 1956, 9: No. 2245.
- Hendley, C. D., Lynes, T. E., Berger, F. M. Effect of meprobamate on electrical activity of thalamus and other subcortical areas. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957, p. 35-46.
- Hess, S. M., Shore, P. A., Brodie, B. B. Persistence of reserpine action after the disappearance of drug from brain: effect of serotonin. *J. Pharm. Exp. Ther.*, 1956, 118: 84-89.
- Himwich, H. E. Discussion of papers on basic observations of new psychopharmacological agents. *Psychiat. Res. Rep., Wash.*, 1956 (4): 24-31.
- . Rinaldi, F. Analysis of the action of benztropine methanesulfonate against Parkinsonism. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957, p. 47-57.
- Holten, C. H., Sonne, E. Action of a series of benactyzine-derivatives and other compounds on stress-induced behaviour in the rat. *Acta pharm. tox., Kbh.*, 1955, 11: 148-155.
- Keller, D. L., Umbreit, W. W. Chemically altered permanent behavior patterns in fish and their cure by reserpine. *Science*, 1956, 124: 407.
- . Permanent alteration of behavior in mice by chemical and psychological means. *Science*, 1956, 124: 723-724.
- Krehmer, E. Untersuchungen über den Antagonismus des Sedaraupin (Reserpin) gegenüber zentralerregenden Substanzen (Pervitin, Coffein, Cocain). [Antagonism of sedaraupin (reserpine) to central stimulants (pervitin, caffeine, cocaine).] 53 p. Giessen, 1956. [Thesis—Giessen]
- Kroneberg, G. Rescinnamin, das zweite sedative Alkaloid der *Rauwolfia serpentina*. [Rescinnamine, the second sedative alkaloid of *Rauwolfia serpentina*.] *Arzneimitt. Forsch.*, 1956, 6: 579-583.
- Lasagna, L., McCann, W. P. Effect of "tranquilizing" drugs on amphetamine toxicity in aggregated mice. *Science*, 1957, 125: 1241-1242.
- Lim, R. K., Pindell, M. H., Glass, H. G., Rink, K. The experimental evaluation of sedative agents in animals. *Ann. N. York Acad. Sc.*, 1956, 64: 667-678.
- Longo, V. G., Napolitano, L. Effetti della reserpina sulle reazioni elettroencefalografiche e motorie provocate dalla stimolazione dell'ipotalamo. [Effects of reserpine on the electroencephalographic and motor reactions induced by stimulation of the hypothalamus.] *Farmaco, ed. sc., Pavia*, 1955, 10: 297-305. Abstract: *Chem. Abstr.*, 1955, 49: 13517gh.
- Marrazzi, A. S., Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957, p. 9-21.
- . An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.
- Mason, J. W., Brady, J. V. Plasma 17-hydroxycorticosteroid changes related to reserpine effects on emotional behavior. *Science*, 1956, 124: 982-984.
- Masserman, J. H., Pechtel, C. An experimental investigation of factors influencing drug action. *Psychiat. Res. Rep., Wash.*, 1956 (4): 95-113.
- . Neurophysiologic and pharmacologic influences on experimental neuroses. *Am. J. Psychiat.*, 1956, 113: 510-514.
- Meier, R., Bein, H. J., Gross, F., Tripod, J., Tuchmann-Duplessis, H. Effets de la réserpine, un nouvel alcaloïde de la *Rauwolfia Serpentina* Benth., sur le système nerveux central de l'animal. [Effect of reserpine, a new alkaloid from *Rauwolfia serpentina* Benth., on the central nervous system in animals.] *C. rend. Acad. sc.*, 1954, 238: 961-963.
- Miller, N. E. Effects of drugs on motivation; the value of using a variety of measures. *Am. N. York Acad. Sc.*, 1956, 65: 318-333.
- Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of *Rauwolfia*, thorazine, and meratran. *Psychiat. Res. Rep., Wash.*, 1955 (1): 25-44. Abstract: *Chem. Abstr.*, 1956, 50: 2867gh.
- Müller, J. M., Schlittler, E., Bein, H. J. Reserpin, der sedative Wirkstoff aus *Rauwolfia serpentina* Benth. [Reserpine, the sedative principle from *Rauwolfia serpentina* Benth.] [English summary] *Experientia, Basel*, 1952, 8: 338.
- Murphree, O. D., Peters, J. E. The effect of electroconvulsions, insulin comas and certain chemical agents on fixations in the rat. *J. Nerv. Ment. Dis.*, 1956, 124: 78-83.
- Nathan, P., Aprison, M. H., Himwich, H. E. Effect of some centrally acting drugs on compulsive circling. *Proc. Soc. Exp. Biol., N. Y.*, 1955, 90: 364-367. Abstract: *Chem. Abstr.*, 1956, 50: 3632cd.

- Passouant, P., Passouant-Fontaine, T., Cadilhac, J. Les effets de la réserpine sur le comportement et les rythmes corticaux et rhinencéphaliques du chat chronique. [Effect of reserpine on cortical and rhinencephalic rhythms in chronic cat.] *C. rend. Soc. biol.*, 1956, 150: 779-782.
- Pletscher, A., Shore, P. A., Brodie, B. B. Serotonin as a mediator of reserpine action in brain. *J. Pharm. Exp. Ther.*, 1956, 116: 84-89.
- Plummer, A. J., Barrett, W. E., Wagle, G., Yonkman, F. F. Sedative and hypnotic action of reserpine in unanesthetized animals. *Fed. Proc., Balt.*, 1953, 12: 357-358.
- , Earl, A., Schneider, J. A., Trapold, J., Barrett, W. Pharmacology of Rauwolfia alkaloids, including reserpine. *Ann. N. York Acad. Sc.*, 1954, 59: 8-21.
- Reserpine and the nervous system. *Lancet, Lond.*, 1955, 2: 1326.
- Rinaldi, F. The experimental electroencephalographic approach to psychopharmacology. *Psychiat. Res. Rep., Wash.*, 1956 (4): 1-10.
- , Himwich, H. E. A comparison of effects of reserpine and some barbiturates on the electrical activity of cortical and subcortical structures of the brain of rabbits. *Ann. N. York Acad. Sc.*, 1955, 61: 27-35.
- , —. Drugs affecting psychotic behavior and the function of the mesodiencephalic activating system. *Dis. Nerv. Syst.*, 1955, 16: 133-141. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4566.
- Rubin, B., Malone, M. H., Waugh, M. H., Burke, J. C. Comparative activity of Rauwolfia serpentina whole root and reserpine in laboratory animals. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 40-44.
- Salmoiraghi, G. C., Sollero, L., Page, I. H. Blockade by brom-lysergic-acid-diethylamide (BOL) of the potentiating action of serotonin, and reserpine on hexobarbital hypnosis. *J. Pharm. Exp. Ther.*, 1956, 117: 166-168. Abstract: *Chem. Abstr.*, 1956, 50: 14105gh.
- Schneider, J. A. Further characterization of central effects of reserpine (serpasil). *Am. J. Physiol.*, 1955, 181: 64-68. Abstract: *Chem. Abstr.*, 1955, 49: 11187e.
- , —. Reserpine antagonism of morphine analgesia in mice. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 87: 614-615. Abstract: *Chem. Abstr.*, 1955, 49: 4165ef.
- , Earl, A. E. Behavior and electroencephalographic studies with serpasil (reserpine): a new alkaloid from Rauwolfia serpentina. [Abstract] *Fed. Proc., Balt.*, 1954, 13: 130.
- , —. Effects of serpasil on behavior and autonomic regulating mechanisms. *Neurology*, 1954, 4: 657-667.
- , Plummer, A. J., Earl, A. E., Barrett, W. E., Rinehart, R., Dibble, R. C. Pharmacological studies with deserpidine, a new alkaloid from Rauwolfia canescens. *J. Pharm. Exp. Ther.*, 1955, 114: 10-13.
- , —, —, Gaunt, R. Neuropharmacological aspects of reserpine. *Ann. N. York Acad. Sc.*, 1955, 61: 17-26. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2480.
- Schwartzbaum, J. S. Effects of reserpine and chlorpromazine on nest building and thermal preference in rats. *Proc. Soc. Exp. Biol., N. Y.*, 1955, 90: 275-277. Abstract: *Chem. Abstr.*, 1956, 50: 2853ab.
- Shore, P. A., Carlsson, A., Brodie, B. B. Mechanism of serotonin-release by reserpine. [Abstract] *Fed. Proc., Balt.*, 1956, 15: 483.
- , Silver, S. L., Brodie, B. B. Interaction of reserpine, serotonin, and lysergic acid diethylamide in brain. *Science*, 1955, 122: 284-285.
- Sidman, M. Drug-behavior interaction. *Ann. N. York Acad. Sc.*, 1956, 65: 282-302.
- Slater, I. H., Rathbun, R. C., Henderson, F. G., Neuss, N. Pharmacological properties of recalescine, a new sedative alkaloid from Rauwolfia canescens Linn. *Proc. Soc. Exp. Biol., N. Y.*, 1955, 88: 293-295.
- Smith, R. P., Wagman, A. I., Riopelle, A. J. Effects of reserpine on conditioned avoidance behavior in normal and brain-operated monkeys. *J. Pharm. Exp. Ther.*, 1956, 117: 136-141. Abstract: *Chem. Abstr.*, 1956, 50: 13278d.
- Stein, L. Reserpine and the learning of fear. *Science*, 1956, 124: 1082-1083.
- Terzian, H. Étude expérimentale de l'action de la réserpine (serpasil) sur les structures nerveuses centrales. [Experimental study of the effects of reserpine (serpasil) on the central nervous system.] *Encéphale*, 1956, 45: 835-842.
- Tripod, J., Bein, H. J., Meier, R. Characterization of central effects of serpasil (reserpin, a new alkaloid of Rauwolfia serpentina B.) and of their antagonistic reactions. *Arch. internat. pharm. dyn., Gand*, 1954, 96: 406-425.
- Turner, W. J. The effect of lysergic acid diethylamide on Betta splendens: I. *Dis. Nerv. Syst.*, 1956, 17: 193-197.
- Weiskrantz, L., Wilson, W. A., Jr. Effect of reserpine on learning and performance. *Science*, 1956, 123: 1116-1118. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1705. *Chem. Abstr.*, 1956, 50: 13281i.
- , —. The effects of reserpine on emotional behavior of normal and brain-operated monkeys. *Ann. N. York Acad. Sc.*, 1955, 61: 36-55.
- Winter, C. A., Flataker, L. Effects of lysergic acid diethylamide upon performance of trained rats. *Proc. Soc. Exp. Biol., N. Y.*, 1956, 92: 285-289. Abstract: *Chem. Abstr.*, 1956, 50: 14891i.
- Walaszek, E. J., Abood, L. G. Effect of tranquilizing drugs on fighting response of Siamese fighting fish. *Science*, 1956, 124: 440-441.

Studies, normal subjects

- Arellano. Effects of reserpine in psychiatric patients. *J. Am. M. Ass.*, 1955, 157: 530.
- Budnick, I. S., Leikin, S., Hoeck, L. E. Effect in the newborn infant of reserpine administered ante partum. *A. M. A. J. Dis. Child.*, 1955, 90: 286-289. * *
- Colombati, S., Benassi, P. Osservazioni elettroencefalografiche su un alcaloide della Rauwolfia (serpasil) [Encephalographic observations with an alkaloid of Rauwolfia (serpasil).] *Gazz. med. ital.*, 1955, 114: 69-72.
- Dale, P. W. The actions of reserpine. *Connecticut M. J.*, 1955, 19: 652-655. Abstract: *Chem. Abstr.*, 1956, 50: 4380h.
- Dennison, A. D., Jr., White, P. T., Moore, R. B., Pierce, W. J. Effect of reserpine upon the human electroencephalogram. *Neurology*, 1955, 5: 56-58. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 2712.
- Fraser, H. F., Isbell, H. Chlorpromazine and reserpine. A. Effects of each and of combinations of each with morphine. B. Failure of each in treatment of abstinence from morphine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 257-262.
- Hollister, L. E., Traub, L., Beckman, W. G. Psychiatric use of reserpine and chlorpromazine: results of double-blind studies. In: Kline, N. S., ed. Psychopharmacology. Washington, Am. Ass. Adv. Sc., 1956. p. 65-74. *
- Isbell, M., Logan, C. R. Studies on the diethylamide of lysergic acid (LSD-25). II. Effects of chlorpromazine, azacyclonol, and reserpine on the intensity of the LSD-reaction. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 350-358.
- Jeri, R. Observaciones con la reserpina (serpasol) en sujetos sanos y en pacientes psiquiátricos. [Observations with reserpine (serpasol) in normal subjects and in psychiatric patients.] [English summary] *Rev. neur. psiquiat., Lima*, 1955, 18: 108-124. Abstract as: Effects of reserpine in psychiatric patients. *J. Am. M.*

Ass., 1955, 157: 530. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1225.

Kline, N. S. Use of Rauwolfia serpentina Benth. in neuropsychiatric conditions. *Ann. N. York Acad. Sc.*, 1954, 59: 107-132. Abstract: *Chem. Abstr.*, 1954, 48: 10220c.

Lehmann, H. E., Csank, J. Differential screening of phrenotropic agents in man: psychophysiologic test data. *J. Clin. Exp. Psychopath.*, 1957, 18: 222-235.

Phillips, T. Overdose of reserpine. *Brit. M. J.*, 1955, 2: 969.

Plummer, A. J., Earl, A., Schneider, J. A., Trapold, J., Barrett, W. Pharmacology of Rauwolfia alkaloids, including reserpine. *Ann. N. York Acad. Sc.*, 1954, 59: 8-21. [17-18]

Reserpine and the nervous system. *Lancet, Lond.*, 1955, 2: 1326.

Sellers, A. M., Hafkenschiel, J. H. Sedative and anti-hypertensive effect of intravenous reserpine in man. [Abstract] *Fed. Proc., Balt.*, 1954, 13: 404.

—, —. Studies of intravenous reserpine in man. [Abstract] *Am. J. M. Sc.*, 1954, 228: 114.

Talbot, M. W., Jr. The use of reserpine in irritable and hypertonic infants. *Ann. N. York Acad. Sc.*, 1955, 61: 188-197. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2635.

Studies, patients

Arellano. Effects of reserpine in psychiatric patients. *J. Am. M. Ass.*, 1955, 157: 530.

Balestrieri, A. Azione della clorpromazina e della reserpina sul sistema nervoso extrapiramidale. [The effect of chlorpromazine and reserpine on the extrapyramidal nervous system.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 483-512.

Baruk, H., Launay, J., Bergès, J., Lanteri-Laura, G. Étude de l'action de la réserpine sur l'initiation psychomotrice et les grandes constantes physiologiques et biologiques. Comparison sur l'action des extraits totaux. [Study of the effects of reserpine on psychomotor initiative and the significant physiologic and biologic values; comparison with the effects of total extracts.] *Ann. méd. psychol., Par.*, 1957, 115 (1): 708-712.

Bente, D. Elektroencephalographische Ergebnisse zur Wirkungsweise der neuroleptischen Behandlungsverfahren. [Mechanism of action of neuroleptic therapies; EEG findings.] *Encéphale*, 1956, 45: 898-903.

—, Itil, T. Das Verhalten des Hirnstrombildes bei hochdosierter Behandlung mit Reserpin (Serpasil) und bei medikamentös erzeugten parkinsonähnlichen Zustandsbildern. [The encephalogram during reserpine (serpasil) therapy with massive doses and in drug-induced parkinsonism.] *Med. Klin., Berl.*, 1955, 50: 1296-1301.

Brooks, G. W. Experiences with the use of chlorpromazine and reserpine in psychiatry, with special reference to the significance of extra-pyramidal dysfunction. *N. England J. M.*, 1956, 254: 1119-1123. Abstract: *Yearbook of drug therapy*, 1956-1957, p. 343-344.

Colombati, S. Modificazioni del tracciato E. E. G. da reserpina. [Modifications of electroencephalographic tracings during reserpine therapy.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 569-580.

—, Benassi, P. Osservazioni elettroencefalografiche su un alcaloide della Rauwolfia (serpasil). [Encephalographic observations with an alkaloid of Rauwolfia (serpasil).] *Gazz. med. ital.*, 1955, 114: 69-72.

De Caro, D. Manifestazioni extrapiramidali e convulsive osservate durante la terapia con la reserpina; contributo clinico ed E. E. grafico. [Extrapyramidal symptoms and convulsions during reserpine therapy; clinical and electroencephalographic tracings.] *Acta neur., Nap.*, 1956, 11: 426-453. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1538.

—, —. Modificazioni E. E. G. provocate dalla reserpina nell'uomo. [Electroencephalographic changes in man induced by reserpine.] *Arch. psicol. neur., Milano*, 1956, 17: 581-591.

Delay, J., Deniker, P., Bourguignon, A., Lemperière, T. Complications d'allure extrapyramidale au cours des traitements par la chlorpromazine et la réserpine; étude clinique et électromyographique. [Extrapyramidal movement disorders during chlorpromazine and reserpine therapy; clinical and electromyographic studies.] *Encéphale*, 1956, 45: 1093-1098.

Deniker, P. Psychophysiologic aspects of the new chemotherapeutic drugs in psychiatry; some practical features of "neuroleptics" in order to screen new drugs. *J. Nerv. Ment. Dis.*, 1956, 124: 371-376.

—, —. Recent advances in "pharmaco-psychiatry." *J. Clin. Exp. Psychopath.*, 1956, 17: 381-384.

Ferguson, R. S. Influences of reserpine on E. C. T.: preliminary observations. *J. Ment. Sc., Lond.*, 1956, 102: 826-829.

Flügel, F., Bente, D. Das akinetisch-abulische Syndrom und seine Bedeutung für die pharmakologisch-psychiatrische Forschung. [Akinetic-abulic syndrome and its importance in psychopharmacologic research.] *Deut. med. Wschr.*, 1956, 81: 2071-2074.

Fogel, E. J. Physiological studies after continuous serpasil therapy over 18 months. *Dis. Nerv. Syst.*, 1956, 17: 322-323.

Freyhan, F. A. Psychomotility and parkinsonism in treatment with neuroleptic drugs. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 465-472.

Funkenstein, D. H. Nor-epinephrine-like and epinephrine-like substances in relation to human behavior. *J. Nerv. Ment. Dis.*, 1956, 124: 58-68.

Gerstenbrand, F., Weingarten, K. Serpasil-Behandlung bei extrapyramidalen Hyperkinesen. [Serpasil treatment of extrapyramidal hyperkinesia.] *Wien. klin. Wschr.*, 1956, 68: 656-659.

Haase, H. J. Psychiatrische Erfahrungen mit Megaphen (Largactil) und dem Rauwolfiaalkaloid Serpasil unter dem Gesichtspunkt des psychomotorischen Parkinsonsyndroms. [Psychiatric experiences with megaphen (largactil) and the Rauwolfia alkaloid serpasil with special reference to Parkinson's psychomotor syndrome.] *Nervenarzt*, 1955, 26: 507-510.

—, —. Über Begriff und Wirkungsweise des therapeutisch erstrebten psychomotorischen Serpasil-(Rauwolfiaalkaloid-) und Largactil-(Megaphen-) Parkinsonsyndroms. [Definition and mode of action of the psychomotor Parkinson syndrome therapeutically induced by serpasil and largactil.] [English summary] *Msch. Psychiat.*, Basel, 1956, 131: 201-214.

—, —. Über Vorkommen und Deutung des psychomotorischen Parkinsonsyndroms bei Megaphen- bzw. Largactil-Dauerbehandlung. [Occurrence and interpretation of the psychomotor Parkinson syndrome during prolonged therapy with megaphen or largactil.] *Nervenarzt*, 1954, 25: 486-492.

Hafkenschiel, J. H., Sellers, A. M., King, G. A., Thorner, M. W. Preliminary observations on the effects of parenteral reserpine on cerebral blood flow, oxygen and glucose metabolism, and electroencephalograms of patients with essential hypertension. *Ann. N. York Acad. Sc.*, 1955, 61: 78-84. Abstract: *Chem. Abstr.*, 1955, 49: 12711i.

Hess, R. Vorläufige elektroencephalographische Befunde bei Serpasil-Therapie. [Preliminary electroencephalographic findings in serpasil therapy.] *Schweiz. med. Wschr.*, 1955, 85: 442-443.

Holmberg, G., Jönsson, B., Mellgren, A., Martens, S. EEG changes in chlorpromazine and reserpine treatment. *Acta psychiat. neur. scand.*, 1956, Suppl. 106: 235-240.

Janzarik, W. Die Bedeutung der neuroplegischen Therapie für die Psychopathologie des schizophrenen

- Wahns. [Significance of neuroleptic therapy for the psychopathology of schizophrenic hallucinations.] *Encéphale*, 1956, 45: 635-642.
- Kernohan, G. A. Stupor during reserpine therapy. *Brit. M. J.*, 1957, 1: 1475-1476.
- Kirkpatrick, W. L., Sanders, F. Clinical evaluation of reserpine in a state hospital. *Ann. N. York Acad. Sc.*, 1955, 61: 123-143.
- Lafon, R., Boyer, Duc, N., Minvielle, J., Pouget, R. Effets comparatifs de l'injection intraveineuse de sérotonine et de réserpine; étude psychométrique neuro-végétative et électroencéphalographique. [The comparative effects of intravenous serotonin and reserpine; a psychometric, neuro-autonomic and electroencephalographic study.] *Ann. méd. psychol., Par.*, 1956, 114 (2): 463-466.
- Le Guillant Le syndrome neuroleptique: étude clinique et psychotechnique. [The neuroleptic syndrome: clinical and psychometric study.] *Ann. méd. psychol., Par.*, 1957, 115 (1): 316-329.
- Martelli, G. Azione della reserpina a dosi terapeutiche sull'elettroencefalogramma di malati mentali. [The effects of reserpine therapy on the EEG of mental patients.] [English summary] *Gior. psichiat.*, 1956, 84: 323-335.
- , —, —, —, —. Variazioni E. E. G. da reserpina in neuropsichiatria. [Electroencephalographic variations with reserpine in neuropsychiatry.] *Arch. psicol. neur., Milano*, 1956, 17: 595-596.
- Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. A comparison of cortical and subcortical brain waves in normal, barbiturate, reserpine, and chlorpromazine sleep. *Ann. N. York Acad. Sc.*, 1955, 61: 56-71. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3089.
- , —, —, —, —. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thorazine, and meratran. *Psychiat. Res. Rep.*, Wash., 1955 (1): 25-44. Abstract: *Chem. Abstr.*, 1956, 50: 2867gh.
- Morgan, D. R. The experimental use of reserpine in the treatment of tremor-rigidity syndromes. *Med. J. Australia*, 1956, 43 (1): 973-974.
- Richman, A., Tyhurst, J. S. An extrapyramidal syndrome with reserpine. *Canad. M. Ass. J.*, 1955, 72: 457-458.
- Schmitt, R. J. The psychodynamics of the tranquilizing agents. *Psychiat. Q.*, 1957, 31: 17-30.
- Shankel, L. W., Whittier, J. R. Effects of reserpine therapy on Funkenstein test reactions in maladapted patients. *Dis. Nerv. Syst.*, 1956, 17: 258-261.
- Shuman, J. Paralysis agitans developing during reserpine therapy. *J. Am. M. Ass.*, 1955, 158: 73.
- Steck, H. Le syndrome extrapyramidal dans les cures de chlorpromazine et serpasil; sa symptomatologie clinique et son rôle thérapeutique. [Extrapyramidal syndrome in chlorpromazine and serpasil therapy; its clinical symptoms and therapeutic role.] *Encéphale*, 1956, 45: 1083-1089.
- , —. Le syndrome extrapyramidal et diencéphalique au cours des traitements au largactil et au serpasil. [Extrapyramidal and diencephalic syndrome during largactil and serpasil therapy.] *Ann. méd. psychol., Par.*, 1954, 112 (2): 737-744.
- Tonini, G., Montanari, C. Modificazioni elettroencefalografiche nel corso della terapia con reserpina. [Electroencephalographic changes during reserpine therapy.] *Arch. psicol. neur., Milano*, 1956, 17: 592-593.
- Therapeutic studies, controlled**
- Abse, D. W., Curtis, T. E., Dahlstrom, W. G., Hawkins, D. R., Toops, T. C. The use of reserpine in the management of acute mental disturbance on an in-patient service: preliminary report. *J. Nerv. Ment. Dis.*, 1956, 124: 239-247.
- Armour, P. S. A regimen in acute alcoholism. [Mephensin; mephensin carbamate; reserpine; also combined and compared] *Arizona M.*, 1956, 13: 169-172.
- Ayd, F. J., Jr. Thorazine and serpasil treatment of private neuropsychiatric patients. *Am. J. Psychiat.*, 1956, 113: 16-21.
- Barrett, J. E. The value of chlorpromazine hydrochloride and reserpine in relation to other methods used in treating mental illness. *Virginia M. Month.*, 1955, 82: 415-417.
- Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.
- Bennett, A. E., Ford, F. R., Turk, R. E. Clinical investigation of chlorpromazine and reserpine in private psychiatric practice. *Am. J. Psychiat.*, 1956, 112: 782-787. Condensed: *Am. Practitioner*, 1956, 7: 1576-1577. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4546.
- Brooks, G. W. Experiences with the use of chlorpromazine and reserpine in psychiatry, with special reference to the significance and management of extrapyramidal dysfunction. *N. England J. M.*, 1956, 254: 1119-1123. Abstract: *Year book of drug therapy*, 1956-1957, p. 343-344.
- Carey, E. F. A new approach to the emergency treatment of sickness caused by narcotic withdrawal. *Illinois M. J.*, 1957, 111: 1-7. Also: *Ann. N. York Acad. Sc.*, 1955, 61: 222-229.
- Carter, C. H. The effects of reserpine and methylphenylacetate (ritalin) in mental defectives, spastics, and epileptics. *Psychiat. Res. Rep.*, Wash., 1956 (4): 44-48.
- Charlin, A. Action respective de la chlorpromazine et de la réserpine; hypothèses pathogéniques. [The effect of chlorpromazine and of reserpine; pathogenic hypotheses.] *Encéphale*, 1956, 45: 1099-1105.
- Dale, P. W. The actions of reserpine. *Connecticut M. J.*, 1955, 19: 652-655. Abstract: *Chem. Abstr.*, 1956, 50: 4380h.
- Davies, D. L. Clinical trials with especial reference to reserpine. *Encéphale*, 1956, 45: 1031-1034.
- Ferguson, J. T. Comparison of reserpine and harmonyl in psychiatric patients; a preliminary report. *J. Lancet*, 1956, 76: 389-390.
- , Funderburk, W. H. Improving senile behavior with reserpine and ritalin; new approach with use of methyl phenylpiperidylacetate. *J. Am. M. Ass.*, 1956, 160: 259-263. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3520. *Year book of drug therapy*, 1956-1957, p. 344-346.
- Fischer, E. Reserpine (serpasil) in mental deficiency practice. *J. Ment. Sc., Lond.*, 1956, 102: 542-545.
- Fox, V. Treatment of withdrawal symptoms in the management of alcoholism. *J. M. Ass. Georgia*, 1956, 45: 139-142.
- Fraser, H. F., Isbell, H. Chlorpromazine and reserpine A. Effects of each and of combinations of each with morphine. B. Failure of each in treatment of abstinence from morphine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 257-262.
- Freedman, A. M., Effron, A. S., Bender, L. Pharmacotherapy in children with psychiatric illness. *J. Nerv. Ment. Dis.*, 1955, 122: 479-486. Abstract: *Year book of drug therapy*, 1956-1957, p. 350-351.
- Fremming, K. H., Perregaard, I. Serpasil som sedativum i psykiatrien. [Serpasil as a sedative in psychiatric practice.] [English summary] *Ugeskr. laeger*, 1955, 117: 599-603. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3608.
- Gerard, D. L., Weisselberger, D., Kritz, D. Reserpine in the postwithdrawal rehabilitation of adolescent opiate addicts. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 106-108.
- Harris, R. D., Rowley, E. H. Reserpine in cerebral palsy. *J. Pediat.*, S. Louis, 1956, 49: 398-400.

- Horenstein, S. Reserpine and chlorpromazine in hyperactive mental defectives. *Am. J. Ment. Defic.*, 1957, 61: 525-529.
- Hunt, B. R., Frank, T., Krush, T. P. Chlorpromazine in the treatment of severe emotional disorders of children. *A. M. A. J. Dis. Child.*, 1956, 91: 268-277.
- Jeri, R. Observaciones con la reserpina (serpasol) en sujetos sanos y en pacientes psiquiátricos. [Observations with reserpine (serpasol) in normal subjects and in psychiatric patients.] [English summary] *Rev. neur. psiquiat.*, Lima, 1955, 18: 108-124. Abstract as: Effects of reserpine in psychiatric patients. *J. Am. M. Ass.*, 1955, 157: 530. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1225.
- Kline, N. S. Clinical applications of reserpine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 81-108.
- . Use of Rauwolfia serpentina Benth. in neuro-psychiatric conditions. *Ann. N. York Acad. Sc.*, 1954, 59: 107-132. Abstract: *Chem. Abstr.*, 1954, 48: 10220 c.
- Knutsen, A. T. Reserpin og klogpromazin i psykiatrien. [Reserpine and chlorpromazine in psychiatry.] [English summary] *Tskr. Norske laegeforen.*, 1956, 76: 368-371.
- Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. *Internat. Rec. M.*, 1956, 169: 323-338.
- Lafon, R., Duc, N., Boyer, Abrie, J., Pouget, R. Exploration psychologique des malades traités par le 4560 RP (chlorpromazine) et la réserpine. [Psychologic examination of patients treated with RP 4560 (chlorpromazine) and with reserpine.] *Encéphale*, 1956, 45: 996-999.
- Lemere, F. Combined chlorpromazine-reserpine therapy of psychiatric disorders. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 1-2. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2235.
- Marini, M., Caprini, G., Benciolini, P. La Rauwolfia in malate croniche, normotese ed ipertese; contributo clinico. [Rauwolfia in chronic, normotensive and hypertensive patients; clinical contribution.] *Arch. psicol. neur.*, Milano, 1956, 17: 419-432.
- McGrath, S. D., Ryan, J. P., Fennelly, J. J. The use of reserpine (serpasil) in psychiatry. *J. Irish M. Ass.*, 1956, 39: 1-4. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2089.
- Morton, H. G., Warson, S. R. Control study on reserpine in small group of children with neurologic disorders. *J. Florida M. Ass.*, 1957, 43: 786.
- Nicolaou, G. T., Kline, N. S. Reserpine in the treatment of disturbed adolescents. *Psychiat. Res. Rep.*, Wash., 1955 (1): 122-132.
- Niswander, G. D., Haslerud, G. M., Brody, N., Casey, T. M. Reserpine and methylphenidylacetate effects on socialization and activity. *J. Nerv. Ment. Dis.*, 1957, 125: 51-56.
- Pelzman, O., Conigliaro, V. Osservazioni preliminari sull'uso clinico di un derivato di Rauwolfia serpentina in malati di mente. [Preliminary study of the clinical use of a Rauwolfia serpentina derivative in mental patients.] [English summary] *Gior. psichiat.*, 1955, 83: 131-147. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1221.
- Rance, A. M., Jurquet, A., Roger, J. Remarques sur la thérapeutique des affections psychiatriques par la chlorpromazine et la réserpine; étude comparée des diverses modalités d'administration de ces drogues. [Therapy of psychiatric disorders with chlorpromazine and reserpine; comparative study of the various methods of their administration.] *Encéphale*, 1956, 45: 477-487.
- Reda, G. C., Germano, V. L'azione combinata della reserpina e cloropromazina nella pratica psichiatrica. [Combined effect of reserpine and chlorpromazine in psychiatric practice.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 647-653.
- Ricci, G. C., Ricordati, M. Un alcaloide della Rauwolfia serpentina nella terapia della ipertensione e di alcune psicopatie; rassegna critica ed esperienze cliniche. [Rauwolfia serpentina alkaloid in the treatment of hypertension and of certain psychopathies; critical considerations and clinical experiences.] [English summary p. 128] *Rass. fisiopat.*, 1954, 26: 91-131.
- Rosner, H., Levine, S., Hess, H., Kaye, H. A comparative study of the effect on anxiety of chlorpromazine, reserpine, phenobarbital, and a placebo. *J. Nerv. Ment. Dis.*, 1955, 122: 505-512. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2093.
- Smigel, J. O. Mood therapy in the aged. *Med. Times, Great Neck*, 1957, 85: 149-158.
- Sternberg, U., Spitz, H., Goyne, J. B. Evaluation of chlorpromazine and reserpine therapy with follow-up study. *J. Clin. Exp. Psychopath.*, 1957, 18: 258-268.
- Ware, L. M., Prout, C. T. A controlled study of reserpine in the treatment of mental illness. *Bull. N. York Acad. M.*, 1956, 32: 643-650.
- Zeller, W. W., Graffagnino, P. N., Cullen, C. F., Reitman, H. J. Use of chlorpromazine and reserpine in the treatment of emotional disorders. *J. Am. M. Ass.*, 1956, 160: 179-184. Abstract: *Year book of drug therapy*, 1956-1957, p. 341-342.
- Cannabis intoxication
- Carey, E. F. A new approach to the emergency treatment of sickness caused by narcotic withdrawal. *Illinois M. J.*, 1957, 111: 1-7. Also: *Ann. N. York Acad. Sc.*, 1955, 61: 222-229.
- Neuroses
- Bazzi, T. Reserpina e psicoterapia. [Reserpine and psychotherapy.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 675-681.
- Calloway, N. O. Tranquilization and sedation by the use of a combination of small doses of reserpine and pentobarbital sodium. *Illinois M. J.*, 1956, 110: 232-234.
- Cohen, S. Clinical experiences with pipradrol and a pipradrol-reserpine combination. *Internat. Rec. M.*, 1956, 169: 751-756.
- Davidoff, E., Best, J. L., McPheeters, H. L. The effect of ritalin (methyl-phenidylacetate hydrochloride) on mildly depressed ambulatory patients. *N. York State J. M.*, 1957, 57: 1753-1757.
- Davies, D. L., Shepherd, M. Reserpine in the treatment of anxious and depressed patients. *Lancet, Lond.*, 1955, 2: 117-120. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1224.
- Ferguson, J. T. What's new and usable in the chemical treatment of abnormal behavior. *J. Michigan M. Soc.*, 1956, 55: 1095-1101.
- Ferguson, R. S. A clinical trial of reserpine in the treatment of anxiety. *J. Ment. Sc., Lond.*, 1956, 102: 30-42. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1534.
- Folkson, A., May, A. R. Use of reserpine and Rauwolfia in psychoneuroses. *Brit. M. J.*, 1955, 2: 1121-1122. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2658.
- Hare, E. H., Seager, C. P., Leitch, A. Reserpine in anxiety states. *Lancet, Lond.*, 1956, 1: 545-547. Abstract: *Year book of drug therapy*, 1956-1957, p. 336-337.
- Hollister, L. E., Stannard, A. N., Drake, C. F. Treatment of anxious patients with drugs. *Dis. Nerv. Syst.*, 1956, 17: 289-293.
- Kinard, S., Mills, L. C., Terrell, J., Moyer, J. H. Use of d-amphetamine to curb the increased appetite and overeating induced by reserpine therapy. *J. Am. Geriatr. Soc.*, 1956, 4: 1073-1077.
- Kline, N. S. Clinical applications of reserpine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 81-108.

- Meath, J. A., Feldberg, T. M., Rosenthal, D., Frank, J. D. Comparison of reserpine and placebo in treatment of psychiatric outpatients. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 207-214.
- Meller, R. L. Reserpine and alseroxydon therapy in emotionally disturbed patients. *J. Lancet*, 1955, 75: 339-342. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 5000.
- Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquilizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. *GP*, 1957, 15 (6): 97-118.
- Pellerito, N. L'Azione della clorpromazina e della reserpina sull'ansia dei psiconevrosici. [Action of chlorpromazine and reserpine on the anxiety of psychoneurotics.] *Minerva med.*, Tor., 1956, 47: 628-631.
- Randolph, A. C., Thompson, L. J. The use of dimethylane-reserpine combination in mental disorders; a preliminary report. *North Carolina M. J.*, 1957, 18: 17-20.
- Ritter, N. S. Experience with reserpine in the treatment of alcoholism. *Q. J. Alcohol*, 1956, 17: 195-197. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 883.
- Rosenthal, D., Frank, J. D. Psychotherapy and the placebo effect. *Psychol. Bull.*, 1956, 53: 294.
- Sarwer-Foner, G. J., Ogle, W. The use of reserpine in an open psychiatric setting. *Canad. M. Ass. J.*, 1955, 73: 187-191.
- , —. Psychodynamic aspects of reserpine: its uses and effects in open psychiatric settings. *Canad. Psychiat. Ass. J.*, 1956, 1: 11-17.
- Talbot, M. W., Jr. The use of reserpine in irritable and hypertonic infants. *Ann. N. York Acad. Sc.*, 1955, 61: 188-197. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2635.
- Weir, H. F., Anderson, R. L. The effects of reserpine and Rauwolfia in minor disorders of adjustment in children. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 33-39.
- Wells, R. E. Use of reserpine (serpasil) in the management of chronic alcoholism. *J. Am. M. Ass.*, 1957, 163: 426-429.
- Psychoses**
- Altshuler, I. M. Music potentiating drugs. A preliminary report. *Music therapy*, 1955, 5: 120-126.
- Arnold, A. L., Freeman, H. Reserpine in hospitalized psychotics; a controlled study on chronically disturbed women. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 281-285.
- Azima, H., Cramer-Azima, F. J., De Verteuil, R. A comparative behavioral and psychodynamic study of reserpine and equally potent doses of raudixin in schizophrenics. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 15-25.
- Barsa, J. A., Kline, N. S. Combined reserpine-chlorpromazine in treatment of disturbed psychotics. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 280-286. Abstract: *Am. J. Psychiat.*, 1955, 111: 780. *Excerpta med.*, Sect. 8, 1957, 10: No. 368.
- , —. A comparative study of reserpine, chlorpromazine, and combined therapy. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 90-97.
- , —. Reserpine in the treatment of psychotics with convulsive disorders. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 31-35. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1730.
- , —. Treatment of two hundred disturbed psychotics with reserpine. *J. Am. M. Ass.*, 1955, 158: 110-113. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2246.
- , —. Use of reserpine in disturbed psychotic patients. *Am. J. Psychiat.*, 1956, 112: 684-691. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4543.
- Baruk, H., Launay, J., Bergès, J., Mijolla, A. de Étude clinique de l'action thérapeutique de la reserpine. Comparaison avec l'action des extraits totaux. [Clinical study of the therapeutic effect of reserpine; comparison with total extracts.] *Ann. méd. psychol.*, Par., 1957, 115 (1): 704-708.
- Boudwin, J., Kline, N. S. Use of reserpine in chronic non-disturbed psychotics. *Psychiat. Res. Rep.*, Wash., 1956 (4): 71-78.
- Cowden, R. C., Zax, M., Sproles, J. A. Group psychotherapy in conjunction with a physical treatment. *J. Clin. Psychol.*, 1956, 12: 53-54.
- , —, —. Reserpine alone and as an adjunct to psychotherapy in the treatment of schizophrénia. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 518-522.
- Cutler, R. P., Monroe, J. J., Anderson, T. E. Effects of "tranquilizers" upon pathological activity in psychotic patients. I. Chlorpromazine. II. Reserpine. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 616-622; 1957, 78: 61-68.
- Dice, N., Bagchi, B. K., Waggoner, R. W. Investigation of effects of intravenous reserpine in disturbed psychotic and brain-damaged patients; electroencephalographic correlation. *J. Nerv. Ment. Dis.*, 1955, 122: 472-478.
- Elkes, C. Rauwolfia alkaloids and reserpine in the treatment of the chronic psychotic patient. *J. Ment. Sc.*, Lond., 1957, 103: 464-474.
- Feldman, P. E. A comparative study of various ataractic drugs. *Am. J. Psychiat.*, 1957, 113: 589-594.
- Ferguson, J. T. Improved behavior patterns in the hospitalized mentally ill with reserpine and methylphenidylacetate. *Psychiat. Res. Rep.*, Wash., 1956 (4): 35-43.
- , Linn, F. V. A new compound for the symptomatic treatment of tension and anxiety: 2-ethylcrotonylurea (nostyn). *Antibiotic M.*, 1956, 3: 329-333.
- Finn, M. H., Nadolski, F., Guy W., Gross, M. Clinical, psychological and myoneural changes in psychotic patients under oral serpasil medication. *J. Nerv. Ment. Dis.*, 1955, 122: 458-462. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 370.
- Frain, M. K. Promazine treatment of chronic psychoses in 100 hospitalized patients. *J. Nerv. Ment. Dis.*, 1957, 125: 529-533.
- Freeman, H., Arnold, A. L., Cline, H. S. Effects of chlorpromazine and reserpine in chronic schizophrenic patients. *Dis. Nerv. Syst.*, 1956, 17: 213-219. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1448.
- Gardner, M. J., Hawkins, H. M., Judah, L. N., Murphree, O. D. Objective measurement of psychiatric changes produced by chlorpromazine and reserpine in chronic schizophrénia. *Psychiat. Res. Rep.*, Wash., 1955 (1): 77-83.
- Goldman, D. Comparison of clinical effects of chlorpromazine and reserpine in psychotic patients. *Am. J. M. Sc.*, 1957, 233: 137-144.
- Gore, C. P., Egan, G. P., Walton, D. The place of reserpine in the treatment of the chronic psychotic patient. *Am. J. Psychiat.*, 1957, 114: 333-337.
- Hes, J. P., Bracha, S. The influence of reserpine on a disturbed male ward and a method for assessing this. *J. Ment. Sc.*, Lond., 1956, 102: 546-549.
- Hickerson, G. X., Jr., Swain, J. M., Tempey, F. W. Reserpine in acute psychotic states; report of a controlled study. *J. Nerv. Ment. Dis.*, 1956, 124: 614-617.
- Hollister, L. E., Traub, L., Beckman, W. G. Psychiatric use of reserpine and chlorpromazine: results of double-blind studies. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Adv. Sc.*, 1956, p. 65-74.
- Holt, E. K., Ward-Dunn, G., Nedilsky, B. T., Niswander, G. D. Clinical comparison of raudixin and rau-sed in chronic mental illness. *Dis. Nerv. Syst.*, 1955, 16: 222-223. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4564.

- Kinross-Wright, V. Chlorpromazine and reserpine in the treatment of psychoses. *Ann. N. York Acad. Sc.*, 1955, 61: 174-182. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2236.
- Kline, N. S. Clinical applications of reserpine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 81-108. *
- Koltonow, L. Reserpine in the treatment of patients with chronic mental disease; a controlled study. *J. Nerv. Ment. Dis.*, 1956, 123: 392-394.
- Kovitz, B., Carter, J. T., Addison, W. P. A comparison of chlorpromazine and reserpine in chronic psychosis. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 467-471. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2087.
- Lafon, R., Duc, N., Abric, J., Pouget, R., Comelade, P. Etude comparative du 4. 560 R. P. (chlorpromazine) et de la réserpine dans les syndromes schizophréniques. [Comparative study of R. P. 4560 (chlorpromazine) and reserpine in schizophrenic syndromes.] *Encéphale*, 1956, 45: 668-671.
- Lehman, E., Haber, J., Lesser, S. R. The use of reserpine in autistic children. *J. Nerv. Ment. Dis.*, 1957, 125: 351-356.
- Leiberman, D. M., Vaughan, G. F. The use of some new pharmacological agents in psychiatry. *J. Ment. Sc.*, *Lond.*, 1957, 103: 110-118.
- Lemere, F. Failure of azacyclonol (frenquel) to relieve non-experimental mental confusion and hallucinations. *Am. J. Psychiat.*, 1957, 113: 840-841.
- Loch, W. Zur Behandlung fortgeschrittener Schizophrenien mit Megaphen und Reserpin. [Megaphen and reserpine therapy of advanced schizophrenia.] *Nervenarzt*, 1956, 27: 463-467.
- Luiz, H. A. Experiences with the use of reserpine on the chronically disturbed mental patient. *S. Afr. M. J.*, 1956, 30: 1049-1051. *
- Lyager, T., Rontorp, P. S. Behandling of psykotiske patienter med reserpin (serpasil). [Reserpine in therapy of psychoses.] [English summary] *Ugeskr. laeger*, 1955, 117: 603-610. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3609. * *
- McDonald, R. E., Ellsworth, R. B., Eniss, J. Behavioral changes of chronic schizophrenics in response to reserpine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 575-578. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 888.
- McPheeters, H., Fox, W. W. Evaluation of reserpine and methyl phenidylacetate used separately and in combination in chronic psychotic patients. *J. Kentucky M. Ass.*, 1956, 54: 785-791.
- Malamud, W., Barton, W. E., Fleming, A. M., Middleton, P. McK., Friedman, T. T., Schleifer, M. J. The evaluation of the effects of derivatives of Rauwolfia in the treatment of schizophrenia. *Am. J. Psychiat.*, 1957, 114: 193-200.
- Michtom, J., Goldberg, N., Offenkrantz, W., Whittier, J. Readmission rates for state mental hospital patients discharged on maintenance ataractics. Findings with a matched control group and methodological considerations. *J. Nerv. Ment. Dis.*, 1957, 125: 478-480.
- Naidoo, D. The effect of reserpine (serpasil) on the chronic disturbed schizophrenic: a comparative study of Rauwolfia alkaloids and electroconvulsive therapy. *J. Nerv. Ment. Dis.*, 1956, 123: 1-13. *
- Negri, F. Effetto della reserpina e della reserpina associata a psicotonici in alcune psicopatie senili. [Effect of reserpine and of reserpine combined with psychotonics in senile psychoses.] [English summary] *Arch. psicol. neur.*, *Milano*, 1956, 17: 441-451.
- Pearl, D., Vander Kamp, H., Olsen, A. L., Greenberg, P. D., Armitage, S. G. The effects of reserpine on schizophrenic patients. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 198-204. Condensed: *Am. J. Psychiat.*, 1956, 112: 936.
- Penman, A. S., Dredge, T. E. Effect of reserpine and open-ward privileges on chronic schizophrenics. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 42-49.
- Pennington, V. M. A comparative study of six ataractics in 1130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33: 336-339.
- Rashkis, H. A., Smarr, E. R. Drug and milieu effects with chronic schizophrenics. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 89-94.
- Rinaldi, F., Rudy, L. H., Himwich, H. E. Clinical evaluation of azacyclonol, chlorpromazine, and reserpine on a group of chronic psychotic patients. *Am. J. Psychiat.*, 1956, 112: 678-683. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4986.
- Rudy, L. H., Rinaldi, F., Himwich, H. E. Comparative effects of azacyclonol, reserpine, and chlorpromazine on moderately disturbed psychotic patients with long histories of hospitalization. *Psychiat. Res. Rep.*, *Wash.*, 1956 (4): 49-63.
- Ruskin, I. W., Avol, M. Rauwolfia tranquilization for the disturbed aged. *J. Am. Geriatr. Soc.*, 1956, 4: 998-1003.
- Schneider, G. Les indications de divers neuroleptiques et les résultats obtenus à la clinique psychiatrique de Lausanne. [Indications for various neuroleptic drugs and the results obtained at the psychiatric clinic of Lausanne.] *Encéphale*, 1956, 45: 1024-1030.
- Schrut, A. H. Controlled study on clinical use of reserpine in psychotic patients with special comments on sources of error. *J. Nerv. Ment. Dis.*, 1955, 122: 513-517. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1533.
- Shepherd, M., Watt, D. C. A controlled clinical study of chlorpromazine and reserpine in chronic schizophrenia. *J. Neur.*, *Lond.*, 1956, 19: 232-235. *
- Sommerness, M. D., Lucero, R. J., Hamlon, J. S., Erickson, J. L., Matthews, R. A controlled study of reserpine on chronically disturbed patients. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 316-319. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3607.
- Swenson, W. M., Gislason, S., Anderson, D. E. Behavioral evaluation of chronic mental hospital patients treated with reserpine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 60-64.
- Torseigno, M., Zucchi, M. Trattamento di ammalati mentali con un preparato iniettabile di alcaloidi totali di Rauwolfia serpentina Benth. [Therapy of mental patients with an injectable preparation of total alkaloids from Rauwolfia serpentina Benth.] *Minerva med.*, *Tor.*, 1955, 46: 604-607. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3087.
- Tripi, G. Considerazioni generali sull'uso della clorpromazina e della reserpina nel trattamento di circa trecento psicopatici. [Observations on the use of chlorpromazine and reserpine in the treatment of about 300 mental patients.] *Rass. neuropsichiat.*, 1955, 9: 463-469. Also: *Arch. psicol. neur. Milano*, 1956, 17: 635-639.
- Tuteur, W. Combined reserpine-chlorpromazine therapy in highly disturbed psychotics. *Am. J. Psychiat.*, 1955, 112: 206. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2243.
- , Lepson, D. Combined reserpine-chlorpromazine therapy in highly disturbed psychotics. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 163-172.
- , Stiller, R., Whitehill, O. Treatment of regressed schizophrenics with chlorpromazine, reserpine and a combination of both drugs. *Dis. Nerv. Syst.*, 1957, 18: 100-105.
- Watt, D. C. Reserpine and chlorpromazine in the treatment of chronic schizophrenics. *Encéphale*, 1956, 45: 661-662.
- Wing, L. The use of reserpine in chronic psychotic patients: a controlled trial. *J. Ment. Sc.*, *Lond.*, 1956, 102: 530-541. *

—*Psychosomatic diseases*

- Friedman, A. P. The treatment of headache with reserpine. *Ann. N. York Acad. Sc.*, 1955, 61: 276-280. Also: *Neurology*, 1955, 5: 805-808. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1555; 3226.
- Kupperman, H. S., Blatt, M. H., Vosburgh, L. F., Canis, J., Wetchler, B. Effect of reserpine, with or without hormonal therapy, upon the female climacteric. *J. Am. Geriatr. Soc.*, 1956, 4: 160-166. *
- LeVan, P., Wright, E. T. Use of tranquilizers in diseases of the skin; a preliminary report. *California M.*, 1956, 85: 87-88. *
- Polak, F. Über eine antiallergische Wirkung des Rauwolfiaalkaloids Reserpine. [An antiallergic effect of the Rauwolfia alkaloid reserpine.] *Schweiz. med. Wschr.*, 1955, 85: 751-752.
- Policzer, M., Székely, A., Földes, J. A Rauwolfia serpentina alkalmazása a vegetatív működések regulációzavarain. [Use of Rauwolfia serpentina in autonomic disorders.] *Orv. hetil.*, 1955, 96: 548-549.
- Seemann, D. Erfahrungen über Reserpinbehandlung in der Geriatrie. [Reserpine in geriatrics.] *Wien. med. Wschr.*, 1956, 106: 930.
- Sellers, A. M., Hafkenschiel, J. H. Sedative and anti-hypertensive effect of intravenous reserpine in man. [Abstract] *Fed. Proc., Balt.*, 1954, 13: 404.
- , —. Studies of intravenous reserpine in man. [Abstract] *Am. J. M. Sc.*, 1954, 228: 114.

Therapeutic use

- Altschule, M. D. Use of chlorpromazine and reserpine in mental disorders. *N. England J. M.*, 1956, 254: 515-519. Abstract: *Chem. Abstr.*, 1956, 50: 7318a. *
- Andreev, A. L. Olechenii psikhicheskikh zabolovani serpasilom. [Treatment of mental diseases with serpasil.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 294-295. Abstract: *Chem. Abstr.*, 1956, 50: 17176gh.
- D'Avossa, B. Considerazioni sul trattamento di 102 psichiatrici neuropsichiatrici con reserpina. [Observations regarding reserpine therapy in 102 neuropsychiatric patients.] *Arch. psicol. neur., Milano*, 1956, 17: 546-558.
- Ayd, F. J., Jr. A critique of chlorpromazine and reserpine therapy. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.* 1957, p. 173-181. *
- Ayerbe, A., Acuna, M. Resultados obtenidos con la reserpina en clínica psiquiátrica. [Results obtained with reserpine in psychiatric practice.] *Sem. méd., B. Air.*, 1956, 108: 232-234.
- Beley, A., Foncin, J. F., Leyrie, J. Quelques inconvénients des doses élevées de réserpine chez le jeune arriéré turbulent; indications posologiques. [Complications with massive reserpine doses in disturbed retarded children; dosage indications.] *Encéphale*, 1956, 45: 802-807. *
- Belsasso, M. Terapia delle malattie mentali con reserpina (serpasil) e clorpromazina (largactil) ad alte dosi. [Treatment of mental disorders with high-dosage reserpine (serpasil) and chlorpromazine (largactil).] *Rass. giuliana med., Trieste*, 1956, 12: 209-216. *
- Benassi, P., Fava, D. Trattamento con reserpina di alcune tossicomanie. [Reserpine treatment of drug addiction.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 601-607. *
- Benedetti, G. Terapia reserpinica in psichiatria. [Reserpine therapy in psychiatry.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 295-309.
- Bennett, A. E. Clinical trial of reserpine in psychotic and psychoneurotic illnesses. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956, p. 109-117.
- Berthiaume, M. Actualités thérapeutiques en neuropsychiatrie; la réserpine (serpasil). [Therapeutic advances in neuropsychiatry; reserpine (serpasil).] *Union méd. Canada*, 1956, 85: 1039-1042.
- Bleuler, M. Comparaison entre les effets de la chlorpromazine et de la réserpine en psychiatrie. [Comparison between the effects of chlorpromazine and reserpine in psychiatry.] *Encéphale*, 1956, 45: 334-348.
- , Stoll, W. A. Clinical use of reserpine in psychiatry: comparison with chlorpromazine. *Ann. N. York Acad. Sc.*, 1955, 61: 167-173. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4080.
- Boon, A. A. Largactil en verwante middelen in de psychiatrie en neurologie. [Largactil and related remedies in psychiatry and neurology.] *Ned. tschr. geneesk.*, 1955, 99: 2735-2741.
- Bordeleau, J. M. Clinical evaluation of chlorpromazine and Rauwolfia serpentina in the psychiatric department of a general hospital. *J. Florida M. Ass.*, 1956, 42: 547-554.
- Borenstein, P., Dabbah, M., Bare, D. Contribution à l'étude de la réserpine en psychiatrie; résultats cliniques et électro-encéphalographiques. [Research on reserpine in psychiatry; clinical and electroencephalographic results.] *Ann. méd. psychol., Par.*, 1956, 114 (1): 545-580. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1532.
- Bosinelli, M. Reserpina e reserpina associata a clorpromazina in neuropsichiatria infantile. [Reserpine and reserpine combined with chlorpromazine in child neuropsychiatry.] *Arch. psicol. neur., Milano*, 1956, 17: 478-479.
- Bukowczyk, A. O zastosowaniu leczniczym reserpiny (serpasilu) w psychiatrii; streszczenie przeglądowe. [Therapeutic application of reserpine (serpasil) in psychiatry.] *Neur. é. polska*, 1956, 6: 73-80.
- Clough, P. W. Reserpine in the treatment of neuropsychiatric disorders. *Ann. Int. M.*, 1955, 43: 632-637.
- Coirault, R., Girard, V., Benoit, P. Utilisation du serpasil en neuro-psychiatrie. [Use of serpasil in neuropsychiatry.] *Bull. Soc. méd. mil. fr.*, 1955, 49: 249-250. Abstract: *Presse méd.*, 1956, 64: 315.
- Colombati, S., Benassi, P. Impiego de un alcaloide della Rauwolfia in neuropsichiatria. [Use of a Rauwolfia alkaloid in neuropsychiatry.] *Gazz. med. ital.*, 1954, 113: 301-303.
- De Busscher, J. Impressions personnelles sur les effets de l'atarax, de la chlorpromazine, de la réserpine et du AY 5406-1 (parasan) en thérapeutique psychiatrique. [Personal impressions of atarax, chlorpromazine, reserpine and AY 5406-1 (parasan) in psychiatric therapy.] *Encéphale*, 1956, 45: 1007-1023.
- De Falco, A., Grassi, B. La reserpina nel trattamento delle malattie mentali. [Reserpine in the treatment of mental diseases.] *Arch. psicol. neur., Milano*, 1956, 17: 432-438.
- Delay, J., Deniker, P. Chlorpromazine and neuroleptic treatments in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 19-24.
- , —. Peut on comparer la reserpine à la chlorpromazine? [Can one compare reserpine with chlorpromazine?] *Arch. psicol. neur., Milano*, 1956, 17: 631-633.
- , —, Tardieu, Y., Lemperrière, T. Médicaments et cures neuroleptiques en thérapeutique psychiatrique: premiers essais de la réserpine; comparaison avec les effets de la chlorpromazine. [Drugs and neuroleptic therapies in the treatment of psychiatric diseases; first trials with reserpine; comparison with the effects of chlorpromazine.] *Presse méd.*, 1955, 63: 663-665.
- , —, —. Premiers essais en thérapeutique psychiatrique de la réserpine alcaloïde nouveau de "Rauwolfia serpentina." [First investigations on the use of reserpine, a new alkaloid of "Rauwolfia serpentina" in psychiatric therapy.] [Abstract] *Ann. méd. psychol., Par.*, 1954, 112 (2): 448.

- , —, Wiart, C. Compléments à notre expérience de la réserpine. [Additional experiences with reserpine.] *Encéphale*, 1956, 45 : 1042-1048.
- Delgado Roig, J., Franco Hernández, M. El uso de la reserpina en la clínica psiquiátrica; nota previa. [Use of reserpine in psychiatric practice; preliminary report.] [English summary] *Hispania med.*, 1955, 12 : 507-512.
- Deniker, P. Hibernothérapies et médicaments neuroleptiques en thérapeutique psychiatrique. [Hiberno-therapies and neuroleptic drugs in psychiatric therapy.] *Encéphale*, 1957, 46 : 281-398.
- Donnelly, J., Zeller, W. Clinical research on chlorpromazine and reserpine in state and private psychiatric hospitals; a comparative review of the clinical problems. *J. Clin. Exp. Psychopath.*, 1956, 17 : 180-188.
- Donini, F. M., Belsasso, M., Ravis, E. Risultati terapeutici ottenuti con il serpasil in 158 ammalati mentali. [Therapeutic results of serpasil in 158 mental patients.] *Arch. psicol. neur.*, Milano, 1956, 17 : 394-398.
- Dubansky, B. Neue Wege in der Behandlung der Chorea minor. Vorläufige Mitteilung. [New methods of treating chorea minor. Preliminary report.] *Schweiz. med. Wschr.*, 1956, 86 : 122-123.
- Ederle, W. Zur zentralnervösen Wirkung des Serpasil. [Effects of serpasil on the central nervous system.] *Nervenarzt*, 1956, 27 : 33.
- Erdmann, C. E. Neues über die Rauwolfia-Behandlung unter besonderer Berücksichtigung der Literatur in den USA. [Review of Rauwolfia therapy with special reference to literature in the United States of America.] *Nervenarzt*, 1956, 27 : 75-79.
- Faure, J. L., Abric, J. Remarques cliniques sur les indications valables de la chlorpromazine et de la réserpine en neuro-psychiatrie infantile. [Clinical remarks on the indications for the use of chlorpromazine and reserpine in child neuro-psychiatry.] *Pédiatrie*, 1956, 11 : 773-776.
- Fazekas, J. F., Shea, J. G., Sullivan, P. D., Jr. Ataractics in medical practice. *GP*, 1956, 14 (6) : 75-81.
- Finke, H. Beitrag zur Reserpine-Therapie in der Psychiatrie. [Contribution to reserpine therapy in psychiatry.] [English summary] *Münch. med. Wschr.*, 1956, 98 : 872-874.
- Freed, H. Chlorpromazine and reserpine; new era in psychiatry? *Am. Practitioner*, 1955, 6 : 706-708.
- Freeman, H. A critique of the tranquilizing drugs, chlorpromazine and reserpine, in neuropsychiatry. *N. England J. M.*, 1956, 255 : 877-883.
- Freyhan, F. A. Psychomotility and parkinsonism in treatment with neuroleptic drugs. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78 : 465-472.
- Galioni, E. F. Reserpine and chlorpromazine, their use in alcoholic and geriatric patients. *California M.*, 1956, 85 : 97-99.
- Garavaglia, G., Negri, V. U. L'uso della reserpina negli state di eccitamento psichico. [Use of reserpine in psychic excitation states.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17 : 376-387.
- Garcia, J. A., Ferreira, L. R. Investigações terapêuticas com um dos alcaloides da Rauwolfia serpentina. [Therapeutic tests of one of the Rauwolfia serpentina alkaloids.] [English summary] *Rev. brasil. med.*, 1955, 12 : 291-294.
- Gherarducci, D. A propos de l'utilisation de la chlorpromazine associée à d'autres thérapeutiques psychiatriques. [Utilization of chlorpromazine associated with other psychiatric therapeutics.] *Encéphale*, 1956, 45 : 1187-1189.
- Giberti, F., Garelo, L. Risultati del trattamento con reserpina in psichiatria. [Results of reserpine therapy in psychiatry.] [English summary] *Sistema nerv.*, Milano, 1955, 7 : 29-42. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 4079.
- Gliedman, L. H., Gantt, W. H. The effects of reserpine and chlorpromazine on orienting behavior and retention of conditioned reflexes. *South. M. J.*, 1956, 49 : 880-889.
- Gomes d'Araújo, H., Jr. Utilização da reserpina (serpasil) em neuro-psiquiatria. [Reserpine in neuropsychiatry.] *Médico, Nova Goa*, 1955, 6 : 656-669. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 1223.
- Gomirato, G. Le applicazioni della clorpromazina e della reserpina al vaglio di due riunioni. [Uses of chlorpromazine and reserpine as evaluated by two assemblies.] *Minerva med.*, Tor., 1955, 46 : 1449-1452.
- Gosline, E., Kline, N. S. Use of reserpine on an admission service. *Psychiat. Res. Rep.*, Wash., 1955 (1) : 112-121. *
- Grandon, R. C., Heffley, W., Hensel, T., Bashore, S. A new medical adjunct to the treatment of alcoholism; the use of reserpine (serpasil). *Am. Practitioner*, 1956, 7 : 231-234.
- Greenfield, A. R. A new type of sedation for the acute alcoholic. *Am. Practitioner*, 1956, 7 : 241-244. Abstract: *Year book of drug therapy*, 1956-1957, p. 337-338.
- Grenier, J., Larue, G. H., Parent, R., Turmel, J. La réserpine en psychiatrie. [Reserpine in psychiatry.] *Laval méd.*, 1956, 21 : 181-189.
- Haight, J. Newer drug therapies. *Dis. Nerv. Syst.*, 1956, 17 : 295-296.
- Hes, J. P., Bracha, S. [Reserpine in psychiatric treatment.] [English abstract] *Harefuah, Tel-Aviv*, 1956, 51 : 101-106.
- Hilliard, E. T. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1) : 1035-1040.
- Hoch, P. H. Progress in psychiatric therapies. *Am. J. Psychiat.*, 1955, 112 : 241-247.
- Hoff, H. Advantages and disadvantages of treatment with chlorpromazine and serpasil. *Encéphale*, 1956, 45 : 352-358.
- . Vorteile und Nachteile der Behandlung mit Largactil und Serpasil. [Advantages and disadvantages of therapy with largactil and with serpasil.] *Wien. klin. Wschr.*, 1956, 68 : 97-101.
- Hoffman, J. L. General summary to: Chlorpromazine and reserpine; symposium on experiences at Saint Elizabeths Hospital. *Med. Ann. District of Columbia*, 1956, 25 : 267-268; 298. *
- Howard, J. C., Jr., Vinci, F. J. Use of the tranquilizing properties of reserpine; a review. *Internat. Rec. M.*, 1956, 169 : 213-221.
- Jensen, E. S. Serpasilbehandling på åndssvagehospital. [Serpasil therapy in a hospital for the mentally deficient.] *Ugeskr. læger*, 1955, 117 : 1463-1465.
- Kinross-Wright, V. A review of the newer drug therapies in psychiatry. *Dis. Nerv. Syst.*, 1956, 17 : 187-190.
- . The uses and limitations of the newer drugs in the treatment of nervous conditions. *Wisconsin M. J.*, 1956, 55 : 1073-1078.
- Kirk, D. L., Bauer, A. M. Effects of reserpine (serpasil) on emotionally maladjusted high grade mental retardates. *Am. J. Ment. Defc.*, 1956, 60 : 779-784. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1528. *
- Kirkpatrick, W. L., Sanders, F. Clinical evaluation of reserpine in a state hospital. *Ann. N. York Acad. Sc.*, 1955, 61 : 123-143.
- Kline, N. S., Saunders, J. C. Reserpine in psychiatric and neurologic disorders. *Med. Clin. N. America*, 1957, 41 : 307-326. *
- , Stanley, A. M. Use of reserpine in a neuropsychiatric hospital. *Ann. N. York Acad. Sc.*, 1955, 61 : 85-91. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 1230. *

- Labhardt, F. Einige allgemeine und psychiatrische Gesichtspunkte zur Behandlung mit neuroplegischen Medikamenten. [General and psychiatric views on therapy with neuroplegic drugs.] [Short English summary] *Dermatologica, Basel*, 1955, 111: 177-185.
- Lambros, V. S. The use of reserpine in certain neurological disorders; organic convulsive states, enuresis, and head injuries. *Ann. N. York Acad. Sc.*, 1955, 61: 211-214. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2481.
- Landgrebe, B. Über Erfahrungen mit Reserpin (Sedaraupin) in der psychiatrischen Klinik. [Experience with reserpine (sedaraupin) in a psychiatric hospital.] *Medizinische*, 1955: 610-613.
- Le Guillant, L., Roelens, Corre, Kestenberg, Pichet, Béquart, Bailly-Salin. Quelques remarques méthodologiques sur l'action des neuroleptiques. [Certain methodological considerations on the action of neuroleptic drugs.] *Encéphale*, 1956, 45: 1128-1135.
- Luttrell, R. R., Morrison, A. V. A preliminary report on the tranquilizing effect of reserpine. *Ann. N. York Acad. Sc.*, 1955, 61: 183-187. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4078.
- Ma, J., Crandell, A. The use of reserpine in the treatment of mental patients who are tuberculous. *Am. Rev. Tuberc.*, 1956, 74: 457-461.
- Macias Castro, I. Notas terapeuticas: uso y abuso de la Rauwolfia serpentina. [Therapeutic notes: use and abuse of Rauwolfia serpentina.] *Arch. Hosp. univ., Habana*, 1955, 7: 61-65. *
- Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.
- Martelli, G. Azione della reserpina a dosi terapeutiche sull'elettroencefalogramma di malati mentali. [The effects of reserpine therapy on the EEG of mental patients.] [English summary] *Gior. psichiat.*, 1956, 84: 323-335.
- Mathis, M. Toniques et sédatifs en neuro-psychiatrie infantile. [Tonics and sedatives in child neuropsychiatry.] *Pédiatrie*, 1956, 11: 807-820.
- Maurel, H., Wilhelm, Spielmann, J. P. Les indications psychiatriques de la réserpine. [Psychiatric indications for reserpine.] *Encéphale*, 1956, 45: 1049-1055.
- Menger, P. Serpasil et sclérose en plaques. [Serpasil and multiple sclerosis.] *Ann. méd. psychol., Par.*, 1956, 114 (2): 886-890.
- Miksztal, M. W. Chlorpromazine (thorazine) and reserpine in residential treatment of neuropsychiatric disorders in children. *J. Nerv. Ment. Dis.*, 1956, 123: 477-479.
- Milli, N., Marzi, F. Il serpasil nelle malattie mentali. [Serpasil in mental disease.] *Riv. pat. nerv.*, 1956, 77: 502-505.
- Morgan, D. R. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43 (1): 1029-1035. *
- Noce, R. H., Williams, D. B., Rapaport, W. Reserpine (serpasil) in the management of the mentally ill. *J. Am. M. Ass.*, 1955, 158: 11-15.
- , ——, ——, Reserpine (serpasil) in the management of the mentally ill and mentally retarded; preliminary report. *J. Am. M. Ass.*, 1954, 156: 821-824. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1222.
- Overholser, W. Chlorpromazine and reserpine in psychiatric practice. *Postgrad. M.*, 1956, 19: 346-349.
- , La chlorpromazine, ouvre-t-elle une ère nouvelle dans les hôpitaux psychiatriques? [Chlorpromazine—the beginning of a new era in psychiatric hospitals?] *Encéphale*, 1956, 45: 313-319.
- , Has chlorpromazine inaugurated a new era in mental hospitals? *J. Clin. Exp. Psychopath.*, 1956, 17: 197-201.
- Parsons, E. H. New chemical agents in psychiatry. *Postgrad. M.*, 1955, 18: 193-198.
- Pennington, V. M. Research findings in phrenotropic drugs important to every physician. *Mississippi Doctor*, 1957, 35: 57-63.
- , The use of reserpine (serpasil) in three hundred and fifty neuropsychiatric cases. *Psychiat. Res. Rep., Wash.*, 1955 (1): 105-111. *
- Pisani, D., Micalizzi, F., Motta, E. Rilievi clinici sull'impiego della reserpina in psichiatria. [Clinical results with reserpine in psychiatry.] *Pisani*, 1955, 69 (2): 85-102. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4548.
- , ——, ——, Risultati benefici sul deterioramento mentale patologico (DMP), in seguito a trattamento con reserpina (serpasil). [Good results with reserpine (serpasil) in mental deterioration.] *Pisani*, 1955, 69 (2): 103-114. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4081.
- Pollack, B. Mental illness. *Med. Times, Great Neck*, 1955, 83: 439-450.
- Rea, E. L., Fazekas, J. F. Effects of parenterally administered reserpine. *A. M. A. Arch. Int. M.*, 1955, 95: 538-539.
- Reserpine and the mind. *Lancet, Lond.*, 1955, 2: 330-331.
- Richman, A., Tyhurst, J. S. An extrapyramidal syndrome with reserpine. *Canad. M. Ass. J.*, 1955, 72: 457-458.
- Rossi, M. Moderne terapie psichiatriche a base di ganglioplegici e di alcaloidi della Rauwolfia serpentina. [Modern psychiatric therapy with ganglioplegics and Rauwolfia serpentina alkaloids.] *Arch. psicol. neur., Milano*, 1956, 17: 642-644. *
- Roxo, H. Tratamento moderno das doenças mentais. [Modern therapy of mental diseases.] *Arq. brasil. med. nav.*, 1956, 17: 4153-4162.
- Sacerdoti, G., Vegro, G. La reserpina in psichiatria infantile. [Reserpine in child psychiatry.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 459-477.
- Safe dosage levels in reserpine. *Am. J. Psychiat.*, 1956, 113: 376-377. *
- Sainz, A. A. Considerations on the cerebral action of reserpine. In: Kline, N. S., ed. Psychopharmacology. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 59-63.
- , The management of side effects of chlorpromazine and reserpine. *Psychiat. Q.*, 1956, 30: 647-653. *
- Santangelo, F. Effetti terapeutici del serpasil su un gruppo di malati mentali. [Therapeutic effects of serpasil in a group of mental patients.] *Arch. psicol. neur., Milano*, 1956, 17: 408-411.
- Sargant, W. On chemical tranquillizers. *Brit. M. J.*, 1956, 1: 939-943. *
- Schiele, B. C., Anderson, R. W., Simon, W. Current status of chlorpromazine and reserpine in psychiatric practice. *J. Lancet*, 1956, 76: 179-185. *
- Schmitt, R. J. The psychodynamics of the tranquilizing agents. *Psychiat. Q.*, 1957, 31: 17-30.
- Shapiro, J. Serpasil—its use as a sedative in certain disturbed mental patients. *J. Oklahoma M. Ass.*, 1955, 48: 171-173. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1731.
- Steelman, H. F. The use of serpasil for restlessness in acute closed head injuries: a preliminary report. *Arizona M.*, 1955, 12: 22.
- Struck, G. Zur Rauwolfia-Therapie in der Psychiatrie; vorläufige Mitteilung über 65 behandelte Patienten. [Rauwolfia therapy in psychiatry; preliminary report on 65 treated patients.] *Nervenarzt*, 1956, 27: 79-82.
- Tolsma, F. J. Les neuroleptiques et le problèmes de l'adaptation humaine. [Neuroleptic drugs and the problem of human adaptation.] *Encéphale*, 1956, 45: 1141-1149.

- Tourney, G., Isberg, E. M., Gottlieb, J. S. The use of reserpine in an acute psychiatric treatment setting. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 325-328. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3088. *
- Tyhurst, J. S., Richman, A. Clinical experience with psychiatric patients on reserpine-preliminary impressions. *Canad. M. Ass. J.*, 1955, 72: 458-459.
- . An evaluation of the clinical significance of reserpine. *J. Nerv. Ment. Dis.*, 1955, 122: 492-495. *
- Villien, L. M. The use of reserpine in the treatment of disturbed geriatric patients. *J. Louisiana M. Soc.*, 1956, 108: 126-129.
- Visintini, F. Clorpromazine e reserpina in psichiatria. [Chlorpromazine and reserpine in psychiatry.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 611-621.
- Voelkel, A. Beitrag zur Sedaraupin-Therapie bei psychisch Kranken. [Sedaraupin therapy of mental patients.] *Medizinische*, 1955: 227-228.
- . Zur Reserpin-Therapie bei psychisch Kranken. II. [Reserpine therapy of mental disorders. II.] *Deut. med. J.*, 1956, 7: 72-74.
- Wallis, I. Ueber Sedaraupin-Therapie bei cerebraler geschädigten Kindern. [Sedaraupin therapy of brain-damaged children.] *Med. Klin., Berl.*, 1956, 51: 2221-2223. [Not seen]
- Walther-Büel, H. L'action des médicaments neuroleptiques dans la maladie de Huntington. [Effect of neuroleptic drugs on Huntington's chorea.] *Encéphale*, 1956, 45: 771-772.
- . Das neuroplegische Prinzip in pharmakopsychiatrischer Betrachtung. [The neuroplegic principle in pharmacopsychiatric considerations.] [Brief English summary] *M Schr. Psychiat., Basel*, 1955, 129: 286-296. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3891.
- . Zur Serpasil-Behandlung neuropsychiatrischer Zustände. [Serpasil therapy for neuropsychiatric conditions.] *Praxis, Bern*, 1956, 45: 733-736. *
- Watkins, C. The use of reserpine in cerebral palsy. *South. M. J.*, 1956, 49: 1488-1494.
- Zimmerman, F. T., Burgemeister, B. B. Preliminary report upon the effect of reserpine on epilepsy and behavior problems in children. *Ann. N. York Acad. Sc.*, 1955, 61: 215-221. *
- Additional data
- Alexander, L. Therapeutic process in electroshock and the newer drug therapies; psychopathological considerations. *J. Am. M. Ass.*, 1956, 162: 966-969. *
- . Objective approaches to treatment in psychiatry. *Canad. Psychiat. Ass. J.*, 1957, 2: 77-94. *
- Allen, E. B., Prout, C. T. Alcoholism. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 338-351.
- Bell, J. P. Magic drugs in psychiatry. *J. Kentucky M. Ass.*, 1954, 52: 788-789.
- Bleuler, M. Fortschritte in der Behandlung von Erregungszuständen. [Progress in the treatment of excitatory states.] [Abstract] *Praxis, Bern*, 1954, 43: 1030.
- Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.
- Cant, G. New medicines for the mind; their meaning and promise. 26p. New York, *Public Affairs Committee*, 1955.
- Cohen, I. M. Drugs recently introduced in the treatment of psychiatric disorders. *Texas J. M.*, 1956, 52: 683-687.
- Davis, W. A., Severinghaus, E. L. Drug therapy in psychiatry and neurology; medical and pharmacologic aspects. *J. M. Soc. N. Jersey*, 1956, 53: 18-22.
- Dellaert, R. De modernste chemopharmaca in de psychiatrie. [New chemical psychopharmaca.] *Belg. tschr. geneesk.*, 1956, 12: 314-321.
- Doyle, F. J. New drugs in mental therapy and the implications of their use. *Hosp. Progr.*, 1955, 36 (3): 50-51.
- Fabing, H. D. The ataractic drugs: their uses and limitations in psychiatry. *Am. Profes. Pharmacist*, 1956, 22: 413-418.
- . The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drugs & Cosmet. Indust.*, 1956, 78: 32-33; 125-129. *
- . Trends in biological research in schizophrenia. *J. Nerv. Ment. Dis.*, 1956, 124: 1-7.
- Feldman, D. J. Drug therapy of chronic alcoholism. *Med. Clin. N. America*, 1957, 41: 381-392.
- Fremming, K. H. Medikamentel behandling af synds-sygdomme. [Medical treatment of mental disorders.] *Mskr. prakt. lægegern., Kbh.*, 1956, 34: 331-342.
- French, E. G. Epilepsy. *Am. J. Psychiat.*, 1957, 113: 629-631.
- Freyhan, F. A., Turner, P., Stenzler, R. New drug therapies in psychiatry. *Delaware M. J.*, 1956, 28: 180-186.
- Graffagnino, P. N., Furr, J. H. New drugs in the treatment of emotional disorders; a review. *Connecticut M. J.*, 1957, 21: 38-43.
- Graves, C. C. Drug therapy for the emotionally and mentally disturbed; the psychiatrist's point of view. *J. Iowa M. Soc.*, 1957, 47: 15-16.
- Green, A. Actualités thérapeutiques 1955 en psychiatrie. [Therapeutic progress in psychiatry in 1955.] *Encéphale*, 1956, 45: 172-200.
- Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38 (1): 102-108; 126.
- Keyes, B. L. Ataraxic drugs. *Pennsylvania M. J.*, 1957, 60: 177-181.
- Kline, N. S. Chemotherapy in psychiatry; recent advances. *Seminar Internat., Hoddesdon*, 1956, 5 (2): 7-10. *
- Laboucarié, J., Barrès, P., Rascol, A. Aspects principaux des cures neuroplégiques en psychiatrie en 1956. [Principal features of neuroplegic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.
- Liberson, W. T. The new tranquilizing drugs. 1. Neuropsychiatric aspects. *Am. J. Nurs.*, 1955, 55: 1465-1467.
- Martin, D. A. The therapeutic and toxic effects of tranquilizing drugs: medical aspects. *North Carolina M. J.*, 1956, 17: 396-401.
- Overholser, W. Introductory remarks [to: Chlorpromazine and reserpine; symposium on experiences at Saint Elizabeths Hospital.] *Med. Ann. District of Columbia*, 1956, 25: 255.
- Puca, A. Ibernoterapia, sonno prolungato e neuroplegici in terapia psichiatrica. [Hibernation, prolonged sleep and neuroplegic drugs in psychiatric treatment.] *Rass. internaz. clin. ter.*, 1955, 35: 805-809.
- . Nuove acquisizioni in terapia psichiatrica; ibernoterapia, sonno prolungato e neuroplegici. [New acquisitions in psychiatric therapy; artificial hibernation, prolonged sleep and neuroplegic drugs.] [English summary] *Rass. stud. psichiat.*, 1955, 44: 849-856. Also: *Ann. med. nav., Roma*, 1956, 61: 42-49.
- Sebrell, W. H., Jr. Chemistry in chronic disease research. *Chem. Eng. News*, 1955, 33: 1856-1860.
- Smith, L. H. Progress in psychiatry. *J. Am. M. Ass.*, 1958: 46-47.
- Spencer, R. S. The use of ataraxic drugs in mental illness. *Hawaii M. J.*, 1957, 16: 302.
- Tice, L. F. Some important drug developments of 1956. *Am. J. Pharm.*, 1956, 128: 398-409. *
- Stimulants and depressants. *Brit. M. J.*, 1956, 1: 969-970.
- Tranquillizers. *Scot. M. J.*, 1957, 2: 46-47.
- Treatment of alcoholics with reserpine. *Alcoholism Treatment Digest, New Haven*, 1956 (30): 2-4.
- West, L. J., Swegan, W. H. An approach to alcoholism in the military service. *Am. J. Psychiat.*, 1956, 112: 1004-1009. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 918.

—Literature surveys

see RESERPINE—Bibliographies and literature surveys

—Neuroses

- Arnot, R. The place of sedatives in the treatment of psychoneurotics. *Am. J. Psychiat.*, 1956, 113: 10–15. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 392.
- Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742–1747. *
- Azima, H. The use of chlorpromazine and reserpine in psychological disorders in general practice. *Canad. M. Ass. J.*, 1956, 74: 929–931.
- , Kent, I., Cleghorn, R. A. Rauwolfia alkaloids in mental syndromes. *Canad. M. Ass. J.*, 1955, 73: 866–871. *
- Berger, H. Management of neuroses by the internist and general practitioner. *N. York State J. M.*, 1956, 56: 1783–1788.
- Braun, M., Philipsborne, A. Ataractics in private practice. *Am. J. Psychiat.*, 1956, 113: 80–81.
- Bross, R. B. Near fatality with combined ECT and reserpine. *Am. J. Psychiat.*, 1957, 113: 933.
- Chertok, L. A propos de l'emploi de médicaments neuroleptiques dans le traitement des psychonévroses. [Neuroleptic drugs in the treatment of psychoneuroses.] *Encéphale*, 1956, 45: 705–706.
- Coirault, R., Girard, V., Benoit, P. Utilisation du serpasil en neuropsychiatrie. [Use of serpasil in neuropsychiatry.] *Bull. Soc. méd. mil. fr.*, 1955, 49: 249–250. Abstract: *Presse méd.*, 1955, 64: 315.
- Drake, F. R., Ebaugh, F. G. The use of reserpine in office psychiatry: preliminary report. *Ann. N. York Acad. Sc.*, 1955, 61: 198–205. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1226.
- Dunlop, D. M. The barbiturates and other sedatives. *Practitioner, Lond.*, 1957, 178: 26–32. *
- Durlach, J. Traitement de la maigreur par la réserpine. [Treatment of underweight with reserpine.] *Concours méd.*, 1956, 78: 725–728. Condensed: *Bull. Soc. méd. hôp. Paris*, 1956, 72: 165–168.
- Gilardi, A. Neuartige sedative Therapie bei Verhaltensstörungen im Kindesalter. [New sedative therapy of behavior disorders in children.] *Praxis, Bern*, 1956, 45: 993–995.
- Gomirato, G. L'azione della clorpromazina e della reserpina su alcune manifestazioni sintomatologiche delle psiconevrosi. [Action of chlorpromazine and reserpine on symptomatologic manifestations of psychoneuroses.] [English summary.] *Arch. psicol. neur.*, Milano, 1956, 17: 531–543.
- Grimshaw, J. A. Chlorpromazine and reserpine; limitations of their use in office practice. *J. Kansas M. Soc.*, 1956, 57: 687–689. *
- Heilbrunn, G. Selection of patients for modern psychiatric pharmacotherapy in general practice. *Northwest M.*, 1956, 55: 1198–1205.
- Held, R. Sur la chlorpromazine et les médicaments neuroleptiques; incidences psychothérapeutiques. [Chlorpromazine and neuroleptic drugs; psychotherapeutic incidences.] *Encéphale*, 1956, 45: 1000–1004.
- Hoch, P. H. New drug therapy in psychiatry: clinical uses and abuses in mental disorders. *Bull. N. York Acad. M.*, 1957, 33: 474–486. *
- , Practical and theoretical applications of the new drug therapies in psychiatry. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 325–328. *
- Hollister, L. E. Tranquilizing drugs and the generalist. *Med. Times, Great Neck*, 1956, 84: 1021–1026. *
- Hubbard, O. E., Glasser, J. Newer psychotropic drugs; their characteristics and use in general practice. *Northwest M.*, 1956, 55: 1191–1197.
- Hutchinson, J. T. The value of drugs in the treatment of neuroses. *Med. Illustr., Lond.*, 1956, 10: 541–544.

- Lemere, F. New tranquilizing drugs. *Northwest M.*, 1955, 54: 1098–1100. *
- Macchi, G., Manghi, E., Saginario, M. L'impiego della reserpina in narcoterapia; primi risultati. [Use of reserpine in sleep therapy; first results.] *Gior. psychiat.*, 1954, 82: 1130–1134.
- Ostenfeld, I. Psykiske urotilstande. [Mental excitement.] [English summary] *Nord. med.*, 1955, 54: 1517–1522.
- Sacerdoti, G., Mantelli, A. La reserpina nel trattamento ambulatoriale nei disturbi del comportamento nell'infanzia. [Reserpine in the ambulatory treatment of behavior disorders in childhood.] [English summary] *Gazz. med. ital.*, 1955, 114: 189–191.
- Shankel, L. W., Whittier, J. R. Effects of reserpine therapy on Funkenstein test reactions in maladapted patients. *Dis. Nerv. Syst.*, 1956, 17: 258–261.
- Simkó, A., Erzsébet, B. S. Das Reserpin (Sedaraupin) in der psychiatrischen Praxis; geschichtliche Übersicht und Erfahrungen aus der ambulanten Praxis. [Reserpine (sedaraupin) in psychiatry; historical review and experiences in ambulatory patients.] *Psychiat. Neur. med. Psychol., Lpz.*, 1956, 8: 134–143.
- , Stiaszny, E. Psychiatriai betegek reserpin kezelése. [Reserpine therapy of psychiatric patients.] *Ideg. szemle*, 1956, 9: 53–59.
- Smith, S. K. The use of reserpine in private psychiatric practice. *Ann. N. York Acad. Sc.*, 1955, 61: 206–210. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1227. *
- Sottong, P. C. The use and abuse of the tranquilizing drugs. *J. Tennessee M. Ass.*, 1956, 49: 413–418. *
- Stead, J. S., Wing, J. K. Parkinsonism during treatment with reserpine. *Lancet, Lond.*, 1955, 1: 823–824.

—Psychoses

- Adler, H. Use of serpasil on a disturbed ward. *Dis. Nerv. Syst.*, 1955, 16: 122–124. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4082.
- Avol, M., Vogel, P. J. Treatment of delirium tremens with reserpine (serpasil); a preliminary report. *J. Am. M. Ass.*, 1955, 159: 1516–1520. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4001. *Year book of drug therapy*, 1956–1957, p. 338.
- Barison, F., Massignan, L. La reserpina nelle schizofrenie catatoniche. [Reserpine in catatonic schizophrenia.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 347–358.
- Baumberger, W. Erfahrungen mit dem Rauwolfia-alkaloid Reserpin (Serpasil) bei chronischen Geisteskranken. [Experiences with the Rauwolfia alkaloid reserpine (serpasil) in chronic mental disorders.] *Praxis, Bern*, 1955, 44: 721–724. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4542.
- Bertolini, O. F. Clorpromazina e reserpina nel trattamento delle psicopatie. [Chlorpromazine and reserpine in the treatment of mental diseases.] *Arch. psicol. neur.*, Milano, 1956, 17: 623–627. *
- Bleuler, M. Das Wesen der Serpasil-Behandlung an Schizophrenen. [The mechanism of serpasil treatment in schizophrenia.] *Schweiz. med. Wschr.*, 1955, 85: 443–444.
- Bower, H. M. A clinical evaluation of reserpine in the treatment of chronic mental patients. *Med. J. Australia*, 1955, 42 (2): 82–86. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1732.
- Bowes, H. A. The ataractic drugs; the present position of chlorpromazine, frenquel, pacatal, and reserpine in the psychiatric hospital. *Am. J. Psychiat.*, 1956, 113: 530–539.
- Braun, M., Philipsborn, A. Ataractics in private practice. *Am. J. Psychiat.*, 1956, 113: 80–81.
- Brooks, C. The clinical use of reserpine in mental cases. *J. Alabama M. Ass.*, 1956, 26: 9–11.
- Cachin, M., Pergola, F., Potet, F., Debesse, B. Le traitement du delirium tremens par la réserpine.

- [Treatment of delirium tremens with reserpine.] *Bull. Soc. méd. hôp. Paris*, 1956, 72: 597-603. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1430.
- Campden-Main, B. C., Wegielski, Z. The control of deviant behavior in chronically disturbed psychotic patients by the oral administration of reserpine. *Ann. N. York Acad. Sc.*, 1955, 61: 117-122.
- Cargnello, D. La terapia reserpinica nelle schizofrenie croniche. [Reserpine therapy of chronic schizophrenia.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 359-375.
- . La thérapie par la réserpine dans les schizophrénies chroniques. [Reserpine therapy of chronic schizophrenia.] *Encéphale*, 1956, 45: 1056-1070.
- Carillo-Broatch, A. Tratamiento de la esquizofrenia crónica. [Treatment of chronic schizophrenia.] [English summary] *Rev. neur. psiquiat., Lima*, 1955, 18: 441-445. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1981.
- Delay, J., Deniker, P., Ropert, R., Wiart, C. Les indications des cures neuroleptiques prolongées dans le traitement des psychoses chroniques. [Indications for the prolonged neuroleptic therapy in the treatment of chronic psychoses.] *Arch. psicol. neur., Milano*, 1956, 17: 401-407. *
- Deschamps, A. Quelques résultats des cures de sommeil en hôpital psychiatrique (à base de chlorpromazine associée à d'autres drogues). [Some results of sleep therapy in a psychiatric hospital (based on chlorpromazine associated with other drugs).] *Encéphale*, 1956, 45: 412-415.
- De Smedt, R. La réserpine en clinique psychiatrique. [Reserpine in psychiatric practice.] *Acta neur. psychiat. belg.*, 1955, 55: 399-408.
- Dillon, D., Swain, J. M. Gastro-intestinal hemorrhage as a complication of reserpine administration: report of two cases. *Am. J. Psychiat.*, 1956, 113: 462-463. *
- Ellsworth, R. B., Clark, L. D. Prediction of the response of chronic schizophrenics to drug therapy; a preliminary report on the relationship between palmar sweat and the behavioral effects of tranquilizing drugs. *J. Clin. Psychol.*, 1957, 13: 59-61.
- Fazio, C. Risultati e considerazioni sull'impiego della reserpina nel trattamento delle psicosi. [Results and considerations on the use of reserpine in the treatment of psychoses.] *Arch. psicol. neur., Milano*, 1956, 17: 313-315.
- Flach, F. F. Clinical effectiveness of reserpine. *Ann. N. York Acad. Sc.*, 1955, 61: 161-166. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3084.
- Flügel, F. Neuro-psychiatrische Erfahrungen über die Wirkung des Rauwolfia-Alkaloides Reserpin (Serpasil). [Neuropsychiatric experience with the effects of the Rauwolfia alkaloid reserpine (serpasil).] *Med. Klin., Berl.*, 1955, 50: 509-510.
- Fogel, E. J. Physiological studies after continuous serpasil therapy over 18 months. *Dis. Nerv. Syst.*, 1956, 17: 322-323. **
- Fong, T. C. Chlorpromazine and reserpine in geriatric patients. *Med. Ann. District of Columbia*, 1956, 25: 260-263.
- Foot, E. S. Reserpine in treatment of chronic psychotics; preliminary observations. *Brit. M. J.*, 1955, 1: 1192-1193. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4993.
- Forster, W., Schlichther, W., Henderson, A. L. Reserpine in chronic psychoses. *Canad. M. Ass. J.*, 1955, 73: 951-955. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4551.
- Freund, R. B. Observations during the treatment of 175 psychotic patients with reserpine. *Psychiat. Q.*, 1955, 29: 381-389. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4994.
- Gayral, L., Hervé, Y., Carrié, J., Fourny, L. Les cures insuliniques prolongées et la post-cure dans le traitement de la démence précoce. [Prolonged insulin treatment and after treatment in therapy of dementia praecox.] *Toulouse méd.*, 1955, 56: 501-513.
- , —, Fourny, L., Carrié, J. Chlorpromazine et réserpine dans la post-cure insulinique des schizophrènes. [Chlorpromazine and reserpine after insulin shock therapy in schizophrenia.] *Encéphale*, 1956, 45: 663-667.
- Gilberti, F. Risultati e considerazioni sull'impiego della reserpina nel trattamento delle psicosi: osservazioni generali. [Results of and considerations on the use of reserpine in the treatment of psychoses: general observations.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 316-346.
- Glynn, J. D. Rauwolfia serpentina (serpasil) in psychiatry. *J. Neur., Lond.*, 1955, 18: 225-227.
- Gottlieb, J. S., Tourney, G., Beckett, P. G., Lowinger, P. Drug therapy of the psychoses. *Med. Clin. N. America*, 1956, 40: 1385-1399.
- Hildebrand, H. J. Erfahrungen bei der Behandlung psychisch Kranker mit Serpasil. [Experiences in the therapy of mental patients with serpasil.] [English summary] *Munch. med. Wschr.*, 1956, 98: 1093-1098. *
- Hiob, J., Hippus, H. Klinische Erfahrungen mit dem Rauwolfia-Alkaloid Reserpin in der Psychiatrie. [Clinical experiences with the Rauwolfia alkaloid reserpine in psychiatry.] *Deut. med. Wschr.*, 1955, 80: 1497-1500.
- Hoch, P. H. New drug therapy in psychiatry: clinical uses and abuses in mental disorders. *Bull. N. York Acad. M.*, 1957, 33: 474-486.
- . Practical and theoretical applications of the new drug therapies in psychiatry. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 325-328.
- Hoffman, J. L., Konchegul, L. Clinical and psychological observations on psychiatric patients treated with reserpine: a preliminary report. *Ann. N. York Acad. Sc.*, 1955, 61: 144-149. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3083.
- Hollister, L. E., Krieger, G. E., Kringel, A., Roberts, R. H. Treatment of chronic schizophrenic reactions with reserpine. *Ann. N. York Acad. Sc.*, 1955, 61: 92-100. Abstract: *Excerpta med.*, Sect. 8, 1956, No. 1231. *
- Huchtemann, K., Pflugfelder, G. Serpasilkuren in der Psychiatrie; Bericht über 100 Kuren. [Serpasil therapy in psychiatry; report on 100 cases.] *Schweiz. med. Wschr.*, 1955, 85: 627-630. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2242.
- Jørstad, J. Reserpin ved psykoser. [Reserpine in psychoses.] [English summary] *Nord. med.*, 1956, 55: 794-798. **
- Kasak, M., Schaefer, D. L., Winter, W. The use of chlorpromazine and reserpine in a psychiatric hospital: one year's experience. *Marquette M. Rev.*, 1955, 21: 17-24.
- Kernohan, G. A. Stupor during reserpine therapy. *Brit. M. J.*, 1957, 1: 1475-1476. *
- Kozlowski, V. L. Mentally disturbed patients; a study of low dosage serpasil. *Med. Times, Great Neck*, 1956, 84: 1219-1224. *
- Lauterböck, J. J., Nagy, K. Anstaltserfahrungen mit dem Rauwolfia-Alkaloid Reserpin. [Hospital experiences with the Rauwolfia alkaloid reserpine.] *Wien. klin. Wschr.*, 1955, 67: 839-843.
- Lereboullet, J., Pluvinaige, R., Vidart, L., Benoit, P., Kapandji, I. Le traitement du delirium tremens par la réserpine. [Treatment of delirium tremens with reserpine.] *Bull. Soc. méd. hôp. Paris*, 1956, 72: 604-605.
- Lewis, L. F. The use of chlorpromazine and of serpasil in the treatment of psychotic patients. *Carib. M. J., Trinidad*, 1956, 18: 51-66.
- Lidvall, H. F. Klinisk prövning av Serpasil vid psykoser. [Clinical trial with serpasil in psychoses.] *Sven. läk. tidn.*, 1956, 53: 1729-1732.

- Ljungberg, E. Om reserpinbehandling av kroniska schizofrenier och akuta orostillstånd. [Reserpine management of chronic schizophrenia and acute anxiety.] *Sven. läk. tidn.*, 1956, 53: 2128-2140.
- McNeill, J. F., Johnston, W. C., Pietuchow, W. Serpasil in a hospital for the mentally ill with criminal tendencies. *N. York State J. M.*, 1956, 56: 1911-1914. Abstract: *Year book of drug therapy*, 1956-1957, p. 335-336.
- Maffezzoni, G., Giamattei, L. La reserpina nel trattamento di ammalati mentali. [Reserpine in the treatment of mental disorders.] *Osp. psichiat. Nap.*, 1956, 24: 157-164.
- Masini, A., Pescetto, G., Tosca, L. Effetti somatici ed impiego psichiatrico della reserpina. [Somatic effects and psychiatric use of reserpine.] *Arch. psicol. neur., Milano*, 1956, 17: 249-256.
- Maurel, H., Wilhelm, Spielmann, J. P. Essai thérapeutique de la réserpine en psychiatrie hospitalière; à propos de 80 observations. [Reserpine therapy in a mental hospital; 80 observations.] *Concours méd.*, 1955, 77: 3351-3355. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4545.
- Mazza, A. Pedrelli, M. La cura con reserpina nella schizofrenia. [Reserpine therapy in schizophrenia.] *Riv. sper. freniat.*, 1956, 80: 877-886.
- Mellgren, A. Något om serpasil och dess användning inom psykiatri. [Psychiatric use of serpasil.] *Sven. läk. tidn.*, 1956, 53: 1564-1575.
- Meyer, H. H. Die Therapie der endogenen Psychosen. [Therapy of endogenous psychoses.] *Deut. med. Wschr.*, 1957, 82: 76-80.
- Mielke, F. A. Methods employed and results obtained in psychiatric studies with new drugs acting on the brain stem. *Am. J. Psychiat.*, 1957, 114: 134-139.
- . Über das Rauwolfia-Alkaloid Reserpin (Serpasil) in der Psychiatrie. [The Rauwolfia alkaloid reserpine (serpasil) in psychiatry.] *Arch. Psychiat., Berl.*, 1956, 194: 263-288.
- . Über die medikamentöse und psychotherapeutische Führung der Serpasil-Kur. [Medical and psychotherapeutic management of serpasil therapy.] *Schweiz. med. Wschr.*, 1956, 86: 162-165. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1531.
- . Übersicht der klinischen Erfahrungen mit Serpersil am Burghölzli. [Review of the clinical experience with serpasil at the Burghölzli hospital.] *Schweiz. med. Wschr.*, 1955, 85: 440-442.
- Montagnari, F., Germano, V. Stato preeclamptico con episodio confuso onirico troncato con reserpina endovena. [Intravenous reserpine immediately effective in treatment of a pre-eclamptic state with episode of oniric confusion.] *Riv. sper. freniat.*, 1956, 80: 977-979.
- Moore, J. N., Martin, E. A. Trial of reserpine in treatment of schizophrenia. *Brit. M. J.*, 1957, 1: 8-14. *
- Morgan, D. R. Chlorpromazine and reserpine in the treatment of chronic mental illness. *Med. J. Australia*, 1956, 43 (2): 57-62.
- . The combined use of chlorpromazine and reserpine in the treatment of chronic mental illness: a preliminary report. *Med. J. Australia*, 1955, 42 (2): 77-80. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1728.
- Muratti, J. B. Reserpina: su uso terapéutico en la esquizofrenia; nota previa. [Reserpine: therapeutic use in schizophrenia; preliminary note.] *Dia méd., B. Air.*, 1956, 28: 880-883.
- Negri, V. U., Garavaglia, G. Rilievi clinici sulla peculiare azione della reserpina in psichiatria. [Reserpine in psychiatry; a clinical study on its characteristic action.] *Minerva med., Tor.*, 1955, 46: 1217-1229.
- Neuer, H. Serpasil in the treatment of acute alcoholic psychoses. *Ohio M. J.*, 1955, 51: 749-751. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4004.
- Patton, G. O., Garneau, J. The ataraxic drugs in disturbed secluded psychiatric patients. *Canad. Serv. M. J.*, 1957, 13: 127-133.
- Payn, S. B., Rockwell, F. V. Short-term treatment of psychiatric patients with reserpine. *N. York State J. M.*, 1956, 56: 1769-1773.
- Pivnički, D. Serpasil u psihijatrijskoj praksi. [Serpasil in psychiatric treatment.] [German summary] *Med. arch., Sarajevo*, 1956, 10: 109-117.
- Racamier, P. C., Blanchard, M., Baudrand, C. Les cures prolongées de chlorpromazine dans les états schizophréniques. [Prolonged chlorpromazine therapy in schizophrenic reactions.] *Encéphale*, 1956, 45: 647-655. *
- Rhijn, C. H. van. De invloed van reserpine (serpasil) op acute en chronische geestesziekten. [The effects of reserpine on acute and chronic mental diseases.] [English summary] *Ned. tschr. geneesk.*, 1956, 100: 1775-1790. **
- Sabshin, M., Ramot, J. Pharmacotherapeutic evaluation and the psychiatric setting. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 362-370.
- Sacerdoti, G. Prime esperienze in neuropsichiatria con un nuovo alcaloide della Rauwolfia serpentina: il serpasil; nota preventiva. [First experience in neuropsychiatry with a new alkaloid of Rauwolfia serpentina: serpasil; preliminary note.] *Gazz. med. ital.*, 1955, 114: 63-65. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1220.
- Sainz, A. A. The use of reserpine in ambulatory and hospitalized geriatric psychotics. *Ann. N. York Acad. Sc.*, 1955, 61: 72-77. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1229.
- Santangelo, G. Modificazioni indotte dal trattamento reserpínico protratto sulla sintomatologia psichica e comportamentale nelle schizofrenie croniche. [Modifications induced by prolonged reserpine treatment on psychic symptomatology and behavior in chronic schizophrenia.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 388-393.
- Schneider, H. Erfahrungsbericht über Rauwolfia-Alkaloid-Behandlung. [Experiences with Rauwolfia alkaloid therapy.] *Nervenarzt*, 1956, 27: 72-75. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2088. *
- Sheth, S., Khairnar, D. B. Study of reserpine in mental diseases. *Ind. Practitioner, Bombay*, 1956, 9: 259-269. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1530.
- . Use of reserpine in mental diseases. *Ind. Practitioner, Bombay*, 1955, 8: 893-903. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2244.
- Siguiet, F., Giabican, A., Bétourné, C., Goglin, G. Le serpasil dans les délires alcooliques. [Serpasil in alcoholic delirium.] *Bull. Soc. méd. hôp. Paris*, 1956, 72: 605-607. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1976.
- Silver, A. A. Management of children with schizophrenia. *Am. J. Psychother.*, 1955, 9: 196-215.
- Silverberg, J. W., Gralnick, A. Possible synergistic action of chlorpromazine, reserpine and frenquel. A preliminary report. *Am. J. Psychiat.*, 1957, 114: 173.
- Sinsi, C., Vizioli, R. Chlorpromazine e reserpina in terapia psichiatrica. [Chlorpromazine and reserpine in psychiatric therapy.] [English summary] *Osp. psichiat., Nap.*, 1955, 23: 83-96.
- Tasher, D. C., Chermak, M. W. The use of reserpine in shock-reversible patients and shock-resistant patients. *Ann. N. York Acad. Sc.*, 1955, 61: 108-116. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1733.
- Teani, E. La reserpina in neuropsichiatria. [Reserpine in neuropsychiatry.] *Riv. sper. freniat.*, 1956, 80: 615-637. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2086.
- Tuteur, W., Stiller, R., Whitehill, O., Lepson, D. Results with chlorpromazine and reserpine on chronically nude, untidy, destructive and combative patients:

- their sustained improvement after discharge with continued medication. *Am. J. Psychiat.*, 1956, 112: 741.
- Vogt, W. Beitrag zum klinischen Vergleich der Wirkung von Largactil und Serpasil. [Clinical comparison of the effects of largactil and serpasil.] *Schweiz. Arch. Neur. Psychiat.*, 1956, 77: 330-336.
- Waldrop, F. N. Reserpine. *Med. Ann. District of Columbia*, 1956, 25: 256-258. *
- Weber, E. Ein Rauwolfiaalkaloid in der Psychiatrie: seine Wirkungsähnlichkeit mit Chlorpromazin. [A Rauwolfia alkaloid in psychiatry: similarity of its effects to those of chlorpromazine.] *Schweiz. med. Wschr.*, 1954, 84: 968-970.
- Weishauss, J. Use of reserpine (serpasil) in psychotic patients; a preliminary report. *Dis. Nerv. Syst.*, 1955, 16: 347-350. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4996. *
- Wodraska, T. W. The effect of reserpine on chronic schizophrenia. *Med. Times, Great Neck*, 1955, 83: 1029-1033.
- Zonta, G., Masciangelo, P. M., Gentili, E. Risultati dell'impiego di serpasil nella cura di soggetti psicotici. [Results of the use of serpasil in therapy of psychotic patients.] *Riv. sper. freniat.*, 1955, 79: 521-526.
- **Psychosomatic diseases**
- Barrett, B. M., Hansel, F. K. Reserpine a new adjunct in the management of resistant headache patterns; a preliminary report. *Ann. N. York Acad. Sc.*, 1955, 61: 250-266. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1554.
- Bartfield, H. Use of reserpine in psychogenic rheumatism, osteoarthritis, and rheumatoid arthritis; a preliminary report. *J. Am. M. Ass.*, 1955, 159: 1510-1513.
- Berger, H. Management of neuroses by the internist and general practitioner. *N. York State J. M.*, 1956, 56: 1783-1788.
- Bernstein, S., Detre, T. Effects of reserpine (serpasil) on homeostasis in patients presenting psychosomatic symptoms. [Abstract] *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 337.
- Brunsting, L. A. Neurodermatitis. *Minnesota M.*, 1955, 38: 291-292.
- Cahn, M. M. The use of tranquilizing drugs in dermatology; review and side reactions. *J. Albert Einstein M. Center*, 1956, 4: 161-165.
- Caccialanza, P. Osservazioni sull'azione antipruriginosa di un alcaloide della Rauwolfia serpentina Benth. [Antipruriginous action of an alkaloid of Rauwolfia serpentina Benth.] [English summary] *Gior. ital. dermat. sif.*, 1955, 96: 82-87.
- Fabricant, N. D. Tension headache therapeutics. *Eye Ear & Mouth.*, 1956, 35: 658; 662.
- Friedman, A. P. Use of tranquilizers in the treatment of headache. *Am. Practitioner*, 1957, 8: 94-97.
- , Von Storch, T. J. A review of headache, 1950-1955. *N. York State J. M.*, 1956, 56: 3883-3895.
- Genest, J., Adamkiewicz, L., Robillard, R., Tremblay, G. Clinical uses of Rauwolfia. II. In psoriasis and in constitutional leanness. *Canad. M. Ass. J.*, 1955, 72: 490-491. Also as: Nouvelles applications thérapeutiques de la réserpine et des extraits de la Rauwolfia. [New therapeutic use of reserpine and Rauwolfia extracts.] *Union méd. Canada*, 1954, 83: 915-916. Preliminary communication: new therapeutic applications of reserpine and of purified extracts of Rauwolfia. *Canad. M. Ass. J.*, 1954, 71 (August-News and Notes): 73.
- Greenblatt, R. B. Use of reserpine (serpasil) in certain gynecologic disorders. *Ann. N. York Acad. Sc.*, 1954, 59: 133-135.
- Grupper, C. Le traitement du prurit en dermatologie par la Rauwolfia serpentina, note préliminaire. [Rauwolfia serpentina therapy of pruritus in dermatology; preliminary note.] *Bull. Soc. fr. dermat. syph.*, 1955, 62: 159-162.
- Gutenkauf, C. Internal medicine. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 59-64. *
- Hamke, H. Das Rauwolfia-Alkaloid Reserpin in der Behandlung der vegetativen Störungen. [Rauwolfia alkaloid reserpine treatment of autonomic disorders.] *Ther. Gegenwart*, 1955, 94: 218-219.
- Harris, R. Clinical use of reserpine (serpasil) in geriatrics. *Ann. N. York Acad. Sc.*, 1954, 59: 95-106. Abstract: *Chem. Abstr.*, 1954, 48: 10220b.
- , Results of reserpine therapy in hypertension. *J. Geront.*, 1954, 9: 484-485.
- Hauser, A., Wenner, R. Serpasil in der Behandlung klimakterischer Ausfallserscheinungen. [Serpasil in the management of climacteric dysfunction.] *Gynaecologia, Basel*, 1956, 142: 300-303.
- Korting, G. W., Borelli, S., Kimmig, J. Welche Bedeutung besitzen die Phenothiazine für die Behandlung von Hautkrankheiten? [Of what significance are phenothiazines in the treatment of skin diseases?] *Derm. Wschr.*, 1956, 134: 1245-1252.
- Kurz, C. A propos de la réserpine. [Reserpine] *Gaz. méd. France*, 1956, 63: 877-881. *
- Lereboullet, J., Vidart, L., Amstutz, C. Membre fantôme douloureux avec syndrome dépressif. Guérison spectaculaire par la réserpine. [Painful phantom limb with a depressive syndrome; spectacular cure with reserpine.] *Rev. neur., Par.*, 1955, 92: 386-387.
- Leutschaft, R. Behandlung vegetativer Dysregulationen mit Reserpin. [Treatment of autonomic dysfunction with reserpine.] *Med. Klin., Berl.*, 1955, 50: 1906-1909.
- Mohun, M. Globus. *Laryngoscope*, 1955, 65: 73-79.
- Mitis, Z. K., Ford, H. Functional headaches. *Texas J. M.*, 1956, 52: 678-683.
- Montagnari, F., Germano, V. Stato preeclamptico con episodio confuso onirico troncato con reserpina endovena. [Intravenous reserpine immediately effective in treatment of a pre-eclamptic state with episode of oniric confusion.] *Riv. sper. freniat.*, 1956, 80: 977-979.
- Moore, R. B., Pierce, W. J., Dennison, A. D., Jr. The story of reserpine. *J. Indiana M. Ass.*, 1954, 47: 853-861.
- Ogden, H. D. Headache. *Ann. Allergy*, 1956, 14: 385-428.
- Panaccio, V. L'action de la réserpine dans certaines affections dermatologiques. [Action of reserpine in various dermatological diseases.] *Union méd. Canada*, 1955, 84: 672-674.
- Rein, C. R., Goodman, J. J. Efficacy of reserpine (serpasil) in dermatological therapy. *A. M. A. Arch. Derm. Syph.*, 1954, 70: 713-717. *
- , —. The tranquilizing efficacy of reserpine in dermatological therapy. *Ann. N. York Acad. Sc.*, 1955, 61: 230-235. *
- Rizzente, S. Osservazioni cliniche su di un nuovo ipotensivo e sedativo in geriatria. [Clinical observations on a new hypotensive and sedative drug in geriatrics.] *Arch. psicol. neur., Milano*, 1956, 17: 454-456.
- Sapir, M., Stroun, J., Hepner, L., Reverchon, J., Selzer, S. A propos de l'action psycho-somatique de la chlorpromazine et de la réserpine. [Psychosomatic action of chlorpromazine and reserpine.] *Encéphale*, 1956, 45: 488-493. *
- Schnyder, U. W., Schauwecker, R. Largactil und Serpasil in der Dermatologie. [Largactil and serpasil in dermatology.] [English summary] *Dermatologica, Basel*, 1955, 111: 185-197.
- Segal, M., Attinger, E. O. The use of reserpine as an adjunct in the management of patients with chronic bronchial asthma and chronic pulmonary emphysema:

- preliminary studies. *Ann. N. York Acad. Sc.*, 1955, 61: 267-275.
- Stewart, R. H. The use of tranquilizing drugs in gynecology. *West. J. Surg.*, 1956, 64: 650-657.
- Wilkins, R. W. Clinical usage of Rauwolfia alkaloids, including reserpine (serpasil). *Ann. N. York Acad. Sc.*, 1954, 59: 36-44. Also: *N. England J. M.*, 1954, 59: 1-7.
- Untoward effects** [see headnote p. 19]
- Achor, R. W. P., Hanson, N. O., Gifford, R. W., Jr. Hypertension treated with Rauwolfia serpentina (whole root) and with reserpine: Controlled study disclosing occasional severe depression. *J. Am. M. Ass.*, 1955, 159: 841-845.
- Budnick, I. S., Leikin, S., Hoeck, L. E. Effect in the newborn infant of reserpine administered ante partum. *A. M. A. J. Dis. Child.*, 1955, 90: 286-289. * *
- Burrell, R. H. Depression associated with reserpine therapy. *N. Zealand M. J.*, 1956, 55: 228-231.
- . Reserpine depression treated with sodium succinate; a preliminary report. *N. Zealand M. J.*, 1955, 54: 565-567.
- Cahn, C. H. Complication during reserpine therapy. *Am. J. Psychiat.*, 1955, 112: 64. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1729.
- Dean, S. R. Ataractics. *Am. J. Psychiat.*, 1956, 112: 850.
- De Caro, D. Manifestazioni extrapiramidali e convulsive osservate durante la terapia con la reserpina; contributo clinico ed E. E. grafico. [Extrapiramidal symptoms and convulsions during reserpine therapy; clinical and electroencephalographic tracings.] *Acta neur., Nap.*, 1956, 11: 426-453. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1538.
- Della Pietra, V., Fina, G. Un caso di edema cerebrale acuto in corso di terapia reserpinica. [A case of acute cerebral edema during reserpine therapy.] *Osp. psichiat., Nap.*, 1956, 24: 91-95.
- Doyle, A. E., Smirk, F. H. Drug therapy in hypertension; a critical review. *Practitioner, Lond.*, 1955, 174: 135-143.
- Essellier, A. F., Goerre, J., Wegmann, A. Zur medikamentösen Behandlung der Hypertonie. Klinische Erfahrungen mit Serpasil, Serpasil-Ritalin und Serpasil-Nepresol. [Drug therapy of hypertension. Clinical experiences with serpasil, serpasil-ritalin and serpasil-nepresol] *Schweiz. med. Wschr.*, 1955, 85: 808-811. * *
- Farley, O. R. Complications and concomitants. *Med. Ann. District of Columbia*, 1956, 25: 263-267. * *
- Faucett, R. L., Litin, E. M., Achor, R. W. P. Neuropharmacologic action of Rauwolfia compounds and its psychodynamic implications. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 513-518. * *
- Ferguson, J. T. Treatment of reserpine-induced depression with a new analeptic: phenidylate. *Ann. N. York Acad. Sc.*, 1955, 61: 101-107. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1721.
- Freis, E. D. Mental depression in hypertensive patients treated for long periods with large doses of reserpine. *N. England J. M.*, 1954, 251: 1006-1008.
- Fullerton, A. G. Psychiatric uses of meratran. *J. Ment. Sc., Lond.*, 1956, 102: 801-804.
- Goldman, D. The major complications of treatment of psychotic states with chlorpromazine and reserpine and their management. *Psychiat. Res. Rep., Wash.*, 1956 (4): 79-88.
- Harris, T. H. Depression induced by Rauwolfia compounds. *Am. J. Psychiat.*, 1957, 113: 950.
- Helander, S., Hood, B. Depressionsrisken vid rauwolfia-behandling. [Hazards of depression in Rauwolfia therapy.] *Sven. läk. tidn.*, 1956, 53: 1021-1023. * *
- Hodgkinson, R. The effects of reserpine on hypertensive patients over a period of two years. *Brit. Heart J.*, 1956, 18: 523-528.
- Hollister, L. E. Complications from the use of tranquilizing drugs. *N. England J. M.*, 1957, 257: 170-177.
- Hussar, A. E. Complications of chlorpromazine and reserpine therapy. *GP*, 1957, 15 (5): 85-93.
- Jacobson, A. Ritalin—a new agent for mild depressions; a preliminary report. *Med. Ann. District of Columbia*, 1956, 25: 491-494; 527-528.
- Kass, I., Brown, E. C. Treatment of hypertensive patients with Rauwolfia compounds and reserpine depressive and psychotic changes. *J. Am. M. Ass.*, 1955, 159: 1513-1516.
- Kernohan, G. A. Stupor during reserpine therapy. *Brit. M. J.*, 1957, 1: 1475-1476.
- Kline, N. S., Barsa, J., Gosline, E. Management of side effects of reserpine and combined reserpine-chlorpromazine treatment. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 149-161.
- , —, —. Management of the side effects of reserpine and combined reserpine-chlorpromazine treatment. *Dis. Nerv. Syst.*, 1956, 17: 352-358.
- Kramer, M. Facts needed to assess public health and social problems in the widespread use of the tranquilizing drugs. *Pub. Health Monogr.*, 1956 (41): 1-31.
- Lemere, F. New tranquilizing drugs. *Northwest M.*, 1955, 54: 1098-1100.
- Litin, E. M., Faucett, R. L., Achor, R. W. P. Depression in hypertensive patients treated with Rauwolfia serpentina. *Proc. Mayo Clin.*, 1956, 31: 233-237.
- Ljungberg, E. Depressionsrisken vid rauwolfiabehandling. [Risks of depression with Rauwolfia therapy.] *Sven. läk. tidn.*, 1956, 53: 2875-2880.
- McArthur, J. G., Isaacs, B. Mental effects of reserpine. *Lancet, Lond.*, 1955, 2: 347.
- MacKenzie-Van der Noordaa, M. C. Depressie na gebruik van reserpine wegens essentiële hypertensie. [Depression after reserpine therapy of essential hypertension.] [English summary] *Ned. tschr. geneesk.*, 1956, 100: 1003-1004.
- Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.
- Nordman, L. O. Reserpinutlösta depressiva psykoser. [Depressive psychosis precipitated by reserpine therapy.] *Sven. läk. tidn.*, 1956, 53: 1641-1647.
- Payn, S. B. Hypothermia following reserpine. *Am. J. Psychiat.*, 1956, 112: 657. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4995.
- Platt, R., Sears, H. T. N. Reserpine in severe hypertension. *Lancet, Lond.*, 1956, 1: 401-403. * *
- Possible danger from reserpine. *Brit. M. J.*, 1957, 2: 49. * *
- Reisner, H. Zwischenfälle bei Gaben hoher Dosen von Reserpin (Serpasil). [Incidents with massive doses of reserpine.] *Wien. klin. Wschr.*, 1956, 68: 872-874. * *
- Reserpine and the mind. *Lancet, Lond.*, 1955, 2: 330-331.
- Reserpine and the nervous system. *Lancet, Lond.*, 1955, 2: 1326.
- Robie, T. R. Pseudo-tabes syndrome as complication of tranquilizer drug therapy. *Am. J. Psychiat.*, 1956, 113: 463-464.
- Sarwer-Foner, G. J., Ogle, W. Psychosis and enhanced anxiety produced by reserpine and chlorpromazine. *Canad. M. Ass. J.*, 1956, 74: 526-532.
- Schroeder, H. A., Perry, H. M., Jr. Psychosis apparently produced by reserpine. *J. Am. M. Ass.*, 1955, 159: 839-840. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1536. *Year book of drug therapy*, 1956-1957, p. 324-325.
- Smirk, F. H., McQueen, E. G. Comparison of reserpine and reserpine as hypotensive agents. *Lancet, Lond.*, 1955, 2: 115-116.
- Tweedy, P. S. Treatment of hypertension. *Lancet, Lond.*, 1955, 2: 249.

- Usdin, G. L. Use of promazine in psychiatric practice; an early study. *J. Louisiana M. Soc.*, 1956, 108: 251-257.
- Wallace, D. C. Treatment of hypertension; hypotensive drugs and mental changes. *Lancet, Lond.*, 1955, 2: 116-117.
- Wardell, D. W. Untoward reactions to tranquilizing drugs. *Am. J. Psychiat.*, 1957, 113: 745. * *
- Winsor, T. Human pharmacology of reserpine. *Ann. N. York Acad. Sc.*, 1954, 59: 61-81.
- Poisoning**
- Hubbard, B. A. Reserpine. *J. Am. M. Ass.*, 1955, 157: 468.
- Phillips, T. Overdose of reserpine. *Brit. M. J.*, 1955, 2: 969.
- Plummer, A. J., Earl, A., Schneider, J. A., Trapold, J., Barrett, W. Pharmacology of Rauwolfia serpentina alkaloids, including reserpine. *Ann. N. York Acad. Sc.*, 1954, 59: 8-21. [17-18]
- with ATARAXICS [2 or more]
see ATARAXICS—Various [3 or more]
- with AZACYCLONOL
see AZACYCLONOL—Psychotherapeutic use
AZACYCLONOL with RESERPINE
- with CHLORPROMAZINE
see CHLORPROMAZINE with RESERPINE
- with CHLORPROMAZINE and METHYLPHENIDYL-ACETATE
see CHLORPROMAZINE with RESERPINE and METHYLPHENIDYLACETATE
- with ETHYLCROTONYLUREA—COMPARED
Therapeutic studies, controlled—Psychoses
- Ferguson, J. T., Linn, F. V. A new compound for the symptomatic treatment of tension and anxiety: 2-ethylcrotonylurea (nostyn). *Antibiotic M.*, 1956, 3: 329-333.
- with HYDROXYZINE
see HYDROXYZINE with RESERPINE
- with IPRONIAZID—COMBINED
Studies, animals
- Besendorf, H., Pletscher, A. Beeinflussung zentraler Wirkungen von Reserpin und 5-Hydroxytryptamin durch Isonicotinsäurehydrazide. [The influence of isonicotinic acid hydrazides on the central effects of reserpine and of 5-hydroxytryptamine.] [English summary] *Helvet. physiol. pharm. acta*, 1956, 14: 383-390.
- Brodie, B. B., Pletscher, A., Shore, P. A. Possible role of serotonin in brain function and reserpine action. [Abstract] *J. Pharm. Exp. Ther.*, 1956, 116: 9.
- Burton, R. M. The analeptic action of lysergic acid diethylamide on reserpine-sedated mice. *Ann. N. York Acad. Sc.*, 1957, 66: 695-697.
- Chessin, M., Dubnick, B., Kramer, E. R., Scott, C. C. Modifications of pharmacology of reserpine and serotonin by iproniazid. [Abstract] *Fed. Proc., Balt.*, 1956, 15: 409.
- with IPRONIAZID—COMPARED
see IPRONIAZID—Pharmacodynamics
- with LYSERGIC ACID DIETHYLAMIDE
see LYSERGIC ACID DIETHYLAMIDE with RESERPINE
- with LYSERGIC ACID DIETHYLAMIDE, BROMINATED
see LYSERGIC ACID DIETHYLAMIDE, BROMINATED with RESERPINE
- with MEPAZINE
see MEPAZINE with RESERPINE—COMBINED
- with MEPHENESIN—COMBINED—*Therapeutic studies, controlled*
see under MEPHENESIN CARBAMATE—*Therapeutic studies, controlled*
- with MEPHENESIN—COMPARED
Studies, animals
see MEPHENESIN with RESERPINE—COMPARED
Therapeutic studies, controlled
see under MEPHENESIN CARBAMATE—*Therapeutic studies, controlled*
- with MEPHENESIN and OTHER DRUGS
see MEPHENESIN with RESERPINE and OTHER DRUGS
- with MEPHENESIN CARBAMATE
see MEPHENESIN CARBAMATE—*Therapeutic studies, controlled*
- with MEPROBAMATE
see MEPROBAMATE with RESERPINE
- with MEPROBAMATE and METHYLPHENIDYL-ACETATE
see MEPROBAMATE with RESERPINE and METHYLPHENIDYLACETATE
- with MESCALINE—INTERACTION
see MESCALINE with RESERPINE
- with METHYLPHENIDYLACETATE—COMBINED
Studies, animals
- Burton, R. M. The analeptic action of lysergic acid diethylamide on reserpine-sedated mice. *Ann. N. York Acad. Sc.*, 1957, 66: 695-697.
- Cole, J., Glees, P. Ritalin as an antagonist to reserpine in monkeys. *Lancet, Lond.*, 1956, 1: 338.
- Davis, G. D. Effects of central excitant and depressant drugs on locomotor activity in the monkey. *Am. J. Physiol.*, 1957, 188: 619-623.
- Meier, R., Gross, F., Tripod, J. Ritalin, eine neuartige synthetische Verbindung mit spezifischer zentralerregender Wirkungskomponente. [Ritalin, a new synthetic compound with specific analeptic action.] *Klin. Wschr.*, 1954, 32: 445-450. Abstract: *Chem. Abstr.*, 1954, 48: 8945e.
- Plummer, A. J., Maxwell, R., Earl, A. E. Influence of methyl-alpha-phenyl-2-piperidine acetate hydrochloride on the pharmacological actions of reserpine. [Abstract] *Fed. Proc., Balt.*, 1956, 15: 468.
- Studies, normal subjects*
- Miescher, P. Therapeutische Versuche zur symptomatischen Behandlung psychoneurotischer Störungen. [Therapeutic experiments on the symptomatic treatment of psychoneurotic disorders.] *Praxis, Bern*, 1956, 45: 1041-1043.
- Therapeutic studies, controlled*
- Ayd, F. J., Jr. A clinical evaluation of methyl-phenidylacetate hydrochloride (ritalin). *J. Clin. Exp. Psychopath.*, 1957, 18: 342-346.
- Carter, C. H. The effects of reserpine and methyl-phenidylacetate (ritalin) in mental defectives, spastics, and epileptics. *Psychiat. Res. Rep., Wash.*, 1956 (4): 44-48.
- Christe, R. Action thérapeutique comparée de deux associations de serpasil et de ritaline. [Comparative therapeutic effect of two serpasil-ritalin combinations.] *Schweiz. med. Wschr.*, 1956, 86: 1318-1321.
- Clark, L. D., Ellsworth, R. B., Barrett, W. W., Thurman, A. C., Holland, W. Studies of the behavioral effects of ritalin. *Dis. Nerv. Syst.*, 1956, 17: 317-321.

Davidoff, E., Best, J. L., McPheeters, H. L. The effect of ritalin (methyl-phenidylacetate hydrochloride) on mildly depressed ambulatory patients. *N. York State J. M.*, 1957, 57 : 1753-1757.

Ferguson, J. T. Improved behavior patterns in the hospitalized mentally ill with reserpine and methyl-phenidylacetate. *Psychiat. Res. Rep.*, Wash., 1956 (4) : 35-43.

—. A new therapeutic approach to abnormal behavior in geriatrics. *Geriatrics*, 1956, 11 : 217-219.

—. What's new and usable in the chemical treatment of abnormal behavior. *J. Michigan M. Soc.*, 1956, 55 : 1095-1101.

—, Funderburk, W. H. Improving senile behavior with reserpine and ritalin; new approach with use of methyl phenylpiperidylacetate. *J. Am. M. Ass.*, 1956, 160 : 259-263. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 3520. *Year book of drug therapy*, 1956-1957, p. 344-346.

McPheeters, H. Fox, W. W. Evaluation of reserpine and methyl phenidylacetate used separately and in combination, in chronic psychotic patients. *J. Kentucky M. Ass.*, 1956, 54 : 785-791.

Madi, M. L., Kovitz, B. Experiences with methyl-phenidylacetate hydrochloride (ritalin) in psychotic patients. *Antibiotic M.*, 1956, 3 : 309-311.

Miescher, P. Therapeutische Versuche zur symptomatischen Behandlung psychoneurotischer Störungen. [Therapeutic experiments on the symptomatic treatment of psychoneurotic disorders.] *Praxis, Bern*, 1956, 45 : 1041-1043.

Negri, F. Effetto della reserpina e della reserpina associata a psicotonici in alcune psicopatie senili. [Effect of reserpine and of reserpine combined with psychotonics in senile psychoses.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17 : 441-451.

Niswander, G. D., Haslerud, G. M., Brody, N., Casey, T. M. Reserpine and methylphenidylacetate effects on socialization and activity. *J. Nerv. Ment. Dis.*, 1957, 125 : 51-56.

Rashkis, H. A., Smarr, E. R. Drug and milieu effects with chronic schizophrenics. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78 : 89-94.

Therapeutic use

Benassi, P., Fava, D. Trattamento con reserpina di alcune tossicomanie. [Reserpine treatment of drug addiction.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17 : 601-607.

Ferguson, J. T. Successful therapeutic regimen for the management of behavior problems in the elderly. *J. Am. Geriatr. Soc.*, 1956, 4 : 1080-1084.

—. Treatment of reserpine-induced depression with a new analeptic: phenidylate. *Ann. N. York Acad. Sc.*, 1955, 61 : 101-107. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 1721.

Hauser, A., Wenner, R. Serpasil in der Behandlung klimakterischer Ausfallserscheinungen. [Serpasil in the management of climacteric dysfunction.] *Gynaecologia, Basel*, 1956, 142 : 300-303.

Huchtemann, K., Pflugfelder, G. Serpasilkuren in der Psychiatrie; Bericht über 100 Kuren. [Serpasil therapy in psychiatry; report on 100 cases.] *Schweiz. med. Wschr.*, 1955, 85 : 627-630. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 2242.

Kline, N. S., Saunders, J. C. Reserpine in psychiatric and neurologic disorders. *Med. Clin. N. America*, 1957, 41 : 307-326.

Kron, R. Zur medikamentösen Behandlung von Herzneurosen. [Medical management of cardiac neuroses.] *Praxis, Bern*, 1956, 45 : 872-873.

Lapinsohn, L. I. Ritalin and serpasil in the treatment of Parkinson's disease. *Dis. Nerv. Syst.*, 1956, 17 : 363-364.

Mielke, F. A. Über die medikamentöse und psychotherapeutische Führung der Serpasil-Kur. [Medical and psychotherapeutic management of serpasil therapy.] *Schweiz. med. Wschr.*, 1956, 86 : 162-165. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1531.

Niswander, G. D., Holt, E. K. Combination reserpine-methylphenidylacetate in epileptics with psychosis. *Dis. Nerv. Syst.*, 1957, 18 : 11-15.

Sottong, P. C. The use and abuse of the tranquilizing drugs. *J. Tennessee M. Ass.*, 1956, 49 : 413-418.

Tice, L. F. Some important drug developments of 1956. *Am. J. Pharm.*, 1956, 128 : 398-409.

with METHYLPHENIDYLACETATE and CHLORPROMAZINE

see CHLORPROMAZINE with RESERPINE and METHYLPHENIDYLACETATE

with METHYLPHENIDYLACETATE and MEPROBAMATE

see MEPROBAMATE with RESERPINE and METHYLPHENIDYLACETATE

with METHYLPHENIDYLACETATE and OTHER DRUGS [anticonvulsants]—COMBINED

Ferguson, J. T., Linn, F. V. A new compound for the symptomatic treatment of tension and anxiety: 2-ethylcrotonylurea [nostyn]. *Antibiotic M.*, 1956, 3 : 329-333.

Niswander, G. D., Holt, E. K. Combination reserpine-methylphenidylacetate in epileptics with psychosis. *Dis. Nerv. Syst.*, 1957, 18 : 11-15.

with N-OBLIVON—COMPARED

see N-OBLIVON—Studies, animals

with PERPHENAZINE—COMBINED

see PERPHENAZINE with RESERPINE

with PIPRADROL—COMBINED

Therapeutic studies, controlled

Cohen, S. Clinical experiences with pipradrol and a pipradrol-reserpine combination. *Internat. Rec. M.*, 1956, 169 : 751-756.

Le Guillant. Le syndrome neuroleptique: prévention et traitement. [The neuroleptic syndrome: prevention and treatment.] *Ann. méd. psychol.*, Par., 1957, 115 (1) : 329-338.

Martin, K. E., Overley, H. G., Krone, R. E. Pipradrol: combined therapy for geriatric and agitated patients. *Internat. Rec. M.*, 1957, 170 : 33-36.

Pennington, V. M. A comparative study of six ataraxics in 1130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33 : 336-339.

Therapeutic use

Antos, R. J. Meratran. Use of a new antidepressant in internal medicine. *Southwest. M.*, 1955, 36 : 166-167.

—. Use of an antidepressant in general practice. *Med Times, Great Neck*, 1955, 83 : 612-614.

with PROMAZINE

see PROMAZINE with RESERPINE

with RAUWOLFIA CANESCENS ALKALOIDS

see RAUWOLFIA CANESCENS ALKALOIDS with RESERPINE

with RAUWOLFIA SERPENTINA ALKALOIDS

see RAUWOLFIA SERPENTINA ALKALOIDS with RESERPINE

with RESCINNAMINE

see RESCINNAMINE with RESERPINE

with SEROTONIN

see SEROTONIN with RESERPINE

with YOHIMBINE—COMPARED

Pharmacodynamics

Meyers, F. H. Pharmacology of chlorpromazine, reserpine and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 131-140.

Rinkel, M., Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18: 323-334.

with OTHER DRUGS—COMBINED

Studies, animals

Arian, E., Gomirato, G. Recherches expérimentales sur l'inhibition des états d'excitation d'origin sous-corticale par moyen de la chlorpromazine et de la réserpine; communication préliminaire. [Experimental studies on the inhibition of sub-cortical excitation by chlorpromazine and by reserpine; preliminary communication.] [*morphine*] *Encéphale*, 1956, 45: 1264-1266.

Brodie, B. B., Shore, P. A., Silver S. L. Potentiating action of chlorpromazine and reserpine. *Nature, Lond.*, 1955, 175: 1133-1134. Abstract: *Chem. Abstr.*, 1956, 50: 479g.

Salmoiraghi, G. C., Sollero, L., Page, I. H. Blockade by brom-lysergic-acid-diethylamide (BOL) of the potentiating action of serotonin and reserpine on hexobarbital hypnosis. *J. Pharm. Exp. Ther.*, 1956, 117: 166-168. Abstract: *Chem. Abstr.*, 1956, 50: 14105-g.

Schneider, J. A. Reserpine antagonism of morphine analgesia in mice. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 87: 614-615. Abstract: *Chem. Abstr.*, 1955, 49: 4165ef.

Studies, normal subjects

Fraser, H. F., Isbell, H. Chlorpromazine and reserpine. A. Effects of each and of combinations of each with morphine. B. Failure of each in treatment of abstinence from morphine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 257-262.

Kleinsorge, H., Gossmann, K. Die Flimmerverschmelzungsfrequenz als Testmethode für den Nachweis einer potenzierenden Wirkung von Reserpin auf Barbiturate. [Flicker fusion frequency as a test method for determination of the potentiating effect of reserpine on barbiturates.] *Arzneimitt. Forsch.*, 1956, 6: 495-496.

Studies, patients

De Caro, D. Modificazioni E. E. G. provocate dalla reserpina nell'uomo. [Electroencephalographic changes in man induced by reserpine.] [*metrazol*] *Arch. psicol. neur., Milano*, 1956, 17: 581-591.

Therapeutic studies, controlled

Boudwin, J., Kline, N. S. Use of reserpine in chronic non-disturbed psychotics. [analeptics] *Psychiat. Res. Rep., Wash.*, 1956 (4): 71-78.

Calloway, N. O. Tranquilization and sedation by the use of a combination of small doses of reserpine and pentobarbital sodium. *Illinois M. J.*, 1956, 110: 232-234.

Kinard, S., Mills, L. C., Terrell, J., Moyer, J. H. Use of d-amphetamine to curb the increased appetite and over-eating induced by reserpine therapy. *J. Am. Geriatr. Soc.*, 1956, 4: 1073-1077.

Kleinsorge, H., Gossmann, K. Die Flimmerverschmelzungsfrequenz als Testmethode für den Nachweis einer potenzierenden Wirkung von Reserpin auf Barbiturate. [Flicker fusion frequency as a test method for determination of the potentiating effect of reserpine on barbiturates.] *Arzneimitt. Forsch.*, 1956, 6: 495-496.

Le Guillant Le syndrome neuroleptique: prévention et traitement. [The neuroleptic syndrome: prevention and treatment.] [*amphetamine*; *triheptyphenidyl*] *Ann. méd. psychol., Par.*, 1957, 115 (1): 329-338.

Pelzman, O., Conigliaro, V. Osservazioni preliminari

sull' uso clinico di un derivato di Rauwolfia serpentina in malati di mente. [Preliminary study on the clinical use of a Rauwolfia serpentina derivative in mental patients.] [*ethchlorvynol*] [English summary] *Gior. psychiat.*, 1955, 83: 131-147. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1221.

Randolph, A. C., Thompson, L. J. The use of dimethylane-reserpine combination in mental disorders; a preliminary report. *North Carolina M. J.*, 1957, 18: 17-20.

Rashkis, H. A., Smarr, E. R. Drug and milieu effects with chronic schizophrenics. [*amobarbital*; *triheptyphenidyl*] *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 89-94.

Ricci, G. C., Ricordati, M. Un alcaloide della Rauwolfia serpentina nella terapia della ipertensione e di alcune psicopatie; rassegna critica ed esperienze cliniche. [Rauwolfia serpentina alkaloid in the treatment of hypertension and of certain psychopathies; critical considerations and clinical experiences.] [*sedatives*] [English summary p. 128] *Rass. fisiopat.*, 1954, 26: 91-131.

Therapeutic use

Avol, M., Vogel, P. J. Treatment of delirium tremens with reserpine (serpasil): a preliminary report. [*paraldehyde*] *J. Am. M. Ass.*, 1955, 159: 1516-1520. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4001. *Year-book of drug therapy*, 1956-1957, p. 338.

Delay, J., Deniker, P. Peut on comparer la reserpine à la chlorpromazine? [Can one compare reserpine with chlorpromazine?] [*barbiturates*] *Arch. psicol. neur., Milano*, 1956, 17: 631-633.

Garcia, J. A., Ferreira, L. R. Investigações terapêuticas com um dos alcaloides da Rauwolfia serpentina. [Therapeutic tests of one of the Rauwolfia serpentina alkaloids.] [*ganglioplegics*] [English summary] *Rev. brasil. med.*, 1955, 12: 291-294.

Huchtemann, K., Pflugfelder, G. Serpasilkuren in der Psychiatrie; Bericht über 100 Kuren. [Serpasil therapy in psychiatry; report on 100 cases.] [*barbiturates*] *Schweiz. med. Wschr.*, 1955, 85: 627-630. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2242.

Jerí, R. Observaciones con la reserpina (serpasol) en sujetos sanos y en pacientes psiquiátricos. [Observations with reserpine (serpasol) in normal subjects and in psychiatric patients.] [*anticonvulsants*] *Rev. neur. psiquiat., Lima*, 1955, 18: 108-124. Abstract as: Effects of reserpine in psychiatric patients. *J. Am. M. Ass.*, 1955, 157: 530. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1225.

Kline, N. S. Clinical applications of reserpine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 81-108.

—, Barsa, J., Gosline, E. Management of (the) side effects of reserpine and combined reserpine-chlorpromazine treatment. *Dis. Nerv. Syst.*, 1956, 17: 352-358. Also: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 149-161.

—, Saunders, J. C. Reserpine in psychiatric and neurologic disorders. *Med. Clin. N. America*, 1957, 41: 307-326.

Mielke, F. A. Über die medikamentöse und psychotherapeutische Führung der Serpasil-Kur. [Medical and psychotherapeutic management of serpasil therapy.] [*sedatives*] *Schweiz. med. Wschr.*, 1956, 86: 162-165. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1531.

Noce, R. H., Williams, D. B., Rapaport, W. Reserpine (serpasil) in the management of the mentally ill. [*barbiturates*] *J. Am. M. Ass.*, 1955, 158: 11-15.

with OTHER DRUGS—COMPARED

Studies, normal subjects

Lehmann, H. E., Csank, J. Differential screening of phrenotropic agents in man: psychophysiologic test data.

[depressants; stimulants] *J. Clin. Exp. Psychopath.*, 1957, 18: 222-235.

Therapeutic studies, controlled

Abse, D. W., Curtis, T. E., Dahlstrom, W. G., Hawkins, D. R., Toops, T. C. The use of reserpine in the management of acute mental disturbance on an in-patient service; preliminary report. [powdered opium] *J. Nerv. Ment. Dis.*, 1956, 124: 239-247.

Calloway, N. O. Tranquilization and sedation by the use of a combination of small doses of reserpine and pentobarbital sodium. *Illinois M. J.*, 1956, 110: 232-234.

Pelzman, O., Conigliaro, V. Osservazioni preliminari sull' uso clinico di un derivato di Rauwolfia serpentina in malati di mente. [Preliminary study on the clinical use of a Rauwolfia serpentina derivative in mental patients.] [ethchlorvynol] [English summary] *Gior. psichiat.*, 1955, 83: 131-147. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1221.

with MUSIC

Therapeutic studies, controlled—Psychoses

Altshuler, I. M. Music potentiating drugs. A preliminary report. *Music therapy*, 1955, 5: 120-126.

with PSYCHOSURGERY—COMPARED

see under RESERPINE with SHOCK THERAPIES—COMPARED

with SHOCK THERAPIES—COMBINED

Jerí R. Observaciones con la reserpina (serpasol) en sujetos sanos y en pacientes psiquiátricos. [Observations with reserpine (serpasol) in normal subjects and in psychiatric patients.] [English summary] *Rev. neur. psiquiat.*, Lima, 1955, 18: 108-124. Abstract as: Effects of reserpine in psychiatric patients. *J. Am. M. Ass.*, 1955, 157: 530. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1225.

Macchi, G. Trattamento combinato di reserpina con altre terapie psichiatriche. [Reserpine combined with other psychiatric therapies.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 661-670.

with SHOCK THERAPIES—COMPARED

Ayd, F. J., Jr. A critique of chlorpromazine and reserpine therapy. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 173-181.

Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.

with SHOCK THERAPY [ECT]—COMBINED

Bennett, A. E. Clinical trial of reserpine in psychotic and psychoneurotic illnesses. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 109-117.

—, Ford, F. R., Turk, R. E. Clinical investigation of chlorpromazine and reserpine in private psychiatric practice. *Am. J. Psychiat.*, 1956, 112: 782-787. Condensed: *Am. Practitioner*, 1956, 7: 1576-1577. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4546.

Bente, D. Elektronencephalographische Ergebnisse zur Wirkungsweise der neuroleptischen Behandlungsverfahren. [Mechanism of action of neuroleptic therapies; EEG findings.] *Encéphale*, 1956, 45: 898-903.

Bordeleau, J. M. Clinical evaluation of chlorpromazine and Rauwolfia serpentina in the psychiatric department of a general hospital. *J. Florida M. Ass.*, 1956, 42: 547-554.

Carillo-Broatch, A. Tratamiento de la esquizofrenia crónica. [Treatment of chronic schizophrenia.] [English summary] *Rev. neur. psiquiat.*, Lima, 1955, 18: 441-445. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1981.

Ferguson, R. S. Influences of reserpine on E. C. T.: preliminary observations. *J. Ment. Sc., Lond.*, 1956, 102: 826-829.

Foster, M. W., Jr., Gayle, R. F., III. Chlorpromazine and reserpine as adjuncts in electroshock treatment. *South. M. J.*, 1956, 49: 731-735. * *

—, Gayle, R. F., Jr. Dangers in combining reserpine (serpasil) with electroconvulsive therapy. *J. Am. M. Ass.*, 1955, 159: 1520-1522. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4067. *Year book of drug therapy*, 1956-1957, p. 325-326. * *

Gosline, E., Kline, N. S. Use of reserpine on an admission service. *Psychiat. Res. Rep.*, Wash., 1955 (1): 112-121.

Huchtemann, K., Pflugfelder, G. Serpasilkuren in der Psychiatrie; Bericht über 100 Kuren. [Serpasil therapy in psychiatry; report on 100 cases.] *Schweiz. med. Wschr.*, 1955, 85: 627-630. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2242.

Kirkpatrick, W. L., Sanders, F. Clinical evaluation of reserpine in a state hospital. *Ann. N. York Acad. Sc.*, 1955, 61: 123-143.

Lauterböck, J. J., Nagy, K. Anstaltserfahrungen mit dem Rauwolfia-Alkaloid Reserpin. [Hospital experiences with the Rauwolfia alkaloid reserpine.] *Wien. klin. Wschr.*, 1955, 67: 839-843.

Lewis, L. F. The use of chlorpromazine and of serpasil in the treatment of psychotic patients. *Carib. M. J., Trinidad*, 1956, 18: 51-66.

Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718. *

Negri, V. U., Garavaglia, G. Rilievi clinici sulla peculiare azione della reserpina in psichiatria. [Reserpine in psychiatry; a clinical study on its characteristic action.] *Minerva med.*, Tor., 1955, 46: 1217-1229.

Noce, R. H., Williams, D. B., Rapaport, W. Reserpine (serpasil) in the management of the mentally ill. *J. Am. M. Ass.*, 1955, 158: 11-15.

Resch, J. A., Schut, J. W., Bernstein, I. C. Premedication in electric convulsive therapy. *Am. J. Psychiat.*, 1956, 113: 78. *

Rhijn, C. H. van De invloed van reserpine (serpasil) op acute en chronische geestesziekten. [The effects of reserpine on acute and chronic mental diseases.] [English summary] *Ned. tschr. geneesk.*, 1956, 100: 1775-1790.

Schneider, H. Erfahrungsbericht über Rauwolfia-Alkaloid-Behandlung. [Experiences with Rauwolfia alkaloid therapy.] *Nervenarzt*, 1956, 27: 72-75. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2088.

Smith, S. K. The use of reserpine in private psychiatric practice. *Ann. N. York Acad. Sc.*, 1955, 61: 206-210. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1227.

Struck, G. Zur Rauwolfia-Therapie in der Psychiatrie; vorläufige Mitteilung über 65 behandelte Patienten. [Rauwolfia therapy in psychiatry; preliminary report on 65 treated patients.] *Nervenarzt*, 1956, 27: 79-82.

Tasher, D. C., Chermak, M. W. The use of reserpine in shock-reversible patients and shock-resistant patients. *Ann. N. York Acad. Sc.*, 1955, 61: 108-116. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1733.

Untoward effects [see headnote p. 19]

Baudoin, de Accident mortel par association de l'électrochoc à une cure de réserpine. [Fatal accident with combination of electroshock and reserpine therapy.] [Abstract.] *Presse méd.*, 1956, 64: 1174. * *

Bracha, S., Hes, J. P. Death occurring during combined reserpine-electroshock treatment. *Am. J. Psychiat.*, 1956, 112: 745. * *

Bross, R. B. Near fatality with combined ECT and reserpine. *Am. J. Psychiat.*, 1957, 113: 933.

Dean, S. R. Ataractics. *Am. J. Psychiat.*, 1956, 112: 850.

Epstein, J. Drugs and electroconvulsive therapy. *J. Am. M. Ass.*, 1956, 160: 503.

Hiob, J., Hippus, H. Klinische Erfahrungen mit dem Rauwolfia-Alkaloid Reserpin in der Psychiatrie. [Clinical experiences with the Rauwolfia alkaloid reserpine in psychiatry.] *Deut. med. Wschr.*, 1955, 80: 1497-1500.

Kalinowsky, L. B. The danger of various types of medication during electric convulsive therapy. *Am. J. Psychiat.*, 1956, 112: 745.

Kurz, C. A propos de la réserpine. [Reserpine] *Gaz. méd. France*, 1956, 63: 877-881. **

Luiz, H. A. Experiences with the use of reserpine on the chronically disturbed mental patient. *S. Afr. M. J.*, 1956, 30: 1049-1051.

with SHOCK THERAPY [ECT]—COMPARED

Barsa, J. A., Kline, N. S. Use of reserpine in disturbed psychotic patients. *Am. J. Psychiat.*, 1956, 112: 684-691. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4543.

Davies, D. L., Shepherd, M. Reserpine in the treatment of anxious and depressed patients. *Lancet, Lond.*, 1955, 2: 117-120. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1224.

Hickerson, G. X., Jr., Swain, J. M., Tempey, F. W. Reserpine in acute psychotic states; report of a controlled study. *J. Nerv. Ment. Dis.*, 1956, 124: 614-617.

Naidoo, D. The effect of reserpine (serpasil) on the chronic disturbed schizophrenic: a comparative study of Rauwolfia alkaloids and electroconvulsive therapy. *J. Nerv. Ment. Dis.*, 1956, 123: 1-13.

Tasher, D. C., Chermak, M. W. The use of reserpine in shock-reversible patients and shock-resistant patients. *Ann. N. York Acad. Sc.*, 1955, 61: 108-116. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1733.

SKF-5

Hagenauer, F., Rudy, L. H., Himwich, H. E. A comparative evaluation of the two new central nervous system stimulants in severe psychoses. *J. Clin. Exp. Psychopath.*, 1957, 18: 248-257. Condensed as: A comparative study of two central nervous system stimulants, MER-22 and S. K. F. # 5, on chronic, blocked and withdrawn psychotic patients. *Am. J. Psychiat.*, 1957, 113: 840.

SEROTONIN

Callaway, E., III. On the production of hallucinated and psychosis-like states. *Ann. Int. M.*, 1955, 42: 721-728.

Carr, C. J., Kinnard, W. J., Jr. The phrenotropic agents. *Internat. Rec. M.*, 1957, 170: 493-504.

Cerletti, A., Rothlin, E. Role of 5-hydroxytryptamine in mental diseases and its antagonism to lysergic acid derivatives. *Nature, Lond.*, 1955, 176: 785-786. Abstract: *Chem. Abstr.*, 1956, 50: 4389 fgh. *Excerpta med.*, Sect. 8, 1957, 10: No. 973.

The chemical concept of psychoses. *What's new*, 1955 (189): 3-7.

Cossio, M. Rapporti tra reserpina (serpasil) e 5-idrossitriptamina; nota preventiva. [Relation between reserpine (serpasil) and 5-hydroxytryptamine; preliminary note.] *Riv. sper. freniat.*, 1955, 79: 865-867.

Delay, J., Thuillier, J. Psychiatrie expérimentale et psychopharmacologie. [Experimental psychiatry and psychopharmacology.] *Sem. hôp. Paris*, 1956, 32: 3187-3193.

Fabing, H. D. Trends in biological research in schizophrenia. *J. Nerv. Ment. Dis.*, 1956, 124: 1-7.

Jarvik, M. E. Mechanism of action of lysergic acid diethylamide, serotonin, and related drugs. In: Kline,

N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 145-154.

Jatzkewitz, H. Pharmakologische Aspekte in der Schizophrenieforschung. [Pharmacological aspects in schizophrenia research.] *Nervenarzt*, 1956, 27: 150-152.

Klingman, W. O. Neurological and psychiatric disorders; some recent advances in therapy. *Virginia M. Month.*, 1956, 83: 240-246.

Leake, C. D. Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818. Abstract: *Chem. Abstr.*, 1956 50: 9615b.

Page, I. H. Chemistry of the brain. Past imperfect, present indicative, and—future perfect? *Science*, 1957, 125: 721-727.

—. Serotonin (5-hydroxytryptamine). *Physiol. Rev.*, 1954, 34: 563-588.

—, McCubbin, J. W. Serotonin or tenure for the pharmacologist. *Circulation, N. Y.*, 1956, 14: 161-162.

Pennes, H. H. The nature of drugs with mental actions and their relation to cerebral function. *Bull. N. York Acad. M.*, 1957, 33: 81-88.

Psychobiology and drugs. *Internat. Rec. M.*, 1956, 169: 231-232.

Rinkel, M., Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18: 323-334.

Rothlin, E., Cerletti, A. Pharmacology of LSD-25. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, Grune & Stratton, 1956. p. 1-7.

Serotonin. *J. Am. M. Ass.*, 1956, 161: 460-461.

Shaw, E. (N.), Woolley, D. W. Methylserotonins as potent antimetabolites of serotonin active both in vitro and in vivo. *J. Pharm. Exp. Ther.*, 1956, 116: 164-176.

Thuillier, J. La sérotonine. [Serotonin.] *Concours méd.*, 1956, 78: 3177-3181.

Wikler, A. The relation of psychiatry to pharmacology. 322 p. Baltimore, *Williams & Wilkins* [For the American Society for Pharmacology and Experimental Therapeutics] 1957.

—. The use of drugs in psychiatric research. *Am. J. Psychiat.*, 1956, 112: 961-969.

Woolley, D. W., Shaw, E. A biochemical and pharmacological suggestion about certain mental disorders. *Proc. Nat. Acad. Sc. U. S.*, 1954, 40: 228-231. Abstract: *Science*, 1954, 119: 587-588.

—, —. Evidence for the participation of serotonin in mental processes. *Ann. N. York Acad. Sc.*, 1957, 66: 649-667.

—, —. Some neurophysiological aspects of serotonin. *Brit. M. J.*, 1954, 2: 122-126.

Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1957, 113: 611-615.

Studies, animals

Besendorf, H., Pletscher, A. Beeinflussung zentraler Wirkungen von Reserpin und 5-Hydroxytryptamin durch Isonicotinsäurehydrazide. [The influence of isonicotinic acid hydrazides on the central effects of reserpine and of 5-hydroxytryptamine.] [English summary] *Helvet. physiol. pharm. acta*, 1956, 14: 383-390.

Bianchi, C. Reserpine and serotonin in experimental convulsions. *Nature, Lond.*, 1957, 179: 202-203.

Bonamini, F., Garelo, L. Catatonia sperimentale nei cani da 5-idrossitriptamina, introdotta nella cisterna magna. [Experimental catatonia in dogs induced by 5-hydroxytryptamine, introduced into the cisterna magna.] *Sistema nerv.*, Milano, 1956, 8: 157-166. [Not seen]

Brown, B. B. Lysergic acid diethylamide antagonism of certain drugs. *Ann. N. York Acad. Sc.*, 1957, 66: 677-685.

Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.

- Dolce, G., Garelo, L. La catalessia de serotonina nella Rana esculenta: tecnica sperimentale. [Catalepsy caused by serotonin in Rana esculenta; experimental technique.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 441-443.
- Feldberg, W., Sherwood, S. L. Injections of drugs into the lateral ventricle of the cat. *J. Physiol., Lond.*, 1954, 123: 148-167.
- , —. Intraventricular injections of acetylcholine and of 5-hydroxytryptamine (serotonin) into the conscious cat. *J. Physiol., Lond.*, 1953, 120: 12P.
- Garelo, L., Dolce, G. Intorno alla azione risolvente della dietilamide dell'acido lisergico e della metilantetamina sulla catalessia sperimentale da 5-idrossitriptamina (5 HT); ricerche sperimentali sul cane. [Antagonistic effect of diethylamide of lysergic acid and of methylamphetamine on experimental catalepsy caused by 5-hydroxytryptamine; experimental research on dogs.] [English summary] *Sistema nerv., Milano*, 1956, 8: 61-80. Abstract: *Chem. Abstr.*, 1956, 50: 17196a.
- , —. Modificazione degli effetti della stricnina sulla funzione motoria della Rana esculenta determinata dalla somministrazione di serotonina. [Modification of the effects of strychnine on motor function in Rana esculenta through administration of serotonin.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 443-445.
- Haley, T. J., McCormick, W. G. Pharmacological effects produced by intracerebral injection of drugs in the conscious mouse. *University of California, School of Medicine, Atomic Energy Project, Los Angeles*, 1956 (UCLA-372): 1-25.
- Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sc.*, 1957, 66: 496-507.
- , Hart, E. R. An electrophysiological analysis of drugs unseful in psychotic states. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 9-21.
- , —. An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.
- , —. The possible role of inhibition at adrenergic synapses in the mechanism of hallucinogenic and related drug actions. *J. Nerv. Ment. Dis.*, 1955, 122: 453-457.
- Pfeiffer, C. C., Jenney, E. H. The inhibition of the conditioned response and the counteraction of schizophrenia by muscarinic stimulation of the brain. *Ann. N. York Acad. Sc.*, 1957, 66: 753-764.
- Sacchi, U., Bonamini, F., Dolce, G., Garelo, L. Dietilamide dell'acido lisergico e catalessia da 5-idrossitriptamina nel cane. [Lysergic acid diethylamide and 5-hydroxytryptamine catalepsy in dogs.] *Boll. Soc. ital. biol. sper.*, 1955, 31: 665-667.
- , —, Garelo, L., Dolce, G. Studio dell'azione catalettizzante della 5-HT per introduzione nel sistema ventricolare o negli spazi subaracnoidei del cane. [Cataleptic action of 5-HT introduced into the ventricular system or subarachnoid space in dogs.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 179-182. Abstract: *Chem. Abstr.*, 1956, 50: 6680gh.
- , Brusa, A., Giannioti, G. Lesioni del sistema nervoso centrale del *Carassius auratus* da 5 HT ed azione protettiva dell'LSD. [Lesions of the central nervous system in *Carassius auratus* caused by serotonin and the protective action of lysergic acid diethylamide.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 438-441.
- , Garelo, L., Dolce, G., Bonamini, F. L'azione catalettizzante della 5-idrossitriptamina introdotta nella cisterna magna del cane. [Cataleptic action of 5-hydroxytryptamine introduced into the cisterna magna of dogs.] *Boll. Soc. ital. biol. sper.*, 1955, 31: 663-665.
- Salmoiraghi, G. C., Sollero, L., Page, I. H. Blockade by brom-lysergic-acid-diethylamide (BOL) of the potentiating action of serotonin and reserpine on hexobarbital hypnosis. *J. Pharm. Exp. Ther.*, 1956, 117: 166-168. Abstract: *Chem. Abstr.*, 1956, 50: 14105gh.
- Schwarz, B. E., Wakim, K. G., Bickford, R. G., Lichtenheld, F. R. Behavioral and electroencephalographic effects of hallucinogenic drugs; changes in cats on intraventricular injection. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 83-90.
- Shaw, E., Woolley, D. W. Pharmacological properties of some antimetabolites of serotonin having unusually high activity on isolated tissues. *J. Pharm. Exp. Ther.*, 1954, 111: 43-53.
- , —. Yohimbine and ergot alkaloids as naturally occurring antimetabolites of serotonin. *J. Biol. Chem.*, 1953, 203: 979-989.
- Sherwood, S. L. Effects of drugs on the behavior of animals and on psychoses of man. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the second conference*, May 1955, Princeton, N. J. New York, *Josiah Macy, Jr. Foundation*, 1956. p. 85-182.
- Shore, P. A., Silver, S. L., Brodie, B. B. Interaction of reserpine, serotonin, and lysergic acid diethylamide in brain. *Science*, 1955, 122: 284-285.
- , —, —. Interaction of serotonin and lysergic acid diethylamide (LSD) in the central nervous system. *Experientia, Basel*, 1955, 11: 272-273.

Studies, normal subjects

- Montanari, C., Tonini, G. La 5-idrossitriptamina in psichiatria. [5-Hydroxytryptamine in psychiatry.] *Riv. sper. freniat.*, 1955, 79: 745-750. Abstract: *Chem. Abstr.*, 1956, 50: 8065 i.
- Poloni, A. Serotonina e schizofrenia. 1. Osservazioni sulle interferenze fra l'azione della serotonina (S.) e della dietilamide dell'acido lisergico (LSD. 25), mescalina (M.) e bulbocapnina (B.) nell'uomo e nell'animale. 2. Azione della serotonina (S.) sola e associata ai barbiturici (Ba.), alla dietilamide dell'acido lisergico (LSD. 25), alla mescalina (M.) e alla bulbocapnina (B.) sul tracciato EEG. di schizofrenici, epilettici e altri ammalati di mente. [Serotonin and schizophrenia. 1. Observations on the antagonism between serotonin, lysergic acid diethylamide, mescaline and bulbocapnine in man and animal. 2. Action of serotonin alone or associated with barbiturates, lysergic acid diethylamide, mescaline and bulbocapnine on the electro-encephalogram of patients with schizophrenia, epilepsy, and other mental diseases.] [English summaries p. 292; 381.] *Cervello*, 1955, 31: 271-294; 355-382. Abstract: *Chem. Abstr.*, 1956, 50: 8911ab.

Studies, patients

see also preceding reference [POLONI]

SEROTONIN—Studies, animals [SHERWOOD]

- Lafon, R., Boyer, Duc, N., Minvielle, J., Pouget, R. Effets comparatifs de l'injection intraveineuse de sérotonine et de reserpine; étude psychométrique neuro-végétative et électroencéphalographique. [The comparative effects of intravenous serotonin and reserpine; a psychometric, neuro-autonomic and electroencephalographic study.] *Ann. méd. psychol., Par.*, 1956, 114 (2): 463-466.
- Sherwood, S. L. The response of psychotic patients to intraventricular injections. *Proc. R. Soc. M., Lond.*, 1955, 48: 855-863.

Therapeutic studies, controlled

see also SEROTONIN—Studies, animals [SHERWOOD]

- Montanari, C., Tonini, G. La 5-idrossitriptamina in psichiatria. [5-Hydroxytryptamine in psychiatry.] *Riv. sper. freniat.*, 1955, 79: 745-750. Abstract: *Chem. Abstr.*, 1956, 50: 8065i.
- Poloni, A. Esperienze cliniche con la serotonina nelle malattie mentali. [Clinical experiences with serotonin

in mental illness.] *Cervello*, 1956, 32: 243-246. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1539.

Sherwood, S. L. The response of psychotic patients to intraventricular injections. *Proc. R. Soc. M., Lond.*, 1955, 48: 855-863.

with ADRENOCHROME—INTERACTION

Schwarz, B. E., Wakim, K. G., Bickford, R. G., Lichtenheld, F. R. Behavioral and electroencephalographic effects of hallucinogenic drugs; changes in cats on intraventricular injection. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 83-90.

with ADRENOLUTIN—INTERACTION

see preceding reference

with CHLORPROMAZINE—INTERACTION

Studies, animals

Benditt, E. P., Rowley, D. A. Antagonism of 5-hydroxytryptamine by chlorpromazine. *Science*, 1956, 123: 24.

Garattini, S., Valzelli, L. Sostanze interferenti sulla attività potenziante gli ipnotici svolta dalla serotonina. [Substances that interfere with the potentiating effect of serotonin on hypnotics.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 292-295.

with IPRONIAZID—INTERACTION

Studies, animals

Besendorf, H., Pletscher, A. Beeinflussung zentraler Wirkungen von Reserpin und 5-Hydroxytryptamin durch Isonicotinsäurehydrazide. The influence of isonicotinic acid hydrazides on the central effects of reserpine and of 5-hydroxytryptamine. [English summary.] *Helvet. physiol. pharm. acta*, 1956, 14: 383-390.

Brodie, B. B., Pletscher, A., Shore, P. A. Possible role of serotonin in brain function and reserpine action. [Abstract.] *J. Pharm. Exp. Ther.*, 1956, 116: 9.

Chessin, M., Dubnick, B., Kramer, E. R., Scott, C. C. Modifications of pharmacology of reserpine and serotonin by iproniazid. [Abstract.] *Fed. Proc., Balt.*, 1956, 15: 409.

Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sc.*, 1957, 66: 496-507.

with LYSERGIC ACID DIETHYLAMIDE—INTERACTION

Cerletti, A., Rothlin, E. Role of 5-hydroxytryptamine in mental diseases and its antagonism to lysergic acid derivatives. *Nature, Lond.*, 1955, 176: 785-786. Abstract: *Chem. Abstr.*, 1956, 50: 4389fgh. *Excerpta med.*, Sect. 8, 1957, 10: No. 973.

Rothlin, E., Cerletti, A. Pharmacology of LSD-25. In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, Grune & Stratton, 1956. p. 1-7.

Studies, animals

see also under SEROTONIN—Studies, animals

SEROTONIN—Studies, normal subjects

[POLONI]

Abramson, H. A. Blocking of the LSD-25 reaction in Siamese fighting fish. In: Abramson, H. A., ed. Neuropharmacology. Transactions of the third conference, 1956, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1957. p. 9-27.

—, Jarvik, M. E. Lysergic acid diethylamide (LSD-25): IX. Effect on snails. *J. Psychol., Provincet.*, 1955, 40: 337-340.

—, Sklarofsky, B., Baron, M. O., Gettner, H. H. Blocking of brain extract on lysergic acid diethylamide

reaction in Siamese fighting fish. *Science*, 1957, 125: 397-398.

—, —, —, —. Lysergic acid diethylamide (LSD-25) antagonists. I. Blocking effect of brain extract in the Siamese fighting fish; preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 439-445.

Bradley, P. B., Hance, A. J. The effects of intraventricular injections of d-lysergic acid diethylamide (LSD-25) and 5-hydroxytryptamine (serotonin) on the electrical activity of the brain of the conscious cat. *J. Physiol., Lond.*, 1956, 132: 50P-51P.

Cerletti, A. Lysergic acid diethylamide (LSD) and related compounds. In: Abramson, H. A., ed. Neuropharmacology. Transactions of the second conference, May 1955, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1956. p. 9-84.

Keller, D. L., Umbreit, W. W. Chemically altered permanent behavior patterns in fish and their cure by reserpine. *Science*, 1956, 124: 407.

—, —. Permanent alteration of behavior in mice by chemical and psychological means. *Science*, 1956, 124: 723-724.

Rothlin, E. Lysergic acid diethylamide and related substances. *Ann. N. York Acad. Sc.*, 1957, 66: 668-676.

Schwarz, B. E., Wakim, K. G., Bickford, R. G., Lichtenheld, F. R. Behavioral and electroencephalographic effects of hallucinogenic drugs; changes in cats on intraventricular injection. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 83-90. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 328.

Turner, W. J. The effect of lysergic acid diethylamide on *Betta splendens*: I. *Dis. Nerv. Syst.*, 1956, 17: 193-197.

Winter, C. A., Flataker, L. Effects of lysergic acid diethylamide upon performance of trained rats. *Proc. Soc. Exp. Biol., N. Y.*, 1956, 92: 285-289. Abstract: *Chem. Abstr.*, 1956, 50: 14891i.

Woolley, D. W. Production of abnormal (psychotic?) behavior in mice with lysergic acid diethylamide, and its partial prevention with cholinergic drugs and serotonin. *Proc. Nat. Acad. Sc. U. S.*, 1955, 41: 338-344. Abstract: *Chem. Abstr.*, 1956, 50: 12286def.

—, Shaw, E. N. Evidence for the participation of serotonin in mental processes. *Ann. N. York Acad. Sc.*, 1957, 66: 649-667.

Studies, normal subjects and patients

see also SEROTONIN—Studies, normal subjects

[POLONI]

Montanari, C., Tonini, G. Azioni della 5-idrossitriptamina sul sistema nervoso centrale; suo impiego in psichiatria sperimentale. [Effects of 5-hydroxytryptamine on the CNS; its use in experimental psychiatry.] *Riv. sper. freniat.*, 1955, 79: 465-483. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3076.

with LYSERGIC ACID DIETHYLAMIDE, BROMINATED—INTERACTION

Cerletti, A., Rothlin, E. Role of 5-hydroxytryptamine in mental diseases and its antagonism to lysergic acid derivatives. *Nature, Lond.*, 1955, 176: 785-786. Abstract: *Chem. Abstr.*, 1956, 50: 4389fgh. *Excerpta med.*, Sect. 8, 1957, 10: No. 973.

Rothlin, E., Cerletti, A. Pharmacology of LSD-25. In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, Grune & Stratton, 1956. p. 1-7.

Studies, animals

see LYSERGIC ACID DIETHYLAMIDE, BROMINATED—Studies, animals

with MEDMAIN—INTERACTION see MEDMAIN

with Mescaline—INTERACTION

Studies, animals

see also SEROTONIN—Studies, normal subjects
[POLONI]

Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740–752.

Schwarz, B. E., Wakim, K. G., Bickford, R. G., Lichtenheld, F. R. Behavioral and electroencephalographic effects of hallucinogenic drugs; changes in cats on intraventricular injection. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 83–90. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 328.

Studies, normal subjects

Studies, patients

see SEROTONIN—Studies, normal subjects [POLONI]

with RESERPINE—COMPARED

Cossio, M. Rapporti tra reserpina (serpasil) e 5-idrossitriptamina; nota preventiva. [Relation between reserpine (serpasil) and 5-hydroxytryptamine; preliminary note.] *Riv. sper. freniat.*, 1955, 79: 865–867.

Studies, patients

see SEROTONIN—Studies, patients
[LAFON, BOYER+others]

with RESERPINE—INTERACTION

Rinkel, M., Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18: 323–334.

Studies, animals

Bianchi, C. Reserpine and serotonin in experimental convulsions. *Nature, Lond.*, 1957, 179: 202–203.

Brodie, B. B., Olin, J. S., Kuntzman, R. G., Shore, P. A. Possible interrelationship between release of brain norepinephrine and serotonin by reserpine. *Science*, 1957, 125: 1293–1294.

—, Pletscher, A., Shore, P. A. Evidence that serotonin has a role in brain function. *Science*, 1955, 122: 968.

—, —, —. Possible role of serotonin in brain function and reserpine action. [Abstract] *J. Pharm. Exp. Ther.*, 1956, 116: 9.

Garattini, S., Valzelli, L. Sostanze interferenti sulla attività potenziante gli ipnotici svolta dalla serotonina. [Substances that interfere with the potentiating effect of serotonin on hypnotics.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 292–295.

Hess, S. M., Shore, P. A., Brodie, B. B. Persistence of reserpine action after the disappearance of drug from brain: effect of serotonin. *J. Pharm. Exp. Ther.*, 1956, 118: 84–89.

Pletscher, A., Shore, P. A., Brodie, B. B. Serotonin as a mediator of reserpine action in brain. *J. Pharm. Exp. Ther.*, 1956, 116: 84–89.

Shore, P. A., Carlsson, A., Brodie, B. B. Mechanism of serotonin-release by reserpine. [Abstract] *Fed. Proc., Balt.*, 1956, 15: 483.

—, Silver, S. L., Brodie, B. B. Interaction of reserpine, serotonin, and lysergic acid diethylamide in brain. *Science*, 1955, 122: 284–285.

with YOHIMBINE—INTERACTION

see YOHIMBINE—Pharmacodynamics

with OTHER DRUGS—COMBINED

Studies, animals

see under SEROTONIN—Studies, animals
SEROTONIN—Studies, normal subjects [POLONI]

Studies, normal subjects and patients

see also SEROTONIN—Studies, normal subjects
[POLONI]

Montanari, C., Tonini, G. Azioni della 5-idrossitriptamina sul sistema nervoso centrale; suo impiego in psichiatria sperimentale. [Effects of 5-hydroxytryptamine on CNS; its use in experimental psychiatry.] *Riv. sper. freniat.*, 1955, 79: 465–483.

Therapeutic studies, controlled

see SEROTONIN—Therapeutic studies, controlled
[MONTANARI+TONINI]
[POLONI]

with OTHER DRUGS—COMPARED

Therapeutic studies, controlled

Sherwood, S. L. The response of psychotic patients to intraventricular injections. *Proc. R. Soc. M., Lond.*, 1955, 48: 855–863.

with PSYCHOSURGERY

[18 mos. post-op.] see preceding reference [SHERWOOD]

STIMULANTS

see also PSYCHOPHARMACA
individual stimulants
cf. DRUG INDEX: STIMULANTS

Fabing, H. D. The newer analeptic drugs. [methylphenidylacetate; pipradrol] *Med. Clin. N. America*, 1957, 41: 339–351.

Hagenauer, F., Rudy, L. H., Himwich, H. E. A comparative evaluation of two central system stimulants in severe psychoses. *J. Clin. Exp. Psychopath.*, 1957, 18: 248–257. Condensed as: A comparative study of two central nervous system stimulants, MER-22 and S. K. F. #5, on chronic, blocked and withdrawn psychotic patients. *Am. J. Psychiat.*, 1957, 113: 840.

Tripod, J., Sury, E., Hoffmann, K. Zentralerregende Wirkung eines neuen Piperidinderivatives. [Centrally stimulating effect of a new piperidine derivative.] *Experientia, Basel*, 1955, 10: 261–262. [MER-22: methylphenidylacetate; pipradrol] Abstract: *Chem. Abstr.*, 1955, 48: 10920g.

Wikler, A. The relation of psychiatry to pharmacology. 322 p. Baltimore, Williams & Wilkins [for the American Society for Pharmacology and Experimental Therapeutics] 1957.

Compared

see STIMULANTS
[Stimulant] with [Stimulant]—Compared

Evaluation see PSYCHOPHARMACA—Evaluation

Terminology

Delay, J. Allocution finale. [Final address.] [International colloquium on chlorpromazine and neuroleptic drugs. Paris, October 1955] *Encéphale*, 1956, 45: 1181–1184. ["Les psychotoniques . . ." p. 1184]

Negri, F. Effetto della reserpina e della reserpina associata a psicotonici in alcune psicopatie senili. [Effect of reserpine and of reserpine combined with psychotonics in senile psychoses.] *Arch. psicol. neur., Milano*, 1956, 17: 441–451. *

with ATARAXICS—COMBINED

see STIMULANTS [FABING]
[Ataraxic] with [Stimulant]—Combined

TMA

Peretz, D. I., Smythies, J. R., Gibson, W. C. A new hallucinogen: 3,4,5-trimethoxyphenyl- β -aminopropane with notes on the stroboscopic phenomenon. *J. Ment. Sc., Lond.*, 1955, 101: 317-329.

THIAZINAMIUM

Gäde, E. B., Heinrich, K. Die Bedeutung der Phenothiazinderivate, insbesondere des Megaphen, für Psychiatrie und Neurologie. [The importance of phenothiazine derivatives in psychiatry and neurology, with special reference to chlorpromazine.] *Fortsch. Neur. Psychiat.*, 1955, 23: 323-353.

Martí-Ibañez, F., Sackler, A. M., Sackler, M. D., Sackler, R. R. The challenge of bio- and chemotherapy in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 15-18. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 975.

Mashkovskii, M. D. [The pharmacologic properties of aminazine and of other compounds of the phenothiazine order.] *Zh. nevropat. psikhiat.*, Moskva, 1956, 56: 81-93. Abstract: *Chem. Abstr.*, 1956, 50: 1717e.

Viaud, P. Les amines dérivées de la phénothiazine. [The amino-derivatives of phenothiazine.] *J. Pharm., Lond.*, 1954, 6: 361-389.

Studies, normal subjects

see PHENOTHIAZINES—Studies, normal subjects

Therapeutic use

Brogli, M., Jörgensen, G., Voss, G. Über die neuro-ganglioplegische Behandlung innerer Krankheiten mit Phenothiazinderivaten unter besonderer Berücksichtigung des Asthma bronchiale. [Neuro-ganglioplegic therapy with phenothiazine derivatives in internal diseases, particularly bronchial asthma.] *Aerzt. Wschr.*, 1953, 8: 1148-1152.

TRIFLUPROMAZINE

Studies, animals

Burke, J. C., Hassert, G. L., High, J. P. The tranquilizing activity of 10-(3-dimethylaminopropyl)-2-(trifluoromethyl)-phenothiazine hydrochloride (MC 4703) and related phenothiazines in animals. [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 136.

Piala, J. J., High, J. P., Greenspan, K., Burke, J. C. Further laboratory observations on 10-(3-dimethylaminopropyl)-2-(trifluoromethyl)-phenothiazine hydrochloride (MC 4703). [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 176-177.

Therapeutic use

Pennington, V. M. Research findings in phrenotropic drugs important to every physician. *Mississippi Doctor*, 1957, 35: 57-63.

with CHLORPROMAZINE—COMPARED

see TRIFLUPROMAZINE—Studies, animals

WIN-2299

Studies, patients

Hoch, P. H., Pennes, H. H., Cattell, J. P., Psychoses produced by administration of drugs. *Res. Pub. Ass. Res. Nerv. Ment. Dis.*, 1953, 32: 287-296.

Pennes, H. H., Hoch, P. H. Psychotomimetics, clinical and theoretical considerations: harmine, WIN-2299 and nalline. *Am. J. Psychiat.*, 1957, 113: 887-892.

WY-1107

Himwich, H. E., Rinaldi, F., Willis, D. An examination of phenothiazine derivatives with comparisons of their effects on the alerting reaction, chemical structure and therapeutic efficacy. *J. Nerv. Ment. Dis.*, 1956, 124: 53-57.

Therapeutic use

Fazekas, J. F., Shea, J. G., Ehrmantraut, W. R., Alman, R. W. Convulsant action of phenothiazine derivatives. *J. Am. M. Ass.*, 1957, 165: 1241-1245. *

YOHIMBINE

Pharmacodynamics

Shaw, E., Woolley, D. W. Yohimbine and ergot alkaloids as naturally occurring antimetabolites of serotonin. *J. Biol. Chem.*, 1953, 203: 979-989.

—Additional data

The chemical concept of psychoses. *What's new*, 1955 (189): 3-7.

Fabing, H. D. The dimensions of neurology. *Neurology*, 1955, 5: 603-611. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1718.

—. The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drug & Cosmet. Indust.*, 1956, 78: 32-33; 125-129.

Jarvik, M. E. Mechanism of action of lysergic acid diethylamide, serotonin, and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, Am. Ass. Adv. Sc., 1956, p. 145-154.

Meyers, F. H. Pharmacology of chlorpromazine, reserpine and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, Am. Ass. Adv. Sc., 1956, p. 131-140.

Pearson, J., Dewhurst, K. Mescaline: apotheosis of the devil's root. *Irish J. M. Sc.*, 1956: 139-143.

Rinkel, M., Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18: 323-334.

Woolley, D. W., Shaw, E. Some neurophysiological aspects of serotonin. *Brit. M. J.*, 1954, 2: 122-125.

Studies, normal subjects

Dennemark, H. G. Sympathicolytica (insbes. Yohimbin) und ihre pharmakologische Wirkung. [The pharmacological effect of sympatholytics with special reference to yohimbine.] *Ther. Gegenwart*, 1953, 92: 262-265.

with LYSERGIC ACID DIETHYLAMIDE—COMPARED

Studies, animals

Keller, D. L., Umbreit, W. W. Chemically altered permanent behavior patterns in fish and their cure by reserpine. *Science*, 1956, 124: 407.

—, —. Permanent alteration of behavior in mice by chemical and psychological means. *Science*, 1956, 124: 723-724.

with RESERPINE—COMPARED

see RESERPINE with YOHIMBINE—COMPARED

with SEROTONIN—INTERACTION

see YOHIMBINE—Pharmacodynamics

with OTHER DRUGS (sedatives)—COMBINED

Therapeutic use

Reggiani, R. Contributo clinico allo studio di un farmaco equilibratore del sistema nervoso-vegetativo. [A new pharmacologic stabilizer for the autonomic nervous system.] [Nor-Dis] *Policlinico, sez. prat.*, 1954, 61: 1111-1115.

ANCILLARY SUBJECT LIST OF
SPECIAL CONDITIONS

* A single asterisk after a citation indicates that the article includes data on untoward effects.
 * * A double asterisk after a citation means that the article reports at least one death.

AGED

Ataraxics

- Pennington, V. M. A two-year comparative study of ataraxics in neuro-psychiatric patients. *J. Am. Geriat. Soc.*, 1957, 5: 421-429. [Not seen]
 Smigel, J. O. Mood therapy in the aged. *Med. Times, Great Neck*, 1957, 85: 149-158. *

Azacyclonol

- Ayd, F. J., Jr. A clinical evaluation of frenquel. *J. Nerv. Ment. Dis.*, 1956, 124: 507-509.

Chlorpromazine

- Achaintre, A., Balvet, P., Beaujard, M., Broussolle, P., Perrin, J., Leveque, F., Requet, A. Evaluation of chlorpromazine in psychotic patients. *Internat. Rec. M.*, 1957, 170: 175-182.
 Fong, T. C. Chlorpromazine and reserpine in geriatric patients. *Med. Ann. District of Columbia*, 1956, 25: 260-263.
 Galioni, E. F. Reserpine and chlorpromazine, their use in alcoholic and geriatric patients. *California M.*, 1956, 85: 97-99. * *
 Hoff, H. Advantages and disadvantages of treatment with chlorpromazine and serpasil. *Encéphale*, 1956, 45: 352-358.
 —. Vorteile und Nachteile der Behandlung mit Largactil und Serpasil. [Advantages and disadvantages of therapy with largactil and with serpasil.] *Wien. klin. Wschr.*, 1956, 68: 97-101. * *
 Howell, T. H., Harth, J. A. P., Dietrich, M. The use of chlorpromazine in geriatrics. *Practitioner, Lond.*, 1954, 173: 172-173.
 Kurland, A. A. Chlorpromazine in the management of the institutionalized aged psychiatric patient with chronic brain syndrome. *Dis. Nerv. Syst.*, 1955, 16: 366-369. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3996.
 Lesse, S., Malitz, S., Hoch, P. [H.] Chlorpromazine therapy in private practice. Its benefits and complications. *J. Nerv. Ment. Dis.*, 1957, 125: 25-35.
 Persson, I. Klorpromazin ved arteriosclerotisk syndsygdom og dementia senilis. [Chlorpromazine in therapy of arteriosclerotic psychosis and senile dementia.] [English summary] *Nord. med.*, 1955, 53: 235-237. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3897.
 Pollack, B. The addition of chlorpromazine to the treatment program for emotional and behavior disorders in the aging. *Geriatrics*, 1956, 11: 253-259.
 Seager, C. P. Chlorpromazine in treatment of elderly psychotic women. *Brit. M. J.*, 1955, 1: 882-885. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1727.
 Settel, E. Chlorpromazine in the home treatment of the agitated senile patient. *GP*, 1956, 14 (5): 97-100.
 —. Chlorpromazine in the treatment of senile agitation. *GP*, 1955, 12 (6): 74-76. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3612.
 Smigel, J. O. Mood therapy in the aged. *Med. Times, Great Neck*, 1957, 85: 149-158.
 Terman, L. A. Treatment of senile agitation with chlorpromazine. *Geriatrics*, 1955, 10: 520-522. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2582.
 Ugelstad, E. Chlorpromazine treatment in senile psychoses. *Acta psychiat. neur. scand.*, 1956, Suppl. 106: 60-62.

—Untoward effects [see headnote]

- Gerest, F. Traitement de l'accès maniaque par la chlorpromazine. [Chlorpromazine therapy of manic states.] *Encéphale*, 1956, 45: 536-540.
 Paerregaard, G. Chlorpromazinbehandling på en psykiatrisk modtageafdeling. [Chlorpromazine treatment at a psychiatric department.] [English summary] *Nord. med.*, 1956, 56: 1238-1240. * *
 Pollack, B. Recurrent thiazine-induced agranulocytosis. *Am. J. Psychiat.*, 1956, 113: 557-558.
 Prokopowycz, V. Agranulocytosis following use of chlorpromazine therapy. *J. Am. M. Ass.*, 1955, 157: 1042. Also as: Agranulocytosis following chlorpromazine therapy. *J. Michigan M. Soc.*, 1955, 54: 1468. * *
 Schick, G., Virks, J. Agranulocytosis associated with chlorpromazine therapy; report of a case and review of the literature. *N. England J. M.*, 1956, 255: 798-802.

—with Reserpine

- Hoff, H. Advantages and disadvantages of treatment with chlorpromazine and serpasil. *Encéphale*, 1956, 45: 352-358.
 Maccagnani G. Trattamento di alcune sindromi psichiche dell'età senile con reserpina, con reserpina, associata clorpromazina. [Treatment of senile psychic syndromes with reserpine and with reserpine associated with chlorpromazine.] *Arch. psicol. neur., Milano*, 1956, 17: 452-454.

—with other drugs

- Hoch, P. H. Practical and theoretical applications of the new drug therapies in psychiatry. [amphetamine] *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 325-328.

Ethylcrotonylurea

- Ferguson, J. T. Successful therapeutic regimen for the management of behavior problems in the elderly. *J. Am. Geriat. Soc.*, 1956, 4: 1080-1084.

Hydroxyzine

- Fouks, Laine, François, Pagot. Note sur l'utilisation en psychiatrie d'un nouveau neuroleptique. [Note on the use of a new neuroleptic drug in psychiatry.] *Ann. méd. psychol., Par.*, 1956, 114 (1): 605-608.
 Shalowitz, M. Hydroxyzine: a new therapeutic agent for senile anxiety states; a preliminary report. *Geriatrics*, 1956, 11: 312-315. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1417.

Iproniazid

- Ayd, F. J., Jr. A preliminary report on marsilid. *Am. J. Psychiat.*, 1957, 114: 459.

Mepazine

- Laurendeau, E. Essai clinique sur un nouveau dérivé du phénothiazine: le pacatal. [Clinical trial of a new phenothiazine derivative: pacatal.] *Union méd. Canada*, 1956, 85: 1424-1425.

Meprobamate

- Lasagna, L. A study of hypnotic drugs in patients with chronic diseases; comparative efficacy of placebo; methypylon (noludar) meprobamate (miltown, equanil) pentobarbital; phenobarbital; secobarbital. *J. Chronic Dis.*, 1956, 3: 122-133.
 Smigel, J. O. Mood therapy in the aged. *Med. Times, Great Neck*, 1957, 85: 149-158.

Methylphenidylacetate

Ayd, F. J., Jr. A clinical evaluation of methyl-phenidylacetate hydrochloride (ritalin). *J. Clin. Exp. Psychopath.*, 1957, 18: 342-346.

Davidoff, E., Best, J. L., McPheeters, H. L. The effect of ritalin (methyl-phenidylacetate hydrochloride) on mildly depressed, ambulatory patients. *N. York State J. M.*, 1957, 57: 1753-1757.

Ferguson, J. T. Successful therapeutic regimen for the management of behavior problems in the elderly. *J. Am. Geriat. Soc.*, 1956, 4: 1080-1084.

— Funderburk, W. H. Improving senile behavior with reserpine and ritalin; new approach with use of methylphenylpiperidylacetate. *J. Am. M. Ass.*, 1956, 160: 259-263. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3520. *Year book of drug therapy*, 1956-1957, p. 344-346.

—with Reserpine

see AGED—Reserpine with Methylphenidylacetate

Methylpromazine—Untoward effects [see headnote p. 169]

Feldman, P. E., Statman, J. Agranulocytosis during treatment with methylpromazine. *Am. J. Psychiat.*, 1957, 114: 464-465.

Perphenazine

Ayd, F. J., Jr. The treatment of anxiety, agitation and excitement in the aged; a preliminary report on trilafon. *J. Am. Geriat. Soc.*, 1957, 5: 92-96.

Pipradrol

Allin, T. G., Jr., Pogge, R. C. The use of azacyclonol and pipradrol in general practice. *Internat. Rec. M.*, 1956, 169: 222-230.

Fabing, H. D. The newer analeptic drugs. *Med. Clin. N. America*, 1957, 41: 339-351.

Forster, W., Henderson, L., Schultz, S. The clinical effects of alpha-(2-piperidyl)-benzhydrol hydrochloride (meratran) in states of inactivity in elderly psychiatric patients. *Canad. M. Ass. J.*, 1955, 72: 678-681. Abstract: *Digest Neurol. Psychiat.*, 1955, 23: 278. *Excerpta med.*, Sect. 8, 1956, 9: No. 2227.

Fullerton, A. G. Psychiatric uses of meratran. *J. Ment. Sc.*, Lond., 1956, 102: 801-804.

Kleemeier, R. W., Rich, T. A., Justiss, W. A. The effects of alpha-(2-piperidyl) benzhydrol hydrochloride (meratran) on psychomotor performance in a group of aged males. *J. Geront.*, 1956, 11: 165-170.

Lönnerberg, B. Leptidrol (pipradrol), ett nytt psykoanalepticum. [Leptidrol (pipradrol), a new psychoanaleptic.] *Sven. l k. tidn.*, 1956, 53: 3346-3357.

Martin, K. E., Overley, H. G., Krone, R. E. Pipradrol: combined therapy for geriatric and agitated patients [with metabolic supplement]. *Internat. Rec. M.*, 1957, 170: 33-36.

Pomeranze, J. A new antidepressant (M. R. D.-108) in geriatrics. [Abstract.] *J. Geront.*, 1954, 9: 486.

Prochlorperazine

Lesse, S. An evaluation of prochlorperazine in the ambulatory treatment of psychiatric patients. *Internat. Rec. M.*, 1957, 170: 599-602.

Vischer, T. J. Clinical study of prochlorperazine, a new tranquilizer for the treatment of nonhospitalized psychoneurotic patients. *N. England J. M.*, 1957, 256: 26-27.

Promazine

Burdine, W. E., Shipley, T. E., Papas, T. A. Studies on the use of promazine in acute and chronic nervous and mental disturbances. *J. M. Ass. Georgia*, 1957, 46: 171-173.

Smigel, J. O. Mood therapy in the aged. *Med. Times, Great Neck*, 1957, 85: 149-158.

Usdin, G. L. Use of promazine in psychiatric practice;

and early study. *J. Louisiana M. Soc.*, 1956, 108: 251-257.

Rauwolfia serpentina alkaloids

Maccagnani, G. Trattamento di alcune sindromi psichiche dell'et  senile con reserpina, con reserpina associata a clorpromazina. [Treatment of senile psychic syndromes with reserpine and with reserpine associated with chlorpromazine.] *Arch. psicol. neur.*, Milano, 1956, 17: 452-454.

Pennington, V. M. Research findings in phrenotropic drugs important to every physician [whole root]. *Mississippi Doctor*, 1957, 35: 57-63.

Ruskin, I. W., Avol, M. Rauwolfia tranquilization for the disturbed aged. *J. Am. Geriat. Soc.*, 1956, 4: 998-1003.

Smigel, J. O. Mood therapy in the aged. *Med. Times, Great Neck*, 1957, 85: 149-158.

Rescinnamine

Winton, S. S. Therapeutic value and limitations of an ataractic drug (rescinnamine). *Internat. Rec. M.*, 1957, 170: 665-671.

Reserpine

see also AGED—Rauwolfia serpentina alkaloids

Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747. *

Ferguson, J. T., Funderburk, W. H. Improving senile behavior with reserpine and ritalin; new approach with use of methyl phenylpiperidylacetate. *J. Am. M. Ass.*, 1956, 160: 259-263. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3520. *Year book of drug therapy*, 1956-1957, p. 344-346.

Fong, T. C. Chlorpromazine and reserpine in geriatric patients. *Med. Ann. District of Columbia*, 1956, 25: 260-263.

Galion, E. F. Reserpine and chlorpromazine, their use in alcoholic and geriatric patients. *California M.*, 1956, 85: 97-99. *

Harris, R. Clinical use of reserpine (serpasil) in geriatrics. *Ann. N. York Acad. Sc.*, 1954, 59: 95-106. Abstract: *Chem. Abstr.*, 1954, 48: 10220b.

— Results of reserpine therapy in hypertension. *J. Geront.*, 1954, 9: 484-485.

Hauser, A., Wenner, R. Serpasil in der Behandlung klimakterischer Ausfallserscheinungen. [Serpasil in the management of climacteric dysfunction.] *Gynaecologia, Basel*, 1956, 142: 300-303.

Hoff, H. Advantages and disadvantages of treatment with chlorpromazine and serpasil. *Enc phale*, 1956, 45: 352-358.

— Vorteile und Nachteile der Behandlung mit Largactil und Serpasil. [Advantages and disadvantages of therapy with largactil and with serpasil.] *Wien. klin. Wschr.*, 1956, 68: 97-101.

Kinard, S., Mills, L. C., Terrell, J., Moyer, J. H. Use of d-amphetamine to curb the increased appetite and over-eating induced by reserpine therapy. *J. Am. Geriat. Soc.*, 1956, 4: 1073-1077.

Kupperman, H. S., Blatt, M. H., Vosburgh, L. F., Canis, J., Wetcler, B. Effect of reserpine, with or without hormonal therapy, upon the female climacteric. *J. Am. Geriat. Soc.*, 1956, 4: 160-166. *

Lyager, T., R ntorp, P. S. Behandling af psykotiske patienter med reserpin (serpasil). [Reserpine in therapy of psychoses.] [English summary] *Ugeskr. laeger*, 1955, 117: 603-610. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3609. **

Negri, F. Effetto della reserpina e della reserpina associata a psicotonici in alcune psicopatie senili. [Effect of reserpine and of reserpine combined with psychotonics in senile psychoses.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 441-451.

- Rizzente, S. Osservazioni cliniche su di un nuovo ipotensivo e sedativo in geriatria. [Clinical observations on a new hypotensive and sedative drug in geriatrics.] *Arch. psicol. neur., Milano*, 1956, 17: 454-456.
- Ruskin, I. W., Avol, M. Rauwolfia tranquilization for the disturbed aged. *J. Am. Geriat. Soc.*, 1956, 4: 998-1003.
- Sainz, A. A. The use of reserpine in ambulatory and hospitalized geriatric psychotics. *Ann. N. York Acad. Sc.*, 1955, 61: 72-77. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1229.
- Seemann, D. Erfahrungen über Reserpinbehandlung in der Geriatrie. [Reserpine in geriatrics.] *Wien. med. Wschr.*, 1956, 106: 930.
- Villien, L. M. The use of reserpine in the treatment of disturbed geriatric patients. *J. Louisiana M. Soc.*, 1956, 108: 126-129.
- Voelkel, A. Beitrag zur Sedaraupin-Therapie bei psychisch Kranken. [Sedaraupin therapy of mental patients.] *Medizinische*, 1955: 227-228.
- . Zur Reserpin-Therapie bei psychisch Kranken. II. [Reserpine therapy of mental disorders. II.] *Deut. med. J.*, 1956, 7: 72-74.

—with Chlorpromazine

see AGED—Chlorpromazine with Reserpine

—with Methylphenidylacetate

- Davidoff, E., Best, J. L., McPheeters, H. L. The effect of ritalin (methyl-phenidylacetate hydrochloride) on mildly depressed ambulatory patients. *N. York State J. M.*, 1957, 57: 1753-1757.
- Ferguson, J. T. A new therapeutic approach to abnormal behavior in geriatrics. *Geriatrics*, 1956, 11: 217-219.
- . Successful therapeutic regimen for the management of behavior problems in the elderly. *J. Am. Geriat. Soc.*, 1956, 4: 1080-1084.
- , Funderburk, W. H. Improving senile behavior with reserpine and ritalin; new approach with use of methyl phenylpiperidylacetate. *J. Am. M. Ass.*, 1956, 160: 259-263. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3520. *Year book of drug therapy*, 1956-1957, p. 344-346.
- Hauser, A., Wenner, R. Serpasil in der Behandlung klimakterischer Ausfallserscheinungen. [Serpasil in the management of climacteric dysfunction.] *Gynaecologia, Basel*, 1956, 142: 300-303.
- Negri, F. Effetto della reserpina e della reserpina associata a psicotonici in alcune psicopatie senili. [Effect of reserpine and of reserpine combined with psychotonics in senile psychoses.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 441-451.

ALCOHOLISM

Azacyclonol

[acute]

- Allin, T. G., Jr., Pogge, R. C. The use of azacyclonol and pipradrol in general practice. *Internat. Rec. M.*, 1956, 169: 222-230.
- Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.
- Clark, L. D. Further studies of the psychological effects of frenquel and a critical review of previous reports. *J. Nerv. Ment. Dis.*, 1956, 123: 557-560.
- Collomb, H., Miletto, G., Robert, H. Le frenquel en thérapeutique psychiatrique. [Frenquel in psychiatric therapy.] *Presse méd.*, 1956, 64: 1602-1604.
- Proctor, R. C., Odland, T. Frenquel. *Dis. Nerv. Syst.*, 1956, 17: 25-28.
- Turner, W. J., Merlis, S. Chemotherapeutic trials in psychosis. I. Frenquel and pilocarpine. *Am. J. Psychiat.*, 1956, 113: 248-249.

CB-1522 cocktail

[delirium tremens]

- Coirault, R., Girard, V., Escafit, H., Benoit, P. Utilisation du 1522 CB en neuro-psychiatrie. [Use of 1522 CB in neuro-psychiatry.] *Bull. Soc. méd. mil. fr.*, 1955, 49: 247-249. Abstract: *Presse méd.*, 1956, 64: 315.

Cannabis

- Thompson, L. J., Proctor, R. C. The use of pyrahexyl in the treatment of alcoholic and drug withdrawal conditions. *North Carolina M. J.*, 1953, 14: 520-523.

Chlorpromazine+Alcohol

—Studies, animals

- Revol, L. Chlorpromazine et intoxication alcoolique. [Chlorpromazine and alcoholic intoxication.] *Lyon pharm.*, 1954, 5: 349-350.

—Studies, normal subjects [not intoxicated]

- Fazekas, J. F., Albert, S. N., Alman, R. W. Influence of chlorpromazine and alcohol on cerebral hemodynamics and metabolism. *Am. J. M. Sc.*, 1955, 230: 128-132. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2934.
- Schultz, J. D., Rea, E. L., Fazekas, J. F., Shea, J. G. Chlorpromazine in the management of acute alcoholic states. *Q. J. Alcohol*, 1955, 16: 245-250. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2598.

—Untoward effects in non-intoxicated subjects

- Drugs and driving. *J. Am. M. Ass.*, 1954, 156: 628-629.
- Friend, D. G., Wells, J. C., Jr. The clinical use of chlorpromazine. *Am. Practitioner*, 1955, 6: 698-703. Also as: Uso clinico de la clorpromazina. *Rev. méd. cubana*, 1956, 67: 645-650.
- Gutenkauf, C. Internal medicine. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 59-64.
- Staehelin, J. E., Kielholz, P. Largactil, ein neues vegetatives Dämpfungsmittel bei psychischen Störungen. [Largactil, a new autonomic inhibitor in mental disorders.] *Schweiz. med. Wschr.*, 1953, 83: 581-586. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1601.
- Tillim, S. J. Agranulocytosis associated with chlorpromazine therapy. *Am. J. Psychiat.*, 1956, 112: 1028.
- Tintera, J. W. Office rehabilitation of the alcoholic. *N. York State J. M.*, 1956, 56: 3896-3902.
- Wallis, R. Potentiation of hypnotics and analgesics; clinical experience with chlorpromazine. *N. York State J. M.*, 1955, 55: 243-245.

Chlorpromazine therapy of alcoholism

- Allen, E. B., Prout, C. T. Alcoholism. *Progr. Neur. Psychiat.*, N. Y., 1955, 10: 510-521; 1956, 11: 338-351.
- Berthier, C., Bonneru-Couchoud, M., Barnaud, J. A propos du traitement des délires alcooliques subaigus et chroniques. [Treatment of subacute and chronic alcoholic delirium.] *Rev. neur., Par.*, 1956, 94: 673-674.
- Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.
- Cummins, J. F., Friend, D. G. Use of chlorpromazine in chronic alcoholics. *Am. J. M. Sc.*, 1954, 227: 561-564. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3552.
- Escourolle, R. Traitement des états délirants de l'alcoolisme chronique. [Treatment of delirious states in chronic alcoholism.] *France méd.*, 1954, 17 (6): 15-19.
- Feldman, D. J. Drug therapy of chronic alcoholism. *Med. Clin. N. America*, 1957, 41: 381-392.
- West, L. J., Swegan, W. H. An approach to alcoholism in the military service. *Am. J. Psychiat.*, 1956, 112: 1004-1009. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 918.

[acute]

Albert, S. N., Rea, E. L., Duverney, C. A., Shea, J., Fazekas, J. F. The use of chlorpromazine in the treatment of acute alcoholism. *Med. Ann. District of Columbia*, 1954, 23: 245-247.

Bonello, F. J. Chlorpromazine in general practice. *Internat. Rec. M.*, 1956, 169: 197-212.

Cares, R. M., Asrican, E., Fenichel, M., Sack, P., Sevring, J. Therapeutic and toxic effects of chlorpromazine among 3,014 hospitalized cases. *Am. J. Psychiat.*, 1957, 114: 318-327.

Cochemé, R. Le delirium tremens mortel; statistiques; recherche des causes de l'inefficacité des traitements. [Fatal delirium tremens; statistics; research on the causes for the ineffectiveness of the treatment.] *Rev. neur., Par.*, 1956, 94: 657-660.

Cossa, P., Bougeant, H., Postel, J. De quelques indications et de quelques incidents d'utilisation de la chlorpromazine. [Some indications of and incidents with chlorpromazine therapy.] *Encéphale*, 1956, 45: 779-783.

Fau, R., Chateau, R., Duserre. Traitement des psychoses aiguës et subaiguës par les neuroplégiques. [Treatment of acute and subacute psychoses with neuroplegic drugs.] [Abstract] *J. méd. Lyon*, 1954, 35: 948.

Fazekas, J. F., Schultz, J. D., Sullivan, P. D., Shea, J. G. Management of acutely disturbed patients with promazine (sparine). *J. Am. M. Ass.*, 1956, 161: 46-49. Condensed: *Am. Practitioner*, 1956, 7: 1807.

—, Shea, J., Rea, E. Use of chlorpromazine in the management of acute and postalcoholic states. *Internat. Rec. M.*, 1955, 168: 333-339. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 420.

Feldman, D. J. The treatment of chronic alcoholism: a survey of current methods. *Ann. Int. M.*, 1956, 44: 78-87.

Fox, V. Treatment of withdrawal symptoms in the management of alcoholism. *J. M. Ass. Georgia*, 1956, 45: 139-142.

Galioni, E. F. Reserpine and chlorpromazine, their use in alcoholic and geriatric patients. *California M.*, 1956, 85: 97-99.

Hewitt, D. W. Alcoholism, a treatment guide for general practitioners. 112 p. Philadelphia, Lea & Febiger, 1957.

Hoff, H. Advantages and disadvantages of treatment with chlorpromazine and serpasil. *Encéphale*, 1956, 45: 352-358. **

—, Vorteile und Nachteile der Behandlung mit Largactil und Serpasil. [Advantages and disadvantages of therapy with largactil and with serpasil.] *Wien. klin. Wschr.*, 1956, 68: 97-101. **

Meyer, H. H., Schmitt, W., Kieser, J. Das Delirium tremens. [Delirium tremens.] *Deut. med. Wschr.*, 1955, 80: 1389-1391.

Mitchell, E. H. Chlorpromazine in the treatment of acute alcoholism. *Am. J. M. Sc.*, 1955, 229: 363-367. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 884. *Q. J. Alcohol*, 1955, 16: 589-590. **

—, Treatment of acute alcoholism with promazine (sparine). *J. Am. M. Ass.*, 1956, 161: 44-45. Condensed: *Am. Practitioner*, 1956, 7: 1798-1799. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 359.

Moore, J. N. Largactil in psychotherapy. *Irish J. M. Sc.*, 1955: 409-412. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3613.

Revol, L. Chlorpromazine et intoxication alcoolique. [Chlorpromazine and alcoholic intoxication.] *Lyon pharm.*, 1954, 5: 349-350.

Sainz, A. A. The treatment of drug and alcohol withdrawal effects with thorazine. *Psychiat. Q.*, 1957, 31: 275-284.

Schultz, J. D. El uso de cloropromazina (thorazine) en los estados alcohólicos agudos. [Use of chlorproma-

zine (thorazine) in acute alcoholic states.] *Arch. méd. Cuba*, 1956, 7: 18-20.

—, Rea, E. L., Fazekas, J. F., Shea, J. G. Chlorpromazine in the management of acute alcoholic states. *Q. J. Alcohol*, 1955, 16: 245-250. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2598.

Siguiet, F., Giabicani, A., Bétourné, C., Goglin, G. Le serpasil dans les déliries alcooliques. [Serpasil in alcoholic delirium.] *Bull. Soc. méd. hôp. Paris*, 1956, 72: 605-607. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1976.

Sizaret, P. La chlorpromazine dans les psychoses aiguës alcooliques. [Chlorpromazine in acute alcoholic psychoses.] *Encéphale*, 1956, 45: 736-738.

—, Salomon, F. Action d'un neuroplégique sympatholytique dans les états confusionnels alcooliques. [Action of a neuroplegic sympatholytic in alcoholic confusions.] *Ann. méd. psychol., Par.*, 1953, 111 (1): 88-92.

[chronic]

MacGregor, J. MacW. Largactil; a new psychomotor brake. *S. Afr. J. Clin. Sc.*, 1954, 5: 228-243. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1724.

Newbold, H. L., Steed, W. D. The use of chlorpromazine in psychotherapy. *J. Nerv. Ment. Dis.*, 1956, 123: 270-274.

Sikes, Z. S. Korsakoff and Wernicke syndromes: history and treatment. *J. Nerv. Ment. Dis.*, 1956, 123: 448-451.

Wells, R. E. Use of reserpine (serpasil) in the management of chronic alcoholism. *J. Am. M. Ass.*, 1957, 163: 426-429.

—Lytic cocktail

see *Chlorpromazine therapy of alcoholism*
—Various special techniques

—Untoward effects [see headnote p. 169]

Fernandes, B., Letiã, G. Incidents and accidents in chlorpromazine therapy. [chlorpromazine+apomorphine] *J. Clin. Exp. Psychopath.*, 1956, 17: 70-76.

Friend, D. G., Wells, C. J., Jr. The clinical use of chlorpromazine. *Am. Practitioner*, 1955, 6: 698-703. Also as: Uso clínico de la cloropromazina. *Rev. méd. cubana*, 1956, 67: 645-650.

Lafon, R., Duc, N., Labauge, R., Temple, J. P. Le traitement du délirium tremens par le 4560 R. P. [The treatment of delirium tremens in 4560 R. P.] *Encéphale*, 1956, 45: 1219-1220. **

Rea, E. L., Shea, J., Fazekas, J. F. Hypotensive action of chlorpromazine. *J. Am. M. Ass.*, 1954, 156: 1249-1250.

Tintera, J. W. Office rehabilitation of the alcoholic. *N. York State J. M.*, 1956, 56: 3896-3902.

—Various special techniques

[acute]

Coirault, R., Laborit, H., Missenard, R., Jolivet, B., Hainaut, J., Weber, B. Le delirium tremens. [Delirium tremens.] *Encéphale*, 1956, 45: 762-770.

Fau, R., Chateau, R., Duserre. Traitement des psychoses aiguës et subaiguës par les neuroplégiques. [Treatment of acute and subacute psychoses with neuroplegic drugs.] [Abstract] *J. méd. Lyon*, 1954, 35: 948.

Follin, S., Soubrier, P. Récidives de l'onirisme sous l'action de la chlorpromazine. [Recurrent oneirism during treatment with chlorpromazine.] *Ann. méd. psychol., Par.*, 1954, 112 (2): 218-222.

Gouttebroze, V. Une année d'expérience de traitement du délirium tremens; 61 cas recueillis dans le service de neuro-psychiatrie de l'Hôpital Bellevue, St. Étienne. [Treatment of delirium tremens; one year's experience in 61 cases from the neuropsychiatric service of the Hôpital Bellevue, St. Étienne.] 85 p. Lyon, 1955. [Thesis—Lyon, 1954/1955, no. 94]

Hamon, J., Paraire, J., Velluz, J. Etats anxieux et barbituriques potentialisés. [Anxiety states and potentiated barbiturates.] *Ann. méd. psychol., Par.*, 1952, 110(2) : 403-407.

Laborit, H. Climatization au lit du malade par réfrigérateur à air. [Climatization by an air conditioner at the patient's bedside.] *Presse méd.*, 1957, 65: 1240.

— Coirault, R., Hainaut, J., Weber, B. Action des neuroplégiques sur l'excitabilité neuromusculaire; les mouvements ioniques transmembranaires; l'équilibre thermocationique; conséquences physiologiques et thérapeutiques; une application clinique: le delirium tremens. [Effect of neuroplegic drugs on neuromuscular excitability; transmembrane ionic movements, thermocationic equilibrium; physiologic and therapeutic consequences; clinical application: delirium tremens.] *Encéphale*, 1956, 45: 1166-1177.

Laroche, C., Bonnet de la Tour. Traitement du delirium tremens par les perfusions intraveineuses d'ACTH associées à de faibles doses de chlorpromazine et de prométhazine. [Treatment of delirium tremens by intravenous perfusions of ACTH associated with small doses of chlorpromazine and promethazine.] [English summary] *Thérapie, Par.*, 1956, 11: 711-714.

Lereboullet, J., Pluvineau, R., Vidart, L., Benoit, P., Kapandji, I. Le traitement du delirium tremens par la reserpine. [Treatment of delirium tremens with reserpine.] [chlorpromazine+promethazine+reserpine] *Bull. Soc. méd. hôp. Paris*, 1956, 72: 604-605.

Letailleur M., Morin, J., Demay, J., Monnerie, R. La chlorpromazine dans le traitement des délires aigus et subaigus alcooliques. [Chlorpromazine in the treatment of acute and subacute delirium tremens.] *Encéphale*, 1956, 45: 739-743.

—, —, Monnerie, R., Demay, J. Traitement d'attaque du delirium tremens par la synergie chlorpromazine (4560 R. P.) mébubarbital. [Treatment of delirium tremens by chlorpromazine (4560 RP) and mebubarbital synergism.] *Ann. méd. psychol., Par.*, 1954, 112(2) : 76-80.

Meyer, H. H. Die Behandlung exogener Psychosen mit Phenothiazinderivaten. [The treatment of exogenous psychoses with phenothiazine derivatives.] *Encéphale*, 1956, 45: 524-527.

Neveu, P. L'hibernation, traitement d'urgence des syndromes de choc décompensé en psychiatrie. [Hibernation, an emergency treatment of decompensated shock syndromes in psychiatry.] *Encéphale*, 1956, 45: 377-381.

Pommé, B., Planche, R., Gilbert, J. La chlorpromazine dans le traitement des délires aigus alcooliques. [Chlorpromazine in the treatment of acute alcoholic delirium.] *Encéphale*, 1956, 45: 744-753.

Ravina, A., Pestel, M., Albouy, R. Alcoolisme aigu et delirium tremens en milieu hospitalier parisien. Considérations cliniques et thérapeutiques à propos de 40 cas récents. [Acute alcoholism and delirium tremens in a Paris hospital setting. Clinical and therapeutic considerations regarding 40 recent cases.] *Bull. Soc. méd. hôp. Paris*, 1955, 71: 698-703.

Riser, M., Géraud, J., Laboucarie, J., Rascol, A., Clausse, S., Garrigues, M. P. Considérations étiologiques et thérapeutiques sur les delirium tremens; à propos de 75 cas. [Etiologic and therapeutic considerations of delirium tremens; 75 cases.] *Rev. neur., Par.*, 1956, 94: 662-667.

—, Laboucarie, J., Barrès, P. Hibernation dans les psychoses hyperthermiques. [Hibernation in hyperthermic psychoses.] *Ann. méd. psychol., Par.*, 1953, 111(2) : 207-212.

Rives, Ménager, V. Neuroplégie et delirium tremens. [Neuroplegic therapy and delirium tremens.] *Anesthésie, Par.*, 1953, 10: 450-453.

Ruyer, M. Hibernation dans les confusions alcooliques aiguës. [Hibernation in acute alcoholic confusions.] 82 p. [Mimeographed] Strasbourg, 1954. [Thesis—Strasbourg 1954, no. 74]

—with Meprobamate [and Promethazine]

Fox, V. Treatment of withdrawal symptoms in the management of alcoholism. *J. M. Ass. Georgia*, 1956, 45: 139-142.

—with Promethazine [and Other drugs]

see *Chlorpromazine therapy of alcoholism*
—Various special techniques

—with Reserpine [and Methylphenidylacetate]

Wells, R. E. Use of reserpine (serpasil) in the management of chronic alcoholism. *J. Am. M. Ass.*, 1957, 163: 426-429.

—with Other drugs:

CNS depressants
see *Chlorpromazine therapy of alcoholism*
—Various special techniques

Disulfiram

Cummins, J. F., Friend, D. G. Use of chlorpromazine in chronic alcoholics. *Am. J. M. Sc.*, 1954, 227: 561-564. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3552.

Friend, D. G., Wells, J. C., Jr. The clinical use of chlorpromazine. *Am. Practitioner*, 1955, 6: 698-703. Also as: Uso clínico de la clorpromacina. *Rev. méd. cubana*, 1956, 67: 645-650.

[acute]

Tintera, J. W. Office rehabilitation of the alcoholic. *N. York State J. M.*, 1956, 56: 3896-3902.

[chronic]

MacGregor, J. MacW. Largactil; a new psychomotor brake. *S. Afr. J. Clin. Sc.*, 1954, 5: 228-243. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1724.

Williams, E. L. The management of the chronic alcoholic. *Postgrad. M. J., Lond.*, 1954, 30: 626-630.

Strychnine

Gouttebroze, V. Une année d'expérience de traitement du délirium tremens; 61 cas recueillis dans le service de neuro-psychiatrie de l'Hôpital Bellevue, St. Étienne. [Treatment of delirium tremens; one year's experience in 61 cases from the neuropsychiatric service of the Hôpital Bellevue, St. Étienne.] 85 p. Lyon, 1955. [Thesis—Lyon, 1954/1955, no. 94]

Kammerer, T., Ebtinger, R. Premiers résultats du traitement du delirium tremens par le chlorpromazine (Largactil). [First results of chlorpromazine therapy in delirium tremens.] *Strasbourg méd.*, 1954, 5: 287-291. Abstract: *Ann. méd. psychol., Par.*, 1954, 112(1) : 102.

—, Mengus, M., Ebtinger, R. Traitement du delirium tremens par la chlorpromazine. [Chlorpromazine in the treatment of delirium tremens.] [Abstract] *Ann. méd. psychol., Par.*, 1954, 112(2) : 439.

Postel, J., Cossa, P. Etat actuel de la thérapeutique du delirium tremens; sur 165 cas. [Present state of the therapy of delirium tremens; 165 cases.] *Rev. neur., Par.*, 1956, 94: 660-662.

Ravina, A., Pestel, M., Albouy, R. Alcoolisme aigu et delirium tremens en milieu hospitalier parisien. Considérations cliniques et thérapeutiques à propos de 40 cas récents. [Acute alcoholism and delirium tremens in a Paris hospital setting. Clinical and therapeutic considerations regarding 40 recent cases.] *Bull. Soc. méd. hôp. Paris*, 1955, 71: 698-703.

Hydroxyzine

[acute]

Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.

Iproniazid

[chronic]

Smith, J. A. The use of the isopropyl derivative of isonicotinylhydrazine (marsilid) in the treatment of mental disease; a preliminary report. *Am. Practitioner*, 1953, 4: 519-520.

Lysergic acid diethylamide

[chronic]

Osmond, H. A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

Mepazine

[acute]

Lienau, C. Heilschlafbehandlung mit Pacatal bei Alkoholismus und Morphinismus. [Therapeutic sleep treatment with pacatal in alcoholism and morphinism.] *Munch. med. Wschr.*, 1957, 99: 80-81.

MacGregor, J. MacW. Pacatal—a clinical trial of a new ataractic drug. *S. Afr. M. J.*, 1956, 30: 1108-1111.

Mephenesin

Feldman, D. J. Drug therapy of chronic alcoholism. [also mephenesin carbamate; mephate] *Med. Clin. N. America*, 1957, 41: 381-392.

[acute]

Allen, E. B., Prout, C. T. Alcoholism. [mephenesin; mephenesin + acetyl carbromal] *Progr. Neur. Psychiat.*, N. Y., 1955, 10: 510-521; 1956, 11: 338-351.

Armour, P. S. A regimen in acute alcoholism. [Mephenesin; mephenesin carbamate; reserpine; also combined and compared.] *Arizona M.*, 1956, 13: 169-172.

Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.

Feldman, D. J., Zucker, H. D. Present-day medical management of alcoholism. *J. Am. M. Ass.*, 1953, 153: 895-901.

Goldman, H. I. Clinical evaluation of tolserol in the post-alcoholic syndrome. *Rocky Mountain M. J.*, 1954, 51: 698-699.

Greenhouse, H. R. Treatment of the postintoxication state in alcoholics with mephenesin and other drugs. *Q. J. Alcohol*, 1954, 15: 43-46. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 4228.

Herman, M., Effron, A. S. Tolserol in the treatment of the post-alcoholic state. In: Podolsky, E. ed. Management of addictions. New York, *Philosophical Library*, 1955. p. 209-217.

Latham, F. A. Symposium on alcoholism. Management of the acute phases. *Memphis M. J.*, 1953, 28: 128-131.

Mitchell, E. H. Chlorpromazine in the treatment of acute alcoholism. [mephenesin+barbiturate] *Am. J. M. Sc.*, 1955, 229: 363-367. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 884. *Q. J. Alcohol*, 1955, 16: 589-590.

Sainz, A. A. The treatment of drug and alcohol withdrawal effects with thorazine. *Psychiat. Q.*, 1957, 31: 275-284.

Spreng, R. W. E. Tolserol in acute alcoholism. *J. Nerv. Ment. Dis.*, 1953, 118: 545-551. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 4384.

Tavener, R. H. A new drug in post-alcoholic tension states. *Canad. M. Ass. J.*, 1954, 71: 387-388. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3553.

Tintera, J. W. Office rehabilitation of the alcoholic. *N. York State J. M.*, 1956, 56: 3896-3902.

[chronic]

Ewing, J. A., Mendenhall, J. H. Clinical evaluation of the effect of mephenesin on anxiety. *J. Ment. Sc., Lond.*, 1953, 99: 464-472.

Mendenhall, J. H., Ewing, J. A. Further psychometric evaluation of the effect of mephenesin on anxiety. *J. Ment. Sc., Lond.*, 1954, 100: 262-266. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 927.

Mephenesin carbamate

[acute]

Armour, P. S. A regimen in acute alcoholism. [Mephenesin; mephenesin carbamate; reserpine; also combined and compared] *Arizona M.*, 1956, 13: 169-172.

Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.

Meprobamate

Selling, L. S. A clinical study of miltown, a new tranquilizing agent. *J. Clin. Exp. Psychopath.*, 1956, 17: 7-14. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 391.

—. Clinical study of a new tranquilizing drug. *J. Am. M. Ass.*, 1955, 157: 1594-1596.

Thimann, J., Gauthier, J. W. Miltown as a tranquilizer in the treatment of alcohol addicts. *Q. J. Alcohol*, 1956, 17: 19-23.

Turvey, S. E. Meprobamate (equanil) for relief of anxiety and nervous tension from various causes. [also with disulfiram] *Canad. M. Ass. J.*, 1956, 74: 863-865. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 362.

[acute]

Allen, E. B., Prout, C. T. Alcoholism. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 338-351.

Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.

Borroni, G., Casadio, V. Sull'impiego terapeutico di un farmaco antiansia muscolorilassante. [Therapeutic use of a muscle relaxant anti-anxiety drug.] *Gazz. med. ital.*, 1956, 115: 365-367.

Collomb, H., Miletto, G., Chaupin, M. Le méprobamate dans le traitement des psychoses et des névroses. [Meprobamate in the treatment of psychoses and neuroses.] *Rev. prat., Par.*, 1956, 6: 1200-1204.

Fox, V. Treatment of withdrawal symptoms in the management of alcoholism. *J. M. Ass. Georgia*, 1956, 45: 139-142.

[chronic]

Borrus, J. C. Meprobamate in psychiatric disorders. *Med. Clin. N. America*, 1957, 41: 327-337.

—. Study of effect of miltown (2-methyl-2-n-propyl-1,3-propanediol dicarbamate) on psychiatric states. *J. Am. M. Ass.*, 1955, 157: 1596-1598. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1720.

Feldman, D. J. Drug therapy of chronic alcoholism. *Med. Clin. N. America*, 1957, 41: 381-392.

Osinski, W. A. Treatment of anxiety states with meprobamate (miltown). *Internat. Rec. M.*, 1956, 169: 589-595.

Smith, J. A., Rutherford, A., Fanning, R. A comparison of phenaglycodol (ultran), meprobamate and placebo in abstinent alcoholics. *Am. J. Psychiat.*, 1957, 114: 364-365.

—**with Chlorpromazine [and Promethazine]**
see ALCOHOLISM—Meprobamate [acute] [FOX]

—**with Promazine**

Fox, V. The management of acute alcoholism; experiences with an additional series of 61 cases. *Am. Practitioner*, 1956, 7: 1461-1464.

Mescaline

[chronic]

Osmond, H. A review of the clinical effects of psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 418-434.

Methylphenidylacetate

[acute]

see also ALCOHOLISM

Reserpine with Methylphenidylacetate

Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.

[chronic]

Davidoff, E., Best, J. L., McPheeters, H. L. The effect of ritalin (methyl-phenidylacetate hydrochloride) on mildly depressed ambulatory patients. *N. York State J. M.*, 1957, 57: 1753-1757.

Wells, R. E. Use of reserpine (serpasil) in the management of chronic alcoholism. [methylphenidylacetate; chlorpromazine + reserpine + methylphenidylacetate] *J. Am. M. Ass.*, 1957, 163: 426-429.

Perphenazine with Reserpine

[chronic]

Cahn, C. H., Lehmann, H. E. Perphenazine; observations on the clinical effects of a new tranquillizing agent in psychotic conditions. *Canad. Psychiat. Ass. J.*, 1957, 2: 104-112. **

Phenaglycodol

[chronic]

Smith, J. A., Rutherford, A., Fanning, R. A comparison of phenaglycodol (ultran), meprobamate and placebo in abstinent alcoholics. *Am. J. Psychiat.*, 1957, 11: 364-365.

Pipradrol

[acute]

Antos, R. J. Meratran. Use of a new antidepressant in internal medicine. *Southwest. M.*, 1955, 36: 166-167.

—. A preliminary report of clinical studies on a new stimulant. *Arizona M.*, 1954, 11: 397-399.

Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.

[chronic]

Bensoussan, P., Villiaume, E. M. Note sur les premiers résultats de l'utilisation d'un nouveau médicament dépressolytique: le chlorhydrate de pipradrol. [Note on the first results with the use of a new antidepressive drug: pipradrol chlorhydrate.] *Ann. méd. psychol.*, Par., 1956, 114 (1): 438-443.

Monroe, R. R., Heath, R. G., Mickle, W. A. Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of *Rauwolfia*, thiorazine and meratran. *Psychiat. Res. Rep.*, Wash., 1955 (1): 25-44. (p. 35)

Proctor, R. C. A new therapeutic approach to certain cases of alcoholism. *South. M. J.*, 1956, 49: 73-75.

—, Griffin, R. A. Clinical studies on alpha-(2-piperidyl) benzhydryl hydrochloride (meratran) in prophylactic treatment of alcoholism. *Clin. Res. Proc.*, 1955, 3: 149.

Rosner, B. S., Fierman, L. B., Kramer, J. F. Clinical evaluation of meratran and frenquel on a chronic psychotic population. *Am. J. Psychiat.*, 1957, 113: 993-996.

Promazine

[acute]

Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747.

Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.

Burdine, W. E., Shipley, T. E., Papas, T. A. Studies on the use of promazine in acute and chronic nervous and mental disturbances. *J. M. Ass. Georgia*, 1957, 46: 171-173.

Fazekas, J. F., Schultz, J. D., Sullivan, P. D., Shea, J. G. Management of acutely disturbed patients with promazine (sparine). *J. Am. M. Ass.*, 1956, 161: 46-49. Condensed: *Am. Practitioner*, 1956, 7: 1807.

—, Sullivan, P. D., Schultz, J. D. Use of dimethyl-amino-n-propylphenothiazine in the management of patients with acute mental disturbances. *Med. Ann. District of Columbia*, 1956, 25: 67-69.

Feldman, D. J. Drug therapy of chronic alcoholism. *Med. Clin. N. America*, 1957, 41: 381-392.

Figurelli, F. A. The promazine treatment of alcoholism; a preliminary report. *Indust. M. & S.*, 1956, 25: 376-380.

Fox, V. The management of acute alcoholism; experiences with an additional series of 61 cases. *Am. Practitioner*, 1956, 7: 1461-1464.

Hewitt, D. W. Alcoholism, a treatment guide for general practitioners. 112 p. Philadelphia, *Lea & Febiger*, 1957.

Mitchell, E. H. Treatment of acute alcoholism with promazine (sparine). *J. Am. M. Ass.*, 1956, 161: 44-45. Condensed: *Am. Practitioner*, 1956, 7: 1798-1799. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 359.

Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquilizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. *GP*, 1957, 15 (6): 97-118.

Shea, J. G., Ehrmantraut, W. R., Ticktin, H. E., Sullivan, P. D., Jr., Fazekas, J. F. Use of promazine in the management of medical emergencies. *Mil. M.*, 1956, 119: 221-227. *

Ustin, G. L. Use of promazine in psychiatric practice; an early study. *J. Louisiana M. Soc.*, 1956, 108: 251-257.

—**Untoward effects**

Lemere, F. Promazine (sparine) in the treatment of psychiatric disorders. *Northwest M.*, 1956, 55: 790-791.

—**with Meprobamate**

see ALCOHOLISM—Promazine [acute] [Fox]

Promethazine

[acute]

Fox, V. Treatment of withdrawal symptoms in the management of alcoholism. *J. M. Ass. Georgia*, 1956, 45: 139-142.

Rives, Ménager, V. Neuroplégie et delirium tremens. [Neuroplegic therapy and delirium tremens.] [promethazine+sedatives] *Anesthésie, Par.*, 1953, 10: 450-453.

[chronic]

Hedqvist, H. Några erfarenheter av promethazin-klorid som sedativum och hypnoticum. [Experience with promethazine chloride as sedative and hypnotic.] *Sven. läk. tidn.*, 1954, 51: 1286-1297.

Williams, E. L. The management of the chronic alcoholic. [promethazine+disulfiram] *Postgrad. M. J.*, Lond., 1954, 30: 626-630.

—**with Chlorpromazine [and other drugs]**

see Chlorpromazine therapy of alcoholism

—Various special techniques

—**with Chlorpromazine and Meprobamate**

see ALCOHOLISM—Promethazine [acute] [Fox]

Rauwolfia serpentina alkaloids

Thimann, J., Bucknam, F. G., Gauthier, J. W., O'Connell, T. A. Rauwiloid therapy in alcoholism. [: rauwil-drine] *Am. J. Psychiat.*, 1957, 113: 694-697.

[acute]

Feldman, D. J. The treatment of chronic alcoholism: a survey of current methods. *Ann. Int. M.*, 1956, 44: 78-87.

Floris, V. L'impiego della *Rauwolfia serpentina* in neuropsichiatria. [Use of *Rauwolfia serpentina* in neuro-psychiatry.] *Minerva med.*, Tor., 1956, 47: 944-945.

Reserpine

Feldman, D. J. Drug therapy of chronic alcoholism. *Med. Clin. N. America*, 1957, 41: 381-392.

[acute]

Allen, E. B., Prout, C. T. Alcoholism. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 338-351.

Armour, P. S. A regimen in acute alcoholism. [Mephenesin; mephenesin carbamate; reserpine; also combined and compared] *Arizona M.*, 1956, 13: 169-172.

Avol, M., Vogel, P. J. Treatment of delirium tremens with reserpine (serpasil); a preliminary report [reserpine; reserpine+paraldehyde] *J. Am. M. Ass.*, 1955, 159: 1516-1520. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4001. *Year book of drug therapy*, 1956-1957, p. 338.

Benassi, P., Fava, D. Trattamento con reserpina di alcune tossicomanie. [Reserpine treatment of drug addiction.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 601-607. *

Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.

Cachin, M., Pergola, F., Potet, F., Debesse, B. Le traitement du delirium tremens par la réserpine. [Treatment of delirium tremens with reserpine.] *Bull. Soc. méd. hôp. Paris*, 1956, 72: 597-603. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1430.

Carey, E. F. A new approach to the emergency treatment of sickness caused by narcotic withdrawal. *Illinois M. J.*, 1957, 111: 1-7. Also: *Am. N. York Acad. Sc.*, 1955, 61: 222-229.

Fox, V. Treatment of withdrawal symptoms in the management of alcoholism. *J. M. Ass. Georgia*, 1956, 45: 139-142.

Grandon, R. C., Heffley, W., Hensel, T., Bashore S. A new medical adjunct to the treatment of alcoholism; the use of reserpine (serpasil). *Am. Practitioner*, 1956, 7: 231-234.

Greenfield, A. R. A new type of sedation for the acute alcoholic. *Am. Practitioner*, 1956, 7: 241-244. Abstract: *Year book of drug therapy*, 1956-1957, p. 337-338.

Lereboullet, J., Pluvinaige, R., Vidart, L., Benoit, P., Kapandji, I. Le traitement du delirium tremens par la réserpine. [Treatment of delirium tremens with reserpine.] *Bull. Soc. méd. hôp. Paris*, 1956, 72: 604-605.

Neuer, H. Serpasil in the treatment of acute alcoholic psychoses. *Ohio M. J.*, 1955, 51: 749-751. Abstract *Excerpta med.*, Sect. 8, 1956, 9: No. 4004.

Pivnički, D. Serpasil u psihijatrijskoj praksi. [Serpasil in psychiatric treatment.] [German summary] *Med. arh.*, Sarajevo, 1956, 10: 109-117.

Rea, E. L., Fazekas, J. F. Effects of parenterally administered reserpine. *A. M. A. Arch. Int. M.*, 1955, 95: 538-539.

Siguiet, F., Giabicani, A., Bétourné, C., Goglin, G. Le serpasil dans les délires alcooliques. [Serpasil in alcoholic delirium.] *Bull. Soc. méd. hôp. Paris*, 1956, 72: 605-607. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1976.

Treatment of alcoholics with reserpine. In: *Alcoholism Treatment Digest*, New Haven, 1956 (30): 2-4.

[chronic]

Ritter, N. S. Experience with reserpine in the treatment of alcoholism. *Q. J. Alcohol*, 1956, 17: 195-197. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 883.

Wells, R. E. Use of reserpine (serpasil) in the management of chronic alcoholism. [reserpine; reserpine+chlorpromazine; reserpine+chlorpromazine+methylphenidylacetate] *J. Am. M. Ass.*, 1957, 163: 426-429.

West, L. J., Swegan, W. H. An approach to alcoholism in the military service. *Am. J. Psychiat.*, 1956, 112: 1004-1009. Abstract: *Excerpta med.*, Sept. 8, 1957, 10: No. 918.

—with Chlorpromazine

see ALCOHOLISM—Reserpine [chronic] [WELLS]

—with Mephenesin

—with Mephenesin carbamate

see ALCOHOLISM—Mephenesin carbamate

—with Methylphenidylacetate

[acute]

Benassi, P., Fava, D. Trattamento con reserpina di alcune tossicomanie. [Reserpine treatment of drug addiction.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 601-607.

Davidoff, E., Best, J. L., McPheeters, H. L. The effect of ritalin (methyl-phenidylacetate hydrochloride) on mildly depressed, ambulatory patients. *N. York State J. M.*, 1957, 57: 1753-1757.

—with Methylphenidylacetate and Chlorpromazine

see ALCOHOLISM—Reserpine [chronic] [WELLS]

—with Perphenazine

see ALCOHOLISM—Perphenazine with Reserpine

CHILDREN¹**Ataraxics**

Bender, L., Nichtern, S. Chemotherapy in child psychiatry. [azacylonol; chlorpromazine; mephenesin; meprobamate; promethazine; reserpine] *N. York State J. M.*, 1956, 56: 2791-2795.

Freedman, A. M., Effron, A. S., Bender, L. Pharmacotherapy in children with psychiatric illness. [chlorpromazine; mephenesin; reserpine] *J. Nerv. Ment. Dis.*, 1955, 122: 479-486. Abstract: *Year book of drug therapy*, 1956-1957, p. 350-351.

French, E. G. Epilepsy. [chlorpromazine; meprobamate; reserpine] *Am. J. Psychiat.*, 1957, 113: 629-631.

Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. [chlorpromazine; mephenesin; meprobamate; methylphenidylacetate; reserpine] *Internat. Rec. M.*, 1956, 169: 323-338.

Mathis, M. Toniques et sédatifs en neuro-psychiatrie infantile. [Tonics and sedatives in child neuro-psychiatry.] [chlorpromazine; chlorpromazine+reserpine; N-oblivon; reserpine] *Pédiatrie*, 1956, 11: 807-820.

Azacylonol

Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.

Chlorpromazine

Bair, H. V., Herold, W. Efficacy of chlorpromazine in hyperactive mentally retarded children. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 363-364. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1726.

Bakwin, H. The uses of chlorpromazine in pediatrics. *J. Pediat.*, S. Louis, 1956, 48: 240-247.

Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.

Bonafede, V. I. Chlorpromazine (thorazine) treat-

¹ A single asterisk (*) after a citation indicates that the article includes data on untoward effects. A double asterisk (**) after a citation means that the article reports at least one death.

- ment of disturbed epileptic patients. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 243-246.
- , Chlorpromazine (thorazine) treatment of disturbed epileptic patients; preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 158-162.
- Bonello, F. J. Chlorpromazine in general practice. *Internat. Rec. M.*, 1956, 169: 197-212.
- Carter, C. H., Maley, M. C. Chlorpromazine therapy in children at the Florida farm colony. *Am. J. M. Sc.*, 1957, 233: 131-136.
- Denhoff, E., Holden, R. H. The effectiveness of chlorpromazine (thorazine) with cerebral palsied children. *J. Pediat.*, S. Louis, 1955, 47: 328-332.
- Durling, D., Esen, F. M., Mautner, H. Central autonomic regulation and mental retardation. *Ann. paediat., Basel*, 1956, 187: 467-470.
- Esen, F. M., Durling, D. Thorazine in the treatment of mentally retarded children. *Arch. Pediat.*, N. Y., 1956, 73: 168-173.
- Fabisch, W. Chlorpromazine and epilepsy. *Lancet, Lond.*, 1955, 1: 1277.
- Faure, J. L., Abrie, J. Remarques cliniques sur les indications valables de la chlorpromazine et de la reserpine en neuro-psychiatrie infantile. [Clinical remarks on the indications for the use of chlorpromazine and reserpine in child neuro-psychiatry.] *Pédiatrie*, 1956, 11: 773-776.
- Flaherty, J. A. Effect of chlorpromazine medication on children with severe emotional disturbances. *Delaware M. J.*, 1955, 27: 180-184.
- Freed, H. Chlorpromazine and reserpine; new era in psychiatry? *Am. Practitioner*, 1955, 6: 706-708.
- , Peifer, C. A. Some considerations on the use of chlorpromazine in a child psychiatry clinic. *J. Clin. Exp. Psychopath.*, 1956, 17: 164-169.
- , —, Treatment of hyperkinetic emotionally disturbed children with prolonged administration of chlorpromazine. *Am. J. Psychiat.*, 1956, 113: 22-26. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1837.
- Freedman, A. M., Effron, A. S., Bender, L. Pharmacotherapy in children with psychiatric illness. *J. Nerv. Ment. Dis.*, 1955, 122: 479-486. Abstract: *Year book of drug therapy*, 1956-1957, p. 350-351.
- French, E. G. Epilepsy. *Am. J. Psychiat.*, 1957, 113: 629-631.
- Gatski, R. L. Chlorpromazine in the treatment of emotionally maladjusted children; preliminary report. *J. Am. M. Ass.*, 1955, 157: 1298-1300.
- Geyer, H. W. Response to thorazine (chlorpromazine) administration in hyperkinetic mongolism. *Delaware M. J.*, 1956, 28: 180-190.
- Heuyer, G., Dell, C., Pringuet, G. Emploi de la chlorpromazine en neuropsychiatrie infantile. [Use of chlorpromazine in child neuropsychiatry.] *Encéphale*, 1956, 45: 576-578.
- , Giraud, G., Galibert, J. Traitement de l'excitation psycho-motrice chez l'enfant par le 4560 R. P. [R. P. 4560 therapy of psychomotor excitation in children.] *Arch. fr. pédiat.*, 1953, 10: 961-963.
- Hunt, B. R., Frank, T., Krush, T. P. Chlorpromazine in the treatment of severe emotional disorders of children. *A. M. A. J. Dis. Child.*, 1956, 91: 268-277.
- Kanner, L., Eisenberg, L. Child psychiatry; mental deficiency. *Am. J. Psychiat.*, 1957, 113: 617-622.
- Kinross-Wright, V. A review of the newer drug therapies in psychiatry. *Dis. Nerv. Syst.*, 1956, 17: 187-190.
- Kohler, C., Bourjade, G. De l'utilisation du 4560 R. P. en neuro-psychiatrie infantile. [Utilization of 4560 R. P. in pediatric neuro-psychiatry.] *Pédiatrie*, 1954, 9: 383-385. Abstract: *J. méd. Lyon*, 1954, 35: 948.
- Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. *Internat. Rec. M.*, 1956, 169: 323-338.
- Lafon, R., Faure, J. L., Abrie, J. Etude sémiologique et thérapeutique des troubles du sommeil chez l'enfant. [Symptomatology and therapeutic study of sleep disorders in children.] *Pédiatrie*, 1956, 11: 743-753.
- Leiberman, D. M., Vaughan, G. F. The use of some new pharmacological agents in psychiatry. *J. Ment. Sc., Lond.*, 1957, 103: 110-118.
- Mathis, M. Toniques et sédatifs en neuro-psychiatrie infantile. [Tonics and sedatives in child neuro-psychiatry.] *Pédiatrie*, 1956, 11: 807-820.
- Miksztal, M. W. Chlorpromazine (thorazine) and reserpine in residential treatment of neuropsychiatric disorders in children. *J. Nerv. Ment. Dis.*, 1956, 123: 477-479.
- Nichamin, S. J. Chlorpromazine in the treatment of mild behavior disturbances. *J. Michigan M. Soc.*, 1956, 55: 1469-1471.
- Rees, E. L. Metabolism of the schizophrenic child; etiologic hypothesis. Report of six cases treated with chlorpromazine hydrochloride. *J. Am. M. Women Ass.*, 1956, 11: 11-16.
- Sainz, A. A. The management of side effects of chlorpromazine and reserpine. [also chlorpromazine + amphetamine] *Psychiat. Q.*, 1956, 30: 647-653.
- Sarrouty, C., Saint-Jean, Sendra, L., Sabatini, R. Étude électro-encéphalographique de trente cas de toxicoses traitées par le 4560 R. P. [Electroencephalographic study of 30 cases of toxicosis treated with 4560 R. P.] *Arch. fr. pédiat.*, 1955, 12: 37-42.
- Scarpalezos, S. Le traitement ambulatoire par la chlorpromazine des psychonévroses et de certaines manifestations épileptiques (troubles caractériels et myoclonies). [Ambulatory treatment with chlorpromazine in psychoneuroses and in some manifestations of epilepsy (character disorders and myoclonias).] *Encéphale*, 1956, 45: 722-726.
- Silver, A. A. Management of children with schizophrenia. *Am. J. Psychother.*, 1955, 9: 196-215.
- Steigman, A. J., Vallbona, C. Experience with chlorpromazine in pediatrics. *Internat. Rec. M.*, 1955, 168: 351-357.
- Winkelman, N. W., Jr. An appraisal of chlorpromazine; general principles for administration of chlorpromazine based on experience with 1,090 patients. *Am. J. Psychiat.*, 1957, 113: 961-971.
- Lytic cocktail**
- Steigman, A. J., Vallbona, C. Experience with chlorpromazine in pediatrics. *Internat. Rec. M.*, 1955, 168: 351-357.
- Psychotherapy**
- Kinross-Wright, V. Chlorpromazine in psychiatric disorders. *Med. Clin. N. America*, 1957, 41: 295-306.
- Larivière, P. Quelques commentaires sur la chlorpromazine en pratique psychiatrique. [Some remarks on chlorpromazine in psychiatric practice.] [English summary] *Canad. Psychiat. Ass. J.*, 1956, 1: 18-23.
- Untoward effects** [see footnote p. 176]
- Beal, J. A. Chlorpromazine poisoning. *Brit. M. J.*, 1955, 2: 1620.
- with Reserpine—Combined**
- Bender, L. Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.
- Bosinelli, M. Reserpina e reserpina associata a clorpromazina in neuropsichiatria infantile. [Reserpine and reserpine combined with chlorpromazine in child neuropsychiatry.] *Arch. psicol. neur., Milano*, 1956, 17: 478-479.
- Eiber, H. B. Chlorpromazine (thorazine)-Rauwolfia combination in neuropsychiatry; preliminary report. [whole root; reserpine] *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 36-39.
- Geyer, H. W. Thorazine (chlorpromazine) and serpasil

therapy in hyperactive patient of low mentality. *Dela-ware M. J.*, 1955, 27: 187-189.

Mathis, M. Toniques et sédatifs en neuro-psychiatrie infantile. [Tonics and sedatives in child neuro-psychiatry.] *Pédiatrie*, 1956, 11: 807-820.

—with Reserpine—Compared

see also under CHILDREN—Ataraxics

Beley, A., Foncin, J. F., Leyrie, J. Quelques inconvénients des doses élevées de réserpine chez le jeune arriéré turbulent; indications posologiques. [Complications with massive reserpine doses in disturbed retarded children; dosage indications.] *Encéphale*, 1956, 45: 802-807.

—with other drugs [CNS depressants]—Combined

Bakwin, H. The uses of chlorpromazine in pediatrics. *J. Pediat.*, S. Louis, 1956, 48: 240-247.

Bonafede, V. I. Chlorpromazine (thorazine) treatment of disturbed epileptic patients. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 243-246.

—. Chlorpromazine (thorazine) treatment of disturbed epileptic patients; preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 158-162.

Korganova, A. N. Lechenie aminazinom podrostkov v psikhiatricheskoi klinike; predvaritel'noe soobshchenie. [Aminazine therapy of adolescents at a psychiatric clinic; preliminary communication.] *Zh. nevropat. psikiat.*, Moskva, 1956: 567-570.

Steigman, A. J., Vallbona, C. Experience with chlorpromazine in pediatrics. [also chlorpromazine cocktail] *Internat. Rec. M.*, 1955, 168: 351-357.

—with other drugs [CNS stimulants]—Combined

see CHILDREN—Chlorpromazine [SAINZ]

Ethylcrotonylurea

Asung, C. L., Charcowa, A. I., Villa, A. P. Effects of a new tranquilizing drug (nostyn) on the behavior patterns of children recovered from tuberculous meningitis. *Sea View Hosp. Bull.*, N. Y., 1956, 16: 80-85.

Hydroxyzine

Ayd, F. J., Jr. Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747.

Farah, L. Preliminary study on the use of hydroxyzine in psychosomatic affections. [p. 380: dosage.] *Internat. Rec. M.*, 1956, 169: 379-389. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 845.

Fouks, Laine, François, Pagot. Note sur l'utilisation en psychiatrie d'un nouveau neuroleptique. [Note on the use of a new neuroleptic drug in psychiatry.] *Ann. méd. psychol.*, Par., 1956, 114 (1): 605-608.

Heuyer, G., Lang, J. L., Chevreau, J. P., Juredieu. Premiers résultats obtenus par un dérivé du chlorbenzhydrol en psychiatrie infantile. [First results with a chlorbenzhydrol derivative in child psychiatry.] *Encéphale*, 1956, 45: 579-586.

Segal, L. J., Tansley, A. E. A clinical trial with hydroxyzine (atarax) on a group of maladjusted educationally subnormal children. *J. Ment. Sc.*, Lond., 1957, 103: 677-681.

Mepazine

Braun, M. Pacatal. *Am. J. Psychiat.*, 1957, 113: 838-839.

Gillie, A. K. The use of pacatal in low-grade mental defectives. *J. Ment. Sc.*, Lond., 1957, 103: 402-405.

Mephenesin

Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.

Freedman, A. M., Effron, A. S., Bender, L. Pharmacotherapy in children with psychiatric illness. *J. Nerv. Ment. Dis.*, 1955, 122: 479-486. Abstract: *Year book of drug therapy*, 1956-1957, p. 350-351.

—, Kremer, M. W., Robertiello, R., Effron, A. S. The treatment of behavior disorders in children with tolserol. *J. Pediat.*, S. Louis, 1955, 47: 369-372.

Friedlander, H. S. Anxiety, tension and emotional stress; a report on the joint use of mephenesin and a barbiturate in their treatment in general practice. *Med. Times*, Great Neck, 1953, 81: 411-415.

Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. *Internat. Rec. M.*, 1956, 169: 323-338.

Mecham, M. J., Stromsta, C., Soderberg, G. Effects of tolserol on the speech errors of mentally defective children. *Am. J. Phys. M.*, 1955, 34: 535-536.

Meprobamate

Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.

French, E. G. Epilepsy. *Am. J. Psychiat.*, 1957, 113: 629-631.

Gillette, H. E. Relaxant effects of meprobamate in disabilities resulting from musculoskeletal and central nervous system disorders. Clinical observations in fifty-five cases. *Internat. Rec. M.*, 1956, 169: 453-468. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1841.

Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. *Internat. Rec. M.*, 1956, 169: 323-338.

Lanzoni, E., Cavazzuti, G. B. Azione del meprobamate sui bambini della prima infanzia; rilievi clinici ed elettroencefalografici. [Effect of meprobamate on infants; clinical and electroencephalographic studies.] *Minerva med.*, Tor., 1956, 47: 2191-2192.

Selling, L. S. Clinical study of a new tranquilizing drug; use of miltown (2-methyl-2-n-propyl-1,3-propanediol dicarbamate). *J. Am. M. Ass.*, 1955, 157: 1594-1596. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1719.

—. A clinical study of miltown, a new tranquilizing agent. *J. Clin. Exp. Psychopath.*, 1956, 17: 7-14.

Methylphenidylacetate

Carter, C. H. The effects of reserpine and methylphenidylacetate (ritalin) in mental defectives, spastics, and epileptics. [also methylphenidylacetate+anticonvulsants] *Psychiat. Res. Rep.*, Wash., 1956 (4): 44-48.

Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. *Internat. Rec. M.*, 1956, 169: 323-338.

N-Oblivon

Mathis, M. Toniques et sédatifs en neuro-psychiatrie infantile. [Tonics and sedatives in child neuro-psychiatry.] *Pédiatrie*, 1956, 11: 807-820.

Pipradrol

Allin, T. G., Jr., Pogge, R. C. The use of azacyclonol and pipradrol in general practice. *Internat. Rec. M.*, 1956, 169: 222-230.

Fabing, H. D. The newer analeptic drugs. *Med. Clin. N. America*, 1957, 41: 339-351.

Martin, K. E., Overley, H. G., Krone, R. E. Pipradrol: combined therapy for geriatric and agitated patients. *Internat. Rec. M.*, 1957, 170: 33-36.

Oettinger, L., Jr. Meratran; preliminary report of a new drug for the treatment of behavior disorders in children. *Dis. Nerv. Syst.*, 1955, 16: 299-302.

—Untoward effects—Poisoning

Fabing, H. D., Hawkins, J. R., Moulton, J. A. Clinical studies on α -(2-piperidyl) benzhydrol hydrochloride, a new antidepressant drug. *Am. J. Psychiat.*, 1955, 111: 832-836. [Report of recovery p. 835]

Prenderol

Perlstein, M. A. Prenderol: a new drug used with retarders in petit mal epilepsy. *Neurology*, 1953, 3: 744-751.

Promethazine

Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.
 Hagenmüller, F. Atosil-Sirup in der Kinderheilkunde. [Atosil elixir in pediatrics.] *Med. Klin., Berl.*, 1952, 47: 320-321.
 Steigman, A. J., Vallbona, C. Experience with chlorpromazine in pediatrics. [lytic cocktail] *Internat. Rec. M.*, 1955, 168: 351-357.

Rauwolfia serpentina alkaloids

Benda, C. E. The differentiation between mental deficiency and emotional disorders, and some therapeutic experiments with Rauwolfia serpentina (koglucoid). [In English] *Arch. pediat. Uruguay*, 1955, 26: 32-46.
 Eiber, H. B. Chlorpromazine (thorazine)-Rauwolfia combination in neuropsychiatry; preliminary report. [whole root; reserpine] *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 36-39.
 Lagrue, G. Rauwolfia serpentina (ou sarpagandah) et ses alcaloïdes. [Rauwolfia serpentina (or sarpagandah) and its alkaloids.] *Vie méd., Par.*, 1956, 37 (Special-May): 111-112.
 Leslie, G. Rauwolfia serpentina in the treatment of psoriasis. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 29-32.
 Prouet, P. E. Rauwolfia and amphetamine therapy in the treatment of psychosomatic complaints. *J. Louisiana M. Soc.*, 1955, 107: 114-116.
 Rosina, P. L. Gli alcaloidi totali di Rauwolfia in psichiatria: premesse fisiologiche ed esperienze cliniche. [Total Rauwolfia alkaloids in psychiatry; physiological basis and clinical experience.] *Minerva med., Tor.*, 1955, 46: 1249-1252.
 Vergani, O., Aldeghi, E. L'impiego degli alcaloidi totali di Rauwolfia serpentina in neuropsichiatria infantile. [Use of total alkaloids of Rauwolfia serpentina in child neuropsychiatry.] [English summary] *Minerva pediat., Tor.*, 1956, 8: 1161-1165.
 Weir, H. F., Anderson, R. L. The effects of reserpine and Rauwolfia in minor disorders of adjustment in children. [compared] *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 33-39.

Reserpine

see also CHILDREN—Rauwolfia serpentina alkaloids

Beley, A., Foncin, J. F., Leyrie, J. Quelques inconvénients des doses élevées de réserpine chez le jeune arriéré turbulent; indications posologiques. [Complications with massive reserpine doses in disturbed retarded children; dosage indications.] *Encéphale*, 1956, 45: 802-807.
 Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.
 Bosinelli, M. Reserpina e reserpina associata a clorpromazina in neuropsichiatria infantile. [Reserpine and reserpine combined with chlorpromazine in child neuropsychiatry.] *Arch. psicol. neur., Milano*, 1956, 17: 478-479.
 Carter, C. H. The effects of reserpine and methylphenidylacetate (ritalin) in mental defectives, spastics, and epileptics. *Psychiat. Res. Rep., Wash.*, 1956 (4): 44-48.
 Dice, N., Bagechi, B. K., Waggoner, R. W. Investigation of effects of intravenous reserpine in disturbed psychotic and brain-damaged patients; electroencephalographic correlation. *J. Nerv. Ment. Dis.*, 1955, 122: 472-478.
 Faure, J. L., Abrie, J. Remarques cliniques sur les indications valables de la chlorpromazine et de la réserpine

en neuro-psychiatrie infantile. [Clinical remarks on the indications for the use of chlorpromazine and reserpine in child neuro-psychiatry.] *Pédiatrie*, 1956, 11: 773-776.
 Freedman, A. M., Effron, A. S., Bender, L. Pharmacotherapy in children with psychiatric illness. *J. Nerv. Ment. Dis.*, 1955, 122: 479-486. Abstract: *Year book of drug therapy*, 1956-1957, p. 350-351.
 French, E. G. Epilepsy. *Am. J. Psychiat.*, 1957, 113: 629-631.
 Gerard, D. L., Weisselberger, D., Kritiz, D. Reserpine in the postwithdrawal rehabilitation of adolescent opiate addicts. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 106-108.
 Gilardi, A. Neuartige sedative Therapie bei Verhaltensstörungen im Kindesalter. [New sedative therapy of behavior disorders in children.] *Praxis, Bern*, 1956, 45: 993-995.
 Harris, R. D., Rowley, E. H. Reserpine in cerebral palsy. *J. Pediat.*, S. Louis, 1956, 49: 398-400.
 Hunt, B. R., Frank, T., Krush, T. P. Chlorpromazine in the treatment of severe emotional disorders of children. *A. M. A. J. Dis. Child.*, 1956, 91: 268-277.
 Jensen, E. S. Serpasilbehandlung på åndssvagehospital. [Serpasil therapy in a hospital for the mentally deficient.] *Ugeskr. laeger*, 1955, 117: 1463-1465.
 Kinross-Wright, V. A review of the newer drug therapies in psychiatry. *Dis. Nerv. Syst.*, 1956, 17: 187-190.
 Kirk, D. L., Bauer, A. M. Effects of reserpine (serpasil) on emotionally maladjusted high grade mental retardates. *Am. J. Ment. Defic.*, 1956, 60: 779-784. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1528.
 Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. *Internat. Rec. M.*, 1956, 169: 323-338.
 Lehman, E., Haber, J., Lesser, S. R. The use of reserpine in autistic children. *J. Nerv. Ment. Dis.*, 1957, 125: 351-356.
 Mathis, M. Toniques et sédatifs en neuro-psychiatrie infantile. [Tonics and sedatives in child neuropsychiatry.] *Pédiatrie*, 1956, 11: 807-820.
 Miksztal, M. W. Chlorpromazine (thorazine) and reserpine in residential treatment of neuropsychiatric disorders in children. *J. Nerv. Ment. Dis.*, 1956, 123: 477-479.
 Morton, H. G., Warson, S. R. Control study on reserpine in small group of children with neurologic disorders. *J. Florida M. Ass.*, 1957, 43: 786.
 Nicolaou, G. T., Kline, N. S. Reserpine in the treatment of disturbed adolescents. *Psychiat. Res. Rep., Wash.*, 1955 (1): 122-132.
 Sacerdoti, G., Mantelli, A. La reserpina nel trattamento ambulatoriale nei disturbi del comportamento nell'infanzia. [Reserpine in the ambulatory treatment of behavior disorders in childhood.] [English summary] *Gazz. med. ital.*, 1955, 114: 189-191.
 —, Vegro, G. La reserpina in psichiatria infantile. [Reserpine in child psychiatry.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 459-477.
 Silver, A. A. Management of children with schizophrenia. *Am. J. Psychother.*, 1955, 9: 196-215.
 Talbot, M. W., Jr. The use of reserpine in irritable and hypertonic infants. *Ann. N. York Acad. Sc.*, 1955, 61: 188-197. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2635.
 Tonini, G., Montanari, C. Modificazioni elettroencefalografiche nel corso della terapia con reserpina. [Electroencephalographic changes during reserpine therapy.] *Arch. psicol. neur., Milano*, 1956, 17: 592-593.
 Wallis, I. Ueber Sedaraupin-Therapie bei cerebraler geschädigten Kindern. [Sedaraupin therapy of brain-damaged children.] *Med. Klin., Berl.*, 1956, 51: 2221-2223. [Not seen]
 Walther-Büel, H. Zur Serpasil-Behandlung neuropsychiatrischer Zustände. [Serpasil therapy for neuro-

- psychiatric conditions.] *Praxis, Bern*, 1956, 45: 733-736.
- Watkins, C. The use of reserpine in cerebral palsy. *South. M. J.*, 1956, 49: 1488-1494.
- Zimmerman, F. T., Burgemeister, B. B. Preliminary report upon the effect of reserpine on epilepsy and behavior problems in children. *Ann. N. York Acad. Sc.*, 1955, 61: 215-221. *
- **Untoward effects** [see footnote p. 176]
- Budnick, I. S., Leikin, S., Hoeck, L. E. Effect in the newborn infant of reserpine administered ante partum. *A. M. A. J. Dis. Child.*, 1955, 90: 286-289. **
- **Poisoning**
- Hubbard, B. A. Reserpine. *J. Am. M. Ass.*, 1955, 157: 468.
- Phillips, T. Overdose of reserpine. *Brit. M. J.*, 1955, 2: 969.
- Plummer, A. J., Earl, A., Schneider, J. A., Trapold, J., Barrett, W. Pharmacology of Rauwolfia alkaloids, including reserpine. *Ann. N. York Acad. Sc.*, 1954, 59: 8-21. [Case report p. 17-18]
- **with Chlorpromazine**
see CHILDREN—Chlorpromazine with Reserpine
- **with Methylphenidylacetate**
- Carter C. H. The effects of reserpine and methylphenidylacetate (ritalin) in mental defectives, spastics, and epileptics. *Psychiat. Res. Rep., Wash.*, 1956 (4): 44-48.
- Wy-1107**
- Fazekas, J. F., Shea, J. G., Ehrmantraut, W. R., Alman, R. W. Convulsant action of phenothiazine derivatives. *J. Am. M. Ass.*, 1957, 165: 1241-1245. *
- PAIN**
- Chlorpromazine**
- Bonello, F. J. Chlorpromazine in general practice. *Internat. Rec. M.*, 1956, 169: 197-212.
- Dobkin, A. B., Lamoureux, L., Letienne, R., Gilbert, R. G. B. Some studies with largactil. *Canad. M. Ass. J.*, 1954, 70: 626-628.
- Houde, R. W., Wallenstein, S. L. Analgetic power of chlorpromazine alone and in combination with morphine [Abstract.] *Fed. Proc., Balt.*, 1955, 15: 353.
- Howell, T. H., Harth, J. A. P., Dietrich, M. The use of chlorpromazine in geriatrics. *Practitioner, Lond.*, 1954, 173: 172-173.
- Kessler, L. N., Barnard, R. D. A new tranquilizer meprobamate; its use for pain associated with cancer. Preliminary report. *Med. Times, Great Neck*, 1956, 84: 431-435.
- Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sc.*, 1957, 66: 698-718.
- , Fischer, A., Butler, R. N., Simon, A. Clinical observations with chlorpromazine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956, p. 1-30.
- Miles, J. E. Psychosis with phantom limb pain treated by chlorpromazine. *Am. J. Psychiat.*, 1956, 112: 1027-1028.
- Monaco, R. N., Leeper, R. D., Robbins, J. J., Calvy, G. L. Intermittent acute porphyria treated with chlorpromazine. *N. England J. M.*, 1957, 256: 309-311.
- Shea, J. G., Alman, R. W., Fazekas, J. F. The use of chlorpromazine in the management of patients with head injury. *A. M. A. Arch. Int. M.*, 1955, 96: 168-171. Abstract: *Year book of drug therapy*, 1956-1957, p. 341.
- **Lytic cocktail**
see PAIN—Chlorpromazine—Various special techniques
- **Studies, animals**
- **Studies, normal subjects**
see PAIN—Chlorpromazine studies—Animals
Chlorpromazine studies—Normal subjects
- **Untoward effects**
- Roberts, S. E. A chlorpromazine (thorazine)-induced cephalalgia and its management. *A. M. A. Arch. Otolaryng.*, 1956, 63: 208-209.
- **Various special techniques**
see also PAIN—Chlorpromazine with other drugs
[CNS depressants]—Combined
- Bartsch, W., Sperling, E. Schmerzbehandlung mit Phenothiazinderivaten (Megaphen und Atosil). [Phenothiazine derivatives (megaphen and atosil) in therapy of pain.] *Nervenarzt*, 1956, 27: 458-463.
- Engelmeier, M. P. Die Methodik der psychiatrischen Behandlung mit lytischen Substanzen. [Methods of psychiatric therapy with lytic substances.] *Nervenarzt*, 1956, 27: 64-69. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1551.
- Fabris, F. À propos du traitement de la douleur des cancéreux. [Contribution to the treatment of pain in cancer patients.] *Presse méd.*, 1955, 63: 727.
- Flügel, F. Erfahrungen mit Megaphen in der psychiatrischen und neurologischen Klinik. [Experiences with chlorpromazine in the psychiatric and neurological clinic.] *Arch. klin. Chir.*, 1954, 279: 767-772.
- Linke, H. Erfahrungen in der Behandlung akuter und chronischer Schmerzzustände mit den Phenothiazin-körpern Megaphen und Atosil. [Experiences in the treatment of acute and chronic pain states with the phenothiazine derivatives megaphen and atosil.] [English summary] *Münch. med. Wschr.*, 1955, 97: 1689-1692.
- Über die Wirkung des Phenothiazin-Heilschlafs bei schweren vegetativ thalamischen Schmerzzuständen. [Effects of phenothiazine induced therapeutic sleep in severe pain of autonomic and thalamic origin.] *Aerzt. Wschr.*, 1956, 11: 815-819.
- Salomone, F. P., Peria, G., Rodolico, G., Caciola, R. Le medicazioni neuroplegiche nelle terapie del dolore. [Neuroplegics in therapy of pain.] *Minerva chir., Tor.*, 1955, 10: 296.
- Seitz, D. Die Schlafbehandlung mit Phenothiazinen in der Neurologie. [Sleep therapy with phenothiazines in neurology.] *Nervenarzt*, 1956, 27: 19-23.
- Sercl, M., Bartousek, V., Jachova, D. Expériences cliniques sur la neuroplégie et l'hibernation dans les affections du système nerveux. [Clinical experiences with neuroplegia and hibernation in diseases of the nervous system.] *Gaz. méd. France*, 1956, 63: 1981-1982; 1984; 1987-1988.
- Seyffert, H. M., Strubel, H. Klinische Erfahrungen mit dem Schlafmittel und Tagessedativum Doroma. [Clinical experience with doroma, a hypnotic and diurnal sedative.] *Medizinische*, 1956, 2: 997-999.
- Sollgruber, A. Erfahrungen über die Phenothiazin-Schlaftherapie in der internen Medizin. [Experiences with phenothiazine sleep therapy in internal medicine.] *Wien. med. Wschr.*, 1955, 105: 807-808.
- Steigman, A. J., Vallbona, C. Experience with chlorpromazine in pediatrics. *Internat. Rec. M.*, 1955, 168: 351-357.
- **with Promethazine [and other drugs]—Combined**
see PAIN—Chlorpromazine—Various special techniques
- **with other drugs [CNS depressants]—Combined**
see also PAIN—Chlorpromazine—Various special techniques
- PAIN—Chlorpromazine studies**
- Dobkin, A. B., Gilbert, R. G. B., Lamoureux, L. Physiological effects of chlorpromazine. *Anaesthesia, Lond.*, 1954, 9: 157-174.

Faucett, R. L. Drug addiction and other considerations in the management of pain with narcotic drugs. *Proc. Mayo Clin.*, 1957, 32: 45-54.

Gordon, R. A., Campbell, M. The use of chlorpromazine in intractable pain associated with terminal carcinoma. *Canad. M. Ass. J.*, 1956, 75: 420-421.

Houde, R. W., Wallenstein, S. L. Analgesic power of chlorpromazine alone and in combination with morphine. [Abstract] *Fed. Proc., Balt.*, 1955, 14: 353.

Jackson, G. L., Smith, D. A. Analgesic properties of mixtures of chlorpromazine with morphine and meperidine. *Ann. Int. M.*, 1956, 45: 640-652.

Litteral, E. B., Wilkinson, W. E. The advantages, disadvantages and limitations of the use of chlorpromazine as a substitute for certain somatic treatment methods in psychiatry. *Psychiat. Res. Rep.*, Wash., 1955 (1): 63-71.

Lucas, J., Albert, S. N., Bateman, J. C., Klopp, C. T. Thorazine as an aid in management of cancer patients. [Abstract] *Proc. Am. Ass. Cancer Res.*, 1954, 1 (2): 30.

Sadove, M. S., Balagot, R. C. The value of chlorpromazine in the management of pain. *Internat. Rec. M.*, 1955, 168: 346-350.

—, Levin, M. J., Rose, R. F., Schwartz, L., Witt, F. W. Chlorpromazine and narcotics in the management of pain of malignant lesions. *J. Am. M. Ass.*, 1954, 155: 626-628.

Vialard, C. Note sur l'utilisation du largactil (4560 R. P.) comme potentialisateur de médicaments analgésiques chez les cancéreux douloureux résistants aux opiacés. [Largactil (4560 RP) potentiating analgesic drugs in the treatment of cancer patients who are in pain and resistant to opiates.] *Anesthésie, Par.*, 1953, 10: 216-224.

Wallis, R. Potentiation of hypnotics and analgesics; clinical experience with chlorpromazine. *N. York State J. M.*, 1955, 55: 243-245.

—with Psychosurgery—Compared

Choppy, M., Le Beau, J., Petrie, A. Modifications de la personnalité après les opérations frontales sélectives y compris la cingulectomie et après traitement par la chlorpromazine. [Personality changes after selective frontal operations, including cingulectomy, and after chlorpromazine therapy.] *Rev. neur., Par.*, 1955, 93: 843-849.

Petrie, A., Le Beau, J. The effects on personality of chlorpromazine as compared with various brain operations. *Encéphale*, 1956, 45: 987-995.

—, —. Psychologic changes in man after chlorpromazine and certain types of brain surgery. *J. Clin. Exp. Psychopath.*, 1956, 17: 170-179.

Chlorpromazine studies

—Animals

see also PAIN—Phenothiazines

Agafonov, V. G. Tormozishchee vliianie aminazina na tsentral'nyi effekt bolevogo razdrazheniia. [The inhibiting influence of aminazine on the central effect of pain.] *Zh. nevropat. psikhiat.*, Moskva, 1956, 56: 94-103. Abstract: *Chem. Abstr.*, 1956, 50: 17174f.

Eeckhoutte, R. van. Le chlorhydrate de chloro-3-diméthylamino-3'-propyl-10-phénothiazine (4560 R. P.); son action sur le système nerveux et sur le système neurovégétatif. [3-Chloro-10-(3-dimethylaminopropyl) phenothiazine (4560 R. P.); its action on the nervous and autonomic nervous system.] 28 p. Ambilly, 1953. [Thesis—Geneva 1953, no. 2168]

Friebel, H., Reichle, C. Zur analgetischen und analgesieverstärkenden Wirkung von Chlorpromazin (Megaphen). [Analgesic and analgesic-potentiating effect of chlorpromazine (megaphen).] *Arch. exp. Path., Berl.*, 1955, 226: 551-557. Abstract: *Chem. Abstr.*, 1956, 50: 2063 de.

Sadove, M. S., Balagot, R. C., Reyes, R. M. The potentiating action of chlorpromazine. *Current Res. Anesth.*, 1956, 35: 165-181.

Schneider, J. A. Reserpine antagonism of morphine analgesia in mice. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 87: 614-615. Abstract: *Chem. Abstr.*, 1955, 49: 4165 ef.

Wirth, W. Versuche zur kombinierten Wirkung von Megaphen mit stark wirksamen Analgetica. [Experiments on megaphen combined with powerful analgesics.] *Arch. exp. Path., Berl.*, 1954, 222: 75-76.

—Normal subjects

Fraser, H. F., Isbell, H. Chlorpromazine and reserpine. A. Effects of each and of combinations of each with morphine. B. Failure of each in treatment of abstinence from morphine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 257-262.

Mepazine

Laurendeau, E. Essai clinique sur un nouveau dérivé du phénothiazine: le pacatal. [Clinical trial of a new phenothiazine derivative: pacatal.] *Union méd. Can.*, 1956, 85: 1424-1425.

Seitz, D. Die Schlafbehandlung mit Phenothiazinen in der Neurologie. [Sleep therapy with phenothiazines in neurology.] *Nervenarzt*, 1956, 27: 19-23.

Mephenesin

Ende, M., Youngblood, W. The use of myanesin (tolserol) in black widow spider bite. *Virginia M. Month.*, 1953, 80: 24-25.

Frankl, V. E. Zur Behandlung der Angst. [Therapy of anxiety.] *Wien. med. Wschr.*, 1952, 102: 535-537. Abstract: *Excerpta med.*, Sect. 8, 1953, 6: No. 408.

Meprobamate

Kessler, L. N., Barnard, R. D. A new tranquilizer meprobamate; its use for pain associated with cancer. Preliminary report. *Med. Times, Great Neck*, 1956, 84: 431-435.

Phenothiazines

Himwich, H. E., Rinaldi, F., Willis, D. An examination of phenothiazine derivatives with comparisons of their effects on the alerting reaction, chemical structure and therapeutic efficacy. [chlorpromazine: mepazine: NP-207: promazine: promethazine: pyrazithazine: WY-1107] *J. Nerv. Ment. Dis.*, 1956, 124: 53-57.

Pipradrol

Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thorazine, and meratran. *Psychiat. Res. Rep.*, Wash., 1955 (1): 25-44. [p. 35]

Prochlorperazine

Moyer, J. H., Pevey, K., Kinross-Wright, V. Tranquilizing (ataractic) agents: current evaluation of their clinical use in patients who are not hospitalized. *GP*, 1957, 15 (6): 97-118.

Promazine

Shea, J. G., Ehrmantraut, W. R., Ticktin, H. E., Sullivan, P. D., Jr., Fazekas, J. F. Use of promazine in the management of medical emergencies. *Mil. M.*, 1956, 119: 221-227.

Promethazine

Bente, D. Zur Wirkung des Phenothiazinkörpers Atosil auf das Schmerzgeschehen. [Effect of the phenothiazine derivative atosil on pain.] *Arch. exp. Path., Berl.*, 1954, 222: 71-73.

Lundy, J. S. Modern technics for the relief of pain. [promethazine+ethchlorvynol] *J. Lancet*, 1957, 77: 32-37.

—*with Chlorpromazine [and other drugs]—Combined*
see PAIN—Chlorpromazine—Various special techniques

Psychopharmaca—Placebo effect

Houde, R. W., Wallenstein, S. L. Clinical aspects of the evaluation of analgesics. *J. Am. Geriat. Soc.*, 1956, 4: 167-171.

Reserpine

Lereboullet, J., Vidart, L., Amstutz, C. Membre fantôme douloureux avec syndrome dépressif. Guérison specta-

culaire par la réserpine. [Painful phantom limb with a depressive syndrome; spectacular cure with reserpine.] *Rev. neur., Par.*, 1955, 92: 386-387.

—**Studies, animals**

Schneider, J. A. Reserpine antagonism of morphine analgesia in mice. *Proc. Soc. Exp. Biol., N. Y.*, 1954, 87: 614-615. Abstract: *Chem. Abstr.*, 1955, 49: 4165 ef.

—**Studies, normal subjects**

Fraser, H. F., Isbell, H. Chlorpromazine and reserpine. A. Effects of each and of combinations of each with morphine. B. Failure of each in treatment of abstinence from morphine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 257-262.

AUTHOR LIST

A

- Abdouchelli, A.**, see **Abély, P.**, **Abdouchelli, A.**, **Fourment, J.**, **Schmitz, B.**, **Delteil, P.**
- Abdulla, A.** Cannabis indica als Volksseuche in Ägypten. [Cannabis indica as a national epidemic in Egypt.] [English summary] *Schweiz. med. Wschr.*, 1953, 83: 541-543.
- Abély, P.**, **Abdouchelli, A.**, **Fourment, J.**, **Schmitz, B.**, **Delteil, P.** Suite aux essais thérapeutiques de ré-équilibration instincto-affective; essai de traitement par la bromure tétra-éthyl d'ammonium en comparaison avec le R. P. 45-60 et le C. 92-95. [Further therapeutic studies on the restoration of instinctive-affective balance; therapeutic trials with tetraethylammonium bromide in comparison with R. P. 45-60 and with C. 92-95.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 262-267.
- Abood, L. G.**, see **Walaszek, E. J.**, **Abood, L. G.**
- Abrams, R. E.**, **Tice, L. F.** Modern medicinals in review. *Am. J. Pharm.*, 1955, 127: 4-22.
- Abramson, H. A.** Blocking of the LSD-25 reaction in Siamese fighting fish. In: **Abramson, H. A.**, ed. *Neuropharmacology. Transactions of the third conference, May 1956, Princeton, N. J.* New York, *Josiah Macy, Jr. Foundation*, 1957, p. 9-27.
- , **Lysergic acid diethylamide (LSD-25)**. III. As an adjunct to psychotherapy with elimination of fear of homosexuality. *J. Psychol., Provincet.*, 1955, 39: 127-155.
- , **Lysergic acid diethylamide (LSD-25)**: XIX. As an adjunct to brief psychotherapy, with special reference to ego enhancement. *J. Psychol., Provincet.*, 1956, 41: 199-229.
- , Some observations on normal volunteers and patients. In: **Cholden, L.**, ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, *Grune & Stratton*, 1956, p. 51-54.
- , Tolerance to LSD-25 and a theory of psychoses. In: **Abramson, H. A.**, ed. *Neuropharmacology. Transactions of the second conference, May 1955, Princeton, N. J.* New York, *Josiah Macy, Jr. Foundation*, 1956, p. 259-300.
- , Verbatim recording and transference studies with lysergic acid diethylamide (LSD-25). *J. Nerv. Ment. Dis.*, 1957, 125: 444-450.
- , ed. *Neuropharmacology. Transactions of the second conference, May 1955, Princeton, N. J.* 328 p. *Transactions of the third conference, May 1956, Princeton, N. J.* 381 p. New York, *Josiah Macy, Jr. Foundation*, 1956; 1957. [Articles within the scope of this bibliography are listed individually.]
- , **Evans, L. T.** Lysergic acid diethylamide (LSD-25): II. Psychobiological effects on the Siamese fighting fish. *Science*, 1954, 120: 990-991.
- , **Jarvik, M. E.** Lysergic acid diethylamide (LSD-25): IX. Effect on snails. *J. Psychol., Provincet.*, 1955, 40: 337-340.
- , —, **Gorin, M. H.**, **Hirsch, M. W.** Lysergic acid diethylamide (LSD-25): XVII. Tolerance development and its relationship to a theory of psychosis. *J. Psychol., Provincet.*, 1954, 41: 81-105.
- , —, **Hirsch, M. W.** Lysergic acid diethylamide (LSD-25): X. Effect on reaction time to auditory and visual stimuli. *J. Psychol., Provincet.*, 1955, 40: 39-52. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3942.
- , —, —, **Lysergic acid diethylamide (LSD-25)**: VII. Effect upon two measures of motor performance. *J. Psychol., Provincet.*, 1955, 39: 455-464.
- , —, —, **Ewald, A. T.** Lysergic acid diethylamide (LSD-25): V. Effect on spatial relations abilities. *J. Psychol., Provincet.*, 1955, 39: 435-442.
- , —, **Kaufman, M. R.**, **Kornetsky, C.**, **Levine, A.**, **Wagner, M.** Lysergic acid diethylamide (LSD-25): I. Physiological and perceptual responses. *J. Psychol., Provincet.*, 1955, 39: 3-60. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3172.
- , —, **Levine, A.**, **Kaufman, M. R.**, **Hirsch, M. W.** Lysergic acid diethylamide (LSD-25): XV. The effects produced by substitution of a tap water placebo. *J. Psychol., Provincet.*, 1955, 40: 367-383.
- , **Kornetsky, C.**, **Jarvik, M. E.**, **Kaufman, M. R.**, **Ferguson, M. W.** Lysergic acid diethylamide (LSD-25): XI. Content analysis of clinical reactions. *J. Psychol., Provincet.*, 1955, 40: 53-60.
- , **Sklarofsky, B.**, **Baron, M. O.**, **Gettner, H. H.** Blocking of brain extract on lysergic acid diethylamide reaction in Siamese fighting fish. *Science*, 1957, 125: 397-398.
- , —, —, —, —, **Lysergic acid diethylamide (LSD-25) antagonists**. I. Blocking effect of brain extract in the Siamese fighting fish; preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 439-445.
- , **Waxenberg, S. E.**, **Levine, A.**, **Kaufman, M. R.**, **Kornetsky, C.** Lysergic acid diethylamide (LSD-25): XIII. Effect on Bender-Gestalt test performance. *J. Psychol., Provincet.*, 1955, 40: 341-349. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3008.
- , see **Hirsch, M. W.**, **Jarvik, M. E.**, **Abramson, H. A.**
- , see **Jarvik, M. E.**, **Abramson, H. A.**, **Hirsch, M. W.**
- , see **Lennard, H.**, **Jarvik, M. E.**, **Abramson, H. A.**
- , see **Levine, A.**, **Abramson, H. A.**, **Kaufman, M. R.**, **Markham, S.**
- , see **Levine, A.**, **Abramson, H. A.**, **Kaufman, M. R.**, **Markham, S.**, **Kornetsky, C.**
- Abric, J.**, see **Faure, J. L.**, **Abric, J.**
- , see **Lafon, R.**, **Duc, N.**, **Abric, J.**, **Pouget, R.**, **Cornelade, P.**
- , see **Lafon, R.**, **Duc, N.**, **Boyer, Abric, J.**, **Pouget, R.**
- , see **Lafon, R.**, **Faure, J. L.**, **Abric, J.**
- , see **Lafon, R.**, **Temple, J. P.**, **Abric, J.**
- Abse, D. W.**, **Curtis, T. E.**, **Dahlstrom, W. G.**, **Hawkins, D. R.**, **Toops, T. C.** The use of reserpine in the management of acute mental disturbance on an in-patient service: preliminary report. *J. Nerv. Ment. Dis.*, 1956, 124: 239-247.
- Achaintre, A.**, **Balvet, P.**, **Beaujard, M.**, **Broussolle, P.**, **Perrin, J.**, **Leveque, F.**, **Request, A.** Evaluation of chlorpromazine in psychotic patients. *Internat. Rec. M.*, 1957, 170: 175-182.
- , **Dubor, P.** Les thérapeutiques alternantes et leur emploi en psychiatrie. [Alternating therapies and their use in psychiatry.] [Abstract] *J. méd. Lyon*, 1954, 35: 952.
- , —, **Lauxerois, G.** Trois modes particuliers d'administration de la chlorpromazine dans les affections psychiatriques à longue évolution. [Three special methods of chlorpromazine therapy in chronic psychiatric diseases.] *Encéphale*, 1956, 45: 444-448.
- , **Lauxerois, G.** Intérêt de la psychothérapie auprès des malades mentaux. II. Psychothérapie explicative individuelle dans les psychoses de longue évolution traitées par la chlorpromazine. [The value of psychotherapy in mental diseases. II. Individual explanatory psychotherapy in chronic psychoses treated with chlorpromazine.] *J. méd. Lyon*, 1956, 37: 403-406.
- , see **Revol, L.**, **Achaintre, A.**, **Balvet, P.**, **Beaujard, M.**, **Berthier, C.**, **Broussolle, P.**, **Lambert, P.**, **Perrin, J.**, **Requet, A.**
- Acheson, G. H.**, see **Gottschalk, L. A.**, **Kapp, F. T.**, **Ross, W. D.**, **Kaplan, S. M.**, **Silver, H.**, **MacLeod, J. A.**, **Kahn, J. B., Jr.**, **Van Maanen, E. F.**, **Acheson, G. H.**
- Achor, R. W. [P.]**, **Hanson, N. O.** Hypertension treated with Rauwolfia canescens; a comparison with Rauwolfia serpentina. *N. England J. M.*, 1956, 255: 646-650.
- , —, **Gifford, R. W., Jr.** Hypertension treated with Rauwolfia serpentina (whole root) and with reserpine: Controlled study disclosing occasional severe depression. *J. Am. M. Ass.*, 1955, 159: 841-845.

- , see Faucett, R. L., Litin, E. M., Achor, R. W. P.
 —, see Litin, E. M., Faucett, R. L., Achor, R. W. P.
 Acosta, M. G., see Bosworth, D. M., Fielding, J. W., Acosta, M. G.
 Adam, H., Golse, J. Coma insulínique et coma par hibernation. [Insulin coma and coma by hibernation.] *Encéphale*, 1956, 45: 471-473.
 Adamkiewicz, L., see Genest, J., Adamkiewicz, L., Robillard, R. Tremblay, G.
 Acuna, M., see Ayerbe, A., Acuna, M.
 Adasal, R., Ozsan, M., Karan, D., Yener, O. Les résultats obtenus par la chlorpromazine à la clinique psychiatrique de la Faculté de Médecine d'Ankara. [Results obtained with chlorpromazine at the psychiatric clinic of the Faculté de Médecine d'Ankara.] *Encéphale*, 1956, 45: 1204-1209.
 Addison, W. P., see Kovitz, B., Carter, J. T., Addison, W. P.
 Adler, H. Use of serpasil on a disturbed ward. *Dis. Nerv. Syst.*, 1955, 16: 122-124. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4082.
 Agnew, N., Hoffer, A. Nicotinic acid modified lysergic acid diethylamide psychosis. *J. Ment. Sc., Lond.*, 1955, 101: 12-27. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 850.
 Aguiar, H., see Pires, N., Pinho, R. de, Fernando, L., Pint, M., Cavalcanti, U., Aguiar, H.
 Ainslie, J. D., see Essig, C. F., Ainslie, J. D.
 Aivazian, G. H. Chlorpromazine in the withdrawal of habit-forming drugs in addicts. *Dis. Nerv. Syst.*, 1955, 16: 57-60. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 413.
 Aksel, J. S. Etude clinique et expérimentale de l'hibernothérapie. [Clinical and experimental study of hibernotherapy.] *Encéphale*, 1956, 45: 566-571.
 Albert, S. N., Rea, E. L., Duverney, C. A., Shea, J., Fazekas, J. F. The use of chlorpromazine in the treatment of acute alcoholism. *Med. Ann. District of Columbia*, 1954, 23: 245-247.
 —, see Fazekas, J. F., Albert, S. N., Alman, R. W.
 —, see Lucas, J., Albert, S. N., Bateman, J. C., Klopp, C. T.
 Albouy R., see Ravina, A., Pestel, M., Albouy, R.
 Aldeghi, E., see Vergani, O., Aldeghi, E.
 Alemà, G. Allucinazioni da acido lisergico in cieco senza bulbi oculari. [Lysergic acid hallucinations in blindness after bilateral enucleation.] *Riv. neur., Nap.*, 1952, 22: 720-733.
 —, Donini, G. Sugli effetti della intossicazione sperimentale con dietilamide dell'acido lisergico in due casi di anosognosia visiva. [Effects of experimental lysergic acid diethylamide poisoning in 2 cases of visual anosognosia.] *Riv. sper. freniat.*, 1956, 80: 943-952.
 —, Sergio, C. Prime esperienze cliniche con una nuova sostanza psicomimetica. [First clinical experiences with a new psychomimetic drug.] *Riv. sper. freniat.*, 1956, 80: 989-994.
 Alexander, L. Therapeutic process in electroshock and the newer drug therapies; psychopathological considerations. *J. Am. M. Ass.*, 1956, 162: 966-969.
 —. Objective approaches to treatment in psychiatry. *Canad. Psychiat. Ass. J.*, 1957, 2: 77-94.
 Allen A., Mackinnon, H. L. Response to wonder drugs. *Dis. Nerv. Syst.*, 1956, 17: 262-263.
 Allen, A. G., Black, A. V. Near-fatal case of intoxication with meprobamate treated with electro-stimulation and levarterenol. *Ohio M. J.*, 1956, 52: 1303.
 Allen, E. B., Prout, C. T. Alcoholism. *Progr. Neur. Psychiat.*, N. Y., 1955, 10: 510-521; 1956, 11: 338-351.
 Alliez, J., see Crémieux, A., Alliez, J., Soulayrol, R.
 Allin, T. G., Jr., Pogge, R. C. The use of azacyclonol and pipradrol in general practice. *Internat. Rec. M.*, 1956, 169: 222-230.
 Alluaume, R., see Laborit, H., Huguenard, P., Alluaume, R.
 Alman, R. W., see Fazekas, J. F., Albert, S. N., Alman, R. W.
 —, see Fazekas, J. F., Shea, J. G., Ehrmantraut, W. R., Alman, R. W.
 —, see Fazekas, J. F., Toupin, H., Alman, R. W.
 —, see Shea, J. G., Alman, R. W., Fazekas, J. F.
 Altschule, M. D. Use of chlorpromazine and reserpine in mental disorders. *N. England J. M.*, 1956, 254: 515-519. Abstract: *Chem. Abstr.*, 1956, 50: 7318a.
 —, Bower, W., Cook, L. Experiências psiquiátricas com novo agente terapêutico: a clorpromazina. [Psychiatric experience with a new therapeutic agent, chlorpromazine.] *Resenha clin. cient., S. Paulo*, 1955, 24: 111-113.
 —, see Bower, W. H., Altschule, M. D., Cook, L.
 Altshuler, I. M. Music potentiating drugs. A preliminary report. *Music therapy*, 1955, 5: 120-126.
 American Psychiatric Association. The contribution of the tranquilizing drugs and the dangers in their casual use for relief of everyday tensions. *J. Iowa M. Soc.*, 1957, 47: 66.
 Amstutz, C., see Lereboullet, J., Vidart, L., Amstutz, C.
 Andermann, K., Lindsay, J. S. Chlorpromazine. *Med. J. Australia*, 1955, 42 (2): 80-82.
 Andersen, H. Leucopeni under Largactilbehandling. [Leukopenia with chlorpromazine therapy.] *Ugeskr. laeger*, 1954, 116: 1733-1734.
 Anderson, D. E., see Swenson, W. M., Gislason, S., Anderson, D. E.
 Anderson, E. W., Rawnsley, K. Clinical studies of lysergic acid diethylamide. *Msschr. Psychiat.*, Basel, 1954, 128: 38-55. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1800.
 Anderson, R. L., see Weir, H. F., Anderson, R. L.
 Anderson, R. W., see Schiele, B. C., Anderson, R. W., Simon, W.
 Anderson, T. E., see Cutler, R. P., Monroe, J. J., Anderson, T. E.
 Andreev, A. L. O lechenii psikhicheskikh zabolevanii serpasilom. [Treatment of mental diseases with serpasil.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 294-295. Abstract: *Chem. Abstr.*, 1956, 50: 17176gh.
 Andren, H. E. Meratran: a new drug proposed as an alternative to shock therapy in depressions. *Clin. Res. Proc.*, 1955, 3: 41.
 —. Treatment of depression with meratran and electroshock. *Dis. Nerv. Syst.*, 1955, 16: 275-276. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4541.
 Andrew, G., see Sibilio, J. P., Andrew, G., Dart, D., Moore, K. B., Stehman, V. A.
 Angel, J. Cures de sommeil et largactil. [Sleep therapies and largactil.] *Encéphale*, 1956, 45: 416-420.
 Angeleri, F., Carreras, M., Urbani, M. Modificazioni indotte dal 4560 RP sui potenziali evocati registrati nella formazione reticolare del tronco dell'encefalo e nella corteccia cerebrale. [Changes induced by RP 4560 in potentials recorded in the formatio reticularis of the brain stem and in the cerebral cortex.] *Riv. neur., Nap.*, 1954, 24: 702-705. Abstract: *Electroencephalography, Montreal*, 1954, 6: 532.
 —, see Carreras, M., Angeleri, F.
 Anton-Stephens, D. Preliminary observations on the psychiatric uses of chlorpromazine (largactil). *J. Ment. Sc., Lond.*, 1954, 100: 543-557.
 Antonelli, F. Applicazione della clorpromazina nella pratica reumatologica, con particolare riferimento alla nevrosi reumatica. [Application of chlorpromazine in rheumatology, with special reference to rheumatic neurosis.] *Arch. psicol. neur., Milano*, 1956, 17: 558-561.
 Antos, R. J. Meratran. Use of a new antidepressant in internal medicine. *Southwest. M.*, 1955, 36: 166-167.
 —. A preliminary report of clinical studies on a new stimulant. *Arizona M.*, 1954, 11: 397-399.
 —. Use of an antidepressant in general practice. *Med. Times, Great Neck*, 1955, 83: 612-614.
 Aprison, M. H., see Nathan, P., Aprison, M. H., Himwich, H. E.

- Apter, J. T., Pfeiffer, C. C. Effect of hallucinogenic drugs on the electroretinogram. *Am. J. Ophthalm.*, 1956, 42 (4, Part 2): 206-211.
- , —. The effect of the hallucinogenic drugs LSD-25 and mescaline on the electroretinogram. *Ann. N. York Acad. Sc.*, 1957, 66: 508-514.
- , Rinsley, D. B. Counteraction of the effects of mepazine on the eye by means of parasympathomimetic drugs. *J. Clin. Exp. Psychopath.*, 1957, 18: 335-341.
- Arbesman, C. E. Report of the Committee on drugs of the research council of the American Academy of Allergy, 1954-1955. Plimasin. *J. Allergy*, 1955, 26: 379-381. Abstract as: Clinical studies in allergy with several new drugs. Drug I. *J. Allergy*, 1955, 26: 87.
- Archer, J. D. Effects of chlorpromazine on maze performance of albino rats. [Abstract] *Fed. Proc., Balt.*, 1954, 13: 332.
- Archibald, H. C. Chlorpromazine for headache. *Am. J. Psychiat.*, 1955, 112: 390.
- Ardis, J. A., McKellar, P. Hypnagogic imagery and mescaline. *J. Ment. Sc., Lond.*, 1956, 102: 22-29.
- Arellano. Effects of reserpine in psychiatric patients. *J. Am. M. Ass.*, 1955, 157: 530.
- Argelander, H. Ein Behandlungsversuch mit Megaphen bei vegetativen Neurosen. [Therapeutic trial with magaphen in autonomic neuroses.] *Aerztl. Wschr.*, 1954, 9: 634-639. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 2817.
- Arian, E., Gomirato, G. Recherches expérimentales sur l'inhibition des états d'excitation d'origine sous-corticale par moyen de la chlorpromazine et de la réserpine; communication préliminaire. [Experimental studies on the inhibition of sub-cortical excitation by chlorpromazine and by reserpine; preliminary communication.] *Encéphale*, 1956, 45: 1264-1266.
- Armitage, S. G., see Pearl, D., Vander Kamp, H., Olsen, A. L., Greenberg, P. D., Armitage, S. G.
- Armour, P. S. A regimen in acute alcoholism. [Mephenesin; mephenesin carbamate; reserpine; also combined and compared] *Arizona M.*, 1956, 13: 169-172.
- Arnold, A. L., Freeman, H. Reserpine in hospitalized psychotics; a controlled study on chronically disturbed women. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 281-285.
- , see Freeman, H., Arnold, A. L., Cline, H. S.
- Arnold, O. H. Erfahrungsbericht über das Tagesedativum Covatin. [Experiences with the day-time sedative covatin.] *Wien. med. Wschr.*, 1956, 106: 510-512.
- , Hift, S., Solms, W. Die Anwendung von Largactil in der Psychiatrie. [Use of largactil in psychiatry.] *Wien. med. Wschr.*, 1953, 103: 563-566. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1600.
- , —. Über die Anwendung eines zentral vegetativen Hemmungsstoffes in der psychiatrischen Therapie. [Application of a new central autonomic inhibitor in psychiatric therapy.] *Wien. med. Wschr.*, 1952, 102: 964-965.
- , Hoff, H. Untersuchungen über die Wirkungsweise von Lysergsäure-Diäthylamid. I. [Studies on the mechanism of action of lysergic acid diethylamide. I.] *Wien. Zschr. Nervenhe.*, 1953, 6: 129-150.
- , —. Körperschemastörungen bei LSD-25. [Disturbances in perception of body structure caused by LSD-25.] *Wien. Zschr. Nervenhe.*, 1953, 6: 259-274.
- Arnot, R. The place of sedatives in the treatment of psychoneurotics. *Am. J. Psychiat.*, 1956, 113: 10-15. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 392.
- Arsenian, J., see Shubin, H., Heiken, C. A., Glaskin, A., Pennes, E., Arsenian, J.
- Asher, L. M. Use of chlorpromazine in treatment of certain gastrointestinal disturbances; preliminary report. *J. Am. M. Ass.*, 1956, 160: 1281-1285.
- Asrican, E., see Cares, R. M., Asrican, E., Fenichel, M., Sack, P., Severing, J.
- Asung, C. L., Charcowa, A. I., Villa, A. P. Effects of a new tranquilizing drug (nostyn) on the behavior patterns of children recovered from tuberculous meningitis. *Sea View Hosp. Bull.*, N. Y., 1956, 16: 80-85.
- Ataractics. [Roundtable discussion at meeting held in Atlantic City, N. J., November 1956.] *Pub. Health Rep.*, 1957, 72: 624-637.
- Atkinson, R. P., Tucker, W. I. Clinical results with chlorpromazine (thorazine). *Lahey Clin. Bull.*, 1955, 9: 180-186.
- Atti del simposium sulla reserpina e clorpromazina in neuropsichiatria. [Proceedings of the symposium on reserpine and chlorpromazine in neuropsychiatry.] *Arch. psicol. neur., Milano*, 1956, 17: p. III-XI; 115-684. [Articles within the scope of this bibliography are listed individually.]
- Attinger, E. O., see Segal, M., Attinger, E. O.
- D'Aulnay, J., Malineau, R. Depuis l'avènement de la chlorpromazine la cure de Sakel est-elle condamnée? [Is Sakel's therapy obsolete since the advent of chlorpromazine therapy?] *Encéphale*, 1956, 45: 656-660.
- , see Bergouignan, M., D'Aulnay, J., Malineau, R.
- Avenarius, R. Zur Wirkungsweise von Rauwolfiaalkaloiden und Phenothiazinderivaten bei Schizophrenen. [Mechanism of action of Rauwolfia alkaloids and phenothiazine derivatives in schizophrenics.] *Nervenarzt*, 1956, 27: 454-458.
- Avol, M., Vogel, P. J. Treatment of delirium tremens with reserpine (serpasil); a preliminary report. *J. Am. M. Ass.*, 1955, 159: 1516-1520. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4001: Year book of drug therapy, 1956-1957, p. 338.
- , see Ruskin, I. W., Avol, M.
- D'Avossa, B. Considerazioni sul trattamento di 102 pazienti neuropsichiatrici con reserpina. [Observations regarding reserpine therapy in 102 neuropsychiatric patients.] *Arch. psicol. neur., Milano*, 1956, 17: 546-558.
- , Tentato suicidio con clorpromazina. [Attempted suicide with chlorpromazine.] *Riv. sper. freniat.*, 1956, 80: 674-675.
- Ayd, F. J., Jr. Chlorpromazine therapy for anxiety associated with electroshock therapy. *Confinia neur., Basel*, 1956, 16: 168-173.
- , A clinical appraisal of trilacon. *Am. J. Psychiat.*, 1957, 114: 554-555.
- , A clinical evaluation of frenquel. *J. Nerv. Ment. Dis.*, 1956, 124: 507-509.
- , A clinical evaluation of methyl-phenidylacetate hydrochloride (ritalin). *J. Clin. Exp. Psychopath.*, 1957, 18: 342-346.
- , A clinical evaluation of pacatal. *Dis. Nerv. Syst.*, 1957, 18: 142-144.
- , A critique of chlorpromazine and reserpine therapy. In: Himwich, H. E., ed. Tranquilizing drugs. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 173-181.
- , The dermatologic and systemic manifestations of chlorpromazine hypersensitivity; their clinical significance and management. *J. Nerv. Ment. Dis.*, 1956, 124: 84-87.
- , Fatal hyperpyrexia during chlorpromazine therapy. *J. Clin. Exp. Psychopath.*, 1956, 17: 189-192.
- , Large doses of chlorpromazine in the treatment of psychiatric patients. *Dis. Nerv. Syst.*, 1955, 16: 146-149.
- , The physiologic and neurologic action of chlorpromazine. *Psychiat. Res. Rep., Wash.*, 1955 (1): 14-24. Abstract: *Chem. Abstr.*, 1956, 50: 2867def.
- , Physiologic and neurologic responses to chlorpromazine: their clinical significance and their management. *Psychiat. Res. Rep., Wash.*, 1956 (4): 64-70.
- , A preliminary report on marsilid. *Am. J. Psychiat.*, 1957, 114: 459.
- , Thorazine and serpasil treatment of private neuropsychiatric patients. *Am. J. Psychiat.*, 1956, 113: 16-21.
- , Tranquilizing drugs in private practice. *N. York State J. M.*, 1957, 57: 1742-1747.

- . The treatment of anxiety, agitation and excitement in the aged; a preliminary report on trilafox. *J. Am. Geriatr. Soc.*, 1957, 5: 92-96.
- . Treatment of psychiatric patients with thorazine. *South. M. J.*, 1955, 48: 177-186. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4552.
- Ayerbe, A., Acuna, M. Resultados obtenidos con la reserpina en clinica psiquiátrica. [Results obtained with reserpine in psychiatric practice.] *Sem. méd., B. Air.*, 1956, 108: 232-234.
- Azbukina, V. D., see Galenko, V. E., Osberg, I. IU., Azbukina, V. D.
- Azima, H. Prolonged sleep treatment in mental disorders; some new psychopharmacological considerations. *J. Ment. Sc., Lond.*, 1955, 101: 593-603.
- . Report on the international colloquium on chlorpromazine and neuroleptic medications in psychiatric treatment, Paris, October 20-22, 1955. *Am. J. Psychiat.*, 1956, 112: 749-750.
- . The use of chlorpromazine and reserpine in psychological disorders in general practice. *Canad. M. Ass. J.*, 1956, 74: 929-931.
- . La valeur de la situation anaclitique facilitée par la chlorpromazine. [(Therapeutic) value of the analitic situation, facilitated by chlorpromazine.] *Encéphale*, 1956, 45: 972-978.
- , Cramer-Azima, F. J., De Verteuil, R. A comparative behavioral and psychodynamic study of reserpine and equally potent doses of raudixin in schizophrenics. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 15-25.
- , Durost, H. Effects of promazine in mental syndromes. *Canad. M. Ass. J.*, 1957, 76: 442-446.
- , Kent, I., Cleghorn, R. A. Rauwolfia alkaloids in mental syndromes. *Canad. M. Ass. J.*, 1955, 73: 866-871.
- , Ogle, W. Effects of largactil in mental syndromes. *Canad. M. Ass. J.*, 1954, 71: 116-121.
- Azoulay, see Leyritz, Le Bézu, Azoulay.
- B**
- Bader, E. Extrapyramidal symptoms following thorazine medication. *Illinois M. J.*, 1956, 109: 28-29.
- Bagchi, B. K., see Dice, N., Bagchi, B. K., Waggoner, R. W. Bailly, R., see Borel, J., Camar, R., Bailly, R.
- Bailly-Salin, see Le Guillaud, L., Roelens, Corre, Kestenbergh, Plichet, Béquart, Bailly-Salin.
- Bair, H. V., Herold, W. Efficacy of chlorpromazine in hyperactive mentally retarded children. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 363-364. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1726.
- Baker, A. A. Observations on the effect of largactil in psychiatric illness. *J. Ment. Sc., Lond.*, 1955, 101: 175-182. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 4918.
- , Thorpe, J. G. Placebo response. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 57-60.
- , —. Deteriorated psychotic patients—their treatment and its assessment. *J. Ment. Sc., Lond.*, 1956, 102: 780-789.
- , see Thorpe, J. G., Baker, A. A.
- Bakwin, H. The uses of chlorpromazine in pediatrics. *J. Pediatr.*, S. Louis, 1956, 48: 240-247.
- Balogot, R. C., see Sadove, M. S., Balagot, R. C.
- , see Sadove, M. S., Balagot, R. C., Reyes, R. M.
- Balducci, M. Possibilità, limiti, indicazioni e controindicazioni del 4560 R. P. (largactil) in psichiatria; controllo dei primi risultati con osservazione su 110 casi. [Possibilities, limitations, indications and contraindications of 4560 RP (largactil) in psychiatry; review of the early results with a study of 110 cases.] *Rass. stud. psichiat.*, 1955, 44: 709-729. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 5010.
- Balduzzi, E., Escalar, G. A proposito delle terapie cosiddette ganglioplegiche. [The so-called ganglioplegic therapies.] *Rass. stud. psichiat.*, 1953, 42: 1056-1064.
- , —. Sulle terapie cosiddette ganglioplegiche. II. II 4560 R. P. in psichiatria; osservazioni su 100 casi trattati. [The so-called ganglioplegic therapies. II. RP 4560 in psychiatry; observations on 100 treated cases.] [English summary p. 148] *Rass. stud. psichiat.*, 1954, 43: 120-151.
- , see Escalar, G., Balduzzi, E.
- Balestrieri, A. Azione della clorpromazina e della reserpina sul sistema nervoso extrapiramidale. [The effect of chlorpromazine and reserpine on the extrapyramidal nervous system.] [English summary] *Arch. psicol. neur.*, Milano 1956, 17: 483-512.
- , Fadiga, E. Intorno all'azione di alcuni derivati della fenotiazina sul sistema nervoso centrale. [Action of some phenothiazine derivatives on the central nervous system.] *Arch. sc. biol., Bologna*, 1954, 38: 620-633. Abstract: *Chem. Abstr.*, 1955, 49: 11887b. *Excerpta med.*, Sect. 8, 1956, 9: No. 303.
- Ballardini, G., see Reda, G. C., Ballardini, G., Riccio, L. Balvet. Les conditions d'environnement qu'exige la thérapeutique par le largactil. [Environmental conditions required by largactil therapy.] *J. méd. Lyon*, 1954, 35: 947-948.
- Balvet, P., see Achaintre, A., Balvet, P., Beaujard, M., Broussolle, P., Perrin, J., Leveque, F., Requet, A.
- , see Revol, L., Achaintre, A., Balvet, P., Beaujard, M., Berthier, C., Broussolle, P., Lambert, P., Perrin, J., Requet, A.
- Bamdas, B. S., Glod, G. D., Lando, L. I., Levkovich, A. P., Tarasov, Y. K., Khazen, I. M. [The mechanism of action of aminazine.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 121-138. Abstract: *Chem. Abstr.*, 1956, 50: 17175d.
- Barahona Fernandes, see Fernandes, B.
- Barbier, A., see Leconte, M., Barbier, A.
- Bare, D., see Borenstein, P., Dabbah, M., Bare, D.
- Barison, F., Massignan, L. La reserpina nelle schizofrenie catatoniche. [Reserpine in catatonic schizophrenia.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 347-358.
- Barnard, R. D., see Kessler, L. N., Barnard, R. D.
- Barnaud, J., see Berthier, C., Bonneru-Couchoud, M., Barnaud, J.
- , see Lambert, P., Barnaud, J.
- Baron M. O., see Abramson, H. A., Sklarofsky, B., Baron, M. O., Gettner, H. H.
- Barrès, P., see Laboucarie, J., Barrès, P., Rascol, A.
- , see Riser, M., Laboucarie, J., Barrès, P.
- Barrett, B. M., Hansel, F. K. Reserpine a new adjunct in the management of resistant headache patterns; a preliminary report. *Ann. N. York Acad. Sc.*, 1955, 61: 250-266. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1554.
- Barrett, J. E. The value of chlorpromazine hydrochloride and reserpine in relation to other methods used in treating mental illness. *Virginia M. Month.*, 1955, 82: 415-417.
- Barrett, W. E., see Plummer, A. J., Barrett, W. E., Wagle, G., Yonkman, F. F.
- , see Plummer, A. J., Earl, A., Schneider, J. A., Traupold, J., Barrett, W.
- , see Schneider, J. A., Plummer, A. J., Earl, A. E., Barrett, W. E., Rinehart, R., Dibble, R. C.
- Barrett, W. W., see Clark, L. D., Ellsworth, R. B., Barrett, W. W., Thurman, A. C., Holland, W.
- Barsa, J. A. The dual action of the tranquilizers. *Am. J. Psychiat.*, 1957, 114: 74-75.
- , Kline, N. S. Agranulocytosis while receiving combined reserpine-chlorpromazine therapy. Report of two cases. *Dis. Nerv. Syst.*, 1956, 17: 88-90. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2092.
- , —. Azacyclonol (frenquel) in the treatment of chronic schizophrenics. *Am. J. Psychiat.*, 1956, 113: 255-256.

- , —. Combined reserpine-chlorpromazine in treatment of disturbed psychotics. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 280-286. Abstracts: *Am. J. Psychiat.*, 1955, 111: 780. *Excerpta med.*, Sect. 8, 1957, 10: No. 368.
- , —. A comparative study of reserpine, chlorpromazine, and combined therapy. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 90-97.
- , —. Depression treated with chlorpromazine and promethazine. *Am. J. Psychiat.*, 1957, 113: 744-745.
- , —. Promazine in chronic schizophrenic patients. *Am. J. Psychiat.*, 1957, 113: 654.
- , —. Reserpine in the treatment of psychotics with convulsive disorders. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 31-35. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1730.
- , —. Treatment of two hundred disturbed psychotics with reserpine. *J. Am. M. Ass.*, 1955, 158: 110-113. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2246.
- , —. Use of meprobamate in the treatment of psychotic patients. *Am. J. Psychiat.*, 1956, 112: 1023.
- , —. Use of reserpine in disturbed psychotic patients. *Am. J. Psychiat.*, 1956, 112: 684-691. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4543.
- , see Kline, N. S., Barsa, J., Gosline, E.
- Barsotti, U., see Mariani, G., Barsotti, U.
- Barry, H., Jr., see Tilley, R. F., Barry, H., Jr.
- Bartfeld, H. Use of reserpine in psychogenic rheumatism, osteoarthritis, and rheumatoid arthritis; a preliminary report. *J. Am. M. Ass.*, 1955, 159: 1510-1513.
- Barton, W. E., see Malamud, W., Barton, W. E., Fleming, A. M., Middleton, P. McK., Friedman, T. T., Schleifer, M. J.
- Bartousek, V., see Sercl, M., Bartousek, V., Jachova, D.
- Bartsch, W., Sperling, E. Schmerzbehandlung mit Phenothiazinderivaten (Megaphen und Atosil). [Therapy of pain with phenothiazine derivatives (megaphen and atosil)] *Nervenarzt*, 1956, 27: 458-463.
- Baruk, H. La catatonie expérimentale par la chlorpromazine; la posologie et la méthode d'administration la plus efficace en thérapeutique psychiatrique. [Experimental catatonia produced with chlorpromazine; the dosage and most effective method of chlorpromazine therapy in psychiatry.] *Encéphale*, 1956, 45: 474-476.
- , —. Quelques précisions sur la thérapeutique par le sommeil en psychiatrie; sommeil et narcose; danger des facteurs toxiques. [Notes on sleep therapy in psychiatry; sleep and narcosis; danger of toxic factors.] *Ann. méd. psychol., Par.*, 1953, 111(2): 523-525.
- , —. Les thérapeutiques psychiatriques. [Psychiatric therapies.] 128 p. Paris, *Presses universitaires de France* [Que sais-je? Le point des connaissances actuelles (691)] 1955. Les thérapeutiques physiologiques sédatives; cures de sommeil; chlorpromazine. [Physiologic sedative therapies; sleep therapy; chlorpromazine.] p. 109-116.
- , —, Launay, C., Lelord. Etude sur l'action thérapeutique du 4560 R. P. dans les états d'excitation et d'agitation impulsive. Données cliniques et données expérimentales sur les modifications de la circulation cérébrale. [Study on the therapeutic action of 4560 RP in states of excitation and impulsive agitation. Clinical and experimental information on the changes in cerebral circulation.] *Ann. méd. psychol., Par.*, 1954, 112(2): 66-71.
- , —, Launay, J., Bergès, J. La catatonie expérimentale par la chlorpromazine. [Experimental catatonia induced by chlorpromazine.] *Ann. méd. psychol., Par.*, 1955, 113(1): 439-441.
- , —, —. La catatonie expérimentale par la chlorpromazine à hautes doses chez le singe et dans la série animale; action thérapeutique du 45-60 R. P. dans le traitement des maladies mentales en clinique humaine (à doses modérées et sans associations médicamenteuses). [Experimental catatonia induced in monkeys by massive doses of chlorpromazine; therapeutic effect of chlorpromazine in the treatment of mental disorders in humans with moderate doses and without adjuvant medication.] *Rev. neur., Par.*, 1955, 92: 141-143.
- , —, —. La chlorpromazine en thérapeutique psychiatrique courante; schéma de traitement à l'usage des médecins praticiens. [Chlorpromazine in current psychiatric therapy; mode of treatment as used in general practice.] *Rev. prat., Par.*, 1955, 5: 3511-3517.
- , —, —. Physiologie psychiatrique expérimentale de la chlorpromazine chez les animaux et ses applications thérapeutiques chez l'homme. [Experimental psychopharmacology of chlorpromazine in animals and its therapeutic applications in man.] *Encéphale*, 1956, 45: 1258-1263.
- , —, —. Sur une série de résultats thérapeutiques spectaculaires par la chlorpromazine dans des psychoses graves suivant une posologie particulière sans association médicamenteuse. [Series of spectacular therapeutic results with chlorpromazine in severe psychoses; use of chlorpromazine in particular dosage and without associated medication.] *Ann. méd. psychol., Par.*, 1955, 113(1): 442-449.
- , —, —. La thérapeutique par la chlorpromazine; physiologie expérimentale; physiologie clinique; résultats thérapeutiques et progrès de la thérapeutique psychiatrique. [Chlorpromazine therapy; experimental physiology; clinical physiology; therapeutic results and progress in psychiatric treatment.] *Ann. méd. psychol., Par.*, 1955, 113(1): 705-772.
- , —, —, Lanteri-Laura, G. Etude de l'action de la réserpine sur l'initiative psychomotrice et les grandes constantes physiologiques et biologiques. Comparaison sur l'action des extraits totaux. [Study of the effects of reserpine on psychomotor initiative and the significant physiologic and biologic values; comparison with the effects of total extracts.] *Ann. méd. psychol., Par.*, 1957, 115(1): 708-712.
- , —, —, Mijolla, A. de. Etude clinique de l'action thérapeutique de la réserpine. Comparaison avec l'action des extraits totaux. [Clinical study of the therapeutic effect of reserpine; comparison with total extracts.] *Ann. méd. psychol., Par.*, 1957, 115(1): 704-708.
- , —, —, Launay, S., Bergès, J. Action de la réserpine sur la psychomotricité et catatonie expérimentale. [Effect of reserpine on experimental psychomotricity and catatonia.] *Rev. neur., Par.*, 1956, 95: 62-63.
- Barwise, C., see Sainz, A., Bigelow, N., Barwise, C.
- Bashore, S., see Grandon, R. C., Hefley, W., Hensel, T., Bashore, S.
- Bass, B. M., see Bryant, J. H., Bass, B. M., Hine, F. R.
- Bateman, J. C., see Lucas, J., Albert, S. N., Bateman, J. C., Klopp, C. T.
- Bates, T. J. N., see Douglas, A. D. M., Bates, T. J. N.
- Batterman, R. C. The evaluation of sedatives. *J. Am. Geriatr. Soc.*, 1956, 4: 172-176.
- , —, Leifer, P., Grossman, A. J. The advantages of a new combination sedative mixture. *Am. Practitioner*, 1956, 7: 1795-1798.
- Baudoin, de. Accident mortel par association de l'électrochoc à une cure de réserpine. [Fatal accident with combination of electroshock and reserpine therapy.] [Abstract] *Presse méd.*, 1956, 64: 1174.
- Baudrand, C., see Racamier, P. C., Blanchard, M., Baudrand, C.
- , —, see Racamier, P. C., Baudrand, C.
- Bauer, A. M., see Kirk, D. L., Bauer, A. M.
- Baumberger, W. Erfahrungen mit dem Rauwolfiaalkaloid Reserpin (Serpasil) bei chronischen Geisteskranken. [Experiences with the Rauwolfia alkaloid reserpine (serpasil) in chronic mental disorders.] *Praxis, Bern*, 1955, 44: 721-724. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4542.

- Bazzi, T. Reserpina e psicoterapia. [Reserpine and psychotherapy.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 675-681.
- Beal, J. A. Chlorpromazine poisoning. *Brit. M. J.*, 1955, 2: 1620.
- Beaudry, A., see Decherney, G., Beaudry, A.
- Beaujard, Hamoneau. Remarque sur l'emploi du largactil dans les schizophrénies chroniques. [An observation on the use of largactil in chronic schizophrenia.] *J. méd. Lyon*, 1955, 36: 325-327. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1212.
- Beaujard, M., see Achaintre, A., Balvet, P., Beaujard, M., Broussolle, P., Perrin, J., Leveque, F., Requet, A.
- , see Revol, L., Achaintre, A., Balvet, P., Beaujard, M., Berthier, C., Broussolle, P., Lambert, P., Perrin, J., Requet, A.
- Beck, J. D., see Martin, J. E., Beck, J. D.
- Becker, H., see Heiss, R., Becker, H., Hiltmann, H., Honsberg, I.
- Becker, J., see Perret, A., Becker, J., Lacoste, G.
- Beckett, P. G., see Gottlieb, J. S., Tournay, G., Beckett, P. G., Lowinger, P.
- Beckman, W. G., see Hollister, L. E., Traub, L., Beckman, W. G.
- Beecher, H. K., see von Felsinger, J. M., Lasagna, L., Beecher, H. K.
- Beesley, M. L., see Raymond, M. J., Lucas, C. J., Beesley, M. L., O'Connell, B. A., Roberts, J. A. F.
- Begany, A. J., Seifter, J., Pless, H. H., Huber, R. D., Bruce, W. F. Tranquilizing effect of phenothiazines in cats and rabbits. *Fed. Proc., Balt.*, 1956, 15: 399-400.
- Begg, W. G. A., Reid, A. A. "Meratran", a new stimulant drug. *Brit. M. J.*, 1956, 1: 946-949.
- Begoin, J., see Sivadon, P., Schweich, M., Begoin, J.
- Bein, H. J. The pharmacology of Rauwolfia. *Pharm. Rev.*, 1956, 8: 435-483.
- , Zur Pharmakologie des Reserpin, eines neuen Alkaloids aus Rauwolfia serpentina Benth. [Pharmacology of reserpine, a new alkaloid from Rauwolfia serpentina Benth.] [English summary] *Experientia, Basel*, 1953, 9: 107-110.
- , Gross, F., Tripod, J., Meier, R. Experimentelle Untersuchungen über "Serpasil" (Reserpin), ein neues sehr wirksames Rauwolfiaalkaloid mit neuartiger zentraler Wirkung. [Experimental studies on serpasil (reserpine) a new and very effective Rauwolfia alkaloid with a new and different central effect.] *Schweiz. med. Wschr.*, 1953, 83: 1007-1012.
- , see Meier, R., Bein, H. J., Gross, F., Tripod, J., Tuchmann-Duplessis, H.
- , see Müller, J. M., Schlittler, E., Bein, H. J.
- , see Tripod, J., Bein, H. J., Meier, R.
- Beis, M., see Royer, P., Beis, M., Burner, M.
- Beley, A., Foncin, J. F., Leyrie, J. Quelques inconvénients des doses élevées de reserpine chez le jeune arriéré turbulent; indications psychologiques. [Complications with massive reserpine doses in disturbed retarded children; dosage indication.] *Encéphale*, 1956, 45: 802-807.
- Bell, J. P. Magic drugs in psychiatry. *J. Kentucky M. Ass.*, 1954, 52: 788-789.
- Bellavitis, U., see Germano, V., Bellavitis, U.
- Belleville, R. E. MPMI score changes induced by lysergic acid diethylamide (LSD-25). *J. Clin. Psychol.*, 1956, 12: 279-282.
- , see Isbell, H., Belleville, R. E., Fraser, H. F., Wikler, A., Logan, C. R.
- , see Isbell, H., Fraser, H. F., Wikler, A., Belleville, R. E.
- Belot, P., Decourt, P. Effet du N68 sur les perturbations psychiques d'origine instinctive chez des chiens. [The effect of N-68 on psycho-sexual disorders of dogs.] *Ann. méd. psychol., Par.*, 1956, 114(2): 112-116.
- , Etats psycho-névrotiques chez des chevaux de course; leur traitement par un narcobiotique, le N68. [Neuroses of race horses; their treatment with the narcobiotic drug N-68.] *Ann. méd. psychol., Par.*, 1956, 114(2): 103-112.
- Belsanti, R. Modificazioni neuro-psico-biochimiche indotte dalla dietilamide dell'acido lisergico in schizofrenici e frenastenici. [Neurological, psychological and biochemical effects of lysergic acid diethylamide in schizophrenic and phrenasthenic subjects.] [English summary] *Acta neur., Nap.*, 1952, 7: 340-349. Abstract: *Excerpta med.*, Sect. 8, 1953, 6: No. 801.
- Belsasso, M. Terapia delle malattie mentali con reserpina (serpasil) e clorpromazina (largactil) ad alte dosi. [Treatment of mental disorders with high-dosage reserpine (serpasil) and chlorpromazine (largactil).] *Rass. giuliana med., Trieste*, 1956, 12: 209-216.
- , see Donini, F. M., Belsasso, M., Ravis, E.
- Beltrán del Río, C. A. Estudio del peyote en el Indio tarahumara, habituado a su masticación. [Study of habitual peyote-chewing in the Tarahumara.] 61 p. México, 1953. (Thesis—Mexico)
- Benassi, P., Cecacchi, G. Rilievi elettroencefalografici nell'uso di un derivato fenotiazinico (45-60 R. P.). [Electroencephalographic findings in the use of a phenothiazine derivative (RP-4560).] *Riv. neur., Nap.*, 1953, 23: 535-542. Abstract: *Electroencephalography, Montreal*, 1953, 5: 621.
- , Fava, D. Trattamento con reserpina di alcune tossicomanie. [Reserpine treatment of drug addiction.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 601-607.
- , see Colombati, S., Benassi, P.
- Benciolini P., see Marini, M., Caprini, G., Benciolini, P.
- Benda, C. E. The differentiation between mental deficiency and emotional disorders, and some therapeutic experiments with Rauwolfia serpentina (koglucoid). [In English] *Arch. pediat. Uruguay*, 1955, 26: 32-46.
- Benda, P., see David, M., Benda, P., Klein, F.
- Bender, L., Nichtern, S. Chemotherapy in child psychiatry. *N. York State J. M.*, 1956, 56: 2791-2795.
- , see Freedman, A. M., Effron, A. S., Bender, L.
- Benditt, E., P., Rowley, D. A. Antagonism of 5-hydroxytryptamine by chlorpromazine. *Science*, 1956, 123: 24.
- Beneditti G. Terapia reserpinica in psichiatria. [Reserpine therapy in psychiatry.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 295-309.
- Benichou, L., see Laboucarie, J., Rascol, A., Benichou, L.
- , see Monnerot, E., Monnerot, E., Benichou, L., Doco.
- Bennett, A. E. Clinical trial of reserpine in psychotic and psychoneurotic illnesses. In: Kline, N. S., ed. Psychopharmacology. Washington, *Am. Ass. Adv. Sc.*, 1956, p. 109-117.
- , Ford, F. R., Turk, R. E. Clinical investigation of chlorpromazine and reserpine in private psychiatric practice. *Am. J. Psychiat.*, 1956, 112: 782-787. Condensed: *Am. Practitioner*, 1956, 7: 1576-1577. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4546.
- Bennett, I. F., Cohen, D., Starer, E. Isoniazid in treatment of the chronic schizophrenic patient. *A. M. A. Arch. Neur. Psychiat.*, 1954, 71: 54-65.
- Benoit, P., see Coirault, R., Girard, V., Benoit, P.
- , see Coirault, R., Girard, V., Escafit, H., Benoit, P.
- Bensoussan, P. A., Klein, F. Sur quelques incidents de la cure de sommeil au chlorhydrate de chloro 3 (diméthylamino-3'-propyl)-10-phénothiazine. [Some incidents in sleep therapy with chloro 3 (diméthylamino-3'-propyl)-10-phenothiazine hydrochloride.] *Ann. méd. psychol., Par.*, 1953 111(1): 529-532.
- , Villiammey, E. M. Note sur les premiers résultats de l'utilisation d'un nouveau médicament dépressolytique: le chlorhydrate de pipradrol. [Note on the first results with the use of a new antidepressive drug: pipradrol chlorhydrate.] *Ann. méd. psychol., Par.*, 1956, 114(1): 438-443.
- , Rousseau, J. Action symptomatique de l'azacyclonol sur un syndrome hallucinatoire et interprétatif

- présentation de malade. [Symptomatic (therapeutic) effect of azacyclonol on a hallucinatory and paranoid syndrome; case presentation] *Ann. méd. psychol., Par.*, 1956, 114(1) : 821-825.
- Bente, D. Elektroencephalographische Ergebnisse zur Wirkungsweise der neuroleptischen Behandlungsverfahren. [Mechanism of action of neuroleptic therapies; EEG findings.] *Encéphale*, 1956, 45 : 898-903.
- . Zur Wirkung des Phenothiazinkörpers Atosil auf das Schmerzgeschehen. [Effect of the phenothiazine derivative atosil on pain.] *Arch. exp. Path., Berl.*, 1954, 222 : 71-73.
- , Itil, T. Das Verhalten des Hirnstrombildes bei hochdosierter Behandlung mit Reserpin (Serpasil) und bei medikamentös erzeugten parkinsonähnlichen Zustandsbildern. [The encephalogram during reserpine (serpasil) therapy with massive doses and in drug-induced parkinsonism.] *Med. Klin., Berl.*, 1955, 50 : 1296-1301.
- , —. Zur Wirkung des Phenothiazinkörpers Megaphen auf das menschliche Hirnstrombild. [The effect of the phenothiazine megaphen on the human EEG.] *Arzneimitt. Forsch.*, 1954, 4 : 418-423. Abstract: *Chem. Abstr.*, 1954, 48 : 13097b.
- , see Flügel, F., Bente, D.
- Béquart, see Le Guillant, L., Roelens, Corre, Kestenberg, Pichet, Béquart, Bailly-Salín.
- Béquart, P., see Montassut, M., Chertok, L., Béquart, P.
- Bérard, E. [L.] Cures de somnolence en clinique neuropsychiatrique. [Somnolence therapy in neuropsychiatric practice.] *Encéphale*, 1956, 45 : 401-411.
- , see Ey, H., Bérard, E. [L.]
- , see Ey, H., Deschamps, A., Bérard, E.
- , see Turner, M., Bérard, E.
- , see Turner, M., Bérard, E., Turner, N., Franco, N.
- Bercel, N. A., Travis L. E., Olinger, L. B., Dreikurs, E. Model psychoses induced by LSD-25 in normals. I. Psychophysiological investigations, with special reference to the mechanism of the paranoid reaction. II. Rorschach test findings. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75 : 588-611; 612-618. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1984; 1985.
- Berger, F. M. Meprobamate; its pharmacologic properties and clinical uses. *Internat. Rec. M.*, 1956, 169 : 184-196.
- . The pharmacological properties of 2-methyl-2-n-propyl-1, 3-propanediol dicarbamate (miltown), a new interneural blocking agent. *J. Pharm. Exp. Ther.*, 1954, 112 : 413-423. Abstract: *Chem. Abstr.*, 1955, 49 : 26101.
- , Campbell, G. L., Hendley, C. D., Ludwig, B. J., Lynes, T. E. The action of tranquilizers on brain potentials and serotonin. *Ann. N. York Acad. Sc.*, 1957, 66 : 686-694.
- , see Hendley, C. D., Lynes, T. E., Berger, F. M.
- Berger, H. Management of neuroses by the internist and general practitioner. *N. York State J. M.*, 1956, 56 : 1783-1788.
- Bergès, J., see Baruk, H., Launay, J., Bergès, J.
- , see Baruk, H., Launay, J., Bergès, J., Lanteri-Laura, G.
- , see Baruk, H., Launay, J., Bergès, J., Mijolla, A. de.
- , see Baruk, H., Launay, S., Bergès, J.
- Berglund, M., Blumenthal, B., Flordh, P. Restenil (meprobamat) på ett psykiatriskt poliklinikmaterial. [Restenil (meprobamate) in psychiatric outpatients.] *Sven. läk. tidn.*, 1956, 53 : 3362-3364.
- Bergouignan, M. Action de la chlorpromazine en psychiatrie: faits cliniques et significations possibles. [The psychiatric effect of chlorpromazine: clinical facts and their possible significance.] *Encéphale*, 1956, 45 : 1136-1140.
- . Le largactil en thérapeutique psychiatrique. [Largactil in psychiatric therapy.] *Presse méd.*, 1953, 61 : 1133.
- . Peut-on proposer une interprétation univoque des effets thérapeutiques de la chlorpromazine en psychiatrie? [Possibility of unequivocal interpretation of the therapeutic effects of chlorpromazine in psychiatry.] *Ann. méd. psychol., Par.*, 1956, 114(1) : 409-413.
- , D'Aulnay, J., Malineau, R. Retouches à notre expérience du largactil en psychiatrie. [Additional experiences with largactil in psychiatry.] *J. méd. Bordeaux*, 1955, 132 : 254-261. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 4917.
- , Got, M., Malineau, R. Notre expérience du largactil en psychiatrie. [Our experience with largactil in psychiatry.] *J. méd. Bordeaux*, 1954, 131 : 135-145.
- Bergy, G. A. Drugs of sedation with tranquilizing effects. *Am. Profes. Pharmacist*, 1956, 22 : 419; 534-538; 619-621; 709-710; 797-799; 888-889; 917-919.
- Berlin, L., Guthrie, T., Weider, A., Goodell, H., Wolff, H. G. Studies in human cerebral function: the effects of mescaline and lysergic acid on cerebral processes pertinent to creative activity. *J. Nerv. Ment. Dis.*, 1955, 122 : 487-491. Text without drawings: *Tr. Am. Neur. Ass.*, 1955, 80th Meeting : 188-190.
- Bernstein, I. C., see Resch, J. A., Schut, J. W., Bernstein, I. C.
- Bernstein, S., Detre, T. Effects of reserpine (serpasil) on homeostasis in patients presenting psychosomatic symptoms. [Abstract] *A. M. A. Arch. Neur. Psychiat.*, 1955, 74 : 337.
- Berry, J. M., see Gallagher, W. J., Berry, J. M., Durden, W. D., Lazenby, W. D.
- Berselli G., Vicini, F. Osservazioni sull'impiego terapeutico del largactil. [Observations on the therapeutic use of largactil.] *Riv. sper. freniat.*, 1955, 79 : 743-745.
- Berthiaume, M. Actualités thérapeutiques en neuro-psychiatrie; la réserpine (serpasil). [Therapeutic advances in neuropsychiatry; reserpine (serpasil).] *Union méd. Canada*, 1956, 85 : 1039-1042.
- . La diéthylamide de l'acide lysergique en psychiatrie. [Lysergic acid diethylamide in psychiatry.] *Union méd. Canada*, 1956, 85 : 555-560. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1385.
- Berthier, C., Bonneru-Couchoud, M., Barnaud, J. A propos du traitement des délires alcooliques subaigus et chroniques. [Treatment of subacute and chronic alcoholic delirium.] *Rev. neur., Par.*, 1956, 94 : 673-674.
- , —, —. Considérations sur le traitement par la chlorpromazine associée à la thérapeutique spécifique dans la P. G.; à propos de deux cas récents. [Chlorpromazine therapy combined with specific therapy in general paralysis; report of two recent cases.] *J. méd. Lyon*, 1956, 37 : 293-295.
- , see Revol, L., Achaintre, A., Lambert, P., Beaujard, M., Berthier, C., Broussolle, P., Lambert, P., Perrin, J., Requet, A.
- Bertolini, O. L'azione del 4560 R. P. in diverse sindromi psichiatriche. [Effects of 4560 R. P. in various psychiatric syndromes.] *Riv. sper. freniat.*, 1954, 78 : 205-224.
- . Clorpromazina e reserpina nel trattamento delle psicopatie. [Chlorpromazine and reserpine in the treatment of mental diseases.] *Arch. psicol. neur., Milano*, 1956, 17 : 623-627.
- Bertone, J., see Feldman, P. E., Bertone, J., Panthel, H.
- Besendorf, H., Pletscher, A. Beeinflussung zentraler Wirkungen von Reserpin und 5-Hydroxytryptamin durch Isonicotinsäurehydrazide. [The influence of isonicotinic acid hydrazides on the central effects of reserpine and of 5-hydroxytryptamine.] [English summary] *Helvet. physiol. pharm. acta*, 1956, 14 : 383-390.
- Best, J. L., see Davidoff, E., Best, J. L., McPheeters, H. L.
- Bétourné, C., see Siguier, F., Giabicani, A., Bétourné, C., Goglin, G.
- Bianchetti, L., see Ciocatto, E., Cattaneo, A. D., Solerio, L., Bianchetti, L.

- Bianchi, C. Reserpine and serotonin in experimental convulsions. *Nature, Lond.*, 1957, 179: 202-203.
- Bickford, R. G., see Schwarz, B. E., Bickford, R. G., Mulder, D. W., Rome, H. P.
- , see Schwarz, B. E., Bickford, R. G., Rome, H. P.
- , see Schwarz, B. E., Wakim, K. G., Bickford, R. G., Lichtenheld, F. R.
- Bigelow, N., see Sainz, A., Bigelow, N., Barwise, C.
- Bilikiewicz, T. Leczenie largaktylem w psychiatrii. [Therapeutic use of largactil in psychiatry.] *Wiadomo ci lek.*, 1955, 8: 82-88. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3611.
- Bini, L., see Kalinowsky, L. B. *Am. J. Psychiat.*, 1956, 113: 79.
- Bird, E. G., Goss, J. D. Jr., Denber, H. C. B. Chlorpromazine in the treatment of mental illness: a study of 750 patients. *Am. J. Psychiat.*, 1955, 111: 930.
- , see Denber, H. C. B., Bird, E. G.
- Bize, N., see Scherrer, P., Leclerc, J., Bize, N.
- Bizzi, B. Sorprendente miglioramento di una psicosi cronica irriducibile in seguito a trattamento con dosi elevate di clorpromazina. [Surprising improvement of an irreducible chronic psychosis following treatment with massive doses of chlorpromazine.] *Arch. psicol. neur.*, Milano, 1956, 17: 640-642.
- , see Tonini, G., Bizzi, B.
- Black, A. V., see Allen, A. G., Black, A. V.
- Black, D. A., see Heller, G. C., Walton, D., Black, D. A.
- Blackley, R. J. Disappearance of chlorpromazine-induced photosensitivity on substitution of promazine; report on eight cases. *Am. Practitioner*, 1957, 8: 46-47.
- Blanchard, M., see Racamier, P. C., Blanchard, M., Bau-drant, C.
- Blatt, M. H., see Kupperman, H. S., Blatt, M. H., Vosburgh, L. F., Canis, J., Wetchler, B.
- Bleuler, M. Comparaison entre les effets de la chlorpromazine et de la réserpine en psychiatrie. [Comparison between the effects of chlorpromazine and reserpine in psychiatry.] *Encéphale*, 1956, 45: 334-348.
- , Fortschritte in der Behandlung von Erregungszuständen. [Progress in the treatment of excitatory states.] [Abstract] *Praaxis, Bern*, 1954, 43: 1030.
- , Das Wesen der Serpasil-Behandlung an Schizophrenen. [The mechanism of serpasil treatment in schizophrenia.] *Schweiz. med. Wschr.*, 1955, 85: 443-444.
- , Stoll, W. A. Clinical use of reserpine in psychiatry: comparison with chlorpromazine. *Ann. N. York Acad. Sc.*, 1955, 61: 167-173. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4080.
- Blickenstorfer, E. Zum ätiologischen Problem der Psychosen vom akuten exogenen Reaktionstypus: Lysergsäurediäthylamid, ein psychisch wirksamer toxischer Spurenstoff. [Etiology of psychoses of the acute, exogenous reaction type; lysergic acid diethylamide, a psychotoxic drug effective in minute doses.] *Arch. Psychiat.*, Berl., 1952, 188: 226-236. Abstract: *Chem. Abstr.*, 1952, 46: 11418b. *Excerpta med.*, Sect. 8, 1953, 6: No. 807.
- Bliss, E. L., see Clark, L. D., Bliss, E. L.
- Bloch, C. Psychopathologie et psychothérapie sous chlorpromazine à hautes doses. [Psychopathology and psychotherapy with massive doses of chlorpromazine.] *Encéphale*, 1956, 45: 458-460.
- Bloch, R. G., Dooneief, A. S., Buchberg, A. S., Spellman, S. The clinical effect of isoniazid and iproniazid in the treatment of pulmonary tuberculosis. *Ann. Int. M.*, 1954, 40: 881-900.
- Block, M. A. Medical treatment of alcoholism. *J. Am. M. Ass.*, 1956, 162: 1610-1619.
- Bloch, S. L. Effect of mephenesin upon anxiety. *A. M. A. Arch. Neur. Psychiat.*, 1953, 69: 727-731. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1605.
- Blood dyscrasias associated with chlorpromazine therapy. *J. Am. M. Ass.*, 1956, 160: 287.
- Blough, D. S. Some effects of drugs on visual discrimination in the pigeon. *Ann. N. York Acad. Sc.*, 1957, 66: 733-739.
- Blumberg, A. G., Cohen, L., Miller, J. S. A. The effect of Rauwolfia serpentina on anxiety states. *J. Hillside Hosp.*, 1954, 3: 140-146. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3900.
- Blumenthal, B., see Berglund, M., Blumenthal, B., Flordh, P.
- Boardman, R. H. Fatal case of toxic hepatitis implicating chlorpromazine. *Brit. M. J.*, 1954, 2: 579.
- , Lomas, J., Markowe, M. Insulin and chlorpromazine in schizophrenia; a comparative study in previously untreated cases. *Lancet, Lond.*, 1956, 2: 487-491.
- , see Lomas, J., Boardman, R. H., Markowe, M.
- Boardman, W. K., Goldstone, S., Lhamon, W. T. Effects of lysergic acid diethylamide (LSD) on the time sense of normals. A preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 321-324.
- Bobon, J. Chlorpromazine et cure de sommeil. [Chlorpromazine and sleep therapy.] *Encéphale*, 1956, 45: 421-427.
- Böszörményi, Z., Gimes, M., Orthmayr, A. A largactil farmakodynamiás hatása és terápiás eredményei a pszichotriában. [Pharmacodynamic effects and the therapeutic results of largactil in psychiatry.] *Orv. hetil.*, 1955, 96: 1039-1045. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2238.
- Bohn, L., see Osterman, E., Lassenius, B., Bohn, L., Elkjaer, P.
- Bohner, B., see Chen, G., Ensor, C. R., Bohner, B.
- Boittelle, G., Boittelle-Lentulo, C. Quelques remarques sur l'action du 3277 R. P. chez les malades mentaux. [Effect of 3277 R. P. on mental patients.] *Ann. méd. psychol.*, Par., 1952, 110 (2): 295-296.
- Boittelle-Lentulo, C., see Boittelle, G., Boittelle-Lentulo, C.
- Boleman, A. P. Agranulocytosis associated with administration of thiorazine. *J. Am. M. Ass.*, 1955, 157: 364.
- Bolsi, D., Donegani, G., Grattarola, F. R. I ganglioplegici ed il sistema neurovegetativo negli schizofrenici. [Ganglioplegics and the autonomic nervous system in schizophrenia.] *Minerva med.*, Tor., 1953, 44: 230-231. [Not seen]
- Bonafede, V. I. Chlorpromazine (thiorazine) treatment of disturbed epileptic patients. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 243-246.
- , Chlorpromazine (thiorazine) treatment of disturbed epileptic patients; preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 158-162.
- Bonamini, F., Garelo, L. Catatonia sperimentale nei cani da 5-idrossitriptamina, introdotta nella cisterna magna. [Experimental catatonia in dogs induced by 5-hydroxytryptamine, introduced into the cisterna magna.] *Sistema nerv.*, Milano, 1956, 8: 157-166. [Not seen]
- , see Sacchi, U., Bonamini, F., Dolce, G., Garelo, L.
- , see Sacchi, U., Bonamini, F., Garelo, L., Dolce, G.
- , see Sacchi, U., Garelo, L., Dolce, G., Bonamini, F.
- Bonello, F. J. Chlorpromazine in general practice. *Internat. Rev. M.*, 1956, 169: 197-212.
- Bonetti, U., Pedrinoni, L. Il largactil nella cura della schizofrenia. [Largactil in the treatment of schizophrenia.] *Riv. pat. nerv.*, 1955, 76: 815-828.
- Bonfante, B., see Gamma, G., Bonfante, B., Villata, E.
- Bonneru-Couchoud, M., see Berthier, C., Bonneru-Couchoud, M., Barnaud, J.
- Bonnet, H. Chlorpromazine et modifications de l'électro-encéphalogramme chez les malades mentaux; corrélations cliniques. [Chlorpromazine and EEG changes in mental disorders; clinical correlates.] *Encéphale*, 1956, 45: 858-876.
- , Lauxerois, G. Le largactil à l'hôpital psychiatrique; à propos d'une expérience d'un an d'utilisation

- du médicament en service ouvert et fermé. [Largactil in a psychiatric hospital; one year's experience with this drug in ambulatory and in hospitalized patients.] *J. méd. Lyon*, 1955, 36: 165-172. Abstract: *J. méd. Lyon*, 1954, 35: 949. *Excerpta med.*, Sect. 8, 1955, 8: No. 4914.
- Bonnet de la Tour**, see Laroche, C., Bonnet de la Tour.
- Bonvallet, M.**, see Hiebel, G., Bonvallet, M., Dell, P.
- Boon, A. A.** Largactil en verwante middelen in de psychiatrie en neurologie. [Largactil and related remedies in psychiatry and neurology.] *Ned. tschr. geneesk.*, 1955, 99: 2735-2741.
- Boor, W. de.** Considérations nosologiques sur la thérapeutique par les médicaments neuroleptiques. [Nosologic considerations on treatment with neuroleptic drugs.] *Encéphale*, 1956, 45: 605-608.
- , *Pharmakopsychologie und Psychopathologie.* [Psychopharmacology and psychopathology.] 291 p. Berlin, Springer, 1956.
- Booyesen, P. J.**, see Hurst, L. A., Reuning, H., Wyk, A. J. van, Crouse, H. S., Booyesen, P. J., Nelson, G.
- Bordeleau, J. M.** Clinical evaluation of chlorpromazine and Rauwolfia serpentina in the psychiatric department of a general hospital. *J. Florida M. Ass.*, 1956, 42: 547-554.
- Borel, J., Camar, R., Bailly, R.** La cure de largactil, ses doses, sa durée. [Largactil therapy; dosage; duration.] *Ann. méd., psychol., Par.*, 1956, 114(1): 86-91.
- , **Lacombe, J., Camar, R.** Les poussées de rhumatisme chronique pendant la cure de largactil. [Attacks of chronic rheumatism during largactil therapy.] *Encéphale*, 1956, 45: 813-817.
- Borelli, S.**, see Korting, G. W., Borelli, S., Kimmig, J.
- Boren, H.**, see Jenkins, D. E., Chofnas, I., Boren, H., Guthrie, R.
- Borenstein, P., Dabbah, M., Bare, D.** Contribution à l'étude de la réserpine en psychiatrie; résultats cliniques et électro-encéphalographiques. [Research on reserpine in psychiatry; clinical and electroencephalographic results.] *Ann. méd. psychol., Par.*, 1956, 114(1): 545-580. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1532.
- Borroni, G., Casadio, V.** Sull'impiego terapeutico di un farmaco antiansia muscolorilassante. [Therapeutic use of a muscle relaxant anti-anxiety drug.] *Gazz. med. ital.*, 1956, 115: 365-367.
- Borrus, J. C.** Meprobamate in psychiatric disorders. *Med. Clin. N. America*, 1957, 41: 327-337.
- , Study of effect of miltown (2-methyl-2-n-propyl-1,3-propanediol dicarbamate) on psychiatric states. *J. Am. M. Ass.*, 1955, 157: 1596-1598. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1720.
- Bosinelli, M.** Reserpina e reserpina associata a clorpromazina in neuropsichiatria infantile. [Reserpine and reserpine combined with chlorpromazine in child neuropsychiatry.] *Arch. psicol. neur., Milano*, 1956, 17: 478-479.
- Bosworth, D. M.** The treatment of tuberculous lesions of bones and joints with iproniazid (marsilid). *N. York State J. M.*, 1956, 56: 1281-1284.
- , **Fielding, J. W., Acosta, M. G.** Use of iproniazid in nontuberculous bone and joint infections. *J. Am. Ass.*, 1955, 157: 132-136.
- Bouchard, M., Larue, G. H., Turmel, J.** Le frenquel en psychiatrie; rapport préliminaire. [Frenquel in psychiatry; preliminary report.] *Laval méd.*, 1956, 21: 765-776.
- Boudwin, J., Kline, N. S.** Use of reserpine in chronic non-disturbed psychotics. *Psychiat. Res. Rep.*, Wash., 1956 (4): 71-78.
- Bougeant, H.**, see Cossa, P., Bougeant, H., Lombard, A.
- , see Cossa, P., Bougeant, H., Postel, J.
- Boulanger, M.**, see Ramée, F., Lacaton, R., Sanchez, F., Boulanger, M.
- Bourguignon, A.**, see Delay, J., Deniker, P., Bourguignon, A., Lempérière, T.
- Bourjade, G.**, see Kohler, C., Bourjade, G.
- Bouthilet, L.**, see Cole, J. O., Ross, S., Bouthilet, L.
- Bouttier, D.**, see Sigwald, J., Bouttier, D.
- , see Sigwald, J., Bouttier, D., Nicolas-Charles, P.
- , see Sigwald, J., Henne, M., Bouttier, D., Raymond-deud, C., Quetin, A.
- Bovet, D.**, see Longo, V. G., Von Berger, G. P., Bovet, D.
- Bower, H. M.** A clinical evaluation of reserpine in the treatment of chronic mental patients. *Med. J. Australia*, 1955, 42 (2): 82-86. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1732.
- Bower, W. H.** Chlorpromazine in psychiatric illness. *N. England J. M.*, 1954, 251: 689-692.
- , **Altschule, M. D., Cook, L.** Psychiatric experience with chlorpromazine. *Am. Practitioner*, 1955, 6: 90-93. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4071.
- , see Altschule, M. D., Bower, W., Cook, L.
- Bowes, H. A.** The ataractic drugs; the present position of chlorpromazine, frenquel, pacatal, and reserpine in the psychiatric hospital. *Am. J. Psychiat.*, 1956, 113: 530-539.
- Boyd, E. M., Miller, J. K.** Inhibition of locomotive activity by chlorpromazine hydrochloride. [Abstract] *Fed. Proc., Balt.*, 1954, 13: 338.
- Boyer, see Lafon, R., Boyer, Duc, N., Minvielle, J., Pouget, R.**
- , see Lafon, R., Duc, N., Boyer, Abrie, J., Pouget, R.
- Boyer, R.**, see Thiébaux, M., Boyer, R.
- , see Thiébaux, M., Thiébaux, R., Boyer, R., Leborgne, F., Kiffel, M.
- Bracha, S., Hes, J. P.** Death occurring during combined reserpine-electroshock treatment. *Am. J. Psychiat.*, 1956, 113: 257.
- , see Hes, J. P., Bracha, S.
- Bradley, P. B.** The effect of some drugs on the electrical activity of the brain in the cat. [Abstract] *Electroencephalography, Montreal*, 1953, 5: 471. Also: *Electroencephalography, Montreal*, 1953, Suppl. 3: 21.
- , **Elkes, C., Elkes, J.** On some effects of lysergic acid diethylamide (LSD-25) in normal volunteers. *J. Physiol., Lond.*, 1953, 121: 50P-51P.
- , **Elkes, J.** The effect of amphetamine and d-lysergic acid diethylamide (LSD-25) on the electrical activity of the brain of the conscious cat. *J. Physiol., Lond.*, 1953, 120: 13P-14P.
- , **Hance, A. J.** The effect of chlorpromazine and methopromazine on the electrical activity of the brain in the cat. *Electroencephalography, Montreal*, 1957, 9: 191-215.
- , —, The effect of chlorpromazine on the electrical activity of the brain of the conscious cat. *J. Physiol., Lond.*, 1955, 129: 50P-51P.
- , —, The effects of intraventricular injections of d-lysergic acid diethylamide (LSD-25) and 5-hydroxytryptamine (serotonin) on the electrical activity of the brain of the conscious cat. *J. Physiol., Lond.*, 1956, 132: 50P-51P.
- , see Elkes, J., Elkes, C., Bradley, P. B.
- Brady, J. V.** Assessment of drug effects on emotional behavior. *Science*, 1956, 123: 1033-1034. Abstract: *Chem. Abstr.*, 1956, 50: 15959b.
- , A comparative approach to the evaluation of drug effects upon affective behavior. *Ann. N. York Acad. Sc.*, 1956, 64: 632-643.
- , A review of comparative behavioral pharmacology. *Ann. N. York Acad. Sc.*, 1957, 66: 719-732.
- , see Mason, J. W., Brady, J. V.
- Bram, G.** Chlorpromazine in psychiatry. *Brit. M. J.*, 1954, 2: 754.
- Braun, D. L.**, see Brown, B. B., Braun, D. L., Feldman, R. G.
- , see Brown, B. B., Feldman, R., Braun, D. L.
- Braun, M.** Pacatal. *Am. J. Psychiat.*, 1957, 113: 838-839.

- , Treatment of psychoses with a combination of paccatal and thorazine. *Am. J. Psychiat.*, 1957, 114: 460.
- , Philippsborn, A. Ataractics in private practice. *Am. J. Psychiat.*, 1956, 113: 80-81.
- Brehmer, G. von, Ruckdeschel, K. T. Zur Technik der Winterschlafbehandlung. [Technique of hibernation therapy.] *Deut. med. Wschr.*, 1953, 78: 1724-1725.
- Bridger, W. H., Gantt, W. H. The effect of mescaline on differentiated conditional reflexes. *Am. J. Psychiat.*, 1956, 113: 352-360.
- Briggs, G. W., Petersen, J. R. Agranulocytosis occurring during chlorpromazine therapy: a case report. *Am. Practitioner*, 1956, 7: 1431-1432.
- Brill, B., see Charet, R., Brill, B., Elloso, C.
- Brill, H., Patton, R. E. Analysis of 1955-56 population fall in New York state mental hospitals in first year of large-scale use of tranquilizing drugs. *Am. J. Psychiat.*, 1957, 114: 509-517.
- Bringas Núñez, E., Seggiaro, J. A., Machado, M. R. Primeros resultados obtenidos con el 4560 R. P. [First results obtained with RP 4560.] *Prensa méd. argent.*, 1953, 40: 2613-2619.
- Brisset, C. Chlorpromazine et sommeil. [Chlorpromazine and sleep.] *Encéphale*, 1956, 45: 1157-1161.
- , see Gachkel, V., Brisset, C.
- Bristow, M. E., see Schlichther, W., Bristown, M. E., Schultz, S., Henderson, A. L.
- Brodie, B. B., Olin, J. S., Kuntzman, R. G., Shore, P. A. Possible interrelationship between release of brain norepinephrine and serotonin by reserpine. *Science*, 1957, 125: 1293-1294.
- , Pletscher, A., Shore, P. A. Evidence that serotonin has a role in brain function. *Science*, 1955, 122: 968.
- , —, —. Possible role of serotonin in brain function and reserpine action. [Abstract] *J. Pharm. Exp. Ther.*, 1956, 116: 9.
- , Shore, P. A., Silver, S. L. Potentiating action of chlorpromazine and reserpine. *Nature, Lond.*, 1955, 175: 1133-1134. Abstract: *Chem. Abstr.*, 1956, 50: 479g.
- , see Hess, S. M., Shore, P. A., Brodie, B. B.
- , see Pletscher, A., Shore, P. A., Brodie, B. B.
- , see Shore, P. A., Carlsson, A., Brodie, B. B.
- , see Shore, P. A., Silver, S. L., Brodie, B. B.
- Brody, N., see Niswander, G. D., Haslerud, G. M., Brody, N., Casey, T. M.
- Broggi, E. La Rauwolfia serpentina Benth nella cura di alcune psicopatie. [Rauwolfia serpentina Benth in the treatment of some mental diseases.] *Arch. psicol. neur., Milano*, 1956, 17: 399-401.
- , Risultati del convegno nazionale tenuto a Vercelli il 24-25 settembre su: ibernazione artificiale, sonno prolungato e neurolegici in neuropsichiatria. [Results of the national convention held at Vercelli on September 24-25 on artificial hibernation, prolonged sleep and neurolegic drugs in neuropsychiatry.] *Encéphale*, 1956, 45: 1035-1041.
- Broggi, M., Jörgensen, G., Voss, G. Über die neuro-ganglioplegische Behandlung innerer Krankheiten mit Phenothiazinderivaten unter besonderer Berücksichtigung des Asthma bronchiale. [Neuro-ganglioplegic therapy with phenothiazine derivatives in internal diseases, particularly bronchial asthma.] *Aerztl. Wschr.*, 1953, 8: 1148-1152.
- Bronner, A. Chlorpromazine (thorazine) in office practice. *Am. J. Psychother.*, 1956, 10: 460-466.
- Brooks, C. The clinical use of reserpine in mental cases. *J. Alabama M. Ass.*, 1956, 26: 9-11.
- Brooks, G. W. Experience with the use of chlorpromazine and reserpine in psychiatry, with special reference to the significance and management of extrapyramidal dysfunction. *N. England J. M.*, 1956, 254: 1119-1123. Abstract: *Year book of drug therapy*, 1956-1957, p. 343-344.
- Brooks, W., Deutsch, L., Dickes, R. The use of chlorpromazine hydrochloride in the treatment of barbiturate addiction with acute withdrawal syndrome. *Am. J. Psychiat.*, 1955, 111: 696-698. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 836.
- Bross, R. B. Near fatality with combined ECT and reserpine. *Am. J. Psychiat.*, 1957, 113: 933.
- Broussolle, P. Chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1955, 16: 113-119. Also: *Internat. Rec. M.*, 1955, 168: 327-332. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2234.
- , Dubor (Dubon [sic]) P. Premier bilan des effets cliniques d'un nouveau neuroleptique. [First results of a new neuroleptic's clinical effects] [Abstract] *Ann. méd. psychol., Par.*, 1956, 114(2): 512.
- , Hamoneau, G. Traitement prolongé à la chlorpromazine (45.60 R. P.); treize observations de psychoses graves. [Prolonged treatment with chlorpromazine; thirteen patients with severe psychoses.] *Lyon méd.*, 1953, 85(2): 389-401.
- , Scherr, A. Une amélioration spectaculaire par chlorpromazine intraveineuse après cure de Sakel. [Spectacular improvement with intravenous chlorpromazine after Sakel cure.] *Ann. méd. psychol., Par.*, 1954, 112(2): 748-751.
- , see Achaintre, A., Balvet, P., Beaujard, M., Broussolle, P., Perrin, J., Leveque, F., Requet, A.
- , see Revol, L., Achaintre, A., Balvet, P., Beaujard, M., Berthier, C., Broussolle, P., Lambert, P., Perrin, J., Requet, A.
- Brown, B. B. Lysergic acid diethylamide antagonism of certain drugs. *Ann. N. York Acad. Sc.*, 1957, 66: 677-685.
- , Braun, D. L., Feldman, R. G. The pharmacologic activity of alpha-(4-piperidyl)-benzhydrol hydrochloride (azacyclonol hydrochloride); an ataractic agent. *J. Pharm. Exp. Ther.*, 1956, 118: 153-161.
- , Feldman, R., Braun, D. L. Pharmacologic studies of an LSD antagonist 4-piperidyl diphenyl carbinol hydrochloride. [Abstract] *Fed. Proc., Balt.*, 1955, 14, 322.
- , Werner, H. W. Pharmacologic studies on a new central stimulant, alpha-(2-piperidyl) benzhydrol hydrochloride (MRD-108). *J. Pharm. Exp. Ther.*, 1954, 110: 180-187. Abstract: *Fed. Proc., Balt.*, 1953, 12: 304.
- Brown, E. C., see Kass, I., Brown, E. C.
- Brown, H., see Fuchs, M., Brown, H.
- Brown, W., see Cronheim, G., Brown, W., Cawthorne, J., Toekes, I. M., Ungari, J.
- , see Cronheim, G., Stipp, C., Brown, W.
- Brownfield, B., see Hollister, L. E., Jones, K. P., Brownfield, B., Johnson, F.
- Bruce, W. F., see Begany, A. J., Seifter, J., Pless, H. H., Huber, R. D., Bruce, W. F.
- Bruckman, N., Kitchener, M., Saunders, J. C. Kline, N. S. Mepazine (paccatal)—further report. *Am. J. Psychiat.*, 1957, 114: 262-263.
- Brunsting, L. A. Neurodermatitis. *Minnesota M.*, 1955, 38: 291-292.
- Brusa, A., see Sacchi, U., Brusa, A., Giannioti, G.
- Bryant, J. H., Bass, B. M., Hine, F. R. Drug therapy; a survey of the literature. *State of Louisiana, Department of Institutions, Division of Research, Baton Rouge*, 1956 (3): 1-24.
- Buchberg, A. S., see Bloch, R. G., Dooneief, A. S., Buchberg, A. S., Spellman, S.
- Bucknam, F. G., see Thimann, J., Bucknam, F. G., Gauthier, J. W., O'Connell, T. A.
- Budnick, I. S., Leikin, S., Hoeck, L. E. Effect in the newborn infant of reserpine administered ante partum. *A. M. A. J. Dis. Child.*, 1955, 90: 286-289.
- Buisson, J. E. Thérapeutiques de sommeil en psychiatrie et en médecine psychosomatique. [Sleep therapy in psychiatry and in psychosomatic medicine.] *Sem. hôp. Paris*, 1954, 30: 155-158.
- Bukowczyk, A. O zastosowaniu leczniczym reserpiny (serpasilu) w psychiatrii; streszczenie przeglądowe.

- [Therapeutic application of reserpine (serpasil) in psychiatry.] *Neur. dc. polska*, 1956, 6: 73-80.
- , Szkic potsepowania podczas leczenia largaktylem w klinice psychiatrycznej A. M. w Lodzi. [Procedure in largactil therapy at the psychiatric clinic of the Academy of Medicine of Łódź.] [Brief English summary] *Neur. dc. polska*, 1955, 5: 431-434.
- Burdine, W. E., Shipley, T. E., Papas, T. A. Studies on the use of promazine in acute and chronic nervous and mental disturbances. *J. M. Ass. Georgia*, 1957, 46: 171-173.
- Bures, I. de, see Henne, M., Durand, V. J., Bures, I. de.
- Burgemeister, B. B., see Zimmerman, F. T., Burgemeister, B. B.
- Burke, J. C., Hassert, G. L., High, J. P. The tranquilizing activity of 10-(3-dimethylaminopropyl)-2-(trifluoromethyl)-phenothiazine hydrochloride (MC 4703) and related phenothiazines in animals. [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 136.
- , see Piala, J. J., High, J. P., Greenspan, K., Burke, J. C.
- , see Rubin, B., Malone, M. H., Waugh, M. H., Burke, J. C.
- Burner, M., see Royer, P., Beis, M., Burner, M.
- Burrell, R. H. Depression associated with reserpine therapy. *N. Zealand M. J.*, 1956, 55: 228-231.
- , Reserpine depression treated with sodium succinate; a preliminary report. *N. Zealand M. J.*, 1955, 54: 565-567.
- Burton, R. M. The analeptic action of lysergic acid diethylamide on reserpine-sedated mice. *Ann. N. York Acad. Sc.*, 1957, 66: 695-697.
- Buscaino, G. A., Frongia, N. Modificazioni biochimiche, elettroencefalografiche, istochimiche ed istopatologiche, in cani, durante l'intossicazione sperimentale acuta e cronica da dietilamide dell'acido lisergico. [Biochemical, electroencephalographic, histochemical and histopathologic changes in dogs during experimental acute and chronic lysergic acid diethylamide intoxication.] [English summary] *Acta neur., Nap.*, 1953, 8: 641-695.
- Bustamante, M. Internación curativa en neurología y psiquiatría; resultados con el 4,560 (largactil). [Artificial hibernation in neurology and psychiatry; results with 4560 RP (largactil).] *Bol. cult. Cons. gen. col. méd. España*, 1954, 17 (81): 29-42.
- Butler, R. N., see Margolis, L. H., Fischer, A., Butler, R. N., Simon, A.
- Butler, W. M., Jr., see Moran, N. C., Butler, W. M., Jr.
- C
- Caccialanza, P. Osservazioni sull'azione antiprurigiosa di un alcaloide della Rauwolfia serpentina Benth. [Antipruriginous action of an alkaloid of Rauwolfia serpentina Benth.] [English summary] *Gior. ital. dem. sif.*, 1955, 96: 82-87.
- Cachin, M., Pergola, F., Potet, F., Debesse, B. Le traitement du delirium tremens par la réserpine. [Treatment of delirium tremens with reserpine.] *Bull. Soc. méd. hôp. Paris*, 1956, 72: 597-603. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1430.
- Cacoiola, R., see Salomone, F. P., Peria, G., Rodolico, G., Cacoiola, R.
- Cadilhac, J., see Passouant, P., Passouant-Fontaine, T., Cadilhac, J.
- Cadoret, M., see Deschamps, A., Cadoret, M.
- Cahn, C. H. Complication during reserpine therapy. *Am. J. Psychiat.*, 1955, 112: 64. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1729.
- , Lehmann, H. E. Perphenazine; observations on the clinical effects of a new tranquilizing agent in psychotic conditions. *Canad. Psychiat. Ass. J.*, 1957, 2: 104-112.
- , see Lindan, O., Cahn, C. H., Lehmann, H. E.
- Cahn, M. M. The use of tranquilizing drugs in dermatology; review and side reactions. *J. Albert Einstein M. Center*, 1956, 4: 161-165.
- Cain, J. C., see Loftus, L. R., Huizenga, K. A., Stauffer, M. H., Rome, H. P., Cain, J. C.
- Callaway, E., III. On the production of hallucinated and psychosis-like states. *Ann. Int. M.*, 1955, 42: 721-728.
- Callaway, J. L., Olansky, S. Trimeprazine: an adjuvant in the management of itching dermatoses. *North Carolina M. J.*, 1957, 18: 320-321.
- Callieri, B., Ravetta, M. Contributo allo studio psicopatologico degli effetti della monoetilamide dell'acido lisergico. [Contribution to the psychopathological study of the effects of lysergic acid monoethylamide.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 43-83.
- , Effetti della dietilamide dell'acido lisergico sulla sintomatologia psichica di schizofrenici; studio psicopatologico. [Effects of lysergic acid diethylamide on the psychic symptoms of schizophrenia; psychopathological study.] [Brief English and French summaries.] *Rass. stud. psychiat.*, 1955, 44: 39-88. Abstract *Excerpta med.*, Sect. 8, 1956, 9: No. 3091.
- Calloway, N. O. Tranquilization and sedation by the use of combination of small doses of reserpine and pentobarital sodium. *Illinois M. J.*, 1956, 110: 232-234.
- Calvy, G. L., see Monaco, R. N., Leeper, R. D., Robbins, J. J., Calvy, G. L.
- , see Borel, J., Lacombe, J., Camar, R.
- Camar, R., see Borel, J., Camar, R., Bailly, R.
- Cameron, A. In: Fabing, H. D. Designation of "tranquilizing agents" in neuropharmacology. *J. Am. M. Ass.*, 1955, 158: 1461. Also: *Am. J. Psychiat.*, 1955, 112: 392.
- Cameron, D. E. The recognition and treatment of anxiety states. *Postgrad. M.*, 1954, 15: 134-138.
- Campbell, G. L., see Berger, F. M., Campbell, G. L., Hendley, C. D., Ludwig, B. J., Lynes, T. E.
- Campbell, M., see Gordon, R. A., Campbell, M.
- Campden-Main, B. C., Wegielski, Z. The control of deviant behavior in chronically disturbed psychotic patients by the oral administration of reserpine. *Ann. N. York Acad. Sc.*, 1955, 61: 117-122.
- Canestrari, R. E., see Peak, E. C., Canestrari, R. E., Roebuck, B. E.
- Canis, J., see Kupperman, H. S., Blatt, M. H., Vosburgh, L. F., Canis, J., Wetchler, B.
- Cant, G. New medicines for the mind; their meaning and promise. 26 p. New York, *Public Affairs Committee*, 1955.
- Caprini, G., see Marini, M., Caprini, G., Benciolini, P.
- Cares, R. M., Asrican, E., Fenichel, M., Sack, P., Severing, J. Therapeutic and toxic effects of chlorpromazine among 3,014 hospitalized cases. *Am. J. Psychiat.*, 1957, 114: 318-327.
- Carey, B., Weber, M., Smith, J. A. Methyl-phenidylacetate hydrochloride (ritalin) in the treatment of chronic schizophrenic patients. *Am. J. Psychiat.*, 1956, 113: 546-547.
- Carey, E. F. A new approach to the emergency treatment of sickness caused by narcotic withdrawal. *Illinois M. J.*, 1957, 111: 1-7. Also: *Ann. N. York Acad. Sc.*, 1955, 61: 222-229.
- Carey, J. B., Magraw, R. M. Agranulocytosis with chlorpromazine. *Am. J. Psychiat.*, 1956, 112: 565.
- Cargnello, D. La terapia reserpinaica nelle schizofrenie croniche. [Reserpine therapy of chronic schizophrenia.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 359-375.
- , La thérapie par la réserpine dans les schizophrénies chroniques. [Reserpine therapy of chronic schizophrenia.] *Encéphale*, 1956, 45: 1056-1070.
- Carillo-Broatch, A. Le largactil dans le traitement de l'épilepsie essentielle rebelle; résumé d'une communication préliminaire. [Largactil therapy of severe idiopathic epilepsy; summary of a preliminary report.] *Encéphale*, 1956, 45: 1221-1223.
- , Largactil en el tratamiento de las psicosis traumáticas; resumen. [Largactil in the treatment of trau-

- matic psychoses; a summary.] *Encéphale*, 1956, 45: 1224-1225.
- . Tratamiento de la esquizofrenia crónica. [Treatment of chronic schizophrenia.] [English summary] *Rev. neur. psiquiat.*, Lima, 1955, 18: 441-445. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1981.
- Carl, A., see Turner, W. J., Merlis, S., Carl, A.
- Carlsson, A., see Shore, P. A., Carlsson, A., Brodie, B. B.
- Carlson, G. La reserpina e la clorpromazina nei malati mentali cronici. [Reserpine and chlorpromazine in chronic mental disease.] *Arch. psicol. neur.*, Milano, 1956, 17: 629-630.
- Carmel, W. J., Jr., Dannenberg, T. Nonthrombocytopenic purpura due to miltown (2-methyl-2-n-propyl-1,3 propanediol dicarbamate). *N. England J. M.*, 1956, 255: 770-771.
- Carmichael, D. M., see Kris, E. B., Carmichael, D. M.
- Carmichael, L. P. Serum sickness type of reaction to meprobamate. *J. Florida M. Ass.*, 1957, 43: 779.
- Carpitella, A., Cirincione, E. L'associazione ganglioplegici e barbiturici in psichiatria. [Association of ganglioplegics and barbiturates in psychiatry.] [English summary] *Rass. stud. psichiat.*, 1954, 43: 919-936.
- Carr, C. J., Kinnard, W. J., Jr. The phrenotropic agents. *Internat. Rec. M.*, 1957, 170: 493-504.
- , see Kinnard, W. J., Carr, C. J.
- Carreras, M., Angeleri, F. Basi sperimentali alle indicazioni della clorpromazina e della reserpina nella terapia neuropsichiatrica. [Experimental basis for chlorpromazine and for reserpine therapy in neuropsychiatry.] *Riv. neurobiol.*, 1955, 1: 473-525. [Not seen] Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4991.
- , —. The location of action of chlorpromazine in the central nervous system. *Internat. Rec. M.*, 1957, 170: 67-85.
- , —. Sull'azione centrale del potenzializzatore 4560 R. P. [Central effect of the potentiator 4560 R. P.] *Boll. Soc. ital. biol. sper.*, 1955, 31: 474-477.
- , see Angeleri, F., Carreras, M., Urbani, M.
- Carrié, J., see Gayral, L., Hervé, Y., Carrié, J., Fourny, L.
- , see Gayral, L., Hervé, Y., Fourny, L., Carrié, J.
- Carrier, J., Guyotat, J., Grandmottet, J. Electro-choc et largactil dans les accès maniaques. [Electric shock therapy and largactil in manic attacks.] *J. méd. Lyon*, 1954, 35: 950-951.
- Carter, C. H. The effects of reserpine and methylphenylacetate (ritalin) in mental defectives, spastics, and epileptics. *Psychiat. Res. Rep.*, Wash., 1956 (4): 44-48.
- , Maley, M. C. Chlorpromazine therapy in children at the Florida farm colony. *Am. J. M. Sc.*, 1957, 233: 131-136.
- Carter, J. T., see Kovitz, B., Carter, J. T., Addison, W. P.
- Carter, W. W., see Essig, C. F., Carter, W. W.
- Casadio, V., see Borroni, G., Casadio, V.
- Casey, T. M., see Niswander, G. D., Haslerud, G. M., Brody, N., Casey, T. M.
- Castells, C., see Gastaut, H., Ferrer, S., Castells, C., Lesevre, N., Luschnat, K.
- Castillo, C. R. Los fenómenos psíquicos y la terapéutica biológica. [Psychic phenomena and biological therapeutics.] *Prensa méd. argent.*, 1954, 3533-3538.
- Castro de la Mata, R., see Seguin, A., Castro de la Mata, R.
- Castrovilli, G., Ginoulhiac, R., Merli, G. M. Il meprobamato: alcune indicazioni del suo uso in medicina interna; studio clinico e sperimentale. [Meprobamate: some indications for its use in internal medicine; clinical and experimental study.] *Minerva med.*, Tor., 1956, 47: 1465-1474.
- Catalano-Nobili, C., Cerquetelli, G. Esperienza terapeutica con i meprobamati in psichiatria. [Clinical experience with meprobamate in psychiatry.] *Minerva med.*, Tor., 1956, 47: 2185-2191.
- Catapano, V. D., see Puca, A., Catapano, V. D.
- Cattaneo, A. D., see Ciocatto, E., Cattaneo, A. D., Solerio, L., Bianchetti, L.
- Cattell, J. P. The influence of mescaline on psychodynamic material. *J. Nerv. Ment. Dis.*, 1954, 119: 233-244.
- , see Hoch, P. H., Cattell, J. P., Pennes, H. H.
- , see Hoch, P. H., Pennes, H. H., Cattell, J. P.
- Cavalcanti, U., see Pires, N., Pinho, R. de, Fernando, L., Pint, M., Cavalcanti, U., Aguiar, H.
- Cavazzuti, G. B., see Lanzoni, E., Cavazzuti, G. B.
- Cawthorne, J., see Cronheim, G., Brown, W., Cawthorne, J., Toekes, I. M., Ungari, J.
- Cazzullo, C. L., Guareschi, A. Influenza di un derivato della fenotiazina, largactil, sull'attività elettrica dell'encefalo del cane. [Effect of a phenothiazine derivative largactil, on the electric activity of the brain, in dogs.] [English summary] *Riv. neur.*, Nap., 1954, 24: 602-632. Abstract: *Chem. Abstr.*, 1956, 50: 8068b. *Excerpta med.*, Sect. 8, 1955, 8: No. 3097.
- , see Guareschi, A., Cazzullo, C. L.
- Cecacchi, G., see Benassi, P., Cecacchi, G.
- Cerletti, A. Literature on LSD-25. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the second conference*, May 1955, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1956. Appendix p. 301-308.
- , Lysergic acid diethylamide (LSD) and related compounds. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the second conference*, May 1955, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1956. p. 9-84.
- , Rothlin, E. Role of 5-hydroxytryptamine in mental diseases and its antagonism to lysergic acid derivatives. *Nature, Lond.*, 1955, 176: 785-786. Abstract: *Chem. Abstr.*, 1956, 50: 4389fgh. *Excerpta med.*, Sect. 8, 1957, 10: No. 973.
- , see Rothlin, E., Cerletti, A.
- Cerquetelli, G., see Catalano-Nobili, C., Cerquetelli, G.
- Certhaux, A., see Lecomte, G., Certhaux, A., Garrabé, J.
- Cervós Navarro, J., Unterharnscheidt, F. Importancia de las fenotiacinas en psiquiatria. [Importance of phenothiazines in psychiatry.] *Res. españ. otoneuroft.*, 1956, 15: 75-92.
- Champy, M., see Heimendinger, E., Klotz, G., Champy, M.
- Chanoit, P., see Chatagnon, P., Chanoit, P.
- Charatan, F. B. An evaluation of chlorpromazine ("largactil") in psychiatry. *J. Ment. Sc.*, Lond., 1954, 100: 882-893. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3639.
- Charcowa, A. I., see Asung, C. L., Charcowa, A. I., Villa A. P.
- Charet, R., Brill, B., Elloso, C. Coma after miltown overdose. *Ann. Int. M.*, 1956, 45: 1211-1213.
- Chareton, J., see Laborit, H., Coirault, R., Damasio, R., Laborit, G., Charonnat, R., Lechat, P., Chareton, J.
- Charlin, A. Action respective de la chlorpromazine et de la reserpine; hypothèses pathogéniques. [The effect of chlorpromazine and of reserpine; pathogenic hypotheses.] *Encéphale*, 1956, 45: 1099-1105.
- Charonnat, R., see Laborit, H., Coirault, R., Damasio, R., Laborit, G., Charonnat, R., Lechat, P., Chareton, J.
- Chatagnon, P., Chanoit, P. Psychoplogie transitoire, résultat clinique observé dans des états d'excitation psychomotrice à la suite de l'action d'un dérivé de la phénothiazine. [Transient psychoplegia, a clinical result observed during the treatment of psychomotor excitation with a phenothiazine derivative.] *Ann. méd. psychol.*, Par., 1953, 111 (1): 361-364.
- Chateau, R., see Fau, R., Chateau, R.
- , see Fau, R., Chateau, R., Dusserre.
- Chatterjee, P. K., Datta, J. K. Mephesisin in morphine addiction. *J. Ind. M. Ass.*, 1956, 26: 23-24. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3522.
- Chauchard, P., Mazoué, H. Effets du carbamate de méthyl-3-pentyne-1 ol-3 (N-oblivon) sur les centres nerveux. [Effects of 3-methyl-1-pentyne-3-ol carbamate (N-ob-

- livo) on nerve centers.] *C. rend. Soc. biol.*, 1956, 150: 679-680.
- , —. Recherches sur le mode d'action centropilé-
gique de quelques substances psychotropes. [Research
on the mode of centripetal action of some psychotropic
substances.] *C. rend. Soc. biol.*, 1956, 150: 158-160.
- Chaupin, M., see Collob, H., Miletto, G., Chaupin, M.
- Cheifetz, I., Paulin, C., Tuatay, H., Rubin, E. H. Iproni-
azid in pulmonary tuberculosis. *Dis. Chest*, 1954, 25:
390-396.
- The chemical concept of psychoses. *What's new*, 1955
(189): 3-7.
- Chermak, M. W., see Tasher, D. C., Chermak, M. W.
- Chen, G., Ensor, C. R., Bohner, B. A facilitation action
of reserpine on the central nervous system. *Proc. Soc.
Exp. Biol., N. Y.*, 1954, 86: 507-510.
- Chertok, L. A propos de l'emploi de médicaments neuro-
leptiques dans le traitement des psychonévroses. [Neu-
roleptic drugs in the treatment of psychoneuroses.] *En-
céphale*, 1956, 45: 705-706.
- , see Montassut, M., Chertok, L., Béquart, P.
- , see Montassut, M., Chertok, L., Leroy, C.
- Chervin, M., see Steffen, C. G., Chervin, M., Van Vranken,
B.
- Chessin, M., Dubnick, B., Kramer, E. R., Scott, C. C. Modi-
fications of pharmacology of reserpine and serotonin by
iproniazid. [Abstract] *Fed. Proc., Balt.*, 1956, 15: 409.
- , see Reinhard, J. F., Chessin, M., Tornaben, J., Lewis,
M. N.
- Chevreau, J. P., see Heuyer, G., Lang, J. L., Chevreau,
J. P., Juredieu.
- Chin, L., see Swinyard, E. A., Chin, L., Fingl, E.
- Chinn, H. I., see Noell, W. K., Chinn, H. I., Haberer, C. E.
- Chlorpromazine. *Cancer Bull. Texas*, 1956, 8: 47.
- Chlorpromazine and mental health. 200 p. [Symposium
held under the auspices of Smith, Kline & French
Laboratories in Philadelphia, Pa., June 1955] Philadel-
phia, Lea & Febiger, 1955. [Articles within the scope of
this bibliography are listed individually.]
- Chofnas, I., see Jenkins, D. E., Chofnas, I., Boren, H.,
Guthrie, R.
- Cholden, L., ed. Lysergic acid diethylamide and mescal-
line in experimental psychiatry. 85 p. [Round table
at American Psychiatric Association annual meeting
held in Atlantic City, N. J., May 1955] New York,
Grune & Stratton, 1956. [Articles within the scope of
this bibliography are listed individually.]
- , Kurland, A., Savage, C. Clinical reactions and toler-
ance to LSD in chronic schizophrenia. *J. Nerv. Ment.
Dis.*, 1955, 122: 211-221. Abstract: *Excerpta med.*, Sect.
8, 1956, 9: No. 4015.
- , see Savage, C., Cholden, L.
- Choppy, M., Le Beau, J., Petrie, A. Modifications de la
personnalité après les opérations frontales sélectives y
compris la cingulectomie et après traitement par la
chlorpromazine. [Personality changes after selective
frontal operations, including cingulectomy, and after
chlorpromazine therapy.] *Rev. neur., Par.*, 1955, 93:
843-849.
- Christe, R. Action thérapeutique comparée de deux as-
sociations de serpasil et de ritaline. [Comparative
therapeutic effect of two serpasil-ritalin combinations.]
Schweiz. med. Wschr., 1956, 86: 1318-1321.
- Chusid, J. G., Kopeloff, L. M., Kopeloff, N. Reserpine
(serpasil) effects on epileptic monkeys. *Proc. Soc. Exp.
Biol., N. Y.*, 1955, 88: 276-277.
- , see Kopeloff, L. M., Chusid, J. G., Kopeloff, N.
- Ciba Pharmaceutical Products, inc. The Rauwolfia story,
from primitive medicine to alkaloidal therapy. 63 p.
Summit, N. J., 1954.
- , The story of serpasil. 55 p. Summit, N. J., 1955.
- Cicala, P. Osservazioni sull'impiego del meprobamato, con
particolare riguardo agli stati ansiosi di soggetti en-
teropatici. [Use of meprobamate, especially in states of
anxiety in cases of intestinal diseases.] *Minerva med.,
Tor.*, 1956, 47: 1463-1464.
- Ciocatto, E., Cattaneo, A. D., Solerio, L., Bianchetti, L.
Studio farmacologico del largactil o potenzializzatore
RP 4560; studio sperimentale sull'uomo. [Pharma-
cological study of largactil or RP 4560 potentializer;
experimental study on humans.] *Gazz. med. ital.*, 1953,
112: 125-135.
- Cirincione, E., see Carpitella, A., Cirincione, E.
- Clark, L. D. Evaluation of the therapeutic effects of drugs
in psychiatric patients. *Dis. Nerv. Syst.*, 1956, 17:
282-286.
- , Further studies of the psychological effects of fren-
quel and a critical review of previous reports. *J. Nerv.
Ment. Dis.*, 1956, 123: 557-560.
- , Bliss, E. L. Psychopharmacological studies of ly-
sergic acid diethylamide (LSD-25) intoxication. Ef-
fects of premedication with BOL-148 (2-bromo-d-
lysergic acid diethylamide), mescaline, atropine, amo-
barbital, and chlorpromazine. *A. M. A. Arch. Neur.
Psychiat.*, 1957, 78: 653-655.
- , Clark, L. S. The effects of cortisone on LSD-25
intoxication in schizophrenic patients. *J. Nerv. Ment.
Dis.*, 1956, 123: 561-562.
- , Ellsworth, R. B., Barrett, W. W., Thurman, A. C.,
Holland, W. Studies of the behavioral effects of rita-
lin. *Dis. Nerv. Syst.*, 1956, 17: 317-321.
- , see Ellsworth, R. B., Clark, L. D.
- Clark, L. S., see Clark, L. D., Clark, L. S.
- Clark, M. C., see Harned, B. K., Cunningham, R. W., Clark,
M. C., Hine, C. H., Kane, M. M., Smith, F. H., Jr., Ves-
sey, R. E., Yuda, N. N., Zabransky, F. W.
- Clarke, L. D., see Lindemann, E., Clarke, L. D.
- Clausen, J., see Landis, C., Clausen, J.
- Clausse, S., see Riser, M., Géraud, J., Laboucarié, J.,
Rascol, A., Clausse, S., Garrigues, M. P.
- Cleghorn, R. A., see Azima, H., Kent, I., Cleghorn, R. A.
- Cline, H. S., Freeman, H. Resistance to lysergic acid in
schizophrenic patients. *Psychiat. Q.*, 1956, 30: 676-683.
- , see Freeman, H., Arnold, A. L., Cline, H. S.
- , see Freeman, H., Cline, H. S.
- Clough, P. W. Reserpine in the treatment of neuro-
psychiatric disorders. *Ann. Int. M.*, 1955, 43: 632-637.
- Cloutier, F. La cure de sommeil en thérapeutique psychi-
atrique. [Sleep therapy in psychiatry.] *Laval méd.*,
1953, 18: 332-342.
- Coady, A., Jewesbury, E. C. A clinical trial of benacty-
zine hydrochloride (suavitil) as a physical relaxant.
Brit. M. J., 1956, 485-487. Abstract: *Excerpta med.*,
Sect. 8, 1956, 9: No. 3890.
- Coats, E. A., Gray, R. W. Frenquel: clinical impressions
of the use of a new drug in the treatment of mental
illness. *Nebraska M. J.*, 1956, 41: 460-461.
- , —. Quiactin in treatment of emotional and
mental disorders. *Dis. Nerv. Syst.*, 1957, 18: 191-193.
- Cobb, S. Peace of mind. *Am. J. Psychiat.*, 1957, 113:
663-664.
- Cochemé, R. Le delirium tremens mortel; statistiques;
recherche des causes de l'inefficacité des traitements.
[Fatal delirium tremens; statistics; research on the
causes for the ineffectiveness of the treatment.] *Rev.
neur., Par.*, 1956, 94: 657-660.
- Cohen, D., see Bennett, I. F., Cohen, D., Starer, E.
- Cohen, I. M. Complications of chlorpromazine therapy.
Am. J. Psychiat., 1956, 113: 115-121.
- , Drugs recently introduced in the treatment of
psychiatric disorders. *Texas J. M.*, 1956, 52: 683-687.
- , Effects of chlorpromazine in psychiatric disorders;
report of clinical observations and impressions in 1000
cases. *Am. J. M. Sc.*, 1955, 229: 355-362. Abstract:
Excerpta med., Sect. 8, 1956, 9: No. 4990.
- , Undesirable effects and clinical toxicity of chlor-
promazine. *J. Clin. Exp. Psychopath.*, 1956, 17: 153-
163.

- Cohen, L., see Blumberg, A. G., Cohen, L., Miller, J. S. A. Cohen, S. Clinical experiences with pipradrol and a pipradrol-reserpine combination. *Internat. Rec. M.*, 1956, 169: 751-756.
- , Parlour, R. R. Preliminary observations on use of frenquel in hospital psychiatry. *J. Am. M. Ass.*, 1956, 162: 948-950.
- Coirault, R., Girard, V., Benoit, P. Utilisation du serpasil en neuro-psychiatrie. [Use of serpasil in neuropsychiatry.] *Bull. Soc. méd. mil. fr.*, 1955, 49: 249-250. Abstract: *Presse méd.*, 1956, 64: 315.
- , Escafit, H., Benoit, P. Utilisation du 1522 CB en neuro-psychiatrie. [Use of 1522 CB in neuropsychiatry.] *Bull. Soc. méd. mil. fr.*, 1955, 49: 247-249. Abstract: *Presse méd.*, 1956, 64: 315.
- , Laborit, H., Missenard, R., Jolivet, B., Hainaut, J., Weber, B. Le delirium tremens. [Delirium tremens.] *Encéphale*, 1956, 45: 762-770.
- , see Laborit, H., Coirault, R., Damasio, R., Gaujard, R., Laborit, G., Charonnat, R., Lechat, P., Chareton, J.
- , see Laborit, H., Coirault, R., Hainaut, J., Weber, B.
- Cole, J., Glees, P. Ritalin as an antagonist to reserpine in monkeys. *Lancet, Lond.*, 1956, 1: 338.
- , —. Some effects of methyl-phenidate (ritalin) and amphetamine on normal and leucotomized monkeys. *J. Ment. Sc., Lond.*, 1957, 103: 406-417.
- Cole, J. O., Ross, S., Bouthilet, L. Recommendations for reporting studies of psychiatric drugs. [Conference held in Washington, D. C., January 1957] *Pub. Health Rep.*, 1957, 72: 638-645.
- Collins, J. D., see Lasater, J. H., Collins, J. D.
- Collins-Dineen, M. Meprobamate toxicity; report of a case. *Ohio M. J.*, 1956, 52: 1304-1305.
- Collomb, H., Miletto, G., Chaupin, M. Le méprobamate dans le traitement des psychoses et des névroses. [Meprobamate in the treatment of psychoses and neuroses.] *Rev. prat., Par.*, 1956, 6: 1200-1204.
- , Robert, H. Le frenquel en thérapeutique psychiatrique. [Frenquel in psychiatric therapy.] *Presse méd.*, 1956, 64: 1602-1604.
- Le colloque international de Paris sur la chlorpromazine et les médicaments neuroleptiques en thérapeutique psychiatrique. [International colloquium in Paris (October 1955) on chlorpromazine and neuroleptic drugs in psychiatric therapy.] *J. méd. Lyon*, 1956, 37: 103-105.
- Colloque international sur la chlorpromazine et les médicaments neuroleptiques en thérapeutique psychiatrique. [International colloquium on chlorpromazine and neuroleptic drugs in psychiatric therapy.] [Paris, October 1955.] *Encéphale*, 1956, 45: 301-1266. [Articles within the scope of this bibliography are listed individually.]
- Colombati, S. L'azione tranquillante di un nuovo farmaco neurolettico. [Tranquilizing action of a new neuroleptic drug.] *Minerva med., Tor.*, 1956, 47: 2175-2178.
- , Modificazioni del tracciato E. E. G. da reserpina. [Modifications of electroencephalographic tracings during reserpine therapy.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 569-580.
- , Benassi, P. Impiego di un alcaloide della Rauwolfia in neuropsichiatria. [Use of a Rauwolfia alkaloid in neuropsychiatry.] *Gazz. med. ital.*, 1954, 113: 301-303.
- , —. Osservazioni elettroencefalografiche su un alcaloide della Rauwolfia (serpasil). [Electroencephalographic observations with an alkaloid of Rauwolfia (serpasil).] *Gazz. med. ital.*, 1955, 114: 69-72.
- Coltrera, J., see Dickes, R., Flamm, G. H., Coltrera, J., Tobin, M.
- Combes, P., see Laboucarie, J., Combes, P.
- Comelade, P., see Lafon, R., Duc, N., Abric, J., Pouget, R., Comelade, P.
- Conigliaro, V., see Pelzman, O., Conigliaro, V.
- Conn, H. F., ed. Symposium on the efficacy of new drugs. *Med. Clin. N. America*, 1957, 41: 295-615. [Articles within the scope of this bibliography are listed individually.]
- Conrad, K., Domanowsky, K., Wieser, S. Über extrapyramidale Anfallszustände bei Behandlung mit Phenothiazinen. [Extrapyramidal symptoms during treatment with phenothiazines.] *Fortsch. Neur. Psychiat.*, 1956, 24: 505-512.
- Contini, M. L'uso di ganglioplegico 4560 R. P. in psichiatria. [Use of the ganglioplegic 4560 RP in psychiatry.] *Rass. stud. psichiat.*, 1954, 43: 1133-1138.
- Cook, L., Weidley, E. Behavioral effects of some psychopharmacological agents. *Ann. N. York Acad. Sc.*, 1957, 66: 740-752.
- , Morris, R. W., Mattis, P. A. Neuropharmacological and behavioral effects of chlorpromazine (thorazine hydrochloride). [Abstract] *J. Pharm. Exp. Ther.*, 1955, 113: 11-12.
- , see Altschule, M. D., Bower, W., Cook, L.
- , see Bower, W. H., Altschule, M. D., Cook, L.
- Cook, L. C., see Vaughan, G. F., Leiberman, D. M., Cook, L. C.
- Cooper, H. A. Hallucinogenic drugs. *Lancet, Lond.*, 1955, 1: 1078-1079.
- Cooper, W., see Heberden, P., Cooper, W.
- Corni, L. Esperienze cliniche con un nuovo farmaco ad azione sul S. N. C., la beatilina in soggetti affetti da psicosi e psiconevrosi. [Clinical experiences with a new drug, beatiline, acting on the central nervous system in patients with psychoses and psychoneuroses.] *Gazz. med. ital.*, 1956, 115: 328-331.
- Cornman, H. D., III. Epilogue. *Internat. Rec. M.*, 1955, 168: 358.
- Corre, see Le Guillant, L., Roelens, Corre, Kestenbergh, Plichet, Béquart, Bailly-Salin.
- Corriol, J., Mercier, J. Etude électroencéphalographique de l'harmine. [Electroencephalographic study of harmine.] *C. rend. Soc. biol.*, 1952, 146: 1356-1359. Abstract: *Chem. Abstr.*, 1953, 47: 7095h.
- Cossa, P., Bougeant, H., Lombard, A. L'emploi des neuroplégiques en psychiatrie. [The use of neuroplegic drugs in psychiatry.] *Ann. méd. psychol., Par.*, 1953, 111 (2): 628-633. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 746.
- , —, Postel, J. De quelques indications et de quelques incidents d'utilisation de la chlorpromazine. [Some indications of and incidents with chlorpromazine therapy.] *Encéphale*, 1956, 45: 779-783.
- , see Postel, J., Cossa, P.
- Cossio, M. Rapporti tra reserpina (serpasil) e 5-idrositriptamina; nota preventiva. [Relation between reserpine (serpasil) and 5-hydroxytryptamine; preliminary note.] *Riv. sper. freniat.*, 1955, 79: 865-867.
- Coulter, E. B. Nursing care problems associated with the use of ataraxic drugs. *Hawaii M. J.*, 1957, 16: 303-304.
- Courvoisier, S. Pharmacodynamic basis for the use of chlorpromazine in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 25-37.
- , Sur les propriétés pharmacodynamiques de la chlorpromazine en rapport avec son emploi en psychiatrie. [Pharmacodynamic basis for the use of chlorpromazine in psychiatry.] *Encéphale*, 1956, 45: 1248-1257.
- , Fournel, J., Ducrot, R., Kolsky, M., Koetschet, P. Propriétés pharmacodynamiques du chlorhydrate de chloro-3-(diméthylamino-3'-propyl)-10 phenothiazine (4560 R. P.). [Pharmacodynamic properties of chloro-3-(diméthylamino-3'-propyl)-10 phenothiazine (R. P. 4560).] *Arch. internat. pharm. dyn., Gand*, 1953, 92: 305-361.
- Cowden, R. C., Zax, M., Finney, R. C. A preliminary note on the use of chlorpromazine with neuropsychiatric disorders. *A. M. A. Arch. Neur. Psychiat.*, 1955, 73: 700-701.
- , —, Hague, J. R., Finney, R. C. Chlorpromazine: alone and as an adjunct to group psychotherapy in the

- treatment of psychiatric patients. *Am. J. Psychiat.*, 1956, 112: 898-902. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4559.
- , —, Sproles, J. A. Group psychotherapy in conjunction with a physical treatment. *J. Clin. Psychol.*, 1956, 12: 53-54.
- , —, Reserpine alone and as an adjunct to psychotherapy in the treatment of schizophrenia. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 518-522.
- Craddock, W. L. Toxic effects of chlorpromazine; hepatitis and agranulocytosis. *U. S. Armed Forces M. J.*, 1956, 7: 1726-1740.
- Cramer-Azima, F. J., see Azima, H., Cramer-Azima, F. J., De Verteuil, R.
- Crandell, A., see Ma, J., Crandell, A.
- Crane, G. E. The psychiatric side-effects of iproniazid. *Am. J. Psychiat.*, 1956, 112: 494-501.
- , Further studies on iproniazid phosphate; isonicotinic-isopropylhydrazine phosphate, marsilid. *J. Nerv. Ment. Dis.*, 1956, 124: 322-331.
- Crémieux, A. Traitement de l'anxiété. [Treatment of anxiety.] *Marseille méd.*, 1956, 93: 327-331.
- , Alliez, J., Soulayrol, R. Action de la chlorpromazine sur les états hallucinatoires durables. [Effect of chlorpromazine on chronic hallucinations.] *Encéphale*, 1956, 45: 643-646.
- Cronheim, G., Brown, W., Cawthorne, J., Toekes, I. M., Ungari, J. Pharmacological studies with rescinnamine, a new alkaloid isolated from *Rauwolfia serpentina*. *Proc. Soc. Exp. Biol.*, N. Y., 1954, 86: 120-124.
- , Orcutt, J. A., Toekes, I. M. Pharmacological properties of canescine (recanescine), a new alkaloid isolated from *Rauwolfia canescens* Linn. *Proc. Soc. Exp. Biol.*, N. Y., 1955, 89: 21-23.
- , Stipp, C., Brown, W. Hypotensive agents from *Rauwolfia serpentina*: reserpine and other alkaloids. [Abstract] *J. Pharm. Exp. Ther.*, 1954, 110: 13.
- , Toekes, I. M. Comparison of "sedative" properties of single alkaloids of *Rauwolfia* and their mixtures. *J. Pharm. Exp. Ther.*, 1957, 119: 357-360.
- , —, Comparison of some pharmacological properties of rescinnamine and reserpine, two alkaloids isolated from *Rauwolfia serpentina*. *J. Pharm. Exp. Ther.*, 1955, 113: 13.
- , —, Sedative effect of *Rauwolfia serpentina*. [Abstract] *Fed. Proc.*, Balt., 1954, 13: 345.
- , see Orcutt, J. A., Cronheim, G. E.
- Cronqvist, S., Rayner, S., Wretmark, G. Chlorpromazine-behandling vid neuroser. [Chlorpromazine therapy of neuroses.] [English summary] *Nord. med.*, 1955, 53: 730-734.
- Cross, T. N., see Reinhart, M. J., Silverstein, B. S., Cross, T. N.
- Crouse, H. S., see Hurst, L. A., Reuning, H., Wyk, A. J. van, Crouse, H. S., Booyesen, P. J., Nelson, G.
- Csank, J., see Lehmann, H. E., Csank, J.
- Cullen, C. F., see Zeller, W. W., Graffagnino, P. N., Cullen, C. F., Reitman, H. J.
- Cummins, J. F., Friend, D. G. Use of chlorpromazine in chronic alcoholics. *Am. J. M. Sc.*, 1954, 227: 561-564. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3552.
- , see Friend, D. G., Cummins, J. F.
- Cunningham, R. W., see Harned, B. K., Cunningham, R. W., Clark, M. C., Hine, C. H., Kane, M. M., Smith, F. H., Jr., Vessey, R. E., Yuda, N. N., Zabransky, F. W.
- Curtis, T. E., see Abse, D. W., Curtis, T. E., Dahlstrom, W. G., Hawkins, D. R., Toops, T. C.
- Cutler, R. P., Monroe, J. J., Anderson, T. E. Effects of "tranquilizers" upon pathological activity in psychotic patients. I. Chlorpromazine. II. Reserpine. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 616-622; 1957, 78: 61-68.
- Dabbah, M., see Borenstein, P., Dabbah, M., Bare, D.
- Dahlstrom, W. G., see Abse, D. W., Curtis, T. E., Dahlstrom, W. G., Hawkins, D. R., Toops, T. C.
- Dale, P. W. The actions of reserpine. *Connecticut M. J.*, 1955, 19: 652-655. Abstract: *Chem. Abstr.*, 1956, 50: 4380h.
- Daly, D. D., Yoss, R. E. The treatment of narcolepsy with methyl phenylpiperidylacetate: a preliminary report. *Proc. Mayo Clin.*, 1956, 31: 620-625.
- Damasio, R., see Laborit, H., Coirault, R., Damasio, R., Gaujard, R., Laborit, G., Charonnat, R., Lechat, P., Chareton, J.
- Dancey, T. E., see Sarwer-Foner, G. J., Koranyi, E. K., Dancey, T. E.
- Dannenberg, T., see Carmel, W. J., Jr., Dannenberg, T.
- Dariotis, see Fouks, L., Laine, Grimaud, Dariotis.
- Dart, D., see Sibillo, J. P., Andrew, G., Dart, D., Moore, K. B., Stehman, V. A.
- Das, N. N., Dasgupta, S. R., Werner, G. Changes of behaviour and electroencephalogram in rhesus monkeys caused by chlorpromazine. *Arch. internat. pharm. dyn.*, Gand, 1954, 99: 451-457. Condensed: *Bull. Calcutta School Trop. Med.*, 1954, 1 (4): 5-6. Abstract: *Chem. Abstr.*, 1955, 49: 6455e.
- , —, —, The effect of chlorpromazine on the electrical activity of the cerveau isole. *Arch. exp. Path.*, Berl., 1955, 224: 248-252.
- Dasgupta, S. R., Mukherjee, K. L., Werner, G. The activity of some central depressant drugs in acute decorticate and diencephalic preparations. *Arch. internat. pharm. dyn.*, Gand, 1954, 97: 149-156. Abstract: *Chem. Abstr.*, 1954, 48: 11636g.
- , see Das, N. N., Dasgupta, S. R., Werner, G.
- , see Guha, G., Dasgupta, S. R., Werner, G.
- Datta, J. K., see Chatterjee, P. K., Datta, J. K.
- David, M., Benda, P., Klein, F. Traitement de l'état de mal épileptique par la chlorpromazine. [Treatment of epilepsy with chlorpromazine.] *Bull. Soc. méd. hôp. Paris*, 1953, 69: 691-697.
- Davidoff, E., Best, J. L., McPheeters, H. L. The effect of ritalin (methyl-phenidylacetate hydrochloride) on mildly depressed ambulatory patients. *N. York State J. M.*, 1957, 57: 1753-1757.
- Davies, D. L. Clinical trials with especial reference to reserpine. *Encéphale*, 1956, 45: 1031-1034.
- , Shepherd, M. Reserpine in the treatment of anxious and depressed patients. *Lancet, Lond.*, 1955, 2: 117-120. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1224.
- Davies, E. B. A new drug to relieve anxiety. *Brit. M. J.*, 1956, 1: 480-484.
- Davies, T. S. Chlorpromazine in mental deficiency. *Lancet, Lond.*, 1954, 2: 819.
- , Chlorpromazine in mental deficiency. *Encéphale*, 1956, 45: 830.
- Davignon, A., see Lemieux, G., Davignon, A., Genest, J.
- Davis, G. D. Effects of central excitant and depressant drugs on locomotor activity in the monkey. *Am. J. Physiol.*, 1957, 188: 619-623.
- Davis, W. A., Severinghaus, E. L. Drug therapy in psychiatry and neurology; medical and pharmacological aspects. *J. M. Soc. N. Jersey*, 1956, 53: 13-22.
- Day, J. The role and reaction of the psychiatrist in LSD therapy. *J. Nerv. Ment. Dis.*, 1957, 125: 437-438.
- Dazzi, P., see Rossini, R., Dazzi, P.
- De, N. N., see Kohli, J. D., De, N. N.
- Dean, E. F., see Spratt, R. J., Dean, E. F.
- Dean, S. R. Ataractics. *Am. J. Psychiat.*, 1956, 112: 850.
- De Beer, E. J., see Norton, S., De Beer, E. J.
- Debesse, B., see Cachin, M., Pergola, F., Potet, F., Debesse, B.
- De Busscher, J. Impressions personnelles sur les effets de l'atarax, de la chlorpromazine, de la réserpine et du AY 5406-1 (parasan) en thérapeutique psychiatrique.

- [Personal impressions of atarax, chlorpromazine, reserpine and AY 5406-1 (parasan) in psychiatric therapy.] *Encéphale*, 1956, 45 : 1007-1023.
- De Caro, D.** Manifestazioni extrapiramidali e convulsive osservate durante la terapia con la reserpina; contributo clinico ed E. E. grafico. [Extrapyrarnidal symptoms and convulsions during reserpine therapy; clinical and electroencephalographic tracings.] *Acta neur., Nap.*, 1956, 11 : 426-453. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1538.
- , —, Modificazioni E. E. G. provocate dalla reserpina nell'uomo. [Electroencephalographic changes in man induced by reserpine.] *Arch. psicol. neur., Milano*, 1956, 17 : 581-591.
- , Mulas, L. L'impiego della terapia ganglioplegica mediante il "4560 R. P." nelle malattie mentali. Esperienze e risultati su 52 casi trattati. [Ganglioplectic therapy of mental disease with "4560 RP". Experiences and results in 52 treated cases.] *Acta neur., Nap.*, 1954, 9 : 611-627.
- Decherney, G., Beaudry, A.** Thorazine therapy; difficulty in predicting the outcome. *Delaware M. J.*, 1955, 27 : 186-187. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 1216.
- Decourt, P.** Mécanisme d'action de la thérapeutique narcobiotique en général, et de la chlorpromazine en particulier, en psychiatrie. [Mechanism of action of narcobiotic psychiatric therapy in general, and of chlorpromazine in particular.] *Encéphale*, 1956, 45 : 932-944.
- , see Belot, P., Decourt, P.
- De Falco, A., Grassi, B.** La reserpina nel trattamento delle malattie mentali. [Reserpine in the treatment of mental diseases.] *Arch. psicol. neur., Milano*, 1956, 17 : 432-438.
- Deisher, J. B.** Ingestion of 12 grams of meprobamate with recovery. *Northwest M.*, 1956, 55 : 1083-1085.
- Delay, J.** Allocation finale. [Final address.] [International colloquium on chlorpromazine and neuroleptic drugs. Paris, October 1955] *Encéphale*, 1956, 45 : 1181-1184.
- , Introduction au colloque international. [Introduction to the international colloquium.] [On chlorpromazine and neuroleptic drugs, Paris, October 1955] *Encéphale*, 1956, 45 : 303-306.
- , Denber, Deniker, P., Raclot, M., Ropert, M. Deux auto-observations d'intoxication mescalinique expérimentale. [Mescaline intoxication; two auto-experiments.] *Ann. méd. psychol., Par.*, 1956, 114 (2) : 306-309. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1963.
- , Deniker, P. L'action neuroleptique de la chlorpromazine en thérapeutique psychiatrique. [The neuroleptic action of chlorpromazine in psychiatric therapy.] *Sud méd. chir.*, 1954, 87 : 3289-3296. Abstract: *Excerpta med.*, Sect. 8, 1955, 8 : No. 754.
- , —, Chlorpromazine and neuroleptic treatments in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17 : 19-24.
- , —, La cure neurolégitime. [Neuroplegic therapy.] *Acquis. méd. réc., Par.*, 1954 : 105-115.
- , —, Neuroleptic effects of chlorpromazine in therapeutics of neuropsychiatry. *J. Clin. Exp. Psychopath.*, 1955, 16 : 104-112. Also: *Internat. Rec. M.*, 1955, 168 : 318-326. Abstract: *Excerpta med.*, Sect. 8, 1956, 9 : No. 4992.
- , —, Les neuroplégiques en thérapeutique psychiatrique. [Neuroplegic drugs in psychiatric therapy.] *Thérapie, Par.*, 1953, 8 : 347-364.
- , —, Peut-on comparer la reserpine à la chlorpromazine? [Can one compare reserpine with chlorpromazine?] *Arch. psicol. neur., Milano*, 1956, 17 : 631-633.
- , —, 38 cas de psychoses traitées par la cure prolongée et continue de 4560 R. P. [Thirty-eight psychotics treated by prolonged and continuous administration of 4560 RP.] *C. rend. Congr. alién. neur. France*, 1952,
- 530-531. Abstract: *Ann. méd. psychol., Par.*, 1952, 110 (2) : 564.
- , —, Le traitement des psychoses par une méthode neurolytique dérivée d'hibernothérapie; le 4560 R. P. utilisée seul en cure prolongée et continue. [Treatment of psychoses by a neurolytic method derived from hibernotherapy; prolonged continuous therapy with 4560 RP alone.] *C. rend. Congr. alién. neur. France*, 1952, 50 : 497-502. Abstract: *Ann. méd. psychol., Par.*, 1952, 110 (2) : 564.
- , Bourguignon, A., Lempérière, T. Complications d'allure extrapyramidale au cours des traitements par la chlorpromazine et la résérpine; étude clinique et électromyographique. [Extrapyrarnidal movement disorders during chlorpromazine and reserpine therapy; clinical and electromyographic studies.] *Encéphale*, 1956, 45 : 1093-1098.
- , Harl, J. M. Traitement des états d'excitation et d'agitation par une méthode médicamenteuse dérivée de l'hibernothérapie. [Therapeutic method derived from hiberno-therapy in excitation and agitation states.] *Ann. méd. psychol., Par.*, 1952, 110 (2) : 267-273.
- , —, Utilisation en thérapeutique psychiatrique d'une phénothiazine d'action centrale élektive (4560 RP). [Use of a phenothiazine with elective central effect in psychiatric therapy.] *Ann. méd. psychol., Par.*, 1952, 110 (2) : 112-117.
- , Grasset, A. Traitements d'états confusionnels par le chlorhydrate de diméthylaminopropyl-N-chlorophénothiazine (4560 RP). [Dimethylamino-propylchlorphenothiazine (4560 RP) therapy of confusional states.] *Ann. méd. psychol., Par.*, 1952, 110 (2) : 398-403. Abstract: *Excerpta med.*, Sect. 8, 1954, 7 : No. 1603.
- , Pauwels, R. Cures de sommeil et cures neuroleptiques en psychiatrie. [Sleep therapies and neuroleptic therapies in psychiatry.] *Encéphale*, 1956, 45 : 436-439.
- , Raclot, M., Ropert, M. La mescaline chez les malades mentaux; (constatations cliniques). [The effect of mescaline on mental patients; (clinical observations).] *Ann. méd. psychol., Par.*, 1956, 114 (2) : 300-305. Abstract: *Excerpta med.*, Sect. 8, 1957, 10 : No. 1962.
- , Ropert, R. Etude de 300 dossiers de malades psychotiques traités par la chlorpromazine en service fermé depuis 1952. [Hospitalized psychotic patients treated with chlorpromazine since 1952; analysis of 300 case histories.] *Encéphale*, 1956, 45 : 528-535.
- , —, Quatre années d'expérience de la chlorpromazine dans le traitement des psychoses. [Four years of experience with chlorpromazine in therapy of psychoses.] *Presse méd.*, 1956, 64 : 493-496.
- , Wiart, C. Les indications des cures neuroleptiques prolongées dans le traitement des psychoses chroniques. [Indications for the prolonged neuroleptic therapy in the treatment of chronic psychoses.] *Arch. psicol. neur., Milano*, 1956, 17 : 401-407.
- , Tardieu, Y. Hibernothérapie et cure de sommeil en thérapie psychiatrique et psychosomatique. [Hibernotherapy and sleep therapy in psychiatry and psychosomatic medicine.] *Presse méd.*, 1953, 61 : 1165-1166.
- , —, Résultats de l'hibernothérapie dans trois affections psychosomatiques. [Results of hibernotherapy in three psychosomatic diseases.] *Ann. méd. psychol., Par.*, 1953, 111 (2) : 224-227.
- , —, Lempérière, T. Médicaments et cures neuroleptiques en thérapie psychiatrique : premiers essais de la résérpine; comparaison avec les effets de la chlorpromazine. [Drugs and neuroleptic therapies in the treatment of psychiatric diseases; first trials with reserpine; comparison with the effects of chlorpromazine.] *Presse méd.*, 1955, 63 : 663-665.

- 201

- , see Delay, J., Deniker, P., Pauwels, R.
 —, see Delay, J., Deniker, P., Raclot, M., Ropert, M.
 —, see Delay, J., Deniker, P., Ropert, R.
 —, see Delay, J., Deniker, P., Ropert, R., Wiart, C.
 —, see Delay, J., Deniker, P., Tardieu, Y.
 —, see Delay, J., Deniker, P., Tardieu, Y., Lempérière, T.
 —, see Delay, J., Deniker, P., Wiart, C.
 —, see Piédelièvre, Deniker, Marmier.
Dennemark, H. G. Sympathicolytica (insbes. Yohimbin) und ihre pharmakologische Wirkung. II. [The pharmacological effect of sympatholytics with special reference to yohimbine. II.] *Ther. Gegenwart*, 1953, 92: 262-265.
Dennison, A. D., Jr., White, P. T., Moore, R. B., Pierce, W. J. Effect of reserpine upon the human electroencephalogram. *Neurology*, 1955, 5: 56-58. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 2712.
 —, see Moore, R. B., Pierce, W. J., Dennison, A. D., Jr.
Depression induced by Rauwolfia compounds. *Am. J. Psychiat.*, 1957, 113: 950.
De Risio, C., Manghi, E. Premesse sperimentali e risultati clinici riguardanti l'impiego della clorpromazina (largactil) in malattie neuropsichiatriche. [The use of chlorpromazine (largactil) in neuropsychiatric diseases; experimental premises and clinical results.] [English summary] *Riv. sper. freniat.*, 1956, 80: 345-354. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1556.
Dérobot, L., see Piédelièvre, R., Dérobot, L.
Deschamps, A. Hibernation artificielle en psychiatrie. [Artificial hibernation in psychiatry.] *Presse méd.*, 1952, 60: 944-946.
 —, Quelques résultats des cures de sommeil en hôpital psychiatrique (à base de chlorpromazine associée à d'autres drogues). [Some results of sleep therapy in a psychiatric hospital (based on chlorpromazine associated with other drugs).] *Encéphale*, 1956, 45: 412-415.
 —, Cadoret, M. Cures de sommeil prolongé en pratique médico-psychiatrique par la méthode dite d'hibernation. [Prolonged sleep therapies by the so-called hibernation method in medicine and psychiatry.] *Presse méd.*, 1953, 61: 878-880.
 —, see Ey, H., Deschamps, A., Bérard, E.
DeShon, H. J., Rinkel, M., Solomon, H. C. Mental changes experimentally produced by d-lysergic acid diethylamide tartrate. *Psychiat. Q.*, 1952, 26: 33-53.
 —, see Rinkel, M., DeShon, H. J., Hyde, R. W., Solomon, H. C.
De Smedt, R. La réserpine en clinique psychiatrique. [Reserpine in psychiatric practice.] *Acta neur. psychiat. belg.*, 1955, 55: 399-408.
Despinoy, M., Saucet, D. Effets électro-encéphalographiques des stimulations auditives et lumineuses sur des sujets soumis à la chlorpromazine. [Effects of auditory and photic stimulations on the EEG of subjects under the influence of chlorpromazine.] *Encéphale*, 1956, 45: 877-883.
Detre, T., see Bernstein, S., Detre, T.
Deutsch, L., Waxenberg, S. E., Dickes, R. Brief chlorpromazine treatment of disturbed patients in a psychiatric reception hospital. *J. Nerv. Ment. Dis.*, 1957, 125: 273-278.
 —, see Brooks, W., Deutsch, L., Dickes, R.
De Verteuil, R., see Azima, H., Cramer-Azima, F. J., De Verteuil, R.
Dewhurst, K. Chlorpromazine in the management of chronic psychotics. *Irish J. M. Sc.*, 1955, 6: 83-87. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3896.
 —, see Pearson, J., Dewhurst, K.
Dibble, R. C., see Schneider, J. A., Plummer, A. J., Earle, A. E., Barrett, W. E., Rinehart, R., Dibble, R. C.
Dice, N., Bagchi, B. K., Waggoner, R. W. Investigation of effects of intravenous reserpine in disturbed psychotic and brain-damaged patients; electroencephalographic correlations. *J. Nerv. Ment. Dis.*, 1955, 122: 472-478.
Dickel, H. A., Dixon, H. H. Inherent dangers in use of tranquilizing drugs in anxiety states. *J. Am. M. Ass.*, 1957, 163: 422-426.
 —, —, Wood, J., Shanklin, J. G. Electromyographic studies on patients treated with meprobamate. *West. J. Surg.*, 1956, 64: 197-201.
Dickes, R., Flamm, G. H., Coltrera, J., Tobin, M. The effect of mephenesin on muscle tension. An experimental study. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 590-597. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4998.
 —, see Brooks, W., Deutsch, L., Dickes, R.
 —, see Deutsch, L., Waxenberg, S. E., Dickes, R.
Diederichs, see Perrin, J., Diederichs.
Diederichs, A., see Lambert, P. A., Diederichs, A., Toulet, M.
 —, see Lambert, P. A., Toulet, M., Diederichs, A.
Dierkens, J., Reeth, P. C. van. Essais cliniques d'un nouveau psychoplégique; le méprobamate. [Clinical trial of a new psychoplegic drug: meprobamate.] [English summary] *Bruxelles méd.*, 1956, 36: 2335-2340.
Dietrich, M., see Howell, T. H., Harth, J. A. P., Dietrich, M.
Dillon, D., Swain, J. M. Gastro-intestinal hemorrhage as a complication of reserpine administration: report of two cases. *Am. J. Psychiat.*, 1956, 113: 462-463.
Di Mascio, A., Greenblatt, M., Hyde, R. W. A study of the effects of LSD: Physiologic and psychological changes and their interrelations. *Am. J. Psychiat.*, 1957, 114: 309-317.
 —, Suter, E., Hyde, R. W., Greenblatt, M. Physiological effects of L. S. D.; report of a detailed investigation in one subject. *Psychiat. Q.*, 1957, 31: 57-71.
Ditfurth, H. von Anwendungsmöglichkeiten des Megaphens in der psychiatrischen Klinik und Forschung. [Possibilities for the use of megaphen in psychiatric practice and research.] *Nervenarzt*, 1955, 26: 54-59. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4074.
Ditsova, A., see Temkov, I., Ditsova, A.
Dixon, H. H., see Dickel, H. A., Dixon, H. H.
 —, see Dickel, H. A., Dixon, H. H., Wood, J., Shanklin, J. G.
Dizon, M., see Moyer, J. H., Kent, B., Morris, G., Dizon, M., Rogers, S., Spurr, C.
Dlin, B. M., see Fischer, H. K., Dlin, B. M.
Dobkin, A. B., Gilbert, R. G. B., Lamoureux, L. Physiological effects of chlorpromazine. *Anaesthesia, Lond.*, 1954, 9: 157-174.
 —, Lamoureux, L., Letienne, R., Gilbert, R. G. B. Some studies with largactil. *Canad. M. Ass. J.*, 1954, 70: 626-628.
Doco, see Monnerot, E., Monnerot, E., Benichou, L., Doco
Dogan, S., Vukadinovic, D., Longhino, A. Djelovanje largactila i phenergana na elektroencefalogram kod epileptičara. [Effect of largactil and phenergan on electroencephalography in epilepsy.] [English summary p. 95] *Neuropsihijatrija*, 1954, 2: 88-100. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 2385.
Dolce, C., Garello, L. La catalessia da serotonina nella *Rana esculenta*: tecnica sperimentale. [Catalepsy caused by serotonin in *Rana esculenta*; experimental technique.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 441-443.
 —, see Garello, L., Dolce, G.
 —, see Sacchi, U., Bonamini, F., Dolce, G., Garello, L.
 —, see Sacchi, U., Bonamini, F., Garello, L., Dolce, G.
 —, see Sacchi, U., Garello, L., Dolce, G., Bonamini, F.
Domanowsky, K., see Conrad, K., Domanowsky, K., Wieser, S.
Domino, E. F., see Funderburk, W. H., King, E. E., Domino, E. F., Unna, K. R.
Donegani, G., see Bolzi, D., Donegani, G., Grattarola, F. R.
Donini, F. M., Belsasso, M., Ravis, E. Risultati terapeutici ottenuti con il serpasil in 158 ammalati men-

- tali. [Therapeutic results of serpasil in 158 mental patients.] *Arch. psicol. neur., Milano*, 1956, 17: 394-398.
- Donini, G., see Alemà, G., Donini, G.
- Donnadieu, A., Florentin, M., Florentin. Les incidents au cours du traitement des troubles mentaux par le largactil. [Incidents during chlorpromazine therapy of mental disorders.] *Ann. méd. psychol., Par.*, 1955, 113 (2): 205-216. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4555.
- Donnelly, J., Zeller, W. Clinical research on chlorpromazine and reserpine in state and private psychiatric hospitals; a comparative review of the clinical problems. *J. Clin. Exp. Psychopath.*, 1956, 17: 180-188.
- Dooneief, A. S., see Bloch, R. G., Dooneief, A. S., Buchberg, A. S., Spellman, S.
- Doshay, L. J. Problem situations in the treatment of paralysis agitans. *J. Am. M. Ass.*, 1954, 156: 680-684.
- Doubrava, O., see Dubansky, B., Doubrava, O., Svoboda, E., Vyhánková, M.
- Douglas, A. D. M., Bates, T. J. N. Chlorpromazine as a suicidal agent. *Brit. M. J.*, 1957, 1: 1514.
- Doyle, A. E., Smirk, F. H. Drug therapy in hypertension; a critical review. *Practitioner, Lond.*, 1955, 174: 135-143.
- Doyle, F. J. New drugs in mental therapy and the implications of their use. *Hosp. Progr.*, 1955, 36 (3): 50-51.
- Doyle, J. C. Raudixin (Squibb Rauwolfia serpentina): a clinical investigation of thirty patients suffering from premenstrual tension. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 9-14.
- Drake, C. F., see Hollister, L. E., Stannard, A. N., Drake, C. F.
- Drake, F. R., Ebaugh, F. G. The use of reserpine in office psychiatry: preliminary report. *Ann. N. York Acad. Sc.*, 1955, 61: 198-205. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1226.
- Draper, M. D., see Klohs, M. W., Draper, M. D., Keller, F.
- Drassdo, A., Schmidt, M. Kreislauf, geistige Leistungsfähigkeit und Stoffwechsel unter dem Einfluss von 2-Diphenylmethylpiperidinhydrochlorid. [Effect of 2-diphenylmethylpiperidinehydrochloride on blood circulation, mental efficacy and metabolism.] [English summary] *Med. Mschr.*, 1956, 10: 738-743.
- , —, Ritalin, ein zentrales Stimulans mit neuartiger chemischer Konstitution. 1. Kreislaufuntersuchungen. 2. Verbesserung der geistigen Leistungsfähigkeit und psychische Wirkung durch Ritalin. [Ritalin, a central stimulant of novel chemical constitution. 1. Studies on blood circulation. 2. Improvement of mental efficacy and the psychologic effects of ritalin.] [English summaries, p. 310; 395] *Med. Mschr.*, 1954, 8: 306-310; 393-395.
- Dredge, T. E., see Penman, A. S., Dredge, T. E.
- Dreikurs, E., see Bercel, N. A., Travis, L. E., Olinger, L. B., Dreikurs, E.
- Dressler, P. E., Slater, I. H. Observations on the pharmacology of mephnesin carbamate. *Proc. Soc. Exp. Biol., N. Y.*, 1952, 79: 286-287.
- Drill, V. A., see Sturtevant, F. M., Drill, V. A.
- Drop in shock therapy. *Science*, 1957, 125: 229.
- Drugs and driving. *J. Am. M. Ass.*, 1954, 156: 628-629.
- Drugs in the treatment of depression. *Lancet, Lond.*, 1955, 1: 1065.
- Dubansky, B. Neue Wege in der Behandlung der Chorea minor. Vorläufige Mitteilung. [New methods of treating chorea minor. Preliminary report.] *Schweiz. med. Wschr.*, 1956, 86: 122-123.
- , Doubrava, O., Svoboda, E., Vyhánková, M. Hirnnervenerkrankungen nach einmaliger intravenöser Largactil-dosis bei zerebrallintakten Personen. [Brain nerve damage after single intravenous injection of largactil in individuals without brain disease.] *Psychiat. Neur. med. Psychol., Lpz.*, 1956, 8: 202-205.
- Dubnick, B., see Chessin, M., Dubnick, B., Kramer, E. R., Scott, C. C.
- Dubon, P., see Dubor, P.
- Dubor, P., see Achaintre, A., Dubor, P.
- , see Achaintre, A., Dubor, P., Lauxerois, G.
- , see Broussolle, P., Dubor (Dubon [sic]), P.
- Duboucher, G. Etats dépressifs d'allure mélancolique au cours du traitement de l'hypertension artérielle par la réserpine ou les alcaloïdes de Rauwolfia serpentina. [Depressive states with melancholia during treatment of arterial hypertension with reserpine or Rauwolfia serpentina alkaloids.] *Algérie méd.*, 1956, 60: 417-420.
- Duc, N., see Lafon, R., Boyer, Duc, N., Minvielle, J., Pouget, R.
- , see Lafon, R., Duc, N., Abric, J., Pouget, R., Comelade, P.
- , see Lafon, R., Duc, N., Boyer, Abric, J., Pouget, R.
- , see Lafon, R., Duc, N., Labauge, R., Temple, J. P.
- , see Lafon, R., Duc, N., Ribstein, M., Pages, H.
- Duchesnay, G. Intérêt du stémétil (6.140 R. P.) en thérapeutique. [Stemetil (6140 RP); its place in therapeutics.] *Bull. méd., Par.*, 1957, 71: 13-15.
- Ducrot, R., see Courvoisier, S., Fournel, J., Ducrot, R., Kolsky, M., Koetschet, P.
- Dukay, A. P. Chlorpromazine in the treatment of chronic psychotic patients. *J. Michigan M. Soc.*, 1956, 55: 664-670.
- Duncan, C. J., see Kistner, R. W., Duncan, C. J.
- Dundee, J. W. A review of chlorpromazine hydrochloride. *Brit. J. Anaesth.*, 1954, 26: 357-379.
- Dunlap, D. J., see Hall, R. A., Dunlap, D. J.
- Dunlop, D. M. The barbiturates and other sedatives. *Practitioner, Lond.*, 1957, 178: 26-32.
- Dupont, A., Maudoux-Joubert. Résultats obtenus chez 22 schizophrènes hommes et 37 schizophrènes femmes traités par le 4560 R. P. [Results of chlorpromazine treatment of 22 male and 37 female schizophrenics.] *Ann. méd. psychol., Par.*, 1955, 113 (1): 634-639.
- Durand, V. J., Houillon, G. De quelques travaux étrangers sur la chlorpromazine. [Foreign works on chlorpromazine.] *Ann. méd. psychol., Par.*, 1955, 113 (2): 96-101.
- , see Henne, M., Durand, V. J., Bures, I. de
- Durden, W. D., see Gallagher, W. J., Berry, J. M., Durden, W. D., Lazenby, W. D.
- Durieux, G. P. Extension de l'intoxication par le cannabis sativa Linnaeus. [Distribution of the intoxication with Cannabis sativa Linnaeus.] 30 p. Paris, 1953. [Thesis—Paris 1953, no. 754]
- Durlach, J. Traitement de la maigreur par la réserpine. [Treatment of underweight with reserpine.] *Congrès méd.*, 1956, 78: 725-728. Condensed: *Bull. Soc. méd. hôp. Paris*, 1956, 72: 165-168.
- Durling, D., Esen, F. M., Mautner, H. Central autonomic regulation and mental retardation. *Ann. paediat., Basel*, 1956, 187: 467-470.
- , see Esen, F. M., Durling, D.
- Durost, H., see Azima, H., Durost, H.
- Dusserre, see Fau, R., Chateau, R., Dusserre.
- Dutartre, see Passouant, P., Pelissier, Minvielle, J., Dutartre.
- Duverney, C. A., see Albert, S. N., Rea, E. L., Duverney, C. A., Shea, J., Fazekas, J. F.

E

- Eagles, J. B. Chlorpromazine. *Brit. M. J.*, 1955, 1: 46-47.
- Earl, A. E. A report on the tranquilizing effect of reserpine (serpasil). *Internat. J. Anesth.*, 1954, 1: 214-219.
- , Reserpine (serpasil) in veterinary practice. *J. Am. Vet. M. Ass.*, 1956, 129: 227-233. Abstract: *Chem. Abstr.*, 1956, 50: 15890h.
- , see Plummer, A. J., Earl, A., Schneider, J. A., Traupold, J., Barrett, W.
- , see Plummer, A. J., Maxwell, R., Earl, A. E.

- , see Schneider, J. A., Earl, A. E.
- , see Schneider, J. A., Plummer, A. J., Earl, A. E., Barrett, W. E., Rinehart, R., Dibble, R. C.
- , see Schneider, J. A., Plummer, A. J., Earl, A. E., Gaunt, R.
- Earle, B. V., see Forbes, H. S., Earle, B. V.
- Ebaugh, F. G. The videclinic. *J. Am. M. Ass.*, 1955, 158: 732-733.
- , see Drake, F. R., Ebaugh, F. G.
- Ebtinger, R., see Kammerer, T., Ebtinger, R.
- , see Kammerer, T., Mengus, M., Ebtinger, R.
- Ederle, W. Zur zentralnervösen Wirkung des Serpasil. [Effects of serpasil on the central nervous system.] *Nervenarzt*, 1956, 27: 33.
- Edwards, R. M. Experimental studies with PM 1090; preliminary report. *Internat. Rec. M.*, 1956, 169: 469-472. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1546.
- Eeckhoutte, R. van. Le chlorhydrate de chloro-3-diméthylamino-3'-propyl-10-phénothiazine (4560 R. P.); son action sur le système nerveux et sur le système neurovégétatif. [3-Chloro-10-(3-dimethylaminopropyl) phenothiazine (4560 R. P.); its action on the nervous and autonomic nervous system.] 28 p. Ambilly, 1953. [Thesis—Geneva 1953, no. 2168.]
- Effron, A. S., see Freedman, A. M., Effron, A. S., Bender, L.
- , see Freedman, A. M., Kremer, M. W., Robertiello, R., Effron, A. S.
- , see Herman, M., Effron, A. S.
- Egan, G. P., see Gore, C. P., Egan, G. P., Walton, D.
- Ehrmantraut, W. R., see Fazekas, J. F., Shea, J. G., Ehrmantraut, W. R., Alman, R. W.
- , see Shea, J. G., Ehrmantraut, W. R., Ticktin, H. E., Sullivan, P. D., Jr., Fazekas, J. F.
- Eiber, H. B. Chlorpromazine-Rauwolfia serpentina combination in the treatment of essential hypertension: preliminary report. *J. Am. M. Ass.*, 1955, 158: 730-731.
- , Chlorpromazine (thorazine)-Rauwolfia combination in neuropsychiatry; preliminary report. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 36-39. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1218.
- Eisenberg, L., see Kanner, L., Eisenberg, L.
- Elkes, C. Rauwolfia alkaloids and reserpine in the treatment of the chronic psychotic patient. *J. Ment. Sc., Lond.*, 1957, 103: 464-474.
- , Elkes, J., Mayer-Gross, W. Hallucinogenic drugs. *Lancet, Lond.*, 1955, 1: 719.
- , see Bradley, P. B., Elkes, C., Elkes, J.
- , see Elkes, J., Elkes, C.
- , see Elkes, J., Elkes, C., Bradley, P. B.
- Elkes, J. Effects of psychosomimetic drugs in animals and man. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the third conference, May 1956, Princeton, N. J. New York, Josiah Macy, Jr. Foundation*, 1957, p. 205-295.
- , Elkes, C. Effect of chlorpromazine on the behavior of chronically overactive psychotic patients. *Brit. M. J.*, 1954, 2: 560-565. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1794.
- , —, Bradley, P. B. The effect of some drugs on the electrical activity of the brain, and on behaviour. *J. Ment. Sc., Lond.*, 1954, 100: 125-128.
- , see Bradley, P. B., Elkes, C., Elkes, J.
- , see Bradley, P. B., Elkes, J.
- , see Elkes, C., Elkes, J., Mayer-Gross, W.
- Elkjaer, P., see Osterman, E., Lassenius, B., Bohn, L., Elkjaer, P.
- Ellermann, M. Virkningerne af covatin (et nyt dagesedativum) på et ambulant patientmateriale. [The effect of covatin (a new daytime sedative) in out-patients.] [English summary] *Nord. med.*, 1955, 54: 1531. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4568.
- Elliott, R. N., Schrut, A. H., Marra, J. J. Fatal acute aseptic necrosis of the liver associated with chlorpromazine. *Am. J. Psychiat.*, 1956, 112: 940.
- Elloso, C., see Charet, R., Brill, B., Elloso, C.
- Ellsworth, R. B., Clark, L. D. Prediction of the response of chronic schizophrenics to drug therapy; a preliminary report on the relationship between palmar sweat and the behavioral effects of tranquilizing drugs. *J. Clin. Psychol.*, 1957, 13: 59-61.
- , see Clark, L. D., Ellsworth, R. B., Barrett, W. W., Thurman, A. C., Holland, W.
- , see McDonald, R. E., Ellsworth, R. B., Eniss, J.
- Endara, J. El "Largactil" y nuestras primeras aplicaciones neuro-psiquiátricas. ["Largactil", and our first use of it in neuro-psychiatry.] *Arch. crim. neuropsiq., Quito*, 1954, 2: 297-312. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3101.
- Ende, M. Clinical evaluation of atarax; a non-barbiturate calming agent. *Virginia M. Month.*, 1956, 83: 503-505.
- , Youngblood, W. The use of myanesin (tolserol) in black widow spider bite. *Virginia M. Month.*, 1953, 80: 24-25.
- Endo, K. Experimental study of mescaline intoxication on relation between clinical picture and EEG in man. *Fol. psychiat. neur. jap.*, 1952, 6: 104-113.
- Engelmeier, M. P. Lytische Therapie in der Nerven-klinik. [Lytic therapy in neuropsychiatric hospitals.] [English summary p. 148] *Msschr. Psychiat., Basel*, 1956, 131: 89-150.
- , Methoden kombinierter lytischer Therapie. [Methods of combined lytic therapies.] *Encéphale*, 1956, 45: 461-468.
- , Die Methodik per psychiatrischen Behandlung mit lytischen Substanzen. [Methods of psychiatric therapy with lytic substances.] *Nervenarzt*, 1956, 27: 64-69. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1551.
- Eniss, J., see McDonald, R. E., Ellsworth, R. B., Eniss, J.
- Ensor, C. R., see Chen, G., Ensor, C. R., Bohner, B.
- Epstein, J. Drugs and electroconvulsive therapy. *J. Am. M. Ass.*, 1956, 160: 503.
- Erdelyi, S., see Kulcsar, S., Erdelyi, S.
- Erdmann, C. E. Neues über die Rauwolfia-Behandlung unter besonderer Berücksichtigung der Literatur in den USA. [Review of Rauwolfia therapy with special reference to literature in the United States of America.] *Nervenarzt*, 1956, 27: 75-79.
- Erickson, J. L., see Sommersness, M. D., Lucero, R. J., Hamlon, J. S., Erickson, J. L., Matthews, R.
- Ermiglia, G. Sull'impiego del meprobamate in ginecologia; primi risultati. [Use of meprobamate in gynecology; initial results.] *Minerva med., Tor.*, 1956, 47: 1477-1478.
- Ernst, K. Psychopathologische Wirkungen des Phenothiazinderivates "Largactil" ("Megaphen") im Selbstversuch und bei Kranken. [Psychopathological effects of the phenothiazine derivative "largactil" ("megaphen") in self-experimentation and in patients.] *Arch. Psychiat., Berl.*, 1954, 192: 573-590. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3520.
- Ervin, F., see Wiedorn, W. S., Ervin, F.
- Erwin, H. J. Clinical observations on the use of promethazine hydrochloride in psychiatric disorders. *Am. J. Psychiat.*, 1957, 113: 783-787.
- Erzsébet, B. S., see Simkó, A., Erzsébet, B. S.
- Escalar, G., Balduzzi, E. Sull'impiego della clorpromazina come terapia di antishock. [Use of chlorpromazine as antishock therapy.] *Arch. psicol. neur., Milano*, 1956, 17: 655-657.
- , see Balduzzi, E., Escalar, G.
- Escafit, H., see Coirault, R., Girard, V., Escafit, H., Benoit, P.
- Escourrolle, R. Traitement des états délirants de l'alcoolisme chronique. [Treatment of delirious states in chronic alcoholism.] *France méd.*, 1954, 17 (6): 15-19.
- Esen, F. M., Durling, D. Thorazine in the treatment of mentally retarded children. *Arch. Pediat., N. Y.*, 1956, 73: 168-173.

- , see Durling, D., Essen, F. M., Mautner, H.
- Essellier, A. F., Goerre, J., Wegmann, A. Zur medikamentösen Behandlung der Hypertonie. Klinische Erfahrungen mit Serpasil, Serpasil-Ritalin und Serpasil-Nepresol. [Drug therapy of hypertension. Clinical experiences with serpasil, serpasil-ritalin and serpasil-nepresol.] *Schweiz. med. Wschr.*, 1955, 85: 808-811.
- Essig, C. F., Ainslie, J. D. Addiction to meprobamate (equanil, miltown). *J. Am. M. Ass.*, 1957, 164: 1382.
- , Carter, W. W. Convulsions and bizarre behavior in monkeys receiving chlorpromazine. *Proc. Soc. Exp. Biol.*, N. Y., 1957, 95: 726-729.
- An evaluation of the newer pharmacologic agents and their role in current psychiatric practice. *Psychiat. Res. Rep.*, Wash., 1956 (4): 1-129. [Symposium; articles within the scope of this bibliography are listed individually].
- Evarts, E. [V.] Brain effects of LSD in animals. In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, Grune & Stratton, 1956. p. 55-56.
- , A review of the neurophysiological effects of lysergic acid diethylamide (LSD) and other psychotomimetic agents. *Ann. N. York Acad. Sc.*, 1957, 66: 479-495.
- , Some effects of bufotenine and lysergic acid diethylamide on the monkey. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 49-53.
- , Landau, W., Freygang, W., Jr., Marshall, W. H. Some effects of lysergic acid diethylamide and bufotenine on electrical activity in the cat's visual system. *Am. J. Physiol.*, 1955, 182: 594-598.
- , Marshall, W. H. The effects of lysergic acid diethylamide on the excitability cycle of the lateral geniculate. *Tr. Am. Neur. Ass.*, 1955, 80th Meeting: 58-60.
- , see Kornetsky, C., Humphries, O., Evarts, E. V.
- Everett, G. M., Toman, J. E. P., Smith, A. H., Jr. Reduction of electroshock seizure latency and other central actions of reserpine. [Abstract] *Fed. Proc., Balt.*, 1955, 14: 337.
- Evvard, A., Vandierendonck, R. Over het chlorpromazine bij de manisch-depressieve en schizophrene psychosen. [Chlorpromazine in manic-depressive and schizophrenic psychoses.] *Belg. tschr. geneesk.*, 1955, 11: 401-409.
- , —, Een terugblik op 100 met chlorpromazine behandelde gevallen. [100 Cases treated with chlorpromazine.] *Belg. tschr. geneesk.*, 1957, 13: 43-47.
- Ewing, J. A., Mendenhall, J. H. Clinical evaluation of the effect of mephenesin on anxiety. *J. Ment. Sc., Lond.*, 1953, 99: 464-472.
- , see Mendenhall, J. H., Ewing, J. A.
- Expert committee on addiction-producing drugs. Seventh report. *World Health Org. Techn. Rep. Ser.*, 1957 (116): 1-15.
- Ey, H., Bérard, E. Les nouvelles techniques de cure de sommeil dans la pratique psychiatrique. [New techniques of sleep therapy in psychiatric practice.] *Evolut. psychiat.*, 1952: 661-682.
- , Sobre una técnica de tratamiento por el sueño prolongado interrumpido. [Method of intermittent and prolonged sleep therapy.] *Dia méd., B. Air.*, 1954, 26: 1385-1389.
- , Deschamps, A., Bérard, E. Les techniques de cures de sommeil à l'aide de neuroplégiques et l'hibernation artificielle en psychiatrie. [The technics of sleep therapy with neuroplegics and artificial hibernation in psychiatry.] In: Laborit, H., Huguenard, P. Pratique de l'hibernothérapie en chirurgie et en médecine. [The use of hibernotherapy in surgery and in medicine.] Paris, Masson, 1954. p. 181-203.
- , Faure, H. Les diverses méthodes d'emploi de la chlorpromazine en thérapeutique psychiatrique et leurs indications. [The various methods of chlorpromazine therapies and their indications in psychiatric therapy.] *Encéphale*, 1956, 45: 361-371.
- , —, Sleep therapy and the use of chlorpromazine. *Internat. Rec. M.*, 1957, 170: 1-10.
- , —, Lairy, G. C. Action du largactil sur l'électro-encéphalogramme de malades mentaux chroniques comparée à l'action des barbituriques. [Comparison between the effects of largactil and barbiturates on the EEG of chronic mental patients.] *Encéphale*, 1956, 45: 843-852.
- , —, Rappard, P. Les réactions d'intolérance vis-à-vis de la chlorpromazine. [Chlorpromazine intolerance.] *Encéphale*, 1956, 45: 790-796.
- , Sakellaropoulos, P. L'état primordial du délire et l'action thérapeutique de la chlorpromazine. [The primary delusional state and the therapeutic action of chlorpromazine.] *Evolut. psychiat.*, 1956: 489-497.

F

Fabing, H. D. Adventures in clinical neuropharmacology. *Internat. Rec. M.*, 1956, 169: 115-119.

- , Alpha-(2-piperidyl) benzhydrol hydrochloride, a new central stimulant, in the treatment of blepharospasm, spasmodic torticollis and narcolepsy; preliminary report. *Tr. Am. Neur. Ass.*, 1954, 79th Meeting: 159-163.
- , The ataractic drugs: their uses and limitations in psychiatry. *Am. Profes. Pharmacist*, 1956, 22: 413-418.
- , Clinical experience with meratran: a new central nervous system stimulant. *Dis. Nerv. Syst.*, 1955, 16: 10-15.
- , Designation of "tranquilizing agents" in neuropharmacology. *J. Am. M. Ass.*, 1955, 158: 1461. Also: *Am. J. Psychiat.*, 1955, 112: 392.
- , The dimensions of neurology. *Neurology*, 1955, 5: 603-611. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1718.
- , Experiencia clínica con meratran; un nuevo estimulante nervioso central. [Clinical experience with meratran; a new central nervous system stimulant.] *Rev. méd. cubana*, 1955, 66: 923-931.
- , Experimental compound MER-17 (frenquel): a new blocking agent against the development of LSD-25 psychosis. *Tr. Am. Neur. Ass.*, 1955, 80th Meeting: 83-85. Also: *Psychiat. Res. Rep.*, Wash., 1955 (1): 140-144. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1527.
- , Experimental psychoses which mimic schizophrenia. *Nebraska M. J.*, 1956, 41: 455-459.
- , Frenquel, a blocking agent against experimental LSD-25 and mescaline psychosis; preliminary note on its clinical application. *Neurology*, 1955, 5: 319-328.
- , New blocking agent against the development of LSD-25 psychosis. *Science*, 1955, 121: 208-210.
- , The newer analeptic drugs. *Med. Clin. N. America*, 1957, 41: 339-351.
- , The new pharmacologic attack in psychiatry. *Internat. Rec. M.*, 1956, 169: 177-183. Also: *Drugs & Cosmet. Indust.*, 1956, 78: 32-33; 125-129.
- , On going berserk: a neuro-chemical inquiry. *Am. J. Psychiat.*, 1956, 113: 409-415.
- , Trends in biological research in schizophrenia. *J. Nerv. Ment. Dis.*, 1956, 124: 1-7.
- , Hawkins, J. R. Intravenous bufotenine injection in the human being. *Science*, 1956, 123: 886-887.
- , —, A year's experience with frenquel in clinical and experimental schizophrenic psychoses. *Dis. Nerv. Syst.*, 1955, 16: 329-338. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4540.
- , —, Moulton, J. A. Clinical studies on α -(2-piperidyl) benzhydrol hydrochloride, a new anti-depressant drug. *Am. J. Psychiat.*, 1955, 111: 832-836.

- , Kropa, E. L., Hawkins, J. R., Leake, C. D. Bufotenine effects in humans. [Abstract] *Fed. Proc., Balt.*, 1956, 15: 421.
- Fabisch, W. Chlorpromazine and epilepsy. *Lancet, Lond.*, 1955, 1: 1277.
- Fabricant, N. D. Tension headache therapeutics. *Eye, Ear & Month.*, 1956, 35: 658; 662.
- Fabris, F. A propos du traitement de la douleur des cancéreux. [Contribution to the treatment of pain in cancer patients.] *Presse méd.*, 1955, 63: 727.
- Fadiga, E., see Balestrieri, A., Fadiga, E.
- , see Hyvert, M., Fagard, H., Huchon, J.
- Falcon, M. Quelques observations cliniques sur l'emploi de la chlorpromazine. [Clinical observations on the use of chlorpromazine.] *Encéphale*, 1956, 45: 587-591.
- Falicki, Z., Galuszko, P., Jaworska, I., Kielak, L., Sulestrowski, W. Proba oceny wartosci leczniczej largactylu na podstawie dotychczasowych spostrzezeń w klinice chorób psychicznych A. M. w Gdansk. [Evaluation of largactil therapy from observations at the clinic for mental diseases of the Academy of Medicine in Gdansk.] [English summary p. 320.] *Neur. & polska*, 1956, 6: 313-320.
- Fancher, O. E., see Pindell, M. H., Fancher, O. E., Lim, R. K. S.
- Fang, A. D., see Katzenelbogen, S., Fang, A. D.
- Fanning, R., see Smith, J. A., Rutherford, A., Fanning, R.
- Farah, L. Preliminary study on the use of hydroxyzine in psychosomatic affections. *Internat. Rec. M.*, 1956, 169: 379-389. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 845.
- Farber, I. J. Drug fatalities. *Am. J. Psychiat.*, 1957, 114: 371-372.
- Farley, O. R. Complications and concomitants. *Med. Ann. District of Columbia*, 1956, 25: 263-267.
- , see Overholser, W., Waldrop, F. N., Riesenman, F. R., Fong, T. C. C., Farley, O. R., Hoffman, J. L.
- Fasanaro, F., Ventra, D. Un nuovo farmaco tranquillizzante: il meprobamate; esperienze cliniche. [A new tranquilizing drug: meprobamate: clinical experience.] *Minerva med., Tor.*, 1956, 47: 2169-2175.
- Fau, R., Chateau, R. La cure de sommeil et la chlorpromazine. [Sleep therapy and chlorpromazine.] *Encéphale*, 1956, 45: 428-435.
- , Dusserre. Traitement des psychoses aiguës et subaiguës par les neuroplégiques. [Treatment of acute and subacute psychoses with neuroleptic drugs.] [Abstract] *J. méd. Lyon*, 1954, 35: 948.
- Faucett, R. L. Drug addiction and other considerations in the management of pain with narcotic drugs. *Proc. Mayo Clin.*, 1957, 32: 45-54.
- , Litin, E. M., Achor, R. W. P. Neuropharmacologic action of Rauwolfia compounds and its psychodynamic implications. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 513-518.
- , see Litin, E. M., Faucett, R. L., Achor, R. W. P.
- Faure, H., see Ey, H., Faure, H.
- , see Ey, H., Faure, H., Lairy, G. C.
- , see Ey, H., Faure, H., Rappard, P.
- Faure, J. L., Abric, J. Remarques cliniques sur les indications valables de la chlorpromazine et de la reserpine en neuro-psychiatrie infantile. [Clinical remarks on the indications for the use of chlorpromazine and reserpine in child neuro-psychiatry.] *Pédiatrie*, 1956, 11: 773-776.
- , see Lafon, R., Faure, J. L., Abric, J.
- Fava, D., see Benassi, P., Fava, D.
- Fazekas, J. F., Albert, S. N., Alman, R. W. Influence of chlorpromazine and alcohol on cerebral hemodynamics and metabolism. *Am. J. M. Sc.*, 1955, 230: 128-132. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2934.
- , Schultz, J. D., Sullivan, P. D., Shea, J. G. Management of acutely disturbed patients with promazine (sparine). *J. Am. M. Ass.*, 1956, 161: 46-49. Condensed: *Am. Practitioner*, 1956, 7: 1807.
- , Shea, J. G., Ehrmantraut, W. R., Alman, R. W. Convulsant action of phenothiazine derivatives. *J. Am. M. Ass.*, 1957, 165: 1241-1245.
- , —, Rea, E. Use of chlorpromazine in the management of acute and postalcoholic states. *Internat. Rec. M.*, 1955, 168: 333-339. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 420.
- , —, Sullivan, P. D., Jr. Ataractics in medical practice. *GP*, 1956, 14 (6): 75-81.
- , Sullivan, P. D., Schultz, J. D. Use of dimethylamino-n-propylphenothiazine in the management of patients with acute mental disturbances. *Med. Ann. District of Columbia*, 1956, 25: 67-69.
- , Toupin, H., Alman, R. W. Physiologic and pharmacologic basis for the chemotherapy of psychiatric states. *Am. J. Med.*, 1956, 21: 825-831.
- , see Albert, S. N., Rea, E. L., Duverney, C. A., Shea, J., Fazekas, J. F.
- , see Rea, E. L., Fazekas, J. F.
- , see Rea, E. L., Shea, J., Fazekas, J. F.
- , see Schultz, J. D., Rea, E. L., Fazekas, J. F., Shea, J. G.
- , see Shea, J. G., Alman, R. W., Fazekas, J. F.
- , see Shea, J. G., Ehrmantraut, W. R., Ticktin, H. E., Sullivan, P. D., Jr., Fazekas, J. F.
- Fazio, C. Risultati e considerazioni sull'impiego della reserpina nel trattamento delle psicosi. [Results and considerations on the use of reserpine in the treatment of psychoses.] *Arch. psicol. neur., Milano*, 1956, 17: 313-315.
- Feinblatt, H. M., see Feinblatt, T. M., Feinblatt, H. M., Ferguson, E. A., Jr.
- Feinblatt, T. M., Feinblatt, H. M., Ferguson, E. A., Jr. Rauwolfia-ephedrine as a hypotensive-tranquilizer. *J. Am. M. Ass.*, 1956, 161: 424-426. Abstract: *Chem. Abstr.*, 1956, 50: 14098i.
- Feldberg, T. M., see Meath, J. A., Feldberg, T. M., Rosenthal, D., Frank, J. D.
- Feldberg, W., Sherwood, S. L. Injections of drugs into the lateral ventricle of the cat. *J. Physiol., Lond.*, 1954, 123: 148-167.
- , —. Intraventricular injections of acetylcholine and of 5-hydroxytryptamine (serotonin) into the conscious cat. *J. Physiol., Lond.*, 1953, 120: 12P.
- Feldman, D. J. Drug therapy of chronic alcoholism. *Med. Clin. N. America*, 1957, 41: 381-392.
- , The treatment of chronic alcoholism: a survey of current methods. *Ann. Int. M.*, 1956, 44: 78-87.
- , Zucker, H. D. Present-day medical management of alcoholism. *J. Am. M. Ass.*, 1953, 153: 895-901.
- Feldman, P. E. Clinical evaluation of chlorpromazine therapy for mental illnesses; analysis of one year's experience. *J. Clin. Exp. Psychopath.*, 1957, 18: 1-26.
- , Clinical evaluation of pacatal. *Am. J. Psychiat.*, 1957, 114: 143-146.
- , A comparative study of various ataractic drugs. *Am. J. Psychiat.*, 1957, 113: 589-594.
- , The personal element in psychiatric research. *Am. J. Psychiat.*, 1956, 113: 52-54.
- , Two-year fate study of thorazine-treated patients. *Am. J. Psychiat.*, 1957, 114: 237-240.
- , An unusual death associated with tranquilizer therapy. ["with a phenothiazine drug"] *Am. J. Psychiat.*, 1957, 113: 1032-1033.
- , Bertone, J., Panthel, H. Fatal agranulocytosis during treatment with pacatal. *Am. J. Psychiat.*, 1957, 113: 842-843.
- , Lacy, B. S., Walker, A. E., Garrez, N. J. A controlled, blind study of effects of thorazine on psychotic behavior. *Bull. Menninger Clin.*, 1956, 20: 25-47. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4560.
- , Statman, J. Agranulocytosis during treatment with methylpromazine. *Am. J. Psychiat.*, 1957, 114: 464-465.

- Feldman, R. G., *see* Brown, B. B., Braun, D. L., Feldman, R. G.
- , *see* Brown, B. B., Feldman, R., Braun, D. L.
- Felisati, D., Fregni, R. Effets de la mianesina sur différents types de nystagmus; enregistrement par la méthode électrographique. [Effects of mianesin on different types of nystagmus, electroencephalographic study.] *Ann. otolar., Par.*, 1953, 70: 508-516.
- Fenichel, M., *see* Cares, R. M., Asrican, E., Fenichel, M., Sack, P., Severing, J.
- Fennelly, J. J., *see* McGrath, S. D., Ryan, J. P., Fennelly, J. J.
- Ferguson, E. A., Jr., *see* Feinblatt, T. M., Feinblatt, H. M., Ferguson, E. A., Jr.
- Ferguson, J. T. Azacyclonol: use of a new pharmacologic agent in chronic schizophrenia. *Antibiotic M.*, 1956, 3: 146-150.
- , Comparison of reserpine and harmonyl in psychiatric patients; a preliminary report. *J. Lancet*, 1956, 76: 389-390.
- , Further evaluation of the new drug: methylphenidylacetate. [Abstract] *J. Pharm. Exp. Ther.*, 1956, 116: 20.
- , Improved behavior patterns in the hospitalized mentally ill with reserpine and methylphenidylacetate. *Psychiat. Res. Rep.*, Wash., 1956 (4): 35-43.
- , A new therapeutic approach to abnormal behavior in geriatrics. *Geriatrics*, 1956, 11: 217-219.
- , Successful therapeutic regimen for the management of behavior problems in the elderly. *J. Am. Geriat. Soc.*, 1956, 4: 1080-1084.
- , Treatment of reserpine-induced depression with a new analeptic: phenidylate. *Ann. N. York Acad. Sc.*, 1955, 61: 101-107. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1721.
- , What's new and usable in the chemical treatment of abnormal behavior. *J. Michigan M. Soc.*, 1956, 55: 1095-1101.
- , Funderburk, W. H. Improving senile behavior with reserpine and ritalin; new approach with use of methylphenylpiperidylacetate. *J. Am. M. Ass.*, 1956, 160: 259-263. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3520.
- , *Year book of drug therapy*, 1956-1957, p. 344-346.
- , Linn, F. V. A new compound for the symptomatic treatment of tension and anxiety: 2-ethylcrotonylurea (nostyn). *Antibiotic M.*, 1956, 3: 329-333.
- , —, Sheets, J. A., Jr., Nickels, M. M. Methylphenidate (ritalin) hydrochloride parenteral solution; preliminary report. *J. Am. M. Ass.*, 1956, 162: 1303-1304.
- Ferguson, M. W., *see* Abramson, H. A., Kornetsky, C., Jarvik, M. E., Kaufman, M. R., Ferguson, M. W.
- Ferguson, R. S. A clinical trial of reserpine in the treatment of anxiety. *J. Ment. Sc., Lond.*, 1956, 102: 30-42. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1534.
- , Influences of reserpine on E. C. T.: preliminary observations. *J. Ment. Sc., Lond.*, 1956, 102: 826-829.
- Fernandes, B. Clorpromazina, reserpina e a chamada "farmacopsiquiatria". [Chlorpromazine and reserpine at the colloquium on "pharmacopsychiatry".] [Paris, October 1955] *J. méd., Porto*, 1956, 29: 237-243.
- , Effets psycho-somatiques de la chlorpromazine. [Psychosomatic effects of chlorpromazine.] *Encéphale*, 1956, 45: 328-333.
- , Leitão, G. Incidents and accidents in chlorpromazine therapy. *J. Clin. Exp. Psychopath.*, 1956, 17: 70-76.
- Fernandes da Fonseca, A., *see* West, E. D., Fernandes da Fonseca, A.
- Fernando, L., *see* Pires, N., Pinho, R. de, Fernando, L., Pint, M., Cavalcanti, U., Aguiar, H.
- Ferrara, R. J., Pinkus, H. Alseroxyton in the treatment of pruritic and psychogenic dermatoses. *A. M. A. Arch. Derm.*, 1955, 72: 23-28.
- Ferrari, D. Il meprobamato in psichiatria; osservazioni cliniche. [Meprobamate in psychiatry; clinical observations.] *Minerva med., Tor.*, 1956, 47: 1458-1462.
- Ferreira, L. R., *see* Garcia, J. A., Ferreira, L. R.
- Ferrer, S., *see* Gastaut, H., Ferrer, S., Castells, C., Lesevre, N., Luschnat, K.
- Ferro Milone, F., Gomirato, G. Observations expérimentales sur le comportement de l'activité corticale spontanée et évoquée sous l'action des neuroleptiques. [Changes in spontaneous and evoked cortical activity under the influence of neuroleptic drugs; experimental results.] *Encéphale*, 1956, 45: 853-857.
- Feuss, C. D., Gragg, L. Jr. Quiactin: an adjunct in the treatment of chronic psychoses. *Dis. Nerv. Syst.*, 1957, 18: 29-33.
- Fielding, J. W., *see* Bosworth, D. M., Fielding, J. W., Acosta, M. G.
- Fierman, L. B., *see* Rosner, B. S., Fierman, L. B., Kramer, J. F.
- Figurelli, F. A. The promazine treatment of alcoholism; a preliminary report. *Indust. M. & S.*, 1956, 25: 376-380.
- Fina, G., *see* Della Pietra, V., Fina, G.
- Finch, J. W. Experience with Rauwolfia. *Mod. Med.*, 1954, 22 (9): 22-23.
- Fingl, E., *see* Swinyard, E. A., Chin, L., Fingl, E.
- Finke, H. Beitrag zur Reserpine-Therapie in der Psychiatrie. [Contribution to reserpine therapy in psychiatry.] [English summary] *Münch. med. Wschr.*, 1956, 98: 872-874.
- Finn, M. H., Nadolski, F., Guy, W., Gross, M. Clinical, psychological and myoneural changes in psychotic patients under oral serpasil medication. *J. Nerv. Ment. Dis.*, 1955, 122: 458-462. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 370.
- Finney, R. C., *see* Cowden, R. C., Zax, M., Finney, R. C.
- , *see* Cowden, R. C., Zax, M., Hague, J. R., Finney, R. C.
- Finney, R. M., *see* Moyer, J. H., Kinross-Wright, V., Finney, R. M.
- Fiore, C. Risultati terapeutici dell'associazione neurogangioplegici-barbiturici ed elettroshock in alcune malattie mentali. [Therapeutic results of combined neurogangioplegics, barbiturates and electroshock in some mental diseases.] *Rass. neuropsichiat.*, 1955, 9: 85-98.
- Fischer, A., *see* Margolis, L. H., Fischer, A., Butler, R. N., Simon, A.
- Fischer, E. Reserpine (serpasil) in mental deficiency practice. *J. Ment. Sc., Lond.*, 1956, 102: 542-545.
- Fischer, H. K., Dlin, B. M. The dynamics of placebo therapy; a clinical study. *Am. J. M. Sc.*, 1956, 232: 504-512.
- Fish, M. S., Horning, E. C. Studies on hallucinogenic snuffs. *J. Nerv. Ment. Dis.*, 1956, 124: 33-37.
- Fishbein, M. The tranquilizing drugs. *Postgrad. M.*, 1956, 19: 509-511.
- Flach, F. F. Clinical effectiveness of reserpine. *Ann. N. York Acad. Sc.*, 1955, 61: 161-166. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3084.
- Flaherty, J. A. Effect of chlorpromazine medication on children with severe emotional disturbances. *Deleware M. J.*, 1955, 27: 180-184.
- Flamm, G. H., *see* Dicks, R., Flamm, G. H., Coltrera, J., Tobin, M.
- Flataker, L., *see* Winter, C. A., Flataker, L.
- Fleming, A. M., *see* Malamud, W., Barton, W. E., Fleming, A. M., Middleton, P. McK., Friedman, T. T., Schleifer, M. J.
- Flordh, P., *see* Berglund, M., Blumenthal, B., Flordh, P.
- Florentin, M., *see* Donnadien, A., Florentin, M., Florentin, —, *see* Rigal, J., Malet, P., Florentin, M.
- Floris, V. L'impiego della Rauwolfia serpentina in neuropsichiatria. [Use of Rauwolfia serpentina in neuropsychiatry.] *Minerva med., Tor.*, 1956, 47: 944-945.

- , Rambelli, L. L'impiego del 2-metil-2-n-propil-1,3-propandiolo dicarbamato in psichiatria. [Use of 2-methyl-2-n-propyl-1,3-propanediol dicarbamate in psychiatry.] *Minerva med., Tor.*, 1956, 47: 1455-1457.
- Flügel, F. Erfahrungen mit Megaphen in der psychiatrischen und neurologischen Klinik. [Experiences with chlorpromazine in the psychiatric and neurological clinic.] *Arch. klin. Chir.*, 1954, 279: 767-772.
- , Neue klinische Beobachtungen zur Wirkung des Phenothiazinkörpers Megaphen auf psychische Krankheitsbilder. [New clinical observations on the effect of the phenothiazine derivative megaphen on the symptoms of mental disorders.] *Med. Klin., Berl.*, 1953, 48: 1027-1029. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1609.
- , Neuro-psychiatrische Erfahrungen über die Wirkung des Rauwolfia-Alkaloides Reserpin (Serpasil). [Neuropsychiatric experience with the effects of the Rauwolfia alkaloid reserpine (serpasil).] *Med. Klin., Berl.*, 1955, 50: 509-510.
- , Thérapeutique par médication neuroleptique obtenue en réalisant systématiquement des états parkinsoniformes. [Therapeutic results obtained with neuroleptic drugs by the systematic provocation of parkinsonism.] *Encéphale*, 1956, 45: 1090-1092.
- , Über medikamentös erzeugte parkinsonähnliche Zustandsbilder. [Drug-induced parkinsonism.] *Med. Klin., Berl.*, 1955, 50: 634-635.
- , Bente, D. Das akinetisch-abulische Syndrom und seine Bedeutung für die pharmakologisch-psychiatrische Forschung. [Akinetic-abulic syndrome and its importance in psychopharmacologic research.] *Deut. med. Wschr.*, 1956, 81: 2071-2074.
- Földes, J., see Policzer, M., Szekely, A., Földes, J.
- Fogel, E. J. Physiological studies after continuous serpasil therapy over 18 months. *Dis. Nerv. Syst.*, 1956, 17: 322-323.
- Folkson, A., May, A. R. Use of reserpine and Rauwolfia in psychoneuroses. *Brit. M. J.*, 1955, 2: 1121-1122. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2658.
- , see Garmany, G., May, A. R., Folkson, A.
- Follin, S., Sigg, B., Pivot, S., Girard, C. Essais d'une nouvelle drogue tranquillisante. [Clinical study of a new tranquilizer.] [Meprobamate] *Ann. méd. psychol., Par.*, 1956, 114 (1): 825-830.
- , Soubrier, P. Récidives de l'onirisme sous l'action de la chlorpromazine. [Recurrent oneirism during treatment with chlorpromazine.] *Ann. méd. psychol., Par.*, 1954, 112 (2): 218-222.
- , Sur l'utilisation d'une substance neuroplégique dans un service de psychiatrie. [The use of a neuroleptic drug in a psychiatric hospital service.] [Abstract] *Ann. méd. psychol., Par.*, 1953, 111 (2): 403.
- , Discussion to: Delay, J., Deniker, P., Harl, J. M. *Ann. méd. psychol., Par.*, 1952, 110 (2): 126-127.
- Foncin, J. F., see Beley, A., Foncin, J. F., Leyrie, J.
- Fong, T. C. Chlorpromazine and reserpine in geriatric patients. *Med. Ann. District of Columbia*, 1956, 25: 260-263.
- , see Overholser, W., Waldrop, F. N., Riesenman, F. R., Fong, T. C. C., Farley, O. R., Hoffman, J. L.
- Foot, E. S. Reserpine in treatment of chronic psychotics; preliminary observations. *Brit. M. J.*, 1955, 1: 1192-1193. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4993.
- Forbes, H. S., Earle, B. V. Benactyzine in psychoneurosis. *Brit. M. J.*, 1957, 1: 226.
- Ford, F. R., see Bennett, A. E., Ford, F. R., Turk, R. E.
- Ford, H., Jameson, G. K. Chlorpromazine in conjunction with other psychiatric therapies: a clinical appraisal. *Dis. Nerv. Syst.*, 1955, 16: 179-185.
- , see Mitis, Z. K., Ford, H.
- Forrer, G. R. Thorazine in the treatment of acutely disturbed psychotic patients. *J. Michigan M. Soc.*, 1956, 55: 825-827.
- Forsberg, I. A., see Fromm, G. H., Forsberg, I. A.
- Forster, W., Henderson, A. L. A clinical study of frenquel (alpha [4-piperidyl] benzhydrol hydrochloride) in chronic schizophrenia. *Canad. M. Ass. J.*, 1957, 76: 97-101.
- , Henderson, L., Schultz, S. The clinical effects of alpha-(2-piperidyl)-benzhydrol hydrochloride (meratran) in states of inactivity in elderly psychiatric patients. *Canad. M. Ass. J.*, 1955, 72: 678-681. Abstract: *Digest Neurol. Psychiat.*, 1955, 23: 278. *Excerpta med.*, Sect. 8, 1956, 9: No. 2227.
- , Schlichther, W., Henderson, A. L. Reserpine in chronic psychoses. *Canad. M. Ass. J.*, 1955, 73: 951-955. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4551.
- Forzy, C., see Sivadon, P., Forzy, C.
- Foster, M. W., Jr., Gayle, R. F., III. Chlorpromazine and reserpine as adjuncts in electroshock treatment. *South. M. J.*, 1956, 49: 731-735.
- , Gayle, R. F., Jr. Dangers in combining reserpine (serpasil) with electroconvulsive therapy. *J. Am. M. Ass.*, 1955, 159: 1520-1522. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4067. *Year book of drug therapy*, 1956-1957, p. 325-326.
- Foster, T. L., see Wright, W. T., Jr., Pokorny, C., Foster, T. L.
- Fouks, [L.], Laine, François, Pagot. La correction des effets secondaires des médicaments dits neuroleptiques. [Correction of the secondary effects of so-called neuroleptic drugs.] *Ann. méd. psychol., Par.*, 1956, 114 (1): 615-620.
- , —, —, —, Note sur les médications récentes des états névrotiques anxieux et dépressifs. [Note on recent medications for anxious and depressive neurotic states.] *Ann. méd. psychol., Par.*, 1956, 114 (1): 608-615.
- , —, —, —, Note sur l'utilisation en psychiatrie d'un nouveau neuroleptique. [Note on the use of a new neuroleptic drug in psychiatry.] *Ann. méd. psychol., Par.*, 1956, 114 (1): 605-608.
- , —, Grimaud, Dariotis. La fin des thérapeutiques de choc et l'avènement de nouvelles thérapeutiques psychiatriques actives; la réserpine (serpasil). [The end of shock therapies and the advent of the new psychiatric therapeutics; reserpine (serpasil).] *Ann. méd. psychol., Par.*, 1954, 112 (2): 764-768.
- , —, Pagaud. Indications et modalités d'administration des neuroleptiques classiques. [Indications and methods of administration of the classic neuroleptic drugs.] *Ann. méd. psychol., Par.*, 1956, 114 (2): 880-886.
- Fourcand, J. In: Turner, W. J., Merlis, S., Carl, A. Concerning theories of indoles in schizophrenogenesis. *Am. J. Psychiat.*, 1955, 112: 466-467.
- Fourment, J., see Abély, P., Abdouchelli, A., Fourment, J., Schmitz, B., Delteil, P.
- Fournel, J., see Courvoisier, S., Fournel, J., Ducrot, R., Kolsky, M., Koetschet, P.
- Fourny, L., see Gayral, L., Hervé, Y., Carrié, J., Fourny, L.
- , see Gayral, L., Hervé, Y., Fourny, L., Carrié, J.
- Fox, V. The management of acute alcoholism; experiences with an additional series of 61 cases. *Am. Practitioner*, 1956, 7: 1461-1464.
- , Treatment of withdrawal symptoms in the management of alcoholism. *J. M. Ass. Georgia*, 1956, 45: 139-142.
- Fox, W. W., see McPheeters, H., Fox, W. W.
- Fragoso Mendes, J. Nota prévia sobre o emprego do L. S. D. 25 na produção de psicoses experimentais. [Preliminary note on the use of LSD-25 in the production of experimental psychoses.] *Med. contemp., Lisb.*, 1956, 74: 565-570.
- Frain, M. K. Promazine treatment of chronic psychoses in 100 hospitalized patients. *J. Nerv. Ment. Dis.*, 1957, 125: 529-533.
- Franco, N., see Turner, M., Bérard, E., Turner, N., Franco, N.

- Franco Hernández, M.**, see Delgado Roig, J., Franco Hernández, M.
- François**, see Fouks, Laine, François, Pagot.
- Frank, D. E.** Practical significance and treatment of anxiety. *Med. Times, Great Neck*, 1956, 84: 924-928.
- Frank, J. D.**, see Hampson, J. L., Rosenthal, D., Frank, J. D.
- , see Meath, J. A., Feldberg, T. M., Rosenthal, D., Frank, J. D.
- , see Rosenthal, D., Frank, J. D.
- Frank, T.**, see Hunt, B. R., Frank, T., Krush, T. P.
- Frankl, V. E.** Zur Behandlung der Angst. [Therapy of anxiety.] *Wien. med. Wschr.*, 1952, 102: 535-537. Abstract: *Excerpta med.*, Sect. 8, 1953, 6: No. 408.
- Fraser, H. F., Isbell, H.** Chlorpromazine and reserpine. A. Effects of each and of combinations of each with morphine. B. Failure of each in treatment of abstinence from morphine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 257-262.
- , see Isbell, H., Belleville, R. E., Fraser, H. F., Wikler, A., Logan, C. R.
- , see Isbell, H., Fraser, H. F., Wikler, A., Belleville, R. E.
- Frederickson, W. K.**, see Winter, W. D., Frederickson, W. K.
- Frederking, W.** Intoxicant drugs (mescaline and lysergic acid diethylamide) in psychotherapy. *J. Nerv. Ment. Dis.*, 1955, 121: 262-266. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4084.
- , Über die Verwendung von Rauschdrogen (Meskalin und Lysergsäurediethylamid) in der Psychotherapie. [The use of intoxicating drugs (mescaline and lysergic acid diethylamide) in psychotherapy.] [English summary] *Psyche, Stuttg.*, 1953, 7: 342-364.
- Freed, H.** Chlorpromazine and reserpine; new era in psychiatry? *Am. Practitioner*, 1955, 6: 706-708.
- , Peifer, C. A. Some considerations on the use of chlorpromazine in a child psychiatry clinic. *J. Clin. Exp. Psychopath.*, 1956, 17: 164-169.
- , —, Treatment of hyperkinetic emotionally disturbed children with prolonged administration of chlorpromazine. *Am. J. Psychiat.*, 1956, 113: 22-26. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1837.
- Freedman, A. M., Effron, A. S., Bender, L.** Pharmacotherapy in children with psychiatric illness. *J. Nerv. Ment. Dis.*, 1955, 122: 479-486. Abstract: *Year book of drug therapy*, 1956-1957, p. 350-351.
- , Kremer, M. W., Robertiello, R., Effron, A. S. The treatment of behavior disorders in children with tolserol. *J. Pediat.*, S. Louis, 1955, 47: 369-372.
- Freeman, H.** A critique of the tranquilizing drugs, chlorpromazine and reserpine, in neuropsychiatry. *N. England J. M.*, 1956, 255: 877-883.
- , Arnold, A. L., Cline, H. S. Effects of chlorpromazine and reserpine in chronic schizophrenic patients. *Dis. Nerv. Syst.*, 1956, 17: 213-219. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1448.
- , Cline, H. S. Effects of chlorpromazine on chronic lobotomized schizophrenic patients; a controlled study. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 500-507.
- , see Arnold, A. L., Freeman, H.
- , see Cline, H. S., Freeman, H.
- Freeman, J. G.**, see Kamman, G. R., Freeman, J. G., Lucero, R. J.
- Fregni, R.**, see Felisati, D., Fregni, R.
- Freis, E. D.** Mental depression in hypertensive patients treated for long periods with large doses of reserpine. *N. England J. M.*, 1954, 251: 1006-1008.
- Fremming, K. H.** Medikamentel behandling af synds sygdomme. [Medical treatment of mental disorders.] *Mskr. prakt. laegegern., Kbh.*, 1956, 34: 331-342.
- , Perregaard, I. Serpasil som sedativum i psykiatrien. [Serpasil as a sedative in psychiatric practice.] [English summary] *Ugeskr. laeger*, 1955, 117: 599-603. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3608.
- French, E. G.** Epilepsy. *Am. J. Psychiat.*, 1957, 113: 629-631.
- Frenkel, G. M.**, see Galenko, V. E., Osberg, I. IU., Robiner, I. S., Frenkel, G. M.
- Freund, R. B.** Observations during the treatment of 175 psychotic patients with reserpine. *Psychiat. Q.*, 1955, 29: 381-389. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4994.
- Freygang, W., Jr.**, see Evarts, E. V., Landau, W., Freygang, W., Jr., Marshall, W. H.
- Freyhan, F. A.** Comments on the biological and psychopathological basis of individual variation in chlorpromazine therapy. *Encéphale*, 1956, 45: 913-919.
- , The immediate and long range effects of chlorpromazine on the mental hospital. In: Chlorpromazine and mental health. Philadelphia, Lea & Febiger, 1955. p. 71-84; discussion p. 84-98.
- , Psychomotility and parkinsonism in treatment with neuroleptic drugs. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 465-472.
- , Turner, P., Stenzler, R. New drug therapies in psychiatry. *Delaware M. J.*, 1956, 28: 180-186.
- Frick, P. S.**, see Rotstein, J., Frick, P. S., Schiele, B. C.
- Friebel, H., Reichle, C.** Zur analgetischen und analgesieverstärkenden Wirkung von Chlorpromazin (Megaphen). [Analgesic and analgesic-potentiating effect of chlorpromazine (megaphen).] *Arch. exp. Path., Berl.*, 1955, 226: 551-557. Abstract: *Chem. Abstr.*, 1956, 50: 2063de.
- Friedgood, C. E., Ripstein, C. B.** Chlorpromazine (thorazine) in the treatment of intractable hiccups. *J. Am. M. Ass.*, 1955, 157: 309-310.
- , Use of chlorpromazine in the withdrawal of addicting drugs; preliminary report. *N. England J. M.*, 1955, 252: 230-233.
- Friedlander, H. S.** Anxiety, tension and emotional stress; a report on the joint use of mephenesin and a barbiturate in their treatment in general practice. *Med. Times, Great Neck*, 1953, 81: 411-415.
- Friedlaender, S.** Report of the Committee on new drugs of the research council of the American Academy of Allergy, 1955-1956. Plimasin. *J. Allergy*, 1956, 27: 288-290.
- Friedman, A. P.** The treatment of headache with reserpine. *Ann. N. York Acad. Sc.*, 1955, 61: 276-280. Also: *Neurology*, 1955, 5: 805-808. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1555; 3226.
- , Use of tranquilizers in the treatment of headache. *Am. Practitioner*, 1957, 8: 94-97.
- , Von Storch, T. J. A review of headache, 1950-1955. *N. York State J. M.*, 1956, 56: 3883-3895.
- Friedman, H. T., Marmelzat, W. L.** Adverse reactions to meprobamate. *J. Am. M. Ass.*, 1956, 162: 628-630.
- Friedman, I. H.**, see Wilkins, R. W., Judson, W. E., Stone, R. W., Hollander, W., Huckabee, W. E., Friedman, I. H.
- Friedman, T. T.**, see Malamud, W., Barton, W. E., Fleming, A. M., Middleton, P. McK., Friedman, T. T., Schleifer, M. J.
- Friend, D. G., Cummins, J. F.** New antiemetic drug. *J. Am. M. Ass.*, 1954, 153: 480-481.
- , McLemore, G. A., Jr. Some abuses of drugs in therapy. *N. England J. M.*, 1956, 254: 1223-1231.
- , Wells, J. C., Jr. The clinical use of chlorpromazine. *Am. Practitioner*, 1955, 6: 698-703. Also as: Uso clínico de la cloropromacina. *Rev. méd. cubana*, 1956, 67: 645-650.
- , see Cummins, J. F., Friend, D. G.
- Fries, P. E., Gunne, L. M., Lundgren, S., Viding, G., Öhrberg, K.** Orienterande undersökning av chlorpromazinets kliniska och farmakologiska effekt a psykiatriskt klientel. [Investigation of the clinical and

- pharmacological effects of chlorpromazine on psychiatric patients.] *Nord. psykiat. medl., Kbh.*, 1955, 9: 192-201. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4072.
- Friese, K. H. Vorläufige Erfahrungen bei der Behandlung psychiatrischer Kranker mit Phenothiazinen. [Experiences with phenothiazine therapy in psychiatry.] *Medizinische*, 1956: 734-735.
- Frodl, E., see Heim, F., Frodl, E.
- Fromm, G. H., Forsberg, I. A. Controlled study on the value of chlorpromazine in allaying anxiety. *Dis. Nerv. Syst.*, 1956, 17: 16-19.
- Frongia, N., see Buscaino, G. A., Frongia, N.
- Fryers, G. R. Drugs for tension and anxiety. *Brit. M. J.*, 1957, 1: 1074.
- Fuchs, M., Brown, H. Plimasin in the treatment of hay fever. *Med. Ann. District of Columbia*, 1956, 25: 553-554.
- Fünfgeld, E. W. Zur Frage der Megaphenprovokation bei der Elektrencephalographie. [Problem of megaphen activation in electroencephalography.] *Arch. Psychiat., Berl.*, 1956, 194: 571-583.
- Fullerton, A. G. Psychiatric uses of meratran. *J. Ment. Sc., Lond.*, 1956, 102: 801-804.
- Funderburk, W. H., King, E. E., Domino, E. F., Unna, K. R. Pharmacological properties of benzazoles. II. Sites of action in the central nervous system. *J. Pharm. Exp. Ther.*, 1953, 107: 356-367.
- , —, Unna, K. R. Pharmacological properties of benzazoles. III. Effect of 2-aminobenzothiazoles on the electroencephalogram. *J. Pharm. Exp. Ther.*, 1953, 108: 94-103.
- , Unna, K. R. Site of action of 2,2-diethyl-1,3-propanediol (prenderol) on the central nervous system. *J. Pharm. Exp. Ther.*, 1953, 107: 344-355.
- , Wilcox, K. W., Wilcox, P. H. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat., N. Y.*, 1956, 11: 425-456.
- , see Ferguson, J. T., Funderburk, W. H.
- , see Wilcox, P. H., Funderburk, W. H., Wilcox, K. W.
- Funk, I. C., see Rockmore, L., Shatin, L., Funk, I. C.
- , see Shatin, L., Rockmore, L., Funk, I. C.
- Funkenstein, D. H. Nor-epinephrine-like and epinephrine-like substances in relation to human behavior. *J. Nerv. Ment. Dis.*, 1956, 124: 58-68.
- Furr, J. H., see Graffagnino, P. N., Furr, J. H.
- Furtado, D. Action de la chlorpromazine sur l'état de mal épileptique. [(Therapeutic) effect of chlorpromazine on epileptic convulsions.] *Encéphale*, 1956, 45: 727-729.
- , Chlorpromazine dans les dépressions des hypertendus. [Chlorpromazine therapy of depressions in hypertensive patients.] *Encéphale*, 1956, 45: 572-575.
- G**
- Gachkel, V., Brisset, C. La cure de sommeil en psychiatrie. [Sleep therapy in psychiatry.] *C. rend. Congr. alién. neur. France*, 1952, 50: 491-496. Abstract [incomplete]: *Ann. méd. psychol., Par.*, 1952, 110 (2): 565.
- Gäde, E. B., Heinrich, K. Die Bedeutung der Phenothiazinderivate, insbesondere des Megaphen, für Psychiatrie und Neurologie. [The importance of phenothiazine derivatives in psychiatry and neurology, with special reference to chlorpromazine.] *Fortsch. Neur. Psychiat.*, 1955, 23: 323-353.
- , —, Klinische Beobachtungen bei Megaphenbehandlung in der Psychiatrie. [Clinical observations with megaphen therapy in psychiatry.] *Nervenarzt*, 1955, 26: 49-54. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4073.
- Gaitz, C. M., Roy, H., Thompson, W., Kimbell, I., Mullen, A. J., Pokorny, A. D. Evaluation of chlorpromazine in comparison with other methods of treatment of hospitalized psychiatric patients, using the Lorr multidimensional scale for rating psychiatric patients. *Psychiat. Res. Rep., Wash.*, 1955 (1): 84-95.
- Galenko V. E. Serpazil; obzor inostrannoi literatury. [Serpasil; review of foreign literature.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 344-352. Abstract: *Chem. Abstr.*, 1956, 50: 17177g.
- , Osberg, I. U., Azbukina, V. D. Aminazin v psikhiatricheskoj klinike. [Aminazine in psychiatric practice.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 162-165.
- , —, —, Primenenie aminazina v psikhiatricheskoj klinike. [Use of aminazine in psychiatric clinics.] *Sovet. med.*, 1956, 20: 29-35.
- , —, Robiner, I. S., Frenkel, G. M. Kliniko-elektrofiziologicheskie issledovaniia psikhicheski bolnykh pri lechenii aminazinom. [Aminazine therapy of mental patients; clinical and electroencephalographic study.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 300-306. Abstract: *Chem. Abstr.*, 1956, 50: 17176i.
- Galibert, J., see Heuyer, G., Giraud, G., Galibert, J.
- Gallioni, E. F. Reserpine and chlorpromazine, their use in alcoholic and geriatric patients. *California M.*, 1956, 85: 97-99.
- Gallagher, W. J., Berry, J. M., Durden, W. D., Lazenby, W. D. Comparative study of reserpine, 11-desmethoxyreserpine, and Rauwolfia alkaloids in treatment of schizophrenia. In: Himwich, H. E., ed. *Tranquillizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 133-147.
- Gallai, Z., see Rácz, S., Gallai, Z.
- Gallian, U., Gamna, G. Primi tentativi di terapia di sindromi amenziali con preparati derivati dalle tecniche della "ipotesione controllata" e della "ibernazione artificiale"; nota preliminare. [First attempts to treat the syndrome of amentia with drugs derived from the technics of "controlled hypotension" and "artificial hibernation"; preliminary note.] *Minerva med., Tor.*, 1953, 44: 357-360.
- Galuszko, P., see Falicki, Z., Galuszko, P., Jaworska, I., Kielak, L., Sulestrowski, W.
- Galvão, P., see Mendes, F., Galvão, P.
- Galvin, J. A., see MacDonald, J. M., Galvin, J. A.
- Gambas, A. Essai d'application de la chlorpromazine en cures prolongées au traitement de diverses affections mentales, à propos de 58 observations. [The use of chlorpromazine for prolonged sleep therapy of various mental diseases. 58 observations.] 136 p. Lyon, 1954. [Thesis—Lyon 1953/1954, no. 76]
- Gamna, G., Bonfante, B., Villata, E. Autoesperienze con LSD. [Personal experience with LSD.] [Brief English summary] *Rass. stud. psichiat.*, 1954, 43: 979-988. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3109.
- , see Gallian, U., Gamna, G.
- , see Gomirato, G., Gamna, G.
- Gangloff, H., Monnier, M. Topische Bestimmung des zerebralen Angriffs von Reserpin (Serpasil). [Local determination of cerebral effects of reserpine.] *Experientia, Basel*, 1955, 11: 404-407. Abstract: *Chem. Abstr.*, 1956, 50: 4384b.
- Ganry, C. H. J. La cure de sommeil en psychiatrie. [Sleep therapy in psychiatry.] 102 p. [Mimeographed] Paris, 1953. [Thesis—Paris 1953, no. 395]
- Gantt, W. H., see Bridger, W. H., Gantt, W. H.
- , see Gliedman, L. H., Gantt, W. H.
- , see Gliedman, L. H., Gantt, W. H., Teitelbaum, H. A.
- Garattini, S., Valzelli, L. Sostanze interferenti sulla attività potenziante gli ipnotici svolta dalla serotonina. [Substances that interfere with the potentiating effect of serotonin on hypnotics.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 292-295.
- Garavaglia, G. Risultati clinici in campo neuropsichiatrico con alcaloidi totali di Rauwolfia serpentina (iniettabile ed orale). [Clinical results of total Rauwolfia serpentina alkaloids (injectable and oral) in neuropsychiatry.] *Minerva med., Tor.*, 1955, 46: 1259-1263.
- , Negri, V. U. L'uso della reserpina negli stati di eccitamento psichico. [Use of reserpine in psychic

- excitation states.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 376-387.
- , see Negri, V. U., Garavaglia, G.
- Garcia, J. A., Ferreira, L. R. Investigações terapêuticas com um dos alcaloides da Rauwolfia serpentina. [Therapeutic tests of one of the Rauwolfia serpentina alkaloids.] [English summary] *Rev. brasil. med.*, 1955, 12: 291-294.
- Gardner, A. Meprobamate—a clinical study. *Am. J. Psychiat.*, 1957, 114: 524-526.
- Gardner, M. J., Hawkins, H. M., Judah, L. N., Murphree, O. D. Objective measurement of psychiatric changes produced by chlorpromazine and reserpine in chronic schizophrenia. *Psychiat. Res. Rep.*, Wash., 1955 (1): 77-83.
- Garello, L., Dolce, G. Intorno alla azione risolvente della diethylamide dell'acido lisergico e della metilamfetamina sulla catalessia sperimentale da 5-idrossitriptamina (5 H T); ricerche sperimentali sul cane. [Antagonistic effect of diethylamide of lysergic acid and of methylamphetamine on experimental catalepsy caused by 5-hydroxytryptamine; experimental research on dogs.] [English summary] *Sistema nerv.*, Milano, 1956, 8: 61-80. Abstract: *Chem. Abstr.*, 1956, 50: 17196a.
- , —. Modificazione degli effetti della stricnina sulla funzione motoria della Rana esculenta determinata dalla somministrazione di serotonina. [Modification of the effects of strychnine on motor function in Rana esculenta through administration of serotonin.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 443-445.
- , see Bonamini, F., Garello, L.
- , see Dolce, G., Garello, L.
- , see Giberti, F., Garello, L.
- , see Sacchi, U., Bonamini, F., Dolce, G., Garello, L.
- , see Sacchi, U., Bonamini, F., Garello, L., Dolce, G.
- , see Sacchi, U., Garello, L., Dolce, G., Bonamini, F.
- Garmany, G., May, A. R., Folkson, A. The use and action of chlorpromazine in psychoneuroses. *Brit. M. J.*, 1954, 2: 439-441.
- Garneau, J., see Patton, G. O., Garneau, J.
- Garrabé, J., see Lecomte, G., Certhaux, A., Garrabé, J.
- Garrez, N. J., see Feldman, P. E., Lacy, B. S., Walker, A. E., Garrez, N. J.
- Garrigues, M. P., see Riser, M., Géraud, J., Laboucarie, J., Rascol, A., Clausse, S., Garrigues, M. P.
- Gascard, E. La place de la cure de sommeil en thérapeutique. [The place of sleep therapy in therapeutics.] *Marseille méd.*, 1953, 90: 516-519.
- Gastaut, H., Ferrer, S., Castells, C., Lesevre, N., Luschnat, K. Action de la diethylamide de l'acide d-lysergique (LSD 25) sur les fonctions psychiques et l'électroencéphalogramme. [Effect of d-lysergic acid diethylamide on psychic functions and the electroencephalogram.] [English summary] *Confinia neur.*, Basel, 1953, 13: 102-120. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1623.
- , Terzian, H., Gastaut, Y. Etude d'une activité électroencéphalographique méconnue: "le rythme rolandique en arceau". [Investigation of a misunderstood electroencephalographic activity: "the rolandic rhythm in arc".] *Marseille méd.*, 1952, 89: 296-310.
- Gastaut, Y., see Gastaut, H., Terzian, H., Gastaut, Y.
- Gasteau, E., see Vidart, L., Gasteau, E.
- Gatski, R. L. Chlorpromazine in the treatment of emotionally maladjusted children; preliminary report. *J. Am. M. Ass.*, 1955, 157: 1298-1300.
- Gaujard, R., see Laborit, H., Coirault, R., Damasio, R., Gaujard, R., Laborit, G., Charonnat, R., Lechat, P., Chareton, J.
- Gaunt, R., see Schneider, J. A., Plummer, A. J., Earl, A. E., Gaunt, R.
- Gauthier, J., see Sangowicz, J., Gauthier, J.
- Gauthier, J. W., see Thimann, J., Bucknam, F. G., Gauthier, J. W., O'Connell, T. A.
- , see Thimann, J., Gauthier, J. W.
- Gayle, R. F., III, see Foster, M. W., Jr., Gayle, R. F., III.
- Gayle, R. F., Jr., see Foster, M. W., Jr., Gayle, R. F., Jr.
- Gayral, L., Hervé, Y., Carrié, J., Fourny, L. Les cures insuliniques prolongées et la post-cure dans le traitement de la démence précoce. [Prolonged insulin treatment and after treatment in therapy of dementia praecox.] *Toulouse méd.*, 1955, 56: 501-513.
- , —, Fourny, L., Carrié, J. Chlorpromazine et réserpine dans la post-cure insulinique des schizophrènes. [Chlorpromazine and reserpine after insulin shock therapy in schizophrenia.] *Encéphale*, 1956, 45: 663-667.
- Geller, W. Behandlung depressiver Vertstimmungszustände mit einem neuen zentralen Stimulans. [Treatment of depressive states with a new central stimulant.] *Medizinische*, 1955: 606-608.
- Gelvin, E. P., McGavack, T. H., Kenigsberg, S. Alpha-(2-piperidyl) benzhydrol hydrochloride (pipradrol) as an adjunct in the dietary management of obesity. *N. York State J. M.*, 1955, 55: 2336-2338.
- , —, Pogge, R. C. Alpha-(piperidyl) benzhydrol hydrochloride (meratran) as an anorexigenic agent in the management of obesity. *Clin. Res. Proc.*, 1955, 3: 40-41.
- Genest, J., Adamkiewicz, L., Robillard, R., Tremblay, G. Clinical uses of Rauwolfia. II. In psoriasis and in constitutional leanness. *Canad. M. Ass. J.*, 1955, 72: 490-491. Also as: Nouvelles applications thérapeutiques de la réserpine et des extraits de la Rauwolfia. [New therapeutic use of reserpine and Rauwolfia extracts.] *Union méd. Canada*, 1954, 83: 915-916. Preliminary communication: new therapeutic applications of reserpine and of purified extracts of Rauwolfia. *Canad. M. Ass. J.*, 1954, 71 (August-News and Notes): 73.
- , see Lemieux, G., Davignon, A., Genest, J.
- Genevard, G., see Vernet, A., Genevard, G.
- Gentili, E., see Zonta, G., Masciangelo, P. M., Gentili, E.
- Gerard, D. L., Weisselberger, D., Kritiz, D. Reserpine in the postwithdrawal rehabilitation of adolescent opiate addicts. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 106-108.
- Gerard, R. W. Drugs for the soul; the rise of psychopharmacology. *Science*, 1957, 125: 201-203.
- , In: Abramson, H. A., ed. Neuropharmacology. Transactions of the second conference, May 1955, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1956. p. 241.
- Géraud, J., see Riser, M., Géraud, J., Laboucarie, J., Rascol, A., Clausse, S., Garrigues, M. P.
- Gerest, F. Traitement de l'accès maniaque par la chlorpromazine. [Chlorpromazine therapy of manic states.] *Encéphale*, 1956, 45: 536-540.
- , Maissonneuve. Le traitement de l'accès maniaque. [Chlorpromazine therapy of manic states.] *Lyon méd.*, 1954, 86 (1): 3-15. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3104.
- Gerhardt, U., Ziolk, H. U. Zur Megaphenwirkung bei Neurotikern. [Effects of megaphen in neurotics.] *Aerzt. Wschr.*, 1956, 11: 750-752.
- Gerle, B. Striking effects of chlorpromazine treatment in paranoid schizophrenia. *Encéphale*, 1956, 45: 687-690.
- Germano, V., Bellavitis, U. Osservazioni cliniche e terapeutiche sull'uso del cloridrato 6 acetossi-timossi-etil-dimetil-amina (opilon) negli stati d'ansia e nelle terapie da shock. [Clinical and therapeutic observations on the use of 6-acetoxymethoxy-ethyl-dimethylamine hydrochloride (opilon) in anxiety states and shock therapy.] [English summary] *Riv. neur.*, Nap., 1955, 25: 928-940.
- , —, Prime osservazioni cliniche sull'uso parenterale degli alcaloidi della rauwolfia in psichiatria. [First clinical observations on the parenteral use of Rauwolfia alkaloids in psychiatry.] *Riv. sper. freniat.*, 1955, 79: 713-722.
- , see Montagnari, F., Germano, V.

- , see Reda, G. C., Germano, V.
- Gerstenbrand, F., Weingarten, K.** Serpasil-Behandlung bei extrapyramidalen Hyperkinesen. [Serpasil treatment of extrapyramidal hyperkinesia.] *Wien. klin. Wschr.*, 1956, 68: 656-659.
- Gettner, H. H.**, see Abramson, H. A., Sklarofsky, B., Baron, M. O., Gettner, H. H.
- Geyer, H. W.** Thorazine (chlorpromazine) and serpasil therapy in hyperactive patient of low mentality. *Delaware M. J.*, 1955, 27: 187-189.
- , Response to thorazine (chlorpromazine) administration in hyperkinetic mongolism. *Delaware M. J.*, 1956, 28: 189-190.
- Gherarducci, D.** A propos de l'utilisation de la chlorpromazine associée à d'autres thérapeutiques psychiatriques. [Utilization of chlorpromazine associated with other psychiatric therapeutics.] *Encéphale*, 1956, 45: 1187-1189.
- Giacobini, E., Lassenius, B.** Clorpromazinbehandling; biverkningar och komplikationer. [Chlorpromazine therapy; side effects and complications.] [English summary] *Nord. med.*, 1954, 52: 1693-1699.
- Giabicani, A.**, see Siguier, F., Giabicani, A., Bétourné, C., Goglin, G.
- Giamattei, L.**, see Maffezzoni, G., Giamattei, L.
- Gianniotti, G.**, see Sacchi, U., Brusa, A., Gianniotti, G.
- Gibbons, J. E.**, see Muller, J. C., Pryor, W. W., Gibbons, J. E., Orgain, E. S.
- Gibbs, J. J., Wilkens, B., Lauterbach, C. G.** A controlled clinical psychiatric study of [the drug] chlorpromazine. *J. Clin. Exp. Psychopath.*, 1957, 18: 258-268. Condensed: *Am. J. Psychiat.*, 1956, 113: 254-255.
- Gibert, J.**, see Pommé, B., Planche, R., Gibert, J.
- Giberti, F.** Risultati e considerazioni sull'impiego della reserpina nel trattamento delle psicosi: osservazioni generali. [Results of and considerations on the use of reserpine in the treatment of psychoses: general observations.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 316-346.
- , **Garello, L.** Risultati del trattamento con reserpina in psichiatria. [Results of reserpine therapy in psychiatry.] [English summary] *Sistema nerv., Milano*, 1955, 7: 29-42. Abstract; *Excerpta med.*, Sect. 8, 1956, 9: No. 4079.
- , **Gregoret, L.** Prime esperienze di antagonismo psicofarmacologico; psicosi sperimentale da LSD e trattamento con clorpromazina e reserpina. [First trials of psychopharmacological antagonism; experimental psychoses induced with d-lysergic acid diethylamide and treated with chlorpromazine and reserpine.] [English summary] *Sistema nerv., Milano*, 1955, 7: 301-310. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4547.
- Gibson, W. C.**, see Peretz, D. I., Smythies, J. R., Gibson, W. C.
- Gifford, R. W., Jr.**, see Achor, R. W. P., Hanson, N. O., Gifford R. W., Jr.
- Gilardi, A.** Neuartige sedative Therapie bei Verhaltensstörungen im Kindesalter. [New sedative therapy of behavior disorders in children.] *Praxis, Bern*, 1956, 45: 993-995.
- Gilbert, R. G. B.**, see Dobkin, A. B., Gilbert, R. G. B., Lamoureux, L.
- , see Dobkin, A. B., Lamoureux, L., Letienne, R., Gilbert, R. G. B.
- Gillette, H. E.** Relaxant effects of meprobamate in disabilities resulting from musculoskeletal and central nervous system disorders. Clinical observations in fifty-five cases. *Internat. Rec. M.*, 1956, 169: 453-468. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1841.
- Gillie, A. K.** The use of pacatal in low-grade mental defectives. *J. Ment. Sc., Lond.*, 1957, 103: 402-405.
- Gimes, M.**, see Bűszörményi, Z., Gimes, M., Orthmayr, A.
- Ginoulhiac, R.**, see Castrovilli, G., Ginoulhiac, R., Merli, G. M.
- Ginsburg, M.**, see Shulman, L., Ginsburg, M.
- Ginzel, K. H., Mayer-Gross, W.** Prevention of psychological effects of d-lysergic acid diethylamide (LSD-25) by its 2-brom derivative (BOL 148). *Nature, Lond.*, 1956, 178: 210. Abstract: *Chem. Abstr.*, 1956, 50: 17147h.
- Girard, C.**, see Follin, S., Sigg, B., Pivet, S., Girard, C.
- Girard, V.**, see Coirault, R., Girard, V., Benoit, P.
- , see Coirault, R., Girard, V., Escafit, H., Benoit, P.
- Giraud, G.**, see Heuyer, G., Giraud, G., Galibert, J.
- Gislason, S.**, see Swenson, W. M., Gislason, S., Anderson, D. E.
- Giua, A. M.**, see Montanari, M., Giua, A. M.
- Glaser, E. M., Newling, P. S. B.** Side effects of chlorpromazine hydrochloride. *Brit. J. Pharm.*, 1955, 10: 429-433.
- Glaskin, A.**, see Shubin, H., Heiken, C. A., Glaskin, A., Pennes, E., Arsenian, J.
- Glass, H. G.**, see Lim, R. K., Pindell, M. H., Glass, H. G., Rink, K.
- Glasser, J.**, see Hubbard, O. E., Glasser, J.
- Glees, P.**, see Cole, J., Glees, P.
- Gliedman, L. H., Gantt, W. H.** The effects of reserpine and chlorpromazine on orienting behavior and retention of conditioned reflexes. *South. M. J.*, 1956, 49: 880-889.
- , **Teitelbaum, H. A.** Some implications of conditional reflex studies for placebo research. *Am. J. Psychiat.*, 1957, 113: 1103-1107.
- Glod, G. D.**, see Bamdas, B. S., Glod, G. D., Lando, L. I., Levkovich, A. P., Tarasov, Y. K., Khazen, I. M.
- Glottfelty, J. S., Wilson, W. P.** Effects of tranquilizing drugs on reticular system activity in man. *North Carolina M. J.*, 1956, 17: 401-405.
- Glynn, J. D.** Rauwolfia serpentina (serpasil) in psychiatry. *J. Neur., Lond.*, 1955, 18: 225-227.
- Goerre, J.**, see Essellier, A. F., Goerre, J., Wegmann, A.
- Goglin, G.**, see Siguier, F., Giabicani, A., Bétourné, C., Goglin, G.
- Goldberg, N.**, see Michtom, J., Goldberg, N., Offenkrantz, W., Whittier, J.
- Goldman, D.** Agranulocytosis associated with administration of chlorpromazine. Report of three cases with description of treatment and recovery. *A. M. A. Arch. Int. M.*, 1955, 96: 496-499.
- , Chlorpromazine treatment of hospitalized psychotic patients. *J. Clin. Exp. Psychopath.*, 1956, 17: 475-56. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 372.
- , Comparison of clinical effects of chlorpromazine and reserpine in psychotic patients. *Am. J. M. Sc.*, 1957, 233: 137-144.
- , The effect of chlorpromazine on severe mental and emotional disturbances. In: Chlorpromazine and mental health. Philadelphia, Lea & Febiger, 1955. p. 20-40; discussion p. 40-69.
- , The influence of chlorpromazine on psychotic thought content and mechanism. *Psychiat. Res. Rep., Wash.*, 1955 (1): 72-76.
- , The major complications of treatment of psychotic states with chlorpromazine and reserpine and their management. *Psychiat. Res. Rep., Wash.*, 1956 (4): 79-88.
- , Treatment of psychotic states with chlorpromazine. *J. Am. M. Ass.*, 1955, 157: 1274-1278.
- Goldman, H. I.** Clinical evaluation of tolserol in the post-alcoholic syndrome. *Rocky Mountain M. J.*, 1954, 51: 698-699.
- Goldstein, S. W.** New drugs; old drugs. *Am. J. Pharm.*, 1954, 126: 404-408.
- Goldstone, S.**, see Boardman, W. K., Goldstone, S., Lhamon, W. T.
- Golodets, R. G.**, see Sereiskii, M. I. A., Tolmaskaia, E. S., Golodets, R. G., Samter, N. F.
- Golse, J.** Le traitement du délire aigu par l'hibernation. [Hibernotherapy of acute delirium.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 731-734.
- , see Adam, H., Golse, J.

- Gomes d'Araújo, H., Jr. Utilização da reserpina (serpasil) em neuro-psiquiatria. [Reserpine in neuropsychiatry.] *Médico, Nova Goa*, 1955, 6: 656-669. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1223.
- Gomirato, G. Le applicazioni della clorpromazina e della reserpina al vaglio di due riunioni. [Uses of chlorpromazine and reserpine as evaluated by two assemblies.] *Minerva med., Tor.*, 1955, 46: 1449-1452.
- . L'azione della clorpromazina e della reserpina su alcune manifestazioni sintomatologiche delle psiconevrosi. [Action of chlorpromazine and reserpine on symptomatologic manifestations of psychoneuroses.] [English summary.] *Arch. psicol. neur., Milano*, 1956, 17: 531-543.
- , Gamna, G. Ricerche comparative d'esplorazione psicofarmacologica; studio dell'associazione di un barbiturico ad azione rapida (narcovene) con un ganglioplegico (largactil). [Comparative psychopharmacologic investigations; study of a rapidly acting barbiturate (narcovene) combined with a ganglioplegic (largactil).] *Gior. psichiat.*, 1954, 82: 347-359.
- , see Arian, E., Gomirato, G.
- , see Ferro Milone, F., Gomirato, G.
- González Más, R. Introducción al estudio de la toxicomanía por cañamo indiano. [Introduction to the study of toxicomania for Indian cannabis.] *Medicina, Madr.*, 1953, 21: 130-136.
- González-Monclús, E., see Ruiz-Ogara, C., Marti-Tusquets, J. L., González-Monclús, E.
- Goodell, H., see Berlin, L., Guthrie T., Weider, A., Goodell, H., Wolff, H. G.
- Goodman, J. J., see Rein, C. R., Goodman, J. J.
- Gordon, R. A., Campbell, M. The use of chlorpromazine in intractable pain associated with terminal carcinoma. *Canad. M. Ass. J.*, 1956, 75: 420-421.
- Gore, C. P., Egan, G. P., Walton, D. The place of reserpine in the treatment of the chronic psychotic patient. *Am. J. Psychiat.*, 1957, 114: 333-337.
- Gore, E. M., see Hosko, M. J., Gore, E. M., Tislow, R., Seifter, J.
- Gorin, M. H., see Abramson, H. A., Jarvik, M. E., Gorin, M. H., Hirsch, M. W.
- Gosline, E., Kline, N. S. Use of reserpine on an admission service. *Psychiat. Res. Rep., Wash.*, 1955 (1): 112-121.
- , see Kline, N. S., Barsa, J., Gosline, E.
- Goss, J. D., Jr., see Bird, E. G., Goss, J. D. Jr., Denber, H. C. B.
- Gossmann, K., see Kleinsorge, H., Gossmann, K.
- Got, M., see Bergouignan, M., Got, M., Malineau, R.
- Gottlieb, F. I. Tranquilizers and purpura hemorrhagica. *J. Am. M. Ass.*, 1956, 161: 96.
- Gottlieb, J. S., Tournay, G., Beckett, P. G., Lowinger, P. Drug therapy of the psychoses. *Med. Clin. N. America*, 1956, 40: 1385-1399.
- , see Tournay, G., Isberg, E. M., Gottlieb, J. S.
- Gottschalk, L. A., Kapp, F. T., Ross, W. D., Kaplan, S. M., Silver, H., MacLeod, J. A., Kahn, J. B., Jr., Van Maanen, E. F., Acheson, G. H. Explorations in testing drugs affecting physical and mental activity; studies with a new drug of potential value in psychiatric illness. *J. Am. M. Ass.*, 1956, 161: 1054-1058.
- Gouttebroze, V. Une année d'expérience de traitement du délirium trémens; 61 cas recueillis dans le service de neuro-psychiatrie de l'Hôpital Bellevue, St. Étienne. [Treatment of delirium tremens; one year's experience in 61 cases from the neuro-psychiatric service of the Hôpital Bellevue, St. Étienne.] 85 p. Lyon, 1955. [Thesis—Lyon, 1954/1955, no. 94]
- Govier, W. M., see Irwin, S., Govier, W. M.
- Goyne, J. B., see Sternberg, U., Spitz, H., Goyne, J. B.
- Graffagnino, P. N., Furr, J. H. New drugs in the treatment of emotional disorders; a review. *Connecticut M. J.*, 1957, 21: 38-43.
- , see Zeller, W. W., Graffagnino, P. N., Cullen, C. F., Reitman, H. J.
- Gragg, L. Chlorpromazine in a state hospital. *J. Kentucky M. Ass.*, 1956, 54: 587-589.
- , see Feuss, C. D., Gragg, L., Jr.
- Graham, J. R. Headache. *DM*, 1957, January: 1-45.
- Gralnick, A., see Silverberg, J. W., Gralnick, A.
- Grana, E. Recenti acquisizioni su un nuovo medicamento neuroplegico: la clorpromazina. [Recent experiences with a new neuroplegic drug: chlorpromazine.] *Farmaco, ed. prat., Pavia*, 1954, 9: 419-422.
- Grandmottet, J., see Carrier, J., Guyotat, J., Grandmottet, J.
- Grandon, R. C., Heffley, W., Hensel, T., Bashore, S. A new medical adjunct to the treatment of alcoholism; the use of reserpine (serpasil). *Am. Practitioner*, 1956, 7: 231-234.
- Grasset, A., see Delay, J., Deniker, P., Harl, Grasset, A.
- Grassi, B., see De Falco, A., Grassi, B.
- Grattarola, F. R., see Bolsi, D., Donegani, G., Grattarola, F. R.
- Graux, P., see Nayrac, P., Graux, P.
- Graves, C. C. Drug therapy for the emotionally and mentally disturbed; the psychiatrist's point of view. *J. Iowa M. Soc.*, 1957, 47: 15-16.
- Gray, R. W., see Coats, E. A., Gray, R. W.
- Green, A. Actualités thérapeutiques 1955 en psychiatrie. [Therapeutic progress in psychiatry in 1955.] *Encéphale*, 1956, 45: 172-200.
- Greenberg, P. D., see Pearl, D., Vander Kamp, H., Olsen, A. L., Greenberg, P. D., Armitage, S. G.
- Greenblatt, M., see Di Mascio, A., Greenblatt, M., Hyde, R. W.
- , see Di Mascio, A., Suter, E., Hyde, R. W., Greenblatt, M.
- Greenblatt, R. B. Use of reserpine (serpasil) in certain gynecologic disorders. *Ann. N. York Acad. Sc.*, 1954, 59: 133-135.
- Greenfield, A. R. A new type of sedation for the acute alcoholic. *Am. Practitioner*, 1956, 7: 241-244. Abstract: *Year book of drug therapy*, 1956-1957, p. 337-338.
- Greenhouse, H. R. Treatment of the postintoxication state in alcoholics with mephenesin and other drugs. *Q. J. Alcohol*, 1954, 15: 43-46. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 4228.
- Greenspan, K., see Piala, J. J., High, J. P., Greenspan, K., Burke, J. C.
- Greff, K., Schumann, H. J. Zur Pharmakologie des Sympatholyticums 6-Acetoxythymoxy-aethyldimethylamin. [Pharmacology of the sympatholytic 6-acetoxy-thymoxyethyldimethylamine.] *Arzneimitt. Forsch.*, 1953, 3: 341-345.
- Gregoret, see Giberti, F., Gregoret, L.
- Grenier, J., Larue, G. H., Parent, R., Turmel, J. La réserpine en psychiatrie. [Reserpine in psychiatry.] *Laval méd.*, 1956, 21: 181-189.
- Griffin, R. A., see Proctor, R. C., Griffin, R. A.
- Grigорова, E. V., see Ushakov, G. K., Kislakov, V. A., Grigорова, E. V., Verblunskaja, A. A.
- Grimaud, see Fouks, L., Laine, Grimaud, Dariotis.
- Grimshaw, J. A. Chlorpromazine and reserpine; limitations of their use in office practice. *J. Kansas M. Soc.*, 1956, 57: 687-689.
- Gross, F., see Bein, H. J., Gross, F., Tripod, J., Meier, R.
- , see Meier, R., Bein, H. J., Gross, F., Tripod, J., Tuchmann-Duplessis, H.
- , see Meier, R., Gross, F., Tripod, J.
- Gross, M., see Finn, M. H., Nadolski, F., Guy, W., Gross, M.
- Grossman, A. J., see Batterman, R. C., Leifer, P., Grossman, A. J.
- Grosz, H. J. Dilantin intoxication, with a report of one case. *Am. Practitioner*, 1956, 7: 1633-1636.
- Gruber, K., Illig, H., Pflanz, M. Zur Prüfung der sogenannten zentralen Stimulantien am Menschen. [Evaluation of so-called central stimulants in man.] *Deut. med. Wschr.*, 1956, 81: 1130-1133.

- Grupper, C. Le traitement du prurit en dermatologie par la Rauwolfia serpentina, note préliminaire. [Rauwolfia serpentina therapy of pruritus in dermatology; preliminary note.] *Bull. Soc. fr. derm. syph.*, 1955, 62: 195-162.
- Guareschi, A., Cazzullo, C. L. Sull' azione centrale del fargan: analisi sintomatologica ed elettroencefalografica. [The central action of fargan. Symptomatic and electroencephalographic analysis.] [English summary.] *Acta neur., Nap.*, 1954, 9: 274-293.
- , see Cazzullo, C. L., Guareschi, A.
- Guha, G., Dasgupta, S. R., Werner, G. Effects of some central depressant drugs on conditioned reflexes. *Bull. Calcutta School Trop. Med.*, 1954, 2: 46-47. Abstract: *Chem. Abstr.*, 1955, 49: 12709de.
- Guilly, P. Formes cliniques et traitement de l'insomnie. [Clinical forms and treatment of insomnia.] *Rev. prat., Par.*, 1954, 4: 1571-1581.
- Guiral, R. J. Uso de la chlorpromazina en las distonias vegetativas de tipo psicossomato. [Use of chlorpromazine in the psychosomatic type of autonomic dystonias.] *Encephale*, 1956, 45: 541-546.
- Guiraud, P. Discussion to: Hamon, Paraire, Velluz. Remarques sur l'action du 4560 R. P. sur l'agitation maniaque. [Effect of R. P. 4560 on manic agitation.] *Ann. méd. psychol., Par.*, 1952, 110 (1): 335.
- Gunne, L. M., see Fries, P. E., Gunne, L. M., Lundgren, S., Viding, G., Öhrberg, K.
- Gutenkauf, C. Internal medicine. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 59-64.
- Guthrie, R., see Jenkins, D. H., Chofnas, I., Boren, H., Guthrie, R.
- Guthrie, T., see Berlin, L., Guthrie, T., Weider, A., Goodell, H., Wolff, H. G.
- Guy, W., see Finn, M. H., Nadolski, F., Guy, W., Gross, M.
- Guyotat, J., see Carrier, J., Guyotat, J., Grandmottet, J.

H

- Haase, H. J. Modellpsychosen und deren Bedeutung für die Vertiefung unserer Kenntnisse über endogene und exogene Psychosen. [Model psychoses and their significance for an improved understanding of endogenous and exogenous psychoses.] *Med. Klin., Berl.*, 1956, 51: 1881-1883. [Not seen.]
- , Psychiatrische Erfahrungen mit Megaphen (Largactil) und dem Rauwolfiaalkaloid Serpasil unter dem Gesichtspunkt des psychomotorischen Parkinsonsyndroms. [Psychiatric experiences with megaphen (largactil) and the Rauwolfia alkaloid serpasil with special reference to Parkinson's psychomotor syndrome.] *Nervenarzt*, 1955, 26: 507-510.
- , Über Begriff und Wirkungsweise des therapeutisch erstrebten psychomotorischen Serpasil-(Rauwolfia alkaloid-) und Largactil-(Megaphen-) Parkinson-Syndroms. [Definition and mode of action of the psychomotor Parkinson syndrome therapeutically induced by serpasil and largactil.] [English summary] *Msehr. Psychiat., Basel*, 1956, 131: 201-214.
- , Über Vorkommen und Deutung des psychomotorischen Parkinsonsyndroms bei Megaphen-bezw. Largactil-Dauerbehandlung. [Occurrence and interpretation of the psychomotor Parkinson syndrome during prolonged therapy with megaphen or largactil.] *Nervenarzt*, 1954, 25: 486-492.
- Haber, J., see Lehman, E., Haber, J., Lesser, S. R.
- Haberer, C. E., see Noell, W. K., Chinn, H. I., Haberer, C. E.
- Hafkenschiel, J. H., Sellers, A. M., King, G. A., Thorner, M. W. Preliminary observations on the effects of parenteral reserpine on cerebral blood flow, oxygen and glucose metabolism, and electroencephalograms of patients with essential hypertension. *Ann. N. York Acad. Sc.*, 1955, 61: 78-84. Abstract: *Chem. Abstr.*, 1955, 49: 12711i.
- , see Sellers, A. M., Hafkenschiel, J. H.
- Hagenauer, F., Rudy, L. H., Himwich, H. E. A comparative evaluation of two new central nervous system stimulants in severe psychoses. *J. Clin. Exp. Psychopath.*, 1957, 18: 248-257. Condensed as: A comparative study of two central nervous system stimulants, MER-22 and S. K. F. #5, on chronic, blocked and withdrawn psychotic patients. *Am. J. Psychiat.*, 1957, 113: 840.
- Haggenmüller, F. Atosil-Sirup in der Kinderheilkunde. [Atosil elixir in pediatrics.] *Med. Klin., Berl.*, 1952, 47: 320-321.
- Hagnell, O., Korsfeldt, B., Peterson, B., Widmark, M. Chlorpromazinebehandling vid psykosed. [Chlorpromazine therapy of psychoses.] [English summary.] *Nord. med.*, 1955, 53: 726-730.
- Hague, J. R., see Cowden, R. C., Zax, M. Hague, J. R., Finney, R. C.
- Haight, J. Newer drug therapies. *Dis. Nerv. Syst.*, 1956, 17: 295-296.
- Hainaut, J., see Coirault, R., Laborit, H., Missenard, R., Jolivet, B., Hainaut, J., Weber, B.
- , see Laborit, H., Coirault, R., Hainaut, J., Weber, B.
- Hakas, P., see Pamboukis, G., Paléologue, A., Montoussis, N., Hakas, P.
- Haley, T. J., McCormick, W. G. Pharmacological effects produced by intracerebral injection of drugs in the conscious mouse. *University of California, School of Medicine, Atomic Energy Project, Los Angeles*, 1956 (UCLA-372): 1-25.
- Hall, J. F., Warren, J. M., Harlow, H. F. The effects of reserpine (serpasil) on the delayed response in monkeys. *J. Psychol., Provincet.*, 1955, 40: 159-161. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2245.
- Hall, R. A., Dunlap, D. J. A study of chlorpromazine: methodology and results with chronic semi-disturbed schizophrenics. *J. Nerv. Ment. Dis.*, 1955, 122: 301-314. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 369.
- , Year book of drug therapy, 1956-1957, p. 340-341.
- , Jackson, R. B., Swain, J. M. Neurotoxic reactions resulting from chlorpromazine administration. *J. Am. M. Ass.*, 1956, 161: 214-218.
- Halpern, B. N. Propriétés sédatives et anticonvulsivantes du carbamate de méthyl-3 pentyne-1 ol-3. [Sedative and anticonvulsant properties of 3-methyl-1-pentyne-3-ol carbamate.] *C. rend. Soc. biol.*, 1956, 150: 1152-1157.
- , Lehmann, A. Bases expérimentales de l'action thérapeutique d'une nouvelle médication sédative et anti-anxieuse: le carbamate de méthyl-3 pentyne-1 ol-3. [Experimental bases of the therapeutic action of a new sedative and tranquilizing drug: 3-methyl-1-pentyne-3-ol carbamate.] *Presse méd.*, 1957, 65: 622-625.
- Hamilton, M., see Hargreaves, G. R., Hamilton, M., Roberts, J. M.
- Hamister, R. C. Chlorpromazine in maze learning and retention. *Psychol. Rep.*, 1956, 2: 331.
- Hamke, H. Das Rauwolfia-Alkaloid Reserpin in der Behandlung der vegetativen Störungen. [Rauwolfia alkaloid reserpine treatment of autonomic disorders.] *Ther. Gegenwart*, 1955, 94: 218-219.
- Hamlon, J. S., see Sommerness, M. D., Lucero, R. J., Hamlon, J. S., Erickson, J. L., Matthews, R.
- , see Sommerness, M. D., Lucero, R. J., Hamlon, J. S., Mahowald, A. M.
- Hamon, J., Paraire, J., Velluz, J. Etats anxieux et barbituriques potentialisés. [Anxiety states and potentiated barbiturates.] *Ann. méd. psychol., Par.*, 1952, 110 (2): 403-407.
- , —, —, Remarques sur l'action du 4560 R. P. sur l'agitation maniaque. [Effect of R. P. 4560 on manic agitation.] *Ann. méd. psychol., Par.*, 1952, 110 (1): 331-335.
- Hamoneau, [G.], see Beaujard, Hamoneau.
- , see Broussolle, P., Hamoneau, G.

- Hampson, J. L., Rosenthal, D., Frank, J. D. A comparative study of the effect of mephenesin and placebo on the symptomatology of a mixed group of psychiatric outpatients. *Bull. Johns Hopkins Hosp.*, 1954, 95: 170-177. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2662.
- Hance, A. J., see Bradley, P. B., Hance, A. J.
- Handley, C. A., see Pevey, J. K., Moyer, J. H., Handley, C. A., Heider, C.
- Hanrahan, G. E., see Lehmann, H. E., Hanrahan, G. E.
- Hansel, F. K., see Barrett, B. M., Hansel, F. K.
- Hanson, N. O., see Achör, R. W., Hanson, N. O.
- , see Achör, R. W., P., Hanson, N. O., Gifford, R. W., Jr.
- Happiness pills in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 57-65.
- Haq, S. M., Smyth, V. O. Preliminary observations on the use of largactil in psychiatry. *Med. J. Malaya*, 1955, 9: 205-211. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4070.
- Haranath, P. S. R. K., see Pinakapani, S., Haranath, P. S. R. K.
- Hare, E. H. The effects of mephenesin in neurotic anxiety. *J. Ment. Sc., Lond.*, 1955, 101: 172-174. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1717.
- , Seager, C. P., Leitch, A. Reserpine in anxiety states. *Lancet, Lond.*, 1956, 1: 545-547. Abstract: *Year book of drug therapy*, 1956-1957, p. 336-337.
- Hargreaves, G. R., Hamilton, M., Roberts, J. M. Benactyzine as an aid in treatment of anxiety states; preliminary report. *Brit. M. J.*, 1957, 1: 306-310.
- Harl, J. M., see Delay, J., Deniker, P., Harl, J. M.
- , see Delay, J., Deniker, P., Harl, Grasset A.
- Harlow, H. F., see Hall, J. F., Warren, J. M., Harlow, H. F.
- Harned, B. K., Cunningham, R. W., Clark, M. C., Hine, C. H., Kane, M. M., Smith, F. H., Jr., Vessey, R. E., Yuda, N. N., Zabransky, F. W. The pharmacology of N-benzyl- β -chloropropionamide (hibicon), a new anticonvulsant. *J. Pharm. Exp. Ther.*, 1953, 107: 403-423.
- Harris, R. Clinical use of reserpine (serpasil) in geriatrics. *Ann. N. York Acad. Sc.*, 1954, 59: 95-106. Abstract: *Chem. Abstr.*, 1954, 48: 10220b.
- , Results of reserpine therapy in hypertension. *J. Geront.*, 1954, 9: 484-485.
- Harris, R. D., Rowley, E. H. Reserpine in cerebral palsy. *J. Pediatr., S. Louis*, 1956, 49: 398-400.
- Harris, T. H. Depression induced by Rauwolfia compounds. *Am. J. Psychiat.*, 1957, 113: 950.
- Hart, E. R., Langfitt, T. W., Marrazzi, A. S. Some cerebral synaptic aspects of the pharmacology of toxic psychoses, tranquilizers and antidotes. [Abstract] *J. Pharm. Exp. Ther.*, 1956, 116: 27-28.
- , see Marrazzi, A. S., Hart, E. R.
- Hart, T. M. Use of a chlorpromazine-dextroamphetamine combination in anxiety neuroses. *Am. Practitioner*, 1956, 7: 1988-1990.
- Harth, J. A. P., see Howell, T. H., Harth, J. A. P., Dietrich, M.
- Hartmann, K. Über die Bildnerien Geisteskranker und ihre Bildkommentare; Anmerkungen zur Megaphen-therapie. [Artistic creations of mental patients and their own comments on their paintings; notes on megaphen therapy.] *Zschr. Psychother.*, 1956, 6: 7-15.
- , Hiob, J., Hippus, H. Comparative psychopathology of shock therapy and pharmacotherapy. *Internat. Rec. M.*, 1957, 170: 119-124.
- , —, —, Zur vergleichenden Psychopathologie der Schock- und Phenothiazinwirkung. [Comparative psychodynamics of shock therapy and phenothiazines.] *Fortsch. Neur. Psychiat.*, 1955, 23: 354-366.
- Haslerud, G. M., see Niswander, G. D., Haslerud, G. M., Brody, N., Casey, T. M.
- Hassert, G. L., see Burke, J. C., Hassert, G. L., High, J. P.
- Hauser, A., Wenner, R. Serpasil in der Behandlung klimakterischer Ausfallserscheinungen. [Serpasil in the management of climacteric dysfunction.] *Gynaecologia, Basel*, 1956, 142: 300-303.
- Hawkes, C. D. N-Benzyl- β -chloropropionamide (hibicon); a new approach to anticonvulsant therapy. *A. M. A. Arch. Neur. Psychiat.*, 1952, 67: 815-820.
- Hawkins, D. R., see Abse, D. W., Curtis, T. E., Dahlstrom, W. G., Hawkins, D. R., Toops, T. C.
- Hawkins, H. M., see Gardner, M. J., Hawkins, H. M., Judah, L. N., Murphree, O. D.
- Hawkins, J. R., see Fabing, H. D., Hawkins, J. R.
- , see Fabing, H. D., Hawkins, J. R., Moulton, J. A.
- , see Fabing, H. D., Kropa, E. L., Hawkins, J. R., Leake, C. D.
- Haynes, E. E., see Rinaldi, F., Haynes, E. E., Rudy, L. H., Himwich, H. E.
- Hazards of tranquillity. *Brit. M. J.*, 1957, 2: 92-93.
- Heath, R. G., see Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W.
- Heberden, P., Cooper, W. Attempted suicide with meprobamate treated with leptazol. *Brit. M. J.*, 1957, 1: 1513.
- Hedqvist, H. Några erfarenheter av promethazinklorid som sedativum och hypnoticum. [Experience with promethazine chloride as sedative and hypnotic.] *Sven. läk. tidn.*, 1954, 51: 1286-1297.
- , see Schmiterlöw, C. G., Hedqvist, H.
- Heffley, W., see Grandon, R. C., Heffley, W., Hensel, T., Bashore, S.
- Heider, C., see Pevey, J. K., Moyer, J. H., Handley, C. A., Heider, C.
- Heiken, H., see Shubin, H., Heiken, C. A., Glaskin, A., Pennes, E., Arsenian, J.
- Heilbrunn, G. Selection of patients for modern psychiatric pharmacotherapy in general practice. *Northwest M.*, 1956, 55: 1198-1205.
- Heim, F., Frodl, E. Der Einfluss des Megaphen auf die Spontan- und Hypermotilität der weissen Maus. [Effect of megaphen on spontaneous and hypermotility of white mice.] *Arzneimitt. Forsch.*, 1954, 4: 514-515. Abstract: *Chem. Abstr.*, 1955, 49: 518gh.
- Heimann, H., Witt, P. N. Die Wirkung einer einmaligen Largactilgabe bei Gesunden; vergleichend psychopathologisch-elektroencephalographische Untersuchungen. [Effect of single doses of chlorpromazine in normal individuals; comparative psychopathological-electroencephalographic studies.] [English summary] *Msehr. Psychiat., Basel*, 1955, 129: 104-123.
- , see Witt, P. N., Heimann, H.
- Heimendinger, E., Klotz, C., Champy, M. Essais de cure de sommeil dans quelques affections oto-rhino-laryngologiques. [Trial sleep therapy in various otorhinolaryngological diseases.] *Rev. otoneur., Par.*, 1956, 28: 138-143.
- Heinrich, K., see Gäde, E. B., Heinrich, K.
- Heiss, R., Becker, H., Hiltmann, H., Honsberg, I. Über psychische Wirkungen eines neuartigen Psychotonikums. [Psychological effects of a new central stimulant.] *Medizinische*, 1956: 260-262.
- Helander, S., Hood, B. Depressionsrisken vid rauwolfia-behandling. [Hazards of depression in Rauwolfia therapy.] *Sven. läk. tidn.*, 1956, 53: 1021-1023.
- Held, R. Sur la chlorpromazine et les médicaments neuroleptiques; incidences psychothérapeutiques. [Chlorpromazine and neuroleptic drugs; psychotherapeutic incidences.] *Encéphale*, 1956, 45: 1000-1004.
- Heller, G. C., Walton, D., Black, D. A. Meprobamate in the treatment of tension states. *J. Ment. Sc., Lond.*, 1957, 103: 581-588.
- Hemmer, R. Beobachtungen über psychische Veränderungen unter potenziierter Narkose. [Observations on psychic changes in potentiated anesthesia.] [English summary] *Zbl. Neurochir.*, 1953, 13: 360-364.
- Henderson, A. L., see Forster, W., Henderson, A. L.
- , see Forster, W., Schlichter, W., Henderson, A. L.
- , see Schlichter, W., Bristow, M. E., Schultz, S., Henderson, A. L.
- Henderson, F. G., see Slater, I. H., Rathbun, R. C., Henderson, F. G., Neuss, N.

- Henderson, L., *see* Forster, W., Henderson, L., Schultz, S.
 Hendley, C. D., Lynes, T. E., Berger, F. M. Effect of meprobamate on electrical activity of thalamus and other subcortical areas. In: Himwich, H. E. ed. Tranquilizing drugs. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 35-46.
- , —, —. Effect of 2-methyl-2-n-propyl-1,3-propanediol dicarbamate (miltown) on central nervous system. *Proc. Soc. Exp. Biol.*, N. Y., 1954, 87: 608-610. Abstract: *Chem. Abstr.*, 1955, 49: 4872fg.
- , —, —. Effect of 2-methyl-2-n-propyl-1,3-propanediol dicarbamate (miltown) on electrical activity of the brain. [Abstract] *Fed. Proc.*, Balt., 1955, 14: 351.
- , *see* Berger, F. M., Campbell, G. L., Hendley, C. D., Ludwig, B. J., Lynes, T. E.
- Henne, M., Durand, V. J., Bures, I. de Important syndrome délirant d'allure paranoïde évoluant depuis trois ans, disparu après trois semaines de chlorpromazine per os; analyse critique écrite de la malade. [Severe delirium with paranoid traits of three years duration; recovery after 3 weeks of oral chlorpromazine therapy; critical analysis written by the patient.] *Encéphale*, 1956, 45: 672-676.
- , Henne, S. Intoxication aiguë au cours d'une tentative de suicide par chlorpromazine. [Suicide attempted with chlorpromazine; acute intoxication.] *Ann. méd. psychol.*, Par., 1956, 114(2): 309-314.
- , *see* Sigwald, J., Henne, M.
- , *see* Sigwald, J., Henne, M., Bouttier, D., Raymond-deaud, C., Quetin, A.
- Henne, S., *see* Henne, M., Henne, S.
- Hensel, T., *see* Grandon, R. C., Heffley, W., Hensel, T., Bashore, S.
- Hepner, L., *see* Sapir, M., Stroun, J., Hepner, L., Reverchon, J., Selzer, S.
- Herman, M., Effron, A. S. Tolserol in the treatment of the post-alcoholic state. In: Podolsky, E. ed. Management of addictions. New York, *Philosophical Library*, 1955. p. 209-217.
- Harold, W., *see* Bair, H. V., Herold, W.
- Hervé, Y., *see* Gayral, L., Hervé, Y., Carrié, J., Fourny, L.
- , *see* Gayral, L., Hervé, Y., Fourny, L., Carrié, J.
- Hes, J. P., Bracha, S. The influence of reserpine on a disturbed male ward and a method for assessing this. *J. Ment. Sc.*, Lond., 1956, 102: 546-549.
- , —. [Reserpine in psychiatric treatment.] [English abstract] *Harefuah, Tel-Aviv*, 1956, 51: 101-106.
- , *see* Bracha, S., Hes, J. P.
- Hess, H., *see* Rosner, H., Levine, S., Hess, H., Kaye, H.
- Hess, R. Vorläufige elektroencephalographische Befunde bei Serpasil-Therapie. [Preliminary electroencephalographic findings in serpasil therapy.] *Schweiz. med. Wschr.*, 1955, 85: 442-443.
- Hess, S. M., Shore, P. A., Brodie, B. B. Persistence of reserpine action after the disappearance of drug from brain: effect of serotonin. *J. Pharm. Exp. Ther.*, 1956, 118: 84-89.
- Heuyer, G., Dell, C., Pringuet, G. Emploi de la chlorpromazine en neuropsychiatrie infantile. [Use of chlorpromazine in child neuropsychiatry.] *Encéphale*, 1956, 45: 576-578.
- , Giraud, G., Galibert, J. Traitement de l'excitation psycho-motrice chez l'enfant par le 4560 R. P. [R. P. 4560 therapy of psychomotor excitation in children.] *Arch. fr. pédiat.*, 1953, 10: 961-963.
- , Lang, J. L., Chevreau, J. P., Juredieu. Premiers résultats obtenus par un dérivé du chlorbenzhydryl en psychiatrie infantile. [First results with a chlorbenzhydryl derivative in child psychiatry.] *Encéphale*, 1956, 45: 579-586.
- Hewat, J. K., Leach, P. W., Simpson, R. W. Chlorpromazine, reserpine, and isoniazid treatment in mental disorder; a preliminary communication. *Brit. M. J.*, 1955, 2: 1119-1120. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2657.
- Hewitt, D. W. Alcoholism, a treatment guide for general practitioners. 112 p. Philadelphia, *Lea & Febiger*, 1957.
- Hickerson, G. X., Jr., Swain, J. M., Tempey, F. W. Reserpine in acute psychotic states; report of a controlled study. *J. Nerv. Ment. Dis.*, 1956, 124: 614-617.
- Hiebel, G., Bonvallet, M., Dell, P. Action de la chlorpromazine (Largaetil 45 60 RP) au niveau du système nerveux central. [Effects of chlorpromazine on central nervous system.] *Sem. hôp. Paris*, 1954, 30: 2346-2353. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1219.
- Hiestand, E. C. Overdosage with meprobamate; presentation of case. *Ohio M. J.*, 1956, 52: 1306-1307.
- Hift, S., *see* Arnold, O. H., Hift, S., Solms, W.
- High, J. P., *see* Burke, J. C., Hassert, G. L., High, J. P.
- , *see* Piala, J. J., High, J. P., Greenspan, K., Burke, J. C.
- Hildebrand, H. J. Erfahrungen bei der Behandlung psychisch Kranker mit Serpasil. [Experiences in the treatment of mental patients with serpasil.] [English summary] *Münch. med. Wschr.*, 1956, 98: 1093-1096.
- Hilliard, E. T. The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43(1): 1035-1040.
- Hiltmann, H., *see* Heiss, R., Becker, H., Hiltmann, H., Honsberg, I.
- Himwich, H. E. Discussion of papers on basic observations of new psychopharmacological agents. *Psychiat. Res. Rep.*, Wash., 1956(4): 24-31.
- , The effect of frenquel on EEG changes produced by LSD-25 and mescaline. In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, *Grune & Stratton*, 1956. p. 19-26.
- , Prospects in psychopharmacology. *J. Nerv. Ment. Dis.*, 1955, 122: 413-423. Also: *Dis. Nerv. Syst.*, 1956, 17: 109-116.
- , Viewpoints obtained from basic and clinical symposia on tranquilizing drugs. In: Himwich, H. E., ed. Tranquilizing drugs. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 183-192.
- , ed. Tranquilizing drugs. 197 p. [Symposium held in Atlanta, Georgia, December 1955] Washington, *Am. Ass. Adv. Sc.*, 1957. [Articles within the scope of this bibliography are listed individually]
- , Rinaldi, F. Analysis of the action of benzotropine methanesulfonate against Parkinsonism. In: Himwich, H. E., ed. Tranquilizing drugs. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 47-57.
- , Willis, D. An examination of phenothiazine derivatives with comparisons of their effects on the alerting reaction, chemical structure and therapeutic efficacy. *J. Nerv. Ment. Dis.*, 1956, 124: 53-57.
- , *see* Hagenauer, F., Rudy, L. H., Himwich, H. E.
- , *see* Nathan P., Aprison, M. H., Himwich, H. E.
- , *see* Rinaldi, F., Haynes, E. E., Rudy, L. H., Himwich, H. E.
- , *see* Rinaldi, F., Himwich, H. E.
- , *see* Rinaldi, F., Rudy, L. H., Himwich, H. E.
- , *see* Rudy, L. H., Himwich, H. E., Tasher, D. C.
- , *see* Rudy, L. H., Rinaldi, F., Himwich, H. E.
- , *see* Schut, J. W., Himwich, H. E.
- Hine, C. H., *see* Harned, B. K., Cunningham, R. W., Clark, M. C., Hine, C. H., Kane, M. M., Smith, F. H., Jr., Vessey, R. E., Yuda, N. N., Zabransky, F. W.
- Hine, F. R., *see* Bryant, J. H., Bass, B. M., Hine, F. R.
- Hiob, J. Klinische Erfahrungen bei der Behandlung von Psychosen mit Megaphen. [Clinical experiences in megaphen therapy of psychoses.] *Aerzt. Wschr.*, 1954, 9: 919-924.
- , Hippus, H. Klinische Erfahrungen mit dem Rauwolfia-Alkaloid Reserpin in der Psychiatrie. [Clinical experiences with the Rauwolfia alkaloid reserpine in psychiatry.] *Deut. med. Wschr.*, 1955, 80: 1497-1500.

- , —, Über die Behandlung von Psychosen mit dem Phenothiazinderivat Pacatal. [The treatment of psychoses with the phenothiazine derivative pacatal.] *Med. Klin., Berl.*, 1955, 50: 1746-1748. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1544.
- , see Hartmann, K., Hiob, J., Hippus, H.
- Hippus, H., Mellin, P., Rosenkötter, L. Megaphenwirkungen im EEG des Kaninchens. [Megaphen effects on the EEG of rabbits.] *Zschr. ges. exp. Med.*, 1955, 125: 128-135.
- , see Hartmann, K., Hiob, J., Hippus, H.
- , see Hiob, J., Hippus, H.
- Hiraiwa, K., see Yoshii, N., Tsukiyama, K., Hiraiwa, K.
- Hirsch, M. W., Jarvik, M. E., Abramson, H. A. Lysergic acid diethylamide (LSD-25): XVIII. Effects of LSD-25 and six related drugs upon handwriting. *J. Psychol., Provincet.*, 1956, 41: 11-22. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3944.
- , see Abramson, H. A., Jarvik, M. E., Gorin, M. H., Hirsch, M. W.
- , see Abramson, H. A., Jarvik, M. E., Hirsch, M. W.
- , see Abramson, H. A., Jarvik, M. E., Hirsch, M. W., Ewald, A. T.
- , see Abramson, H. A., Jarvik, M. E., Levine, A., Kaufman, M. R., Hirsch, M. W.
- , see Jarvik, M. E., Abramson, H. A., Hirsch, M. W.
- Hirsch, S., see Shane, A. M., Hirsch, S.
- Hivert, P. H., see Rondepierre, J., Hivert, P. H., Honoré, B., Vaugelade, S.
- Hoagland, H., see Rinkel, M., Hyde, R. W., Solomon, H. C., Hoagland, H.
- Hoch, P. H. The effect of chlorpromazine on moderate and mild mental and emotional disturbances. In: Chlorpromazine and mental health. Philadelphia, Lea & Febiger, 1955. p. 99-111; discussion p. 111-140.
- , Experimental psychiatry. *Am. J. Psychiat.*, 1955, 111: 787-790.
- , New drug therapy in psychiatry: clinical uses and abuses in mental disorders. *Bull. N. York Acad. M.*, 1957, 33: 474-486.
- , Practical and theoretical applications of the new drug therapies in psychiatry. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 325-328.
- , Progress in psychiatric therapies. *Am. J. Psychiat.*, 1955, 112: 241-247.
- , Remarks on LSD and mescaline. *J. Nerv. Ment. Dis.*, 1957, 125: 442-444.
- , Studies in routes of administration and counteracting drugs. In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, Grune & Stratton, 1956. p. 8-12.
- , Cattell, J. P., Pennes, H. H. Effect of drugs; theoretical considerations from a psychological viewpoint. *Am. J. Psychiat.*, 1952, 108: 585-589.
- , —, Effects of mescaline and lysergic acid (d-LSD-25). *Am. J. Psychiat.*, 1952, 108: 579-584.
- , Pennes, H. H., Cattell, J. P. Psychoses produced by administration of drugs. *Res. Pub. Ass. Res. Nerv. Ment. Dis.*, 1953, 32: 287-296.
- , see Lesse, S., Malitz, S., Hoch, P. [H.]
- , see Malitz, S., Hoch, P. H.
- , see Malitz, S., Hoch, P. H., Lesse, S.
- , see Pennes, H. H., Hoch, P. H.
- Hock, E. H. The use of chlorpromazine in mental disorders. *J. Christ. M. Ass., India*, 1956, 31: 285-291.
- Hodges, H. H., LaZerte, G. D. Jaundice and agranulocytosis with fatality following chlorpromazine therapy. *J. Am. M. Ass.*, 1955, 158: 114-116.
- Hodgkinson, R. The effects of reserpine on hypertensive patients over a period of two years. *Brit. Heart J.*, 1956, 18: 523-528.
- Hoeck, L. E., see Budnick, I. S., Leikin, S., Hoeck, L. E.
- Hoff, H. Advantages and disadvantages of treatment with chlorpromazine and serpasil. *Encéphale*, 1956, 45: 352-358.
- , Vorteile und Nachteile der Behandlung mit Largacil und Serpasil. [Advantages and disadvantages of therapy with largacil and with serpasil.] *Wien. klin. Wschr.*, 1956, 68: 97-101.
- , see Arnold, O. H., Hoff, H.
- Hoffer, A. Adrenolutin as a psychotomimetic agent. In: Himwich, H. E. ed. Tranquilizing drugs. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 73-100.
- , Epinephrine derivatives as potential schizophrenic factors. *J. Clin. Exp. Psychopath.*, 1957, 18: 27-60.
- , Experimental pharmacodynamics and psychobiology. *J. Clin. Exp. Psychopath.*, 1956, 17: 376-377.
- , Studies with niacin and LSD. In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, Grune & Stratton, 1956. p. 44-45.
- , Osmond, H., Smythies, J. Schizophrenia; a new approach. II. Result of a year's research. *J. Ment. Sc., Lond.*, 1954, 100: 29-45.
- , see Agnew, N., Hoffer, A.
- , see Szatmari, A., Hoffer, A., Schneider, R.
- Hoffman, J. L. General summary to: Chlorpromazine and reserpine; symposium on experiences at Saint Elizabeths Hospital. *Med. Ann. District of Columbia*. 1956, 25: 267-268; 298.
- , Konchegul, L. Clinical and psychological observations on psychiatric patients treated with reserpine: a preliminary report. *Ann. N. York Acad. Sc.*, 1955, 61: 144-149. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3083.
- , see Overholser, W., Waldrop, F. N., Riesenman, F. R., Fong, T. C. C., Farley, O. R., Hoffman, J. L.
- Hoffman, K., see Tripod, J., Sury, E., Hoffman, K.
- Hoffmann, I., see Nieschulz, O., Hoffmann, I., Pependiker, K.
- , see Nieschulz, O., Pependiker, K., Hoffmann, I.
- Hoheisel, H. P., see Walch, R., Hoheisel, H. P.
- Holden, R. H., see Denhoff, E., Holden, R. H.
- Holland, W., see Clark, L. D., Ellsworth, R. B., Barrett, W. W., Thurman, A. C., Holland, W.
- Hollander, W., see Wilkins, R. W., Judson, W. E., Stone, R. W., Hollander, W., Huckabee, W. E., Friedman, I. H.
- Hollister, L. E. Complications from the use of tranquilizing drugs. *N. England J. M.*, 1957, 257: 170-177.
- , Hematemesis and melena complicating treatment with Rauwolfia alkaloids. *A. M. A. Arch. Int. M.*, 1957, 99: 218-221.
- , Tranquilizing drugs and the generalist. *Med. Times, Great Neck*, 1956, 84: 1021-1026.
- , Unexpected asphyxial death and tranquilizing drugs. *Am. J. Psychiat.*, 1957, 114: 366-367.
- , Jones, K. P., Brownfield, B., Johnson, F. Chlorpromazine alone and with reserpine; use in the treatment of mental diseases. *California M.*, 1955, 83: 218-221. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1219.
- , Krieger, G. E., Kringel, A., Roberts, R. H. Treatment of chronic schizophrenic reactions with reserpine. *Ann. N. York Acad. Sc.*, 1955, 61: 92-100. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1231.
- , Stannard, A. N., Drake, C. F. Treatment of anxious patients with drugs. *Dis. Nerv. Syst.*, 1956, 17: 289-293.
- , Traub, L., Beckman, W. G. Psychiatric use of reserpine and chlorpromazine: results of double-blind studies. In: Kline, N. S., ed. Psychopharmacology. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 65-74.
- Holmberg, G., Jönsson, B., Mellgren, A., Martens, S. EEG changes in chlorpromazine and reserpine treatment. *Acta psychiat. neur. scand.*, 1956, Suppl. 106: 235-240.
- Holmes, C. R., Stone, H. M. Agranulocytosis due to chlorpromazine; report of a case with recovery. *J. S. Carolina M. Ass.*, 1956, 52: 42-45.
- Holt, E. K., Ward-Dunn, G., Nedilsky, B. T., Niswander, G. D. Clinical comparison of raudixin and rau-sed in chronic mental illness. *Dis. Nerv. Syst.*, 1955,

- 16: 222-223. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4564.
- , see Niswander, G. D., Holt, E. K.
- Holt, W. E. Effect of mephenesin on psychotic patients. *J. Nerv. Ment. Dis.*, 1952, 115: 343-350.
- Holten, C. H., Sonne, E. Action of a series of benactyzine-derivatives and other compounds on stress-induced behaviour in the rat. *Acta pharm. tox., Kbh.*, 1955, 11: 148-155.
- Holtzer, P. A. Studiereis naar Parijs ter kennismaking met het praeparaat largactil (4560 R. P.). [Study trip to Paris to obtain information on largactil (4560 RP).] *Geneesk. gids*, 1953, 31: 465-469.
- Honoré, B., see Rondepierre, J., Hivert, P. H., Honoré, B., Vaugelade, S.
- Honsberg, I., see Heiss, R., Becker, H., Hiltmann, H., Honsberg, I.
- Hood, B., see Helander, S., Hood, B.
- Hopkin, D. A. B. The action of chlorpromazine. Review of French work. *Lancet, Lond.*, 1955, 1: 605-607.
- Horbaczewski, J. Agranulocytosis associated with chlorpromazine therapy. *Canad. M. Ass. J.*, 1956, 75: 412-415.
- Horenstein, S. Reserpine and chlorpromazine in hyperactive mental defectives. *Am. J. Ment. Defic.*, 1957, 61: 525-529.
- Hormia, A. A comparison between combined reserpine-chlorpromazine and chlorpromazine therapies in psychiatry. *Acta psychiat. neur. scand.*, 1956, 31: 437-446.
- , Havaintoja klooripromatsiini-reserpiini-insuliini-sokkihoitoyhdistelmästä. [Observations on combined chlorpromazine, reserpine and insulin coma therapy.] [English summary] *Duodecim, Helsin.*, 1956, 72: 948-955.
- , Klooripromatsiini psykiatriassa. [Chlorpromazine in psychiatry.] [English summary] *Duodecim, Helsin.*, 1955, 71: 1226-1242.
- , Klooripromatsiinihoito psykiatriassa viiden vuoden kokemusten valossa. [Chlorpromazine treatment in psychiatry in the light of five years' experience.] *Suom. lääk. lehti*, 1956, 11: 1154-1158.
- , Meprobamaatista neuropsykiatriassa saatuja hoitokokemuksia. [Meprobamate therapy in neuropsychiatry.] [English summary] *Duodecim, Helsin.*, 1956, 72: 1019-1024.
- , Yhdistetty serpasil-klooripromatsiinihoito psykiatriassa. [Combined serpasil-chlorpromazine treatment in psychiatry.] [English summary] *Duodecim, Helsin.*, 1956, 72: 76-85.
- Horning, E. C., see Fish, M. S., Horning, E. C.
- Horst, L. van der. Données sur l'emploi du largactil et d'autres dérivatives de la phénothiazine en neurologie, neuro-chirurgie et radiologie. [The use of largactil and other phenothiazines in neurology, neurosurgery and radiology.] *Encéphale*, 1956, 45: 717-721.
- Hosko, M. J., Gore, E. M., Tislow, R., Seifter, J. Taming effect of promazine in the rhesus monkey. [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 153-154.
- Houde, R. W., Wallenstein, S. L. Analgetic power of chlorpromazine alone and in combination with morphine. [Abstract] *Fed. Proc., Balt.*, 1955, 14: 353.
- , Clinical aspects of the evaluation of analgesics. *J. Am. Geriatr. Soc.*, 1956, 4: 167-171.
- Houillon, G., see Durand, V. J., Houillon, G.
- Houston, F. Group behaviour in chronic schizophrenics treated with meratran. *Brit. M. J.*, 1956, 1: 949-952. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2084.
- Howard, J. C., Jr., Vinci, F. J. Use of the tranquilizing properties of reserpine; a review. *Internat. Rec. M.*, 1956, 169: 213-221.
- Howell, T. H., Harth, J. A. P., Dietrich, M. The use of chlorpromazine in geriatrics. *Practitioner, Lond.*, 1954, 173: 172-173.
- Howlett, K. S., see O'Connor, J. B., Howlett, K. S.
- , see O'Connor, J. B., Howlett, K. S., Wagner, R. R.
- Hubbard, B. A. Reserpine. *J. Am. M. Ass.*, 1955, 157: 468.
- Hubbard, O. E., Glasser, J. Newer psychotropic drugs; their characteristics and use in general practice. *North-west M.*, 1956, 55: 1191-1197.
- Huber, R. D., see Begany, A. J., Seifter, J., Pless, H. H., Huber, R. D., Bruce, W. F.
- Huchon, J., see Hyvert, M., Fagard, H., Huchon, J.
- Huchtemann, K., Pflugfelder, G. Serpasilkuren in der Psychiatrie; Bericht über 100 Kuren. [Serpasil therapy in psychiatry; report on 100 cases.] *Schweiz. med. Wschr.*, 1955, 85: 627-630. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2242.
- Huckabee, W. E., see Wilkins, R. W., Judson, W. E., Stone, R. W., Hollander, W., Huckabee, W. E., Friedman, I. H.
- Huguenard, P. Étude clinique d'un nouveau neuroleptique, le 1522 CB (maléate d'acétylpromazine). [Clinical study of a new neuroleptic drug, CB-1522 (acetyl-promazine maleate)]. *Presse méd.*, 1957, 65: 685-688.
- , see Laborit, H., Huguenard, P.
- , see Laborit, H., Huguenard, P., Alluaume, R.
- Huizenga, K. A., see Loftus, L. R., Huizenga, K. A., Stauffer, M. H., Rome, H. P., Caine, J. C.
- Humphries, O., see Kornetsky, C., Humphries, O.
- , see Kornetsky, C., Humphries, O., Evarts, E. V.
- Hunt, B. R., Frank, T., Krush, T. P. Chlorpromazine in the treatment of severe emotional disorders of children. *A. M. A. J. Dis. Child.*, 1956, 91: 268-277.
- Hunt, H. F. Some effects of drugs on classical (type S) conditioning. *Ann. N. York Acad. Sc.*, 1956, 65: 258-267.
- Hunter, W., see Merlis, S., Hunter, W.
- Hurst, L. A., Reuning, H., Wyk, A. J. van, Crouse, H. S., Booyens, P. J., Nelson, G. Experiences with d-lysergic acid diethylamide (LSD); a symposium. *S. Afr. J. Laborat. Clin. M.*, 1956, 2: 289-310.
- Hussar, A. E. Complications of chlorpromazine and reserpine therapy. *GP*, 1957, 15(5): 85-93.
- Hutchinson, J. T. The value of drugs in the treatment of neuroses. *Med. Illustr., Lond.*, 1956, 10: 541-544.
- Huxley, A. The doors of perception. 79p. New York, Harper, 1954.
- , Heaven and hell. 88 p. London, Chatto & Windus, 1956.
- , Mescaline and the "other world." In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, Grune & Stratton, 1956. p. 46-50.
- Hyde, R. W., Von Mering, O., Morimoto, K. Hostility in the lysergic psychosis. *J. Nerv. Ment. Dis.*, 1953, 118: 266-267.
- , see Di Mascio, A., Greenblatt, M., Hyde, R. W.
- , see Di Mascio, A., Suter, E., Hyde, R. W., Greenblatt, M.
- , see Rinkel, M., DeShon, H. J., Hyde, R. W., Solomon, H. C.
- , see Rinkel, M., Hyde, R. W., Solomon, H. C.
- , see Rinkel, M., Hyde, R. W., Solomon, H. C., Hoagland, H.
- , see Salvatore, S., Hyde, R. W.
- , see Slater, P. E., Morimoto, K., Hyde, R. W.
- Hyvert, M. La chlorpromazine, traitement des psychoses chroniques. [Chlorpromazine treatment in chronic psychoses.] *Encéphale*, 1956, 45: 617-627.
- , Fagard, H., Huchon, J. Premiers résultats du traitement par la chlorpromazine d'un nombre important de malades chroniques. [Initial results with chlorpromazine treatment of a significant number of chronic patients.] *Ann. méd. psychol., Par.*, 1955, 113(1): 645-653.

I

Ibsen, B., Pahle, H., Villumsen, Å. L. Chlorpromazin hydrochlorid (largactil); en oversigt. [Chlorpromazine hydrochloride (largactil); review.] [Brief English summary] *Ugeskr. laeger*, 1954, 116: 1769-1775.

- Illig, H., see Gruber, K., Illig, H., Pflanz, M.
 Imber, S. D., see Rosenthal, D., Imber, S. D.
 Imberciadori, S., Manganaro, D. Effetti della somministrazione di 2-metil-2-n-propil-1,3-propanediolo dicarbammato (mepro-bamato) nei malati di mente. [Effects of administration of 2-methyl-2-n-propyl-1,3-propanediol dicarbamate (mepro-bamate) in mental disorders.] *Minerva med.*, Tor., 1956, 47: 2181-2184.
 Ingram, W., Jr., see McCullagh, W. H., Ingram, W., Jr.
 Ingvar, D. H., Soderberg, U. Effects of chlorpromazine on cerebral circulation and electroencephalogram in cats. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 254-258.
 International symposium on chlorpromazine. *J. Clin. Exp. Psychopath.*, 1956, 17: 15-76; 129-188. [Articles within the scope of this bibliography are listed individually.]
 Irwin, S., Govier, W. M. Chlorpiprozone, a new tranquilizer: comparison with chlorpromazine in the mouse, rat, cat, dog, and monkey. [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 154-155.
 Isaacs, B., see McArthur, J. G., Isaacs, B.
 Isbell, H., Belleville, R. E., Fraser, H. F., Wikler, A., Logan, C. R. Studies on lysergic acid diethylamide (LSD-25). I. Effects in former morphine addicts and development of tolerance during chronic intoxication. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 468-478.
 —, Fraser, H. F., Wikler, A., Belleville, R. E. Tolerance to diethylamide of lysergic acid (LSD-25). [Abstract] *Fed. Proc.*, Balt., 1955, 14: 354.
 —, Logan, C. R. Studies on the diethylamide of lysergic acid (LSD-25). II. Effects of chlorpromazine, azacylonol, and reserpine on the intensity of the LSD-reaction. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 350-358.
 —, see Fraser, H. F., Isbell, H.
 Isberg, E. M., see Tourney, G., Isberg, E. M., Gottlieb, J. S.
 Itil, T., Bente, D., Itil, T.

J

- Jachova, D., see Sercl, M., Bartousek, V., Jachova, D.
 Jackson, G. L., Smith, D. A. Analgesic properties of mixtures of chlorpromazine with morphine and meperidine. *Ann. Int. M.*, 1956, 45: 640-652.
 Jackson, R. B., see Hall, R. A., Jackson, R. B., Swain, J. M.
 Jacob, G. M., see Kline, N. S., Jacob, G. M.
 Jacobowsky, B. Experiences from clinical psychiatry, with special reference to general and methodological viewpoints. *Acta psychiat. neur. scand.*, 1952, Suppl. 80: 86-101.
 Jacobsen, E. Suavitil; et nyt stof med specifik virkning på centralnervesystemet. [Suavitil, a new drug with specific effect on the central nervous system.] [English summary] *Ugeskr. laeger*, 1955, 117: 1147-1151.
 —, Kehlet, H., Larsen, V., Munkvad, I., Skinhoj, K. The autonomic reaction of psychoneurotics to a new sedative: benactyzine NFN, suavitil (R) (benzilic acid diethylaminoethyl ester hydrochloride). *Acta psychiat. neur. scand.*, 1955, 30: 627-642. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2668.
 —, Skaarup, Y. Experimental induction of conflict-behaviour in cats: the effect of some anticholinergic compounds. *Acta pharm. tox., Kbh.*, 1955, 11: 125-134. Abstract: *Chem. Abstr.*, 1956, 50: 2045ef.
 —, Sonne, E. The effect of benactyzine on the conditioned responses in the rat. *Acta pharm. tox., Kbh.*, 1956, 12: 310-320. Abstract: *Chem. Abstr.*, 1956, 50: 2045d; 14967h.
 —, —. The effect of benzilic acid diethylaminoethyl ester HCl (benactyzine) on stress-induced behaviour in the rat. *Acta pharm. tox., Kbh.*, 1955, 11: 135-147. Abstract: *Chem. Abstr.*, 1956, 50: 2045fg.
 Jacobson, A. Ritalin—a new agent for mild depressions; a preliminary report. *Med. Ann. District of Columbia*, 1956, 25: 491-494; 527-528.
 Jameson, G. K., see Ford, H., Jameson, G. K.
 Janzarik, W. Die bedeutung der neuroplegischen Therapie für die Psychopathologie des schizophrenen Wahns. [Significance of neuroplegic therapy for the psychopathology of schizophrenic hallucinations.] *Encephale*, 1956, 45: 635-642.
 —. Zur Psychopathologie der Megaphenwirkung. [Psychopathology of the effects of megaphen.] *Nervenarzt*, 1954, 25: 330-335. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1795.
 Jarvik, M. E. Effect of LSD-25 on snails. In: Abramson, H. A., ed. *Neuropharmacology*. Transactions of the third conference, May 1956, Princeton, N. J. New York, Josiah Macy, Jr. Foundation, 1957. p. 29-38.
 —. Mechanism of action of lysergic acid diethylamide, serotonin, and related drugs. In: Kline, N. S., ed. *Psychopharmacology*. Washington, Am. Ass. Adv. Sc., 1956. p. 145-154.
 —, Abramson, H. A., Hirsch, M. W. Comparative subjective effects of seven drugs including lysergic acid diethylamide (LSD-25). *J. Abnorm. Psychol.*, 1955, 51: 657-662.
 —, —. Lysergic acid diethylamide (LSD-25): IV. Effect on attention and concentration. *J. Psychol., Provincet.*, 1955, 39: 373-383.
 —, —. Lysergic acid diethylamide (LSD-25): VI. Effect upon recall and recognition of various stimuli. *J. Psychol., Provincet.*, 1955, 39: 443-454.
 —, see Abramson, H. A., Jarvik, M. E.
 —, see Abramson, H. A., Jarvik, M. E., Gorin, M. H., Hirsch, M. W.
 —, see Abramson, H. A., Jarvik, M. E., Hirsch, M. W.
 —, see Abramson, H. A., Jarvik, M. E., Hirsch, M. W., Ewald, A. T.
 —, see Abramson, H. A., Jarvik, M. E., Kaufman, M. R., Kornetsky, C., Levine, A., Wagner, M.
 —, see Abramson, H. A., Jarvik, M. E., Levine, A., Kaufman, M. R., Hirsch, M. W.
 —, see Abramson, H. A., Kornetsky, C., Jarvik, M. E., Kaufman, M. R., Ferguson, M. W.
 —, see Hirsch, M. W., Jarvik, M. E., Abramson, H. A.
 —, see Lennard, H., Jarvik, M. E., Abramson, H. A.
 Jassin, A. El estado de ansiedad en la tensión premenstrual y en el climaterio, tratado con tolseron. [State of anxiety in premenstrual tension in climacteric; therapy with tolseron.] *Prensa méd. argent.*, 1952 39: 2653-2655.
 Jatzkewitz, H. Pharmakologische Aspekte in der Schizophrenieforschung. [Pharmacological aspects in schizophrenia research.] *Nervenarzt*, 1956, 27: 150-152.
 Jaulmes, C., see Laborit, H., Jaulmes, C.
 Jaworska, I., see Falicki, Z., Galuszko, Jaworska, I., Kielak, L., Sulstrowski, W.
 Jedeloo, G. C., see Toisma, F. J., Jedeloo, G. C., Keme-nade, J. J. van.
 Jelesic, G., see Vurdeldja, N., Jelesic, G.
 Jenkins, D. E., Chofnas, I., Boren, H., Guthrie, R. Clinical and laboratory observations on iproniazid. *Tr. 12. Conf. Chemother. Tuberc.*, 1953: 141-145.
 Jenney, E. H., see Pfeiffer, C. C., Jenney, E. H.
 Jensen, E. S. Serpasilbehandling på åndssvagehospital. [Serpasil therapy in a hospital for the mentally deficient.] *Ugeskr. laeger*, 1955, 117: 1463-1465.
 Jensen, O. Ø. Suavitil in the treatment of psychoneuroses. *Danish M. Bull.*, 1955, 2: 140-143.
 Jeri, R. Observaciones con la reserpina (serpasol) en sujetos sanos y en pacientes psiquiátricos. [Observations with reserpine (serpasol) in normal subjects and in psychiatric patients.] [English summary] *Rev. neur. psiquiat.*, Lima, 1955, 18: 108-124. Abstract as: Effects of reserpine in psychiatric patients. *J. Am. M. Ass.*, 1955, 157: 530. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1225.
 —, see Sal y Rosas, F., Jeri, R., Sánchez, J.
 Jewesbury, E. C., see Coady, A., Jewesbury, E. C.

- Jönsson, B., see Holmberg, G., Jönsson, B., Mellgren, A., Martens, S.
- Jørgensen, G., see Broglie, M., Jørgensen, G., Voss, G.
- Jørstad, J. Reserpin ved psykoser. [Reserpine in psychoses.] [English summary] *Nord. med.*, 1956, 55: 794-798.
- Johnson, D. M. The hallucinogenic drugs, the insanity-producing drugs: Indian hemp and datura; a neglected aspect of forensic medicine, a loophole in the law. 45 p. *Addendum. LSD and schizophrenia.* (p. 40) London, Johnson, 1953.
- . Indian hemp; a social menace. 112 p. London, Johnson, 1952.
- Johnson, F., see Hollister, L. E., Jones, K. P., Brownfield, B., Johnson, F.
- Johnston, W. C., see McNeill, J. F., Johnston, W. C., Pietuchow, W.
- Jolivet, B., see Coirault, R., Laborit, H., Missenard, R., Jolivet, B., Hainaut, J., Weber B.
- Jones, D. H., see Lancaster, N. P., Jones, D. H.
- Jones, G. T., see Slater, I. H., Jones, G. T. Young, W. K.
- Jones, H. H., Jr. Reversible depression and parkinsonian occurring during treatment of hypertension with Rauwolfia. [whole root] *J. Oklahoma M. Ass.*, 1955, 48: 380-381.
- Jones, K. P., see Hollister, L. E., Jones, K. P., Brownfield, B., Johnson, F.
- Jouanneau, H., see Porot, M., Jouanneau, H.
- Judah, L. N., see Gardner, M. J., Hawkins, H. M., Judah, L. N., Murphree, O. D.
- Judson, W. E., see Wilkins, R. W., Judson, W. E.
- , see Wilkins, R. W., Judson, W. E., Stone, R. W., Hollander, W., Huckabee, W. E., Friedman, I. H.
- Juredieu, see Heuyer, G., Lang, J. L., Chevreau, J. P., Juredieu.
- Jurquet, A., see Rance, A. M., Jurquet, A., Roger J.
- Justiss, W. A., see Kleemeier, R. W., Rich, T. A., Justiss, W. A.
- K**
- Kahan, I. H. Accidental Rauwolfia poisoning in a dog. *J. Am. Vet. M. Ass.*, 1955, 216: 472.
- Kahn, E. Information values. *Am. J. Psychiat.*, 1957, 114: 375-376.
- Kahn, J. B., Jr., see Gottschalk, L. A., Kapp, F. T., Ross, W. D., Kaplan, S. M., Silver, H., MacLeod, J. A., Kahn, J. B., Jr., Van Maanen, E. F., Acheson, G. H.
- Kalinowsky, L. B. Additional remarks on the danger of premedication in electric convulsive therapy. *Am. J. Psychiat.*, 1956, 113: 79-80.
- . The danger of various types of medication during electric convulsive therapy. *Am. J. Psychiat.*, 1956, 112: 745.
- Kaminskii, S. D., Savchuk, V. I. O deistvii aminazina na vysshuiu nervuiu deiatel'nost' sobak. [Effect of aminazine on the higher nervous functions in dogs.] *Zh. neuropat. psikiat.*, Moskva, 1956, 56: 104-115. Abstract: *Chem. Abstr.*, 1956, 50: 17174hi.
- Kaminsky, A., Sevinsky, B., Kaplan, A. Il metil-propil-propanediol-dicarbamate (meprobamate) in dermatologia. [Meprobamate in dermatology.] *Minerva med.*, Tor., 1956, 47: 1478-1480. Also: *Dia méd.*, B. Air., 1956, 28: 2284-2286.
- Kamman, G. R., Freeman, J. G., Lucero, R. J. The effect of 1-isonicotinyl 2-isopropyl hydrazide (IIH) on the behavior of long-term mental patients. *J. Nerv. Ment. Dis.*, 1953, 118: 391-407.
- Kammerer, T., Ebtlinger, R. Premiers résultats du traitement du delirium tremens par le chlorpromazine (Largactil). [First results of chlorpromazine therapy in delirium tremens.] *Strasbourg méd.*, 1954, 5: 287-291. Abstract: *Ann. méd. psychol.*, Par., 1954, 112(1): 102.
- , Mengus, M., Ebtlinger, R. Traitement du delirium tremens par la chlorpromazine. [Chlorpromazine in the treatment of delirium tremens.] [Abstract] *Ann. méd. psychol.*, Par., 1954, 112(2): 439.
- Kane, M. M., see Harned, B. K., Cunningham, R. W., Clark, M. C., Hine, C. H., Kane, M. M., Smith, F. H., Jr., Vessey, R. E., Yuda, N. N., Zabransky, F. W.
- Kanner, L., Eisenberg, L. Child psychiatry; mental deficiency. *Am. J. Psychiat.*, 1957, 113: 617-622.
- Kaplan, A., see Kaminsky, A., Sevinsky, B., Kaplan, A.
- Kaplan, S. M., see Gottschalk, L. A., Kapp, F. T., Ross, W. D., Kaplan, S. M., Silver, H., MacLeod, J. A., Kahn, J. B., Jr., Van Maanen, E. F., Acheson, G. H.
- , see Shanon, J., Kaplan, S. M., Pierce, C. M., Ross, W. D.
- Kapp, F. T., see Gottschalk, L. A., Kapp, F. T., Ross, W. D., Kaplan, S. M., Silver, H., MacLeod, J. A., Kahn, J. B., Jr., Van Maanen, E. F., Acheson, G. H.
- Karan, D., see Adasul, R., Ozsan, M., Karan, D., Yener, O.
- Kardos, G., Pertorini, R. A largactil psychiatriai alkalmazása. [Psychiatric applications of chlorpromazine.] *Ideg. szemle*, 1955, 8: 65-70.
- Kasak, M., Schaefer, D. L., Winter, W. The use of chlorpromazine and reserpine in a psychiatric hospital: one year's experience. *Marquette M. Rev.*, 1955, 21: 17-24.
- Kass, I., Brown, E. C. Treatment of hypertensive patients with Rauwolfia compounds and reserpine; depressive and psychotic changes. *J. Am. M. Ass.*, 1955, 159: 1513-1516.
- Katzenelbogen, S., Fang, A. D. Narcosynthesis effects of sodium amylal, methedrine and LSD-25. *Dis. Nerv. Syst.*, 1953, 14: 85-88. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 3819.
- Kaufman, M. R., see Abramson, H. A., Jarvik, M. E., Kaufman, M. R., Kornetsky, C., Levine, A., Wagner, M.
- , see Abramson, H. A., Jarvik, M. E., Levine, A., Kaufman, M. R., Hirsch, M. W.
- , see Abramson, H. A., Kornetsky, C., Jarvik, M. E., Kaufman, M. R., Ferguson, M. W.
- , see Abramson, H. A., Waxenberg, S. E., Levine, A., Kaufman, M. R., Kornetsky, C.
- , see Levine, A., Abramson, H. A., Kaufman, M. R., Markham, S.
- , see Levine, A., Abramson, H. A., Kaufman, M. R., Markham, S., Kornetsky, C.
- Kautz, H. D. Trends in drug therapy. *Hosp. Progr.*, 1957, 38(1): 102-108; 126.
- Kavan, E., see Whitman, R. M., Lipton, M. A., Kavan, E.
- Kaye, H., see Rosner, H., Levine, S., Hess, H., Kaye, H.
- Kehlet, H., see Jacobsen, E., Kehlet, H., Larsen, V., Munkvad, I., Skinhoj, K.
- Kehoe, M. J., Pollard, J. C. Some observations on the minimal effective dosage of chlorpromazine. *J. Nerv. Ment. Dis.*, 1956, 123: 275-280.
- Keil, C. Psychoses et neuroplégiques. [Psychoses and neuroplegic drugs.] *Rév. méd. Liège*, 1955, 10: 100-102.
- Keller, D. L., Umbreit, W. W. Chemically altered permanent behavior patterns in fish and their cure by reserpine. *Science*, 1956, 124: 407.
- , —. Permanent alteration of behavior in mice by chemical and psychological means. *Science*, 1956, 124: 723-724.
- Keller, F., see Klohs, M. W., Draper, M. D., Keller, F.
- Kelley, J. W. Thorazine-chlorpromazine. *Nebraska M. J.*, 1954, 39: 305-307. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1797.
- Kellner, H. Klinische Erfahrungen mit einem neuen phenothiazinhaltigen Schlafmittel. [Clinical experiences with a new phenothiazine-containing soporific.] [Adalat] *Med. Klin., Berl.*, 1956, 51: 728-729.
- Kelly, J. The influence of mescaline on Rorschach responses. [In English] *Psychol. Forsch.*, 1954, 24: 542-556.
- Kemenade, J. J. van, see Toisma, F. J., Jedeloo, G. C., Kemenade, J. J. van.
- Kemper, H. Erfahrungen mit einem neuen Schlafmittel aus der Piperidinreihe in der Psychiatrie. [Experiences

- with a new piperidine hypnotic in psychiatry.] *Deut. med. Wschr.*, 1955, 80: 1034-1035. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3082.
- Kenigsberg, S., see Gelvin, E. P., McGavack, T. H., Kenigsberg, S.
- Kent, B., see Knight, R. W., Kent, B., Morris, G., Rogers, S.
- , see Moyer, J. H., Kent, B., Morris, G., Dizon, M., Rogers, S. Spurr, C.
- Kent, I., see Azima, H., Kent, I., Cleghorn, R. A.
- Kernohan, G. A. Stupor during reserpine therapy. *Brit. M. J.*, 1957, 1: 1475-1476.
- Kessler, L. N., Barnard, R. D. A new tranquilizer meprobamate; its use for pain associated with cancer. Preliminary report. *Med. Times, Great Neck*, 1956, 84: 431-435.
- Kestenber, see Le Guillant, L., Roelens, Corre, Kestenber, Plichet, Béquart, Bailly-Salin.
- Kety, S. S. The conference and its aims. *Ann. N. York Acad. Sc.*, 1957, 66: 417.
- , ed. The pharmacology of psychotomimetic and psychotherapeutic drugs. [Conference held in New York, April 1956] *Ann. N. York Acad. Sc.*, 1957, 66: 415-840. [Articles within the scope of this bibliography are listed individually.]
- Keyes, B. L. Ataraxic drugs. *Pennsylvania M. J.*, 1957, 60: 177-181.
- Khairnar, D. B., see Sheth, S., Khairnar, D. B.
- Kielak, L., see Falicki, Z., Galuszko, P., Jaworska, I., Kielak, L., Sulestrowski, W.
- Kielholz, P. Behandlung von depressiven und halluzinatorischen Zuständen mit Largactil, Histamin und Insulin. [Largactil, histamine and insulin therapy of depressive and hallucinatory states.] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 431-436. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1788.
- , Über die Largactilwirkung bei depressiven Zuständen und Manien sowie bei der Entziehung von Morphin- und Barbitursüchtigen. [Effects of largactil in depressive states and manias and on withdrawal in morphine and barbiturate addiction.] [English summaries: p. 304-305; p. 308-309] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 291-309.
- , Labhardt, F. Treatment of mental disorders with chlorpromazine. *J. Clin. Exp. Psychopath.*, 1956, 17: 38-44. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 371.
- , see Staehelin, J. E., Kielholz, P.
- Kieser, J., see Meyer, H. H., Schmitt, W., Kieser, J.
- Kiessling, J. Rauwolfia serpentina; Überblick über Chemie, Pharmakologie und moderne Therapie. [Rauwolfia serpentina; review on its chemistry, pharmacology and modern therapy.] *Zschr. ärztl. Fortbild.*, 1956, 50: 637-650.
- Kiffel, M., see Thiébaux, M., Thiébaux, R., Boyer, R., Leborgne, F., Kiffel, M.
- Kimbell, I., see Gaitz, C. M., Roy, H., Thompson, W., Kimbell, I., Mullen, A. J., Pokorny, A. D.
- Kimmig, J., see Korting, G. W., Borelli, S., Kimmig, J.
- Kinard, S., Mills, L. C., Terrell, J., Moyer, J. H. Use of d-amphetamine to curb the increased appetite and overeating induced by reserpine therapy. *J. Am. Geriatr. Soc.*, 1956, 4: 1073-1077.
- King, A., see Mitchell, P. H., Sykes, P., King, A.
- King, E. E. Differential action of anesthetics and interneuron depressants upon EEG arousal and recruitment responses. *J. Pharm. Exp. Ther.*, 1956, 116: 404-417.
- , see Funderburk, W. H., King, E. E., Domino, E. F., Unna, K. R.
- , see Funderburk, W. H., King, E. E., Unna, K. R.
- King, G. A., see Hafkenschiel, J. H., Sellers, A. M., King, G. A., Thorner, M. W.
- Kinnard, W. J., Jr., Carr, C. J. A preliminary procedure for the evaluation of central nervous system depressants. *J. Pharm. Exp. Ther.*, 1957, 121: 354-361.
- , see Carr, C. J., Kinnard, W. J., Jr.
- Kinross-Wright, V. Chlorpromazine; a major advance in psychiatric treatment. *Postgrad. M.*, 1954, 16: 297-299.
- , Chlorpromazine and reserpine in the treatment of psychoses. *Ann. N. York Acad. Sc.*, 1955, 61: 174-182. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2236.
- , Chlorpromazine in psychiatric disorders. *Med. Clin. N. America*, 1957, 41: 295-306.
- , Chlorpromazine treatment of mental disorders. *Am. J. Psychiat.*, 1955, 111: 907-912.
- , Clinical application of chlorpromazine. In: Kline, N. S., ed. Psychopharmacology. Washington, *Am. Ass. Adv. Sc.*, 1956, p. 31-38.
- , Clinical trial of a new phenothiazine compound: NP-207. *Psychiat. Res. Rep., Wash.*, 1956 (4): 89-94.
- , Complications of chlorpromazine therapy. *Dis. Nerv. Syst.*, 1955, 16: 114-119. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2232.
- , Intensive chlorpromazine treatment of schizophrenia. *Psychiat. Res. Rep., Wash.*, 1955 (1): 53-62.
- , A review of the newer drug therapies in psychiatry. *Dis. Nerv. Syst.*, 1956, 17: 187-190.
- , The uses and limitations of the newer drugs in the treatment of nervous conditions. *Wisconsin M. J.*, 1956, 55: 1073-1078.
- , Moyer, J. H. Observations upon the therapeutic use of benactazine suavelit. *Am. J. Psychiat.*, 1957, 114: 73-74.
- , see Moyer, J. H., Kinross-Wright, V., Finney, R. M.
- , see Moyer, J. H., Pevey, K., Kinross-Wright, V.
- Kirk, D. L., Bauer, A. M. Effects of reserpine (serpasil) on emotionally maladjusted high grade mental retardates. *Am. J. Ment. Defic.*, 1956, 60: 779-784. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1528.
- Kirkpatrick, W. L., Sanders, F. Clinical evaluation of reserpine in a state hospital. *Ann. N. York Acad. Sc.*, 1955, 61: 123-143.
- Kislenkov, V. A., see Ushakov, G. K., Kislenkov, V. A., Grigorova, E. V., Verbliunskaja, A. A.
- Kistner, R. W., Duncan, C. J. Use of pipradrol in obstetrics and gynecology. *N. England J. M.*, 1956, 254: 507-510.
- Kitchener, M., see Bruckman, N., Kitchener, M., Saunders, J. C., Kline, N. S.
- Kleemeier, R. W., Rich, T. A., Justiss, W. A. The effects of alpha-(2-piperidyl) benzhydrol hydrochloride (meratran) on psychomotor performance in a group of aged males. *J. Geront.*, 1956, 11: 165-170.
- Klein, F., see Bensoussan, P. A., Klein, F.
- , see David, M., Benda, P., Klein, F.
- Kleinsorge, H. Erfahrungen mit der Schlaftherapie innerer Erkrankungen. [Experiences with sleep therapy of internal diseases.] [Abstract] *Med. Mschr.*, 1953, 7: 760.
- , Gossmann, K. Die Flimmerverschmelzungsfrequenz als Testmethode für den Nachweis einer potenzierenden Wirkung von Reserpin auf Barbiturate. [Flicker fusion frequency as a test method for determination of the potentiating effect of reserpine on barbiturates.] *Arzneimitt. Forsch.*, 1956, 6: 495-496.
- , Rösner, K. Klinikai megfigyelések phenothiazin készítményekkel. [Clinical observations on phenothiazine preparations.] *Magy. belorv. arch.*, 1956, 9: 106-109.
- , —, Schlaftherapie mit Phenothiazinderivaten. [Sleep therapy with phenothiazine derivatives.] *Ther. Gegenwart*, 1956, 95: 441-446.
- , see Kleinsorge, Rezner.
- Kleinsorge, Rezner. Primenenie proizvodnykh fenotiazina dlia terapii snom. [Use of phenothiazine derivatives in sleep therapy.] *Zh. neuropat. psikiat., Moskva*, 1956, 56: 296-299.
- , see Kleinsorge, H.
- Kline, N. S. Chemotherapy in psychiatry; recent advances. *Seminar Internat., Hoddesdon*, 1956, 5(2): 7-10.

- . Clinical applications of reserpine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 81-108.
- . Pacatal. *Am. J. Psychiat.*, 1956, 113: 565.
- . Relation of psychiatry to the pharmaceutical industry. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 611-615.
- . Use of Rauwolfia serpentina Benth. in neuropsychiatric conditions. *Ann. N. York Acad. Sc.*, 1954, 59: 107-132. Abstract: *Chem. Abstr.*, 1954, 48: 10220c.
- , ed. *Psychopharmacology*. 165 p. [Symposium held in Berkeley, Calif., December 1954.] Washington, *Am. Ass. Adv. Sc.*, 1956. [Articles within the scope of this bibliography are listed individually.]
- , Barsa, J., Gosline, E. Management of side effects of reserpine and combined reserpine-chlorpromazine treatment. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 149-161.
- , —, —. Management of the side effects of reserpine and combined reserpine-chlorpromazine treatment. *Dis. Nerv. Syst.*, 1956, 17: 352-358.
- , Jacob, G. M. Use of pacatal (N-methylpiperidyl-3-methylphenothiazine) in psychiatric patients. *Am. J. Psychiat.*, 1955, 112: 63. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3080.
- , Saunders, J. C. Reserpine in psychiatric and neurologic disorders. *Med. Clin. N. America*, 1957, 41: 307-326.
- , Stanley, A. M. Use of reserpine in a neuropsychiatric hospital. *Ann. N. York Acad. Sc.*, 1955, 61: 85-91. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1230.
- , see Barsa, J. A., Kline, N. S.
- , see Boudwin, J., Kline, N. S.
- , see Bruckman, N., Kitchener, M., Saunders, J. C., Kline, N. S.
- , see Gosline, E., Kline, N. S.
- , see Nicolaou, G. T., Kline, N. S.
- Klingman, W. O. Neurological and psychiatric disorders; some recent advances in therapy. *Virginia M. Month.*, 1956, 83: 240-246.
- Klohs, M. W., Draper, M. D., Keller, F. Alkaloids of Rauwolfia serpentina Benth. III. Rescinnamine, a new hypotensive and sedative principle. *J. Am. Chem. Soc.*, 1954, 76: 2843.
- Klopp, C. T., see Lucas, J., Albert, S. N., Bateman, J. C., Klopp, C. T.
- Klose, G., Siemon, G. Hinweis auf die Möglichkeit einer Dauerschlafbehandlung der Tuberkulose mit Megaphen und Atosil. [Suggestion of the possibility to use prolonged sleep therapy with megaphen and atosil in tuberculosis.] *Beit. Klin. Tuberk.*, 1955, 113: 424-431.
- Klotz, G., see Heimendinger, E., Klotz, G., Champy, M.
- Knight, R. W., Kent, B., Morris, G., Rogers, S. Clinical studies of an antiemetic agent, chlorpromazine. [Abstract] *J. Laborat. Clin. M.*, 1953, 42: 828.
- Knittel, W., Lange, E. Moderne medikamentöse Behandlung der Schlafstörungen. [Modern medicamentous treatment of sleep disorders.] *Psychiat. Neur. med. Psychol.*, Lpz., 1955, 7: 112-117.
- Knutsen, A. T. Reserpine og klorpromazine i psykiatrien. [Reserpine and chlorpromazine in psychiatry.] [English summary] *Tskr. Norske lægeforen.*, 1956, 76: 368-371.
- Koechlin, P., see Sivadon, P., Koechlin, P., Markich, H.
- Koetschet, P. Can it be said that chlorpromazine has specific properties? *Internat. Rec. M.*, 1955, 168: 295-300.
- , see Courvoisier, S., Fournel, J., Ducrot, R., Kolsky, M., Koetschet, P.
- Kohler, C., Bourjade, G. De l'utilisation du 4.560 R. P. en neuro-psychiatrie infantile. [Utilization of 4560 R. P. in pediatric neuro-psychiatry.] *Pédiatrie*, 1954, 9: 383-385. Abstract: *J. méd. Lyon*, 1954, 35: 948.
- Kohli, J. D., De, N. N. Pharmacological action of rauwolfscine. *Nature, Lond.*, 1956, 177: 1182. Abstract: *Chem. Abstr.*, 1956, 50: 14097bc.
- , Mukerji, B. Comparative activity of reserpine and total alkaloids of Rauwolfia. [Abstract] In: *Pharmaceuticals & Drugs Committee, Council of Scientific & Industrial Research. Symposium on Rauwolfia*, Calcutta, 1955. Lucknow, *Pioneer Press*, 1955. p. 33-34.
- Kokkoris, P., Kordas, P., Nikolopoulos, Yanniris, M. The results of chlorpromazine treatment with chronic psychoses in Dromokaition. *J. Nerv. Ment. Dis.*, 1957, 125: 102-111.
- Kolle, K. Stüchte und ihre Bekämpfung. [Addictions and their control.] [English summary] *Münch. med. Wschr.*, 1956, 98: 7-10.
- , Mikorey, M. Künstlicher Winterschlaf in der Psychiatrie; vorläufige Mitteilung. [Preliminary report on artificial hibernation in psychiatry.] *Deut. med. Wschr.*, 1953, 78: 1723-1724.
- , Ruckdeschel, K. T. Megaphenbehandlung in der Psychiatrie. [Megaphen therapy in psychiatry.] *Münch. med. Wschr.*, 1954, 96: 533-536.
- Kolsky, M., see Courvoisier, S., Fournel, J., Ducrot, R., Kolsky, M., Koetschet, P.
- Koltonow, L. Reserpine in the treatment of patients with chronic mental disease; a controlled study. *J. Nerv. Ment. Dis.*, 1956, 123: 392-394.
- Konchegul, L., see Hoffman, J. L., Konchegul, L.
- Kopeloff, L. M., Chusid, J. G., Kopeloff, N. Effect of chlorpromazine upon epileptic and normal monkeys. *Proc. Soc. Exp. Biol.*, N. Y., 1955, 90: 282-284.
- , see Chusid, J. G., Kopeloff, L. M., Kopeloff, N.
- Kopeloff, N., see Chusid, J. G., Kopeloff, L. M., Kopeloff, N.
- , see Kopeloff, L. M., Chusid, J. G., Kopeloff, N.
- Kopf, R. Phentiazinderivaternes farmakologi, med spesielt henblik på N-methylpiperidyl-3-methylphenothiazin (lacumin [R]). [Pharmacology of phenothiazine derivatives, particularly N-methylpiperidyl-3-methylphenothiazine (lacumin [R]).] [Brief English summary] *Nord. med.*, 1955, 54: 1779-1782.
- Koranyi, E. K., see Sarwer-Foner, G. J., Koranyi, E. K.
- , see Sarwer-Foner, G. J., Koranyi, E. K., Dancey, T. E.
- Kordas, P., see Kokkoris, P., Kordas, P., Nikolopoulos, Yanniris, M.
- Korganova, A. N. Lechenie aminazinom podrostkov v psikhiatricheskoi klinike; predvaritel'noe soobshchenie. [Aminazine therapy of adolescents at a psychiatric clinic; preliminary communication.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 567-50.
- Kornetsky, C. Relation of physiologic acid diethylamide. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 657-658.
- , Humphries, O. Relationship between effects of a number of centrally acting drugs and personality. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 325-327.
- , —, Evarts, E. V. Comparison of psychological effects of certain centrally acting drugs in man. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 318-324.
- , see Abramson, H. A., Jarvik, M. E., Kaufman, M. R., Kornetsky, C., Levine, A., Wagner, M.
- , see Abramson, H. A., Kornetsky, C., Jarvik, M. E., Kaufman, M. R., Ferguson, M. W.
- , see Abramson, H. A., Waxenberg, S. E., Levine, A., Kaufman, M. R., Kornetsky, C.
- , see Levine, A., Abramson, H. A., Kaufman, M. R., Markham, S., Kornetsky, C.
- Korsfeldt, B., see Hagnell, O., Korsfeldt, B., Peterson, B., Widmark, M.
- Korting, G. W., Borelli, S., Kimmig, J. Welche Bedeutung besitzen die Phenothiazine für die Behandlung von Hautkrankheiten? [Of what significance are phenothiazines in the treatment of skin diseases?] *Derm. Wschr.*, 1956, 134: 1245-1252.

- Kositchek, R. J. Reactions to meprobamate. *J. Am. M. Ass.*, 1956, 161: 644.
- Kovitz, B., Carter, J. T., Addison, W. P. A comparison of chlorpromazine and reserpine in chronic psychosis. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 467-471. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2087.
- , see Madi, M. L., Kovitz, B.
- Kozlowski, V. L. Mentally disturbed patients; a study of low dosage sepalil. *Med. Times, Great Neck*, 1956, 84: 1219-1224.
- Kramer, E. R., see Chessin, M., Dubnick, B., Kramer, E. R., Scott, C. C.
- Kramer, J. F., see Rosner, B. S., Fierman, L. B., Kramer, J. F.
- Kramer, M. Facts needed to assess public health and social problems in the widespread use of the tranquilizing drugs. *Pub. Health Monogr.*, 1956 (41): 1-31.
- Kranz, H. Krankheitsdauer und Recidivhäufigkeit bei Chlorpromazinbehandlung endogener Psychosen. [Duration of disease and relapse rate of endogenous psychoses treated with chlorpromazine.] *Encéphale*, 1956, 45: 628-634.
- Krasilowsky, D. Complications observed in 50 mental patients treated with largactil. [In Hebrew] [English summary, p. III-IV] *Dapim Refuim*, 1955, 14: 225-228. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4553.
- Krehmer, E. Untersuchungen über den Antagonismus des Sedarapin (Reserpin) gegenüber zentralerregenden Substanzen (Pervitin, Coffein, Cocain). [Antagonism of sedarapin (reserpine) to central stimulants (pervitin, caffeine, cocaine).] 53 p. Giessen, 1956. [Thesis—Giessen].
- Kremer, M. W., see Freedman, A. M., Kremer, M. W., Robertiello, R., Effron, A. S.
- Kress, R. Chemisches und Medizinisches über Rauwolfia serpentina Benth. [Chemical and medical data on Rauwolfia serpentina Benth.] *Pharmazie*, 1953, 8: 726-728.
- Krieger, G. E., see Hollister, L. E., Krieger, G. E., Kringel, A., Roberts, R. H.
- Kringel, A., see Hollister, L. E., Krieger, G. E., Kringel, A., Roberts, R. H.
- Kris, E. B., Carmichael, D. M. Follow-up study on patients treated with thorazine; preliminary report. *Am. J. Psychiat.*, 1956, 112: 1022.
- Kritz, D., see Gerard, D. L., Weisselberger, D., Kritz, D.
- Kron, R. Zur medikamentösen Behandlung von Herzneurosen. [Medical management of cardiac neuroses.] *Praxis, Bern*, 1956, 45: 872-873.
- Krone, R. E., see Martin, K. E., Overley, H. G., Krone, R. E.
- Kroneberg, G. Rescinnamin, das zweite sedative Alkaloid der Rauwolfia serpentina. [Rescinnamine, the second sedative alkaloid of Rauwolfia serpentina.] *Arzneimitt. Forsch.*, 1956, 6: 579-583.
- Kropa, E. L., see Fabing H. D., Kropa, E. L., Hawkins, J. R., Leake, C. D.
- Kruse, W. "Paradoxical" effect of chlorpromazine in a case of periodic catatonia. *Am. J. Psychiat.*, 1957, 114: 463-464.
- Krush, T. P., see Hunt, B. R., Frank, T., Krush, T. P.
- Kuehn, A., see Schallek, W., Kuehn, A., Seppelin, D. K.
- Kugelmass, I. N. Psychochemotherapy of mental deficiency in children. *Internat. Rec. M.*, 1956, 169: 323-338.
- Kuhn, B. H. Plimasin; a preliminary evaluation. *A. M. A. Arch. Derm.*, 1955, 72: 59-62.
- Kulcsar, S., Erdelyi, S. Recherches sur le test de Szondi au cours du traitement par la chlorpromazine. [Studies of the Szondi test during chlorpromazine therapy.] *Encéphale*, 1957, 46: 140-145.
- Kuntzman, R. G., see Brodie, B. B., Olin, J. S., Kuntzman, R. G., Shore, P. A.
- Kupperman, H. S., Blatt, M. H., Vosburgh, L. F., Canis, J., Wetchler, B. Effect of reserpine, with or without hormonal therapy, upon the female climacteric. *J. Am. Geriat. Soc.*, 1956, 4: 160-166.
- Kurland, A. A. Chlorpromazine in the management of the institutionalized aged psychiatric patient with chronic brain syndrome. *Dis. Nerv. Syst.*, 1955, 16: 366-369. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3996.
- , Chlorpromazine in the treatment of schizophrenia; a study of 75 cases. *J. Nerv. Ment. Dis.*, 1955, 121: 321-329.
- , see Cholden, L. S., Kurland, A., Savage, C.
- Kurtzke, J. F. Seizures with promazine. Preliminary report. *J. Nerv. Ment. Dis.*, 1957, 125: 119-125.
- Kurz, C. A propos de la réserpine. [Reserpine] *Gaz. méd. France*, 1956, 63: 877-881.
- Kuschinsky, G. Wichtige neue Arzneimittel. [Important new drugs.] *Deut. med. Wschr.*, 1953, 78: 646; 1954, 79: 1375-1376.

L

- Labauge, R., see Lafon, R., Duc, N., Labauge, R., Temple, J. P.
- Labhardt, F. Behandlung von psychischen Störungen mit Largactil. [Largactil therapy of mental disorders.] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 437-440.
- , Einige allgemeine und psychiatrische Gesichtspunkte zur Behandlung mit neuroplegischen Medikamenten. [General and psychiatric views on therapy with neuroplegic drugs.] [Short English summary] *Dermatologica, Basel*, 1955, 111: 177-185.
- , Erfahrungen mit einem neuen Neuroplegicum. [Experiences with a new neuroplegic drug.] [NP-207] *Schweiz. Arch. Neur. Psychiat.*, 1956, 77: 481-485.
- , Die Largactiltherapie bei Schizophrenien und anderen psychotischen Zuständen. [Largactil therapy in schizophrenia and other psychotic conditions.] [English summary: p. 337-338.] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 309-338. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1789.
- , Technik, Nebenerscheinungen und Komplikationen der Largactiltherapie. [Technic, side effects and complications of largactil therapy.] [English summary: p. 345] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 338-345. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1790.
- , see Kielholz, P., Labhardt, F.
- , see Staehelin, J. E., Labhardt, F.
- Laborit, G., see Laborit, H., Coirault, R., Damasio, R., Gaujard, R., Laborit, G., Charonnat, R., Lechat, P., Chareton, J.
- Laborit, H. Climatisation au lit du malade par réfrigérateur à air. [Climatization by an air conditioner at the patient's bedside.] *Presse méd.*, 1957, 65: 1240.
- , L'homme et son milieu. [Man and his environment.] *Presse méd.*, 1951, 59: 1037-1038.
- , Potentiated anesthesia. Artificial hibernation. General technic of artificial hibernation. *Internat. Rec. M.*, 1954, 167: 315-320. 321-323. 324-327.
- , Thérapeutique neuroplégique et hibernation artificielle: essai d'éclaircissement d'une équivoque. [Neuroplegic therapy and artificial hibernation: attempt to clarify an equivocation.] *Presse méd.*, 1954, 62: 359-362.
- , Coirault, R., Damasio, R., Gaujard, R., Laborit, G., Charonnat, R., Lechat, P., Chareton, J. Sur un type nouveau d'anesthésie chirurgicale et sur l'emploi en thérapeutique d'un dépresseur du cortex cérébral (S. C. T. Z.) [A new type of surgical anesthesia and the therapeutic use of a cerebral cortex depressant (S. C. T. Z.)] [thiamine hydrochloride] *Presse méd.*, 1957, 65: 1051-1054.
- , —, Hainaut, J., Weber, B. Action des neuroplégiques sur l'excitabilité neuromusculaire; les mouvements ioniques transmembranaires; l'équilibre thermoclonique; conséquences physiologiques et thérapeu-

- tiques; une application clinique: le delirium tremens. [Effect of neuroplegic drugs on neuromuscular excitability; transmembrane ionic movements, thermocationic equilibrium; physiologic and therapeutic consequences; clinical application: delirium tremens.] *Encéphale*, 1956, 45: 1166-1177.
- , **Huguenard, P.** L'hibernation artificielle par moyens pharmacodynamiques et physiques. [Artificial hibernation by pharmacodynamic and physical means.] *Presse méd.*, 1951, 59: 1329.
- , —. Pratique de l'hibernothérapie en chirurgie et en médecine. [The use of hibernotherapy in surgery and in medicine. 256 p. Paris, Masson, 1954. [One chapter is within the scope of this bibliography.] cf. *EX, DESCHAMPS, BÉRARD.*
- , —. Technique actuelle de l'hibernation artificielle. [Current technique of artificial hibernation.] *Presse méd.*, 1952, 60: 1455-1456.
- , —, **Alluaume, R.** Un nouveau stabilisateur végétatif; le 4560 RP. [A new autonomic stabilizer; 4560 RP] *Presse méd.*, 1952, 60: 206-208.
- , **Jaulmes, C.** De l'anesthésie potentialisée à l'hibernation artificielle. [From potentiated anesthesia to artificial hibernation.] *Toulouse méd.*, 1952, 53: 821-829.
- , *see* Coirault, R., Laborit, H., Missenard, R., Jolivet, B., Hainaut, J., Weber, B.
- **Biographies**
- , **About the guest editor.** *Internat. Rec. M.*, 1954, 167: 356.
- , **Parisian pioneer.** *MD*, 1958, 2(2): 107-109.
- Laboucarie, J., Barrès, P., Rascol, A.** L'action de la chlorpromazine dans le traitement des psychoses délirantes systématisées et des schizophrénies. [Effect of chlorpromazine therapy in chronic delirium and schizophrenia.] *Encéphale*, 1956, 45: 691-697.
- , —, —. Aspects principaux des cures neuroplégiques en psychiatrie en 1956. [Principal features of neuroplegic therapy in psychiatry in 1956.] *Toulouse méd.*, 1956, 57: 851-867.
- , —, —. Les cures neuroplégiques par la chlorpromazine. [Neuroplegic therapies with chlorpromazine.] *Toulouse méd.*, 1955, 56: 515-526.
- , **Combes, P.** Valeur et limites des cures de sommeil en psychiatrie. [Value and limitations of sleep therapy in psychiatry.] *Toulouse méd.*, 1954, 55: 221-232.
- , **Rascol, A., Benichou, L.** L'action de la chlorpromazine dans les schizophrénies. [Mechanism of action of chlorpromazine in schizophrenia.] *Ann. méd. psychol.*, 1954, 112(2): 751-757.
- , *see* Riser, M., Gérard, J., Laboucarie, J., Rascol, A., Clausse, S., Garrigues, M. P.
- , *see* Riser M., Laboucarie, J., Barrès, P.
- Laburthe-Tolra, J.** Essai sur l'emploi thérapeutique de l'hibernation artificielle dans les intoxications barbituriques graves. [Clinical study on artificial hibernation in the treatment of severe barbiturate poisoning.] 57 p. Paris, 1954. [Thesis—Paris, 1954, no. 930] [Not seen]
- Lacaton, R.**, *see* Ramée, F., Lacaton, R., Sanchez, F., Baulanger, M.
- Lacchin, R.** Osservazioni cliniche sull'impiego di un nuovo farmaco: il prenderol. [Clinical observations on use of a new drug: prenderol.] *Riv. sper. freniat.*, 1952, 76: 649-655.
- Lacombe, J.**, *see* Borel, J., Lacombe, J., Camar, R.
- Lacoste, G.**, *see* Perret, A., Becker, J., Lacoste, G.
- Lacroix-Herpin, M. P. de** Cure de sommeil dans les hallucinations. [Sleep therapy in hallucinations.] 60 p. Paris, 1954. [Thesis—Paris, 1954, no. 248]
- Lacy, B. S.**, *see* Feldman, P. E., Lacy, B. S., Walker, A. E., Garrez, N. J.
- Lafon, R., Boyer, Duc, N., Minvielle, J., Pouget, R.** Effets comparatifs de l'injection intraveineuse de sérotonine et de réserpine; étude psychométrique neuro-végétative et électroencéphalographique. [The comparative effects of intravenous serotonin and reserpine; a psychometric, neuro-autonomic and electroencephalographic study.] *Ann. méd. psychol.*, *Par.*, 1956, 114(2): 463-466.
- , **Duc, N., Abric, J., Pouget, R., Comelade, P.** Etude comparative du 4560 R. P. (chlorpromazine) et de la réserpine dans les syndromes schizophréniques. [Comparative study of R. P. 4560 (chlorpromazine) and reserpine in schizophrenic syndromes.] *Encéphale*, 1956, 45: 668-671.
- , —, **Boyer, Abric, J., Pouget, R.** Exploration psychologique des malades traités par le 4560 RP (chlorpromazine) et la réserpine. [Psychologic examination of patients treated with RP 4560 (chlorpromazine) and with reserpine.] *Encéphale*, 1956, 45: 996-999.
- , —, **Labauge, R., Temple, J. P.** Incidents et accidents liés à l'emploi de la chlorpromazine. [Incidents and accidents with the use of chlorpromazine.] *Encéphale*, 1956, 45: 1226-1228.
- , —, —. Le traitement du délirium tremens par le 4560 R. P. [The treatment of delirium tremens with 4560 R. P.] *Encéphale*, 1956, 45: 1219-1220.
- , —, **Ribstein, M., Pages, H.** Le traitement des syndromes schizophréniques par la 4560 R. P. (chlorpromazine). [Treatment of schizophrenic syndromes with chlorpromazine.] *Montpellier méd.*, 1954, 46: 284-291. Abstract: *Ercerpta med.*, Sect. 8, 1955, 8: No. 3642.
- , **Faure, J. L., Abric, J.** Etude sémiologique et thérapeutique des troubles du sommeil chez l'enfant. [Symptomatology and therapeutic study of sleep disorders in children.] *Pédiatrie*, 1956, 11: 743-754.
- , **Temple, J. P., Abric, J.** Le 4560 R. P. dans le traitement des états anxieux. [4560 R. P. in the treatment of anxiety states.] [Abstract] *Sem. hôp. Paris*, 1953, 29: 3113.
- Laguerre, G.** Rauwolfia serpentina (ou sarpagandah) et ses alcaloïdes. [Rauwolfia serpentina (or sarpagandah) and its alkaloids.] *Vie méd.*, *Par.*, 1956, 37 (Special-May): 111-112.
- Laine, see** Fouks, Laine, François, Pagot.
- , *see* Fouks, L., Laine, Grimaud, Dariotis.
- , *see* Fouks, Laine, Pagaud.
- Lainé, B.**, *see* Delay, J., Pichot, P., Lainé, B., Perse, J.
- Lairy, G. C.** *see* Ey, H., Faure, H., Lairy, G. C.
- Lamarque, A., Roussel, A., Rosendorf** Comparaisons des résultats obtenus par la cure de sommeil, la cure de somnolence, et la cure à la chlorpromazine seule et à dose élevée; résultats de quelques électro-encéphalogrammes de contrôle. [Comparison of results obtained with sleep therapy, somnolence therapy and chlorpromazine therapy alone and with elevated doses; results controlled by EEG.] *Encéphale*, 1956, 45: 884-890.
- Lambert, C.**, *see* Rees, L., Lambert, C.
- Lambert, P. A., Barnaud, J.** Apparition de deux syndromes mélancoliques au cours de traitements par le 4560 RP. [Occurrence of two melancholic syndromes during treatment with 4560 RP.] [Abstract] *J. méd. Lyon*, 1954, 35: 951.
- , **Diederichs, A., Toulet, M.** Incidents et complications des traitements par la chlorpromazine employée isolément chez l'adulte. [Incidents and complications of treatments with chlorpromazine used alone in adults.] *Encéphale*, 1956, 45: 1229-1247.
- , **Toulet, M., Diederichs, A.** L'emploi de la chlorpromazine dans le traitement des psychoses de l'adulte; en dehors de la cure de sommeil. [The use of chlorpromazine in the treatment of psychoses in adults (apart from sleep therapy).] *Vie méd.*, *Par.*, 1955, 36: 799-804.
- , *see* Revol, L., Achaintre, A., Balvet P., Beaujard, M., Berthier, C., Broussolle, P., Lambert, P., Perrin, J., Requet, A.
- Lambros, V. S.** The use of reserpine in certain neurological disorders; organic convulsive states, enuresis,

- and head injuries. *Ann. N. York Acad. Sc.*, 1955, 61: 211-214. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2481.
- Lamoureux, L.**, see Dobkin, A. B., Gilbert, R. G. B., Lamoureux, L.
- , see Dobkin, A. B., Lamoureux, L., Letienne, R., Gilbert, R. G. B.
- Lancaster, N. P., Jones, D. H.** Chlorpromazine and insulin in psychiatry. *Brit. M. J.*, 1954, 2: 565-567.
- Landau, W.**, see Evarts, E. V., Landau, W., Freygang, W., Jr., Marshall, W. H.
- Landgrebe, B.** Über Erfahrungen mit Reserpin (Sedarapin) in der psychiatrischen Klinik. [Experience with reserpine (sedarapin) in a psychiatric hospital.] *Medizinische*, 1955: 610-613.
- Landis, C., Clausen, J.** Certain effects of mescaline and lysergic acid on psychological functions. *J. Psychol. Provincet.*, 1954, 38: 211-221. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1336.
- Lando, L. I.**, see Bamdas, B. S., Glod, G. D., Lando, L. I., Levkovich, A. P., Tarasov, Y. K., Khazen, I. M.
- Lang, J. L.**, see Heuyer, G., Lang, J. L., Chevreau, J. P. Juredieu.
- Lange, E.** Die Behandlung psychischer Erkrankungen mit Propaphenin (HL 5746, Winterschlafmittel). [Treatment of psychic disorders with propaphenin (HL 5746, a hibernation drug).] *Deut. Gesundheits.*, 1955, 10: 524-527. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3085.
- , see Knittel, W., Lange, E.
- Langfitt, T. W.**, see Hart, E. R. Langfitt, T. W., Marrazzi, A. S.
- Lanteri-Laura, G.**, see Baruk, H., Launay, J., Bergès, J., Lanteri-Laura, G.
- Lanzoni, E., Cavazzuti, G. B.** Azione del meprobamato sui bambini della prima infanzia; rilievi clinici ed elettroencefalografici. [Effects of meprobamate on infants; clinical and electroencephalographic studies.] *Minerva med., Tor.*, 1956, 47: 2191-2192.
- Lapinsohn, L. I.** Ritalin and serpasil in the treatment of Parkinson's disease. *Dis. Nerv. Syst.*, 1956, 17: 363-364.
- Largactil, chlorpromazinii chloridum (INN.)** *Nord. med.*, 1955, 53: 242-244.
- Laricchia, R.**, see Sanguineti, I., Laricchia, R.
- , see Sanguineti, I., Laricchia, R., Negri, V.
- , see Sanguineti, I., Negri, V., Laricchia, R.
- , see Sanguineti, I., Negri, V. U., Laricchia, R.
- , see Sanguineti, I., Zapparoli, G. C., Laricchia, R.
- Larivière, P.** Quelques commentaires sur la chlorpromazine en pratique psychiatrique. [Some remarks on chlorpromazine in psychiatric practice.] [English summary] *Canad. Psychiat. Ass. J.*, 1956, 1: 18-23.
- Laroche, C., Bonnet de la Tour** Traitement du delirium tremens par les perfusions intraveineuses d'ACTH associées à de faibles doses de chlorpromazine et de prométhazine. [Treatment of delirium tremens by intravenous perfusions of ACTH associated with small doses of chlorpromazine and promethazine.] [English summary] *Thérapie, Par.*, 1956, 11: 711-714.
- Larsen, V.**, see Jacobsen, E., Kehlet, H., Larsen, V., Munkvad, I., Skinhoj, K.
- Larue, G. H.**, see Bouchard, M., Larue, G. H., Turmel, J.
- , see Grenier, J., Larue, G. H., Parent, R., Turmel, J.
- Larue, L.** Connaissances acquises sur les résultats thérapeutiques du largactil. [Therapeutic results with largactil.] *Encéphale*, 1956, 45: 497-500.
- Lasagna, L.** The newer hypnotics. *Med. Clin. N. America*, 1957, 41: 359-368.
- , A study of hypnotic drugs in patients with chronic diseases; comparative efficacy of placebo; methyprylon (noludar) meprobamate (miltown, equanil) pentobarbital; phenobarbital; secobarbital. *J. Chronic Dis.*, 1956, 3: 122-133.
- , McCann, W. P. Effect of "tranquilizing" drugs on amphetamine toxicity in aggregated mice. *Science*, 1957, 125: 1241-1242.
- , see von Felsinger, J. M., Lasagna, L., Beecher, H. K.
- Lasater, J. H., Collins, J. D.** Are we causing depression? *Northwest M.*, 1956, 55: 863-864.
- Lassenius, B.**, see Giacobini, E., Lassenius, B.
- , see Osterman, E., Lassenius, B.
- , see Osterman, E., Lassenius, B., Bohn, L., Elkjaer, P.
- Latham, F. A.** Symposium on alcoholism. Management of the acute phases. *Memphis M. J.*, 1953, 28: 128-131.
- Launay, C.**, see Baruk, H., Launay, C., Lelord.
- Launay, J.**, see Baruk, H., Launay, J., Bergès, J.
- , see Baruk, H., Launay, J., Bergès, J., Lanteri-Laura, G.
- , see Baruk, H., Launay, J., Bergès, J., Mijolla, A. de.
- Launay, S.**, see Baruk, H., Launay, S., Bergès, J.
- Laurence, D. R.** Effect of mephenesin in spastic paralysis. *Lancet, Lond.*, 1952, 1: 178-180.
- Laurendeau, E.** Essai clinique sur un nouveau dérivé du phénothiazine: le pacatal. [Clinical trial of a new phenothiazine derivative: pacatal.] *Union méd. Canada*, 1956, 85: 1421-1425.
- Lauterbach, C. G.**, see Gibbs, J. J., Wilkens, B., Lauterbach, C. G.
- Lauterböck, J. J., Nagy, K.** Anstaltserfahrungen mit dem Rauwolfia-Alkaloid Reserpin. [Hospital experiences with the Rauwolfia alkaloid reserpine.] *Wien. klin. Wschr.*, 1955, 67: 839-843.
- Lauxerois, G.**, see Achaintre, A., Dubor, P., Lauxerois, G.
- , see Achaintre, A., Lauxerois, G.
- , see Bonnet, H., Lauxerois, G.
- Lazenby, W. D.**, see Gallagher, W. J., Berry, J. M., Durden, W. D., Lazenby, W. D.
- LaZerte, G. D.**, see Hodges, H. H., LaZerte, G. D.
- Leach, P. W.**, see Hewat, J. K., Leach, P. W., Simpson, R. W.
- Leake, C. D.** Drugs affecting mood and behavior. *Texas Rep. Biol. M.*, 1955, 13: 793-818. Abstract: *Chem. Abstr.*, 1956, 50: 9615b.
- , Introductory note [to symposium on tranquilizing drugs, Atlanta, Georgia, December 1955] In: Himwich, H. E., ed. Tranquilizing drugs. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 1-5.
- , New mood-changing drugs. *Ohio M. J.*, 1956, 52: 369-373.
- , see Fabing, H. D., Kropa, E. L., Hawkins, J. R., Leake, C. D.
- Le Beau, J.**, see Choppy, M., Le Beau, J., Petrie, A.
- , see Petrie, A., Le Beau, J.
- Le Bézu, see Leyritz, Le Bézu, Azoulay.**
- Leborgne, F.**, see Thiébaux, M., Thiébaux R., Boyer, R., Leborgne, F., Kiffel, M.
- Le Borgne, Y.**, see Perrot, R. M., Moreau-Gaudry, G., Le Borgne, Y.
- Le Bras, R.**, see Picard, P., Le Bras, R., Navarranne, P.
- Lechat, P.**, see Laborit, H., Coirault, R., Damasio, R., Laborit, G., Charonnat, R., Lechat, P., Chareton, J.
- Leche, H. G.**, see Lundquist, G., Leche, H. G.
- Lechner, H.**, see Mayr, F., Lechner, H.
- Leclerc, J.**, see Scherrer, P., Leclerc, J., Bize, N.
- Lecomte, G., Certhaux, A., Garrabé, J.** Chlorpromazine en perfusions continues dans quelques états psychopathiques. [Chlorpromazine in continuous perfusion in some psychopathic states.] *Encéphale*, 1956, 45: 382-387.
- Leconte, M., Barbier, A.** Guérison par l'association chlorpromazine-réserpine d'un grave syndrome hétérophrénocatatonique datant de 10 ans. [Combined chlorpromazine-reserpine therapy of a severe hebephrenic-catatonie syndrome of ten years' duration.] *Ann. méd. psychol., Par.*, 1956, 114(2): 637-645.
- Leeper, R. D.**, see Monaco, R. N., Leeper, R. D., Robbins, J. J., Calvy, G. L.

- Le Guillant, [L.]** Le syndrome neuroleptique: étude clinique et psychotechnique. [The neuroleptic syndrome: clinical and psychometric study.] *Ann. méd. psychol., Par.*, 1957, 115(1): 316-329.
- , Le syndrome neuroleptique: prévention et traitement. [The neuroleptic syndrome: prevention and treatment.] *Ann. méd. psychol., Par.*, 1957, 115(1): 329-338.
- , **Roelens, R.** Travaux soviétiques sur les neuroleptiques. [Soviet studies of neuroleptics.] *Presse méd.*, 1956, 64: 1225-1227.
- , **Corre, Kestenbergh, Plichet, Béquart, Bailly-Salin.** Quelques remarques méthodologiques sur l'action des neuroleptiques. [Certain methodological considerations of the action of neuroleptic drugs.] *Encéphale*, 1956, 45: 1128-1135.
- Lehman, E., Haber, J., Lesser, S. R.** The use of reserpine in autistic children. *J. Nerv. Ment. Dis.*, 1957, 125: 351-356.
- Lehmann, A.**, see Halpern, B. N., Lehmann, A.
- Lehmann, H. E.** A dynamic concept of the action of chlorpromazine at physiological and psychological levels. *Encéphale*, 1956, 45: 1113-1118.
- , Ein hemmendes Mittel zur Kontrolle und Behandlung psychomotorischer Erregungszustände; (Chlorpromazine, Largactil, Thorazine, Megaphen). [An inhibiting drug for control and treatment of psychomotor excitement: (chlorpromazine, largactil, thorazine, megaphen).] *Nervenarzt*, 1954, 25: 322-330. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1792.
- , Neurophysiologic activity of chlorpromazine in clinical use. *J. Clin. Exp. Psychopath.*, 1956, 17: 129-139.
- , Selective inhibition of affective drive by pharmacological means. *Am. J. Psychiat.*, 1954, 110: 856-857.
- , Therapeutic results with chlorpromazine (largactil) in psychiatric conditions. *Canad. M. Ass. J.*, 1955, 72: 91-99.
- , **Csank, J.** Differential screening of phrenotropic agents in man: psychophysiological test data. *J. Clin. Exp. Psychopath.*, 1957, 18: 222-235.
- , **Hanrahan, G. E.** Chlorpromazine, new inhibiting agent for psychomotor excitement and manic states. *A. M. A. Arch. Neur. Psychiat.*, 1954, 71: 227-237.
- , see Cahn, C. H., Lehmann, H. E.
- , see Lindan, O., Cahn, C. H., Lehmann, H. E.
- Lehner, F. H.**, see Weber, H. J., Lehner, F. H.
- Leiberman, D. M., Vaughan, G. F.** Tranquillizers. *Practitioner, Lond.*, 1956, 177: 632-638.
- , The use of some new pharmacological agents in psychiatry. *J. Ment. Sc., Lond.*, 1957, 103: 110-118.
- , see Vaughan, G. F., Leiberman, D. M., Cook, L. C.
- Leifer, P.**, see Batterman, R. C., Leifer, P., Grossman, A. J.
- Leikin, S.**, see Budnick, I. S., Leikin, S., Hoeck, L. E.
- Leitão, G.**, see Fernandes, B., Leitão, G.
- Leitch, A.**, see Hare, E. H., Seager, C. P., Leitch, A.
- , see Seager, C. P., Leitch, A.
- Lelord, see Baruk, H., Launay, C., Lelord.**
- Lemere, F.** Benactyzine (Suavetil). *Am. J. Psychiat.*, 1957, 114: 371.
- , Combined chlorpromazine-reserpine therapy of psychiatric disorders. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 1-2. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2235.
- , Drug habituation. *J. Am. M. Ass.*, 1956, 160: 1431.
- , Failure of azacyclonol (frenquel) to relieve non-experimental mental confusion and hallucinations. *Am. J. Psychiat.*, 1957, 113: 840-841.
- , Habit-forming properties of meprobamate. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 205-206.
- , New tranquilizing drugs. *Northwest M.*, 1955, 54: 1098-1100.
- , Promazine (sparine) in the treatment of psychiatric disorders. *Northwest M.*, 1956, 55: 790-791.
- Lemieux, G., Davignon, A., Genest, J.** Depressive states during Rauwolfia therapy for arterial hypertension; a report of 30 cases. *Canad. M. Ass. J.*, 1956, 74: 522-526.
- Lempérière, T.**, see Delay, J., Deniker, P., Bourguignon, A., Lempérière, T.
- , see Delay, J., Deniker, P., Tardieu, Y., Lempérière, T.
- Lennard, H., Jarvik, M. E., Abramson, H. A.** Lysergic acid diethylamide (LSD-25): XII. A preliminary statement of its effects upon interpersonal communication. *J. Psychol., Provincet.*, 1956, 41: 185-198. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3943.
- Leon, C. A.** The use of thiorazine as an adjunct in the treatment of schizophrenia. *Bull. Tulane M. Fac.*, 1954, 14: 17-28.
- Lepage, M.** Le traitement de l'anxiété chronique. [The treatment of chronic anxiety.] *Bull. méd., Par.*, 1955, 69: 273-275.
- Lepetit, see Vallat, J. N., Lepetit.**
- , see Vallat, J. N., Lepetit, Texier, M.
- Lepson, D.**, see Tuteur, W., Lepson, D.
- , see Tuteur, W., Stiller, R., Whitehill, O., Lepson, D.
- Lereboullet, J., Vidart, L., Amstutz, C.** Membre fantôme douloureux avec syndrome dépressif. Guérison spectaculaire par la réserpine. [Painful phantom limb with a depressive syndrome; spectacular cure with reserpine.] *Rev. neur., Par.*, 1955, 92: 386-387.
- Leroy, C., Sigwald, J.** Les myoclonies et épilepsies apparaissant chez certains malades au cours de l'administration de la chlorpromazine. [Myoclonias and epileptic convulsions occurring in some patients during chlorpromazine therapy.] *Encéphale*, 1956, 45: 904-909.
- , see Montassut, M., Chertok, L., Leroy, C.
- Lesevre, N.**, see Gastaut, H., Ferrer, S., Castells, C., Lesevre, N., Luschat, K.
- Leslie, G.** Rauwolfia serpentina in the treatment of psoriasis. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1(2): 29-32.
- Lesse, S.** An evaluation of prochlorperazine in the ambulatory treatment of psychiatric patients. *Internat. Rec. M.*, 1957, 170: 599-602.
- , An evaluation of promazine hydrochloride in psychiatric practice. *Am. J. Psychiat.*, 1957, 113: 984-987.
- , Psychotherapy and ataraxics: some observations on combined psychotherapy and chlorpromazine therapy. *Am. J. Psychother.*, 1956, 10: 448-459.
- , **Malitz, S., Hoch, P. [H.]** Chlorpromazine therapy in private practice. Its benefits and complications. *J. Nerv. Ment. Dis.*, 1957, 125: 25-35.
- , see Malitz, S., Hoch, P. H., Lesse, S.
- Lesser, S. R.**, see Lehman, E., Haber, J., Lesser, S. R.
- Letailleur, M., Morin, J., Demay, J., Monnerie, R.** La chlorpromazine dans le traitement des délirés aigus et subaigus alcooliques. [Chlorpromazine in the treatment of acute and subacute delirium tremens.] *Encéphale*, 1956, 45: 739-743.
- , **Monnerie, R.** Syndromes transitoires pseudo-parkinsoniens provoqués par la chlorpromazine. [Transient pseudo-parkinson syndromes provoked by chlorpromazine.] *Encéphale*, 1956, 45: 1106-1109.
- , **Demay, J.** Traitement d'attaque du delirium tremens par la synergie chlorpromazine (4560 R. P.) mébubarbital. [Treatment of delirium tremens by chlorpromazine (4560 RP) and mebubarbital synergism.] *Ann. méd. psychol., Par.*, 1954, 112(2): 76-80.
- Letienne, R.**, see Dobkin, A. B., Lamoureux, L., Letienne, R., Gilbert, R. G. B.
- Leupold-Löwenthal, H., Ringel, E.** Erfahrungen bei Behandlung der Angst mit Myocain. [Experiences with myocaine therapy of anxiety.] *Wien. med. Wschr.*, 1952, 102: 969-970.
- Leutschaft, R.** Behandlung vegetativer Dysregulationen mit Reserpin. [Treatment of autonomic dysfunction with reserpine.] *Med. Klin., Berl.*, 1955, 50: 1906-1909.

- Levan, N. E., Mundy, C. F. Untoward reaction to meprobamate (Equanil.) *California M.*, 1956, 85: 190.
- LeVan, P., Wright, E. T. Use of tranquilizers in diseases of the skin; a preliminary report. *California M.*, 1956, 85: 87-88.
- Leveque, see Requet, Leveque.
- Leveque, F., see Achaintre, A., Balvet, P., Beaujard, M., Broussolle, P., Perrin, J., Leveque, F., Requet, A.
- Levin, M. J., see Sadove, M. S., Levin, M. J., Rose, R. F., Schwartz, L., Witt, F. W.
- Levine, A., Abramson, H. A., Kaufman, M. R., Markham, S. Lysergic acid diethylamide (LSD-25): XVI. The effect on intellectual functioning as measured by the Wechsler-Bellevue intelligence scale. *J. Psychol., Provincet.*, 1955, 40: 385-395.
- , —, —, Kornetsky, C. Lysergic acid diethylamide (LSD-25): XIV. Effect on personality as observed in psychological tests. *J. Psychol., Provincet.*, 1955, 40: 351-366.
- , see Abramson, H. A., Jarvik, M. E., Kaufman, M. R., Kornetsky, C., Levine, A., Wagner, M.
- , see Abramson, H. A., Jarvik, M. E., Levine, A., Kaufman, M. R., Hirsch, M. W.
- , see Abramson, H. A., Waxenberg, S. E., Levine, A., Kaufman, M. R., Kornetsky, C.
- Levine, S., see Rosner, H., Levine, S., Hess, H., Kaye, H.
- Levkovich, A. P., see Bamdas, B. S., Glod, G. D., Lando, L. I., Levkovich, A. P., Tarasov, Y. K., Khazen, I. M.
- Levy, S. Mild depression states. *Northwest M.*, 1954, 53: 1233-1236.
- Lewis, L. F. The use of chlorpromazine and of serpasil in the treatment of psychotic patients. *Carib. M. J., Trinidad*, 1956, 18: 51-66.
- Lewis, M. N., see Reinhard, J. F., Chessin, M., Tornaben, J., Lewis, M. N.
- Leyrie, J., see Beley, A., Foncin, J. F., Leyrie, J.
- Leyritz, Le Bézu, Azoulay. État dépressif avec obsession résistant au largactil; guérison rapide par la covatine (N68); résultats moins heureux dans quinze cas différents. [Depressive state with obsession resistant to chlorpromazine therapy; rapid recovery with covatin; less beneficial results in fifteen other patients.] *Ann. méd. psychol., Par.*, 1956, 114(2): 856-861.
- Lhamon, W. T., see Boardman, W. K., Goldstone, S., Lhamon, W. T.
- Lhermitte, F., see Delay, J., Lhermitte, F., Verdeaux, G., Verdeaux, J.
- Liberson, W. T. Effects of chlorpromazine hydrochloride (thorazine) on EEG and on skin galvanic activity. [Abstract] *Electroencephalography, Montreal*, 1955, 7: 474.
- , The new tranquilizing drugs. 1. Neuropsychiatric aspects. *Am. J. Nurs.*, 1955, 55: 1465-1467.
- Librando, L., Paretti, E. Considerazioni su un biennio di esperienza in terapia ganglioplegica, in psichiatria. [Two years of ganglioplegic therapy in psychiatry.] *Riv. sper. freniat.*, 1955, 79: 696-699.
- Lichtenheld, F. R., see Schwarz, B. E., Wakim, K. G., Bickford, R. G., Lichtenheld, F. R.
- Liddell, D. W., Weil-Malherbe, H. The effects of methedrine and of lysergic acid diethylamide on mental processes and on the blood adrenaline level. *J. Neur., Lond.*, 1953, 16: 7-13. Abstract: *Chem. Abstr.*, 1953, 47: 115601.
- Lidvall, H. F. Klinisk prövning av Serpasil vid psykoser. [Clinical trial with serpasil in psychoses.] *Sven. läk. tidn.*, 1956, 53: 1729-1732.
- Liebert, R. S., Wapner, S., Werner, H. Studies in the effects of lysergic acid diethylamide (LSD-25); visual perception of verticality in schizophrenic and normal adults. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 193-201.
- Lienau, C. Heilschlafbehandlung mit Pacatal bei Alkoholismus und Morphinismus. [Therapeutic sleep treatment with pacatal in alcoholism and morphinism.] *Münch. med. Wschr.*, 1957, 99: 80-81.
- Lieser, H. Lässt sich die auftretende Angst vor einer Schockbehandlung beeinflussen? [Can one control fear of shock therapy?] *Deut. med. Wschr.*, 1956, 81: 1503-1504.
- , Über die synergistische Megaphen-Krampfbehandlung. [Synergistic combination of megaphen with shock therapy.] *Nervenarzt*, 1956, 27: 69-72.
- Lim, R. K., Pindell, M. H., Glass, H. G., Rink, K. The experimental evaluation of sedative agents in animals. *Ann. N. York Acad. Sc.*, 1956, 64: 667-678.
- Lim, R. K. S., see Pindell, M. H., Fancher, O. E., Lim, R. K. S.
- Lindan, O., Cahn, C. H., Lehmann, H. E. Clinical observations with frenquel in chronic schizophrenia. *Canad. Psychiat. Ass. J.*, 1956, 1: 89-91.
- Lindemann, E., Clarke, L. D. Modifications in ego structure and personality reactions under the influence of the effects of drugs. *Am. J. Psychiat.*, 1952, 108: 561-567.
- Lindqvist R. Några ord om chlorpromazinbehandling, närmast i anledning av några neuropsykiatriska fall. [Comments on chlorpromazine therapy, with special reference to neuropsychiatric cases.] *Sven. läk. tidn.*, 1955, 52: 2314-2317.
- Lindsay, J. S., see Andermann, K., Lindsay, J. S.
- Linke, H. Erfahrungen in der Behandlung akuter und chronischer Schmerzzustände mit den Phenothiazin-körpern Megaphen und Atosil. [Experiences in the treatment of acute and chronic pain states with the phenothiazine derivatives megaphen and atosil.] [English summary] *Münch. med. Wschr.*, 1955, 97: 1689-1692.
- , Über die Wirkung des Phenothiazin-Heilschlafs bei schweren vegetativ thalamischen Schmerzzuständen. [Effects of phenothiazine induced therapeutic sleep in severe pain of autonomic and thalamic origin.] *Ärztl. Wschr.*, 1956, 11: 815-819.
- Linn, F. V., see Ferguson, J. T., Linn, F. V.
- , see Ferguson, J. T., Linn, F. V., Sheets, J. A., Jr., Nickels, M. M.
- Lipton, M. A., see Whitman, R. M., Lipton, M. A., Kavan, E.
- Litin, E. M., Faucett, R. L., Achor, R. W. P. Depression in hypertensive patients treated with Rauwolfia serpentina. *Proc. Mayo Clin.*, 1956, 31: 233-237.
- , see Faucett, R. L., Litin, E. M., Achor, R. W. P.
- Litteral, E. B., Wilkinson, W. E. The advantages, disadvantages and limitations of the use of chlorpromazine as a substitute for certain somatic treatment methods in psychiatry. *Psychiat. Res. Rep., Wash.*, 1955(1): 63-71.
- Ljungberg, E. Depressionsrisken vid rauwolfiabehandling. [Risks of depression with Rauwolfia therapy.] *Sven. läk. tidn.*, 1956, 53: 2875-2880.
- , Om reserpinbehandling av kroniska schizofrenier och akuta orostillsänd. [Reserpine management of chronic schizophrenia and acute anxiety.] *Sven. läk. tidn.*, 1956, 53: 2128-2140.
- Loch, W. Zur Behandlung fortgeschrittener Schizophrenien mit Megaphen und Reserpin. [Megaphen and reserpine therapy of advanced schizophrenia.] *Nervenarzt*, 1956, 27: 463-467.
- Locket, S. Oral preparations of Rauwolfia serpentina in treatment of essential hypertension. *Brit. M. J.*, 1955, 1: 809-813.
- Lockhart, W. E. Suicidal miltown, hazard of overhydration in treatment. *Southwest. M.*, 1956, 37: 428.
- Löfgren, B. Sedativa och hypnotica. [Sedatives and hypnotics.] [Brief English summary] *Nord. med.*, 1955, 53: 220-222.
- Lönnberg, B. Leptidrol (pipradrol), ett nytt psykoanaleptikum. [Leptidrol (pipradrol), a new psychoanaleptic.] *Sven. läk. tidn.*, 1956, 53: 3346-3357.

- Loewenthal, L. J. A. Chlorpromazine in dermatological practice. *Med. Proc., Johannesburg*, 1955, 1: 122-125.
- Loftus, L. R., Huizenga, K. A., Stauffer, M. H., Rome, H. P., Cain, J. C. Jaundice caused by chlorpromazine (thorazine). *J. Am. M. Ass.*, 1955, 157: 1286-1288.
- Logan, C. R., see Isbell, H., Belleville, R. E., Fraser, H. F., Wikler, A., Logan, C. R.
- , see Isbell, H., Logan, C. R.
- Lomas, J. Agranulocytosis during chlorpromazine therapy. *Brit. M. J.*, 1954, 2: 358-359.
- , Tranquillizing drugs in psychoneurosis. *Brit. M. J.*, 1957, 2: 238.
- , Treatment of schizophrenia; "pacatal" and chlorpromazine compared. *Brit. M. J.*, 1957, 2: 78-80.
- , Uses of chlorpromazine in mental hospital patients. *Brit. M. J.*, 1955, 1: 879-882. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1725.
- , Boardman, R. H., Markowe, M. Complications of chlorpromazine therapy in 800 mental-hospital patients. *Lancet, Lond.*, 1955, 1: 1144-1147. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4076.
- , see Boardman, R. H., Lomas, J., Markowe, M.
- Lombard, A. see Cossa, P., Bougeant, H., Lombard, A.
- Longhino, A. see Dogan, S., Vukadinovic, D., Longhino, A.
- Longo, R. H., see Pupo, P. P., Zukerman, E., Longo, R. H.
- Longo, V. G., Napolitano, L. Effetti della reserpina sulle reazioni elettroencefalografiche e motorie provocate dalla stimolazione dell'ipotalamo. [Effects of reserpine on the electroencephalographic and motor reactions induced by stimulation of the hypothalamus.] *Farmaco, ed. sc., Pavia*, 1955, 10: 297-305. Abstract: *Chem. Abstr.*, 1955, 49: 13517gh.
- , Von Berger, G. P., Bovet, D. Action of nicotine and of the "ganglioplegiques centraux" on the electrical activity of the brain. *J. Pharm. Exp. Ther.*, 1954, 111: 349-359. Abstract: *Chem. Abstr.*, 1954, 48: 1230ld.
- Lovett Doust, J. W., see Sloane, B., Lovett Doust, J. W.
- Lowinger, P., see Gottlieb, J. S., Tourney, G., Beckett, P. G., Lowinger, P.
- Lucas, C. J., see Raymond, M. J., Lucas, C. J.
- , see Raymond, M. J., Lucas, C. J., Beesley, M. L., O'Connell, B. A., Roberts, J. A. F.
- Lucas, J., Albert, S. N., Bateman, J. C., Klopp, C. T. Thorazine as an aid in management of cancer patients. [Abstract] *Proc. Am. Ass. Cancer Res.*, 1954, 1(2): 30.
- Lucero, R. J., see Kamman, G. R., Freeman, J. G. Lucero, R. J.
- , see Sommerness, M. D., Lucero, R. J., Hamlon, J. S., Erickson, J. L., Matthews, R.
- , see Sommerness, M. D., Lucero, R. J., Hamlon, J. S., Mahowald, A. M.
- Ludwig, B. J., see Berger, F. M., Campbell, G. L., Hendley, C. D., Ludwig, B. J., Lynes, T. E.
- Luiz, H. A. Experiences with the use of reserpine on the chronically disturbed mental patient. *S. Afr. M. J.*, 1956, 30: 1049-1051.
- Lukinovich, N., Vichi, A. Modifications psychologiques au cours du traitement de tuberculeux par le "marsilid". [Psychologic modifications in tuberculous subjects during "marsilid" therapy.] *Mshr. Psychiat., Basel*, 1956, 132: 364-380.
- Lukomskii, I. I., Pavlenkova, E. F. O primeneni aminazina v psikiatricheskoi klinike. [Aminazine therapy in a psychiatric clinic.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 575-576.
- Lundgren, S., see Fries, P. E., Gunne, L. M., Lundgren, S., Viding, G., Öhrberg, K.
- Lundquist, G., Leche, H. G. Några erfarenheter av lergiganbehandling vid psykoser. [Experiences with lergigan therapy of psychoses.] *Sven. läk. tidn.*, 1954, 51: 1402-1412. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1793.
- Lundy, J. S. Modern technics for the relief of pain. *J. Lancet*, 1957, 77: 32-37.
- Luschnat, K., see Gastaut, H., Ferrer, S., Castells, C., Le-sevre, N., Luschnat, K.
- Luttrell, R. R., Morrison, A. V. A preliminary report on the tranquilizing effect of reserpine. *Ann. N. York Acad. Sc.*, 1955, 61: 183-187. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4078.
- Lyager, T., Røntorp, P. S. Behandling af psykotiske patienter med reserpin (serpasil). [Reserpine in therapy of psychoses. [English summary] *Ugeskr. læger*, 1955, 117: 603-610. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3309.
- Lynes, T. E., see Berger, F. M., Campbell, G. L., Hendley, C. D., Ludwig, B. J., Lynes, T. E.
- , see Hendley, C. D., Lynes, T. E., Berger, F. M.
- Lysergic acid diethylamide and mescaline in experimental psychiatry. 85 p. New York, Grune & Stratton, 1956. cf. Cholden, L., ed.

M

- Ma, J., Crandell, A. The use of reserpine in the treatment of mental patients who are tuberculous. *Am. Rev. Tuberc.*, 1956, 74: 457-461.
- McAdam, W., see Mayer-Gross, W., McAdam, W., Walker, J. W.
- McArthur, J. G., Isaacs, B. Mental effects of reserpine. *Lancet, Lond.*, 1955, 2: 347.
- Maccagnani, G. Trattamento di alcune sindromi psichiche dell'età senile con reserpina, con reserpina associata a clorpromazina. [Treatment of senile psychic syndromes with reserpine and with reserpine associated with chlorpromazine.] *Arch. psicol. neur., Milano*, 1956, 17: 452-454.
- McCann, W. P., see Lasagna, L., McCann, W. P.
- Macchi, G. Trattamento combinato di reserpina con altre terapie psichiatriche. [Reserpine combined with other psychiatric therapies.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 661-670.
- , Manghi, E., Saginario, M. L'impiego della reserpina in narcoterapia; primi risultati. [Use of reserpine in sleep therapy; first results.] *Gior. psichiat.*, 1954, 82: 1130-1134.
- , —, —, Indicazioni e metodi di impiego del largactil (4560 R. P.) in terapia neuro-psichiatrica; studio su 130 casi trattati. [Indications and methods of use of largactil in neuropsychiatric therapy; study of 130 treated cases.] *Riv. sper. freniat.*, 1954, 78: 183-204.
- MacColl, K. Chlorpromazine hydrochloride (largactil) in the treatment of the disturbed mental defective. *Am. J. Ment. Defic.*, 1956, 61: 378-389.
- McCormick, W. G., see Haley, T. J., McCormick, W. G.
- McCubbin, J. W., see Page, I. H., McCubbin, J. W.
- McCullagh, W. H., Ingram, W., Jr. Headaches and hot tempers. *Dis. Nerv. Syst.*, 1956, 17: 279-281.
- MacDonald, J. M., Galvin, J. A. Experimental psychotic states. *Am. J. Psychiat.*, 1956, 112: 970-976.
- McDonald, R. E., Ellsworth, R. B., Eniss, J. Behavioral changes of chronic schizophrenics in response to reserpine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 575-578. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 888.
- McGavack, T. H., see Gelvin, E. P., McGavack, T. H., Kenigsberg, S.
- , see Gelvin, E. P., McGavack, T. H., Pogge, R. C.
- McGrath, S. D., Ryan, J. P., Fennelly, J. J. The use of reserpine (serpasil) in psychiatry. *J. Irish M. Ass.*, 1956, 39: 1-4. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2089.
- MacGregor, J. MacW. Largactil; a new psychomotor brake. *S. Afr. J. Clin. Sc.*, 1954, 5: 228-243. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1724.
- , Pacatal-a clinical trial of a new ataractic drug. *S. Afr. M. J.*, 1956, 30: 1108-1111.
- Machado, M. R., see Bringas Nuñez, E., Seggiaro, J. A., Machado, M. R.

- Macias Castro, I. Notas terapeuticas: uso y abuso de la Rauwolfia serpentina. [Therapeutic notes: use and abuse of Rauwolfia serpentina.] *Arch. Hosp. univ., Habana*, 1955, 7: 61-65.
- McIlwain, H. Chemotherapy and the central nervous system. 328 p. Boston, Little, Brown & Company, 1957.
- McKellar, P., see Ardis, J. A., McKellar, P.
- MacKenzie-Van der Noordaa, M. C. Depressie na gebruik van reserpine wegens essentiële hypertensie. [Depression after reserpine therapy of essential hypertension.] [English summary] *Ned. tschr. geneesk.*, 1956, 100: 1003-1004.
- Mackinnon, H. L., see Allen, A., Mackinnon, H. L.
- McLaughlin, B. E. Miltown in the treatment of chronically ill psychiatric out-patients. *Pennsylvania M. J.*, 1957, 60: 989-992.
- McLaughlin, J. J., Schlan, L. S. 3-o-Toloxyl 1,2 propionediol as an adjunct in the treatment of drug addiction. *Illinois M. J.*, 1953, 103: 247-249.
- MacLean, R. E. Benactyzine hydrochloride (suavitil) in out-patient psychiatric treatment: preliminary study. *Med. J. Australia*, 1957, 44(1): 67-70.
- McLemore, G. A., Jr., see Friend, D. G., McLemore, G. A., Jr.
- MacLeod, J. A., see Gottschalk, L. A., Kapp, F. T., Ross, W. D., Kaplan, S. M., Silver, H., MacLeod, J. A., Kahn, J. B., Jr., Van Maanen, E. F., Acheson, G. H.
- McNeill, J. F., Johnston, W. C., Pietuchow, W. Serpasil in a hospital for the mentally ill with criminal tendencies. *N. York State J. M.*, 1956, 56: 1911-1914. Abstract: *Year book of drug therapy*, 1956-1957, p. 335-336.
- McPheeters, H., Fox, W. W. Evaluation of reserpine and methyl phenidylacetate used separately and in combination in chronic psychotic patients. *J. Kentucky M. Ass.*, 1956, 54: 785-791.
- McPheeters, H. L., see Davidoff, E., Best, J. L., McPheeters, H. L.
- McQueen, E. G., see Smirk, F. H., McQueen, E. G.
- Maderna, A., Micheletto, T. Primi risultati sull'associazione largactil-insulina nella terapia di Sakel. [First results with a largactil-insulin combination in Sakel's therapy.] *Pisani*, 1954, 68: 587-598.
- Madi, M. L., Kovitz, B. Experiences with methyl-phenidylacetate hydrochloride (ritalin) in psychotic patients. *Antibiotic M.*, 1956, 3: 309-311.
- Maffezzoni, G., Giamattei, L. La reserpina nel trattamento di ammalati mentali. [Reserpine in the treatment of mental disorders.] *Osp. psichiat., Nap.*, 1956, 24: 157-164.
- Magraw, R. M., see Carey, J. B., Magraw, R. M.
- Mahowald, A. M., see Sommerness, M. D., Lucero, R. J., Hamlon, J. S., Mahowald, A. M.
- Mailer, A. B. Effects of mephenesin and prederol on intellectual functions of mental patients. *J. Clin. Psychol.*, 1954, 10: 283-285.
- Maisonneuve, G. Bilan d'un an de traitement par la chlorpromazine. [Chlorpromazine therapy; results of one year.] 59 p. Lyon, 1954. [Thesis—Lyon, 1953/1954, no 93.]
- , see Gerest, F., Maisonneuve.
- Malamud, W., Barton, W. E., Fleming, A. M., Middleton, P. McK., Friedman, T. T., Schleifer, M. J. The evaluation of the effects of derivatives of Rauwolfia in the treatment of schizophrenia. *Am. J. Psychiat.*, 1957, 114: 193-200.
- Malet, P., see Rigal, J., Malet, P.
- , see Rigal, J., Malet, P., Florentin, M.
- Maley, M. C., see Carter, C. H., Maley, M. C.
- Malineau, R., see D'Aulnay, J., Malineau, R.
- , see Bergouignan, M., Got, M., Malineau, R.
- , see Bergouignan, M., Got, M., Malineau, R.
- Malitz, S., Hoch, P. H. Preliminary evaluation of a new phenothiazine derivative, NP-207. *Psychiat. Q.*, 1956, 30: 633-646.
- , —, Lesse, S. A two-year evaluation of chlorpromazine in clinical research and practice. *Am. J. Psychiat.*, 1956, 113: 540-545.
- , see Lesse, S., Malitz, S., Hoch, P. [H.]
- Malméjac, J., Plane, P. Chlorpromazine et activité nerveuse supérieure. [Chlorpromazine and higher nervous activity.] *C. rend. Soc. biol.*, 1955, 149: 677-679.
- Malone, M. H., see Rubin, B., Malone, M. H., Waugh, M. H., Burke, J. C.
- Mancini, G. Terapia con largactil e gardenal in distimici e psiconevrotici. [Largactil and gardenal in the therapy of manic-depressive psychosis and psychoneuroses.] [Brief English summary] *Acta neur., Nap.*, 1954, 9: 585-590.
- Manganaro, D., see Imberciadori, S., Manganaro, D.
- Manghi, E., Saginario, M. In tema di narcoterapia: risultati ottenuti con l'associazione di farmaci del gruppo della fenotiazina. [On sleep therapy: results with phenothiazine combinations.] [English summary] *Riv. sper. freniat.*, 1955, 79: 757-770. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 966.
- , see De Risio, C., Manghi, E.
- , see Macchi, G., Manghi, E., Saginario, M.
- Mangun, C. W., Webb, W. W. Promazine hydrochloride in the treatment of chronic catatonic schizophrenics. *J. Nerv. Ment. Dis.*, 1956, 123: 553-556.
- Mantelli, A., see Sacerdoti, G., Mantelli, A.
- Marck, H. La cure de sommeil; étude de 103 cas. [Sleep therapy; a study of 103 cases.] 79 p. Paris, 1953. [Thesis—Paris, 1953, no. 579]
- Margolis, L. H. Pharmacotherapy in psychiatry; a review. *Ann. N. York Acad. Sci.*, 1957, 66: 698-718.
- , Fischer, A., Butler, R. N., Simon, A. Clinical observations with chlorpromazine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956, p. 1-30.
- Mariani, G., Barsotti, U. Il largactil nella cura delle malattie mentali; risultati del trattamento in 100 casi. [Largactil therapy of mental illness; therapeutic results in 100 cases.] *Riv. pat. nerv.*, 1956, 77: 525-528.
- Marini, M., Caprini, G., Benciolini, P. La Rauwolfia in malate croniche, normotese ed ipertese; contributo clinico. [Rauwolfia in chronic, normotensive and hypertensive patients; clinical contribution.] *Arch. psicol. neur., Milano*, 1956, 17: 419-432.
- Markham, S., see Levine, A., Abramson, H. A., Kaufman, M. R., Markham, S.
- , see Levine, A., Abramson, H. A., Kaufman, M. R., Markham, S., Kornetsky, C.
- Markich, H., see Sivadon, P., Koehlin, P., Markich, H.
- Markowe, M., see Boardman, R. H., Lomas, J., Markowe, M.
- , see Lomas, J., Boardman, R. H., Markowe, M.
- Marmelzat, W. L., see Friedman, H. T., Marmelzat, W. L.
- Marmier, see Piédelièvre, Deniker, Marmier.
- Maroncelli, P. Trattamento di alcune psicosi con tecnica derivata dall'ibernazione artificiale. [Treatment of various psychoses with a technic derived from artificial hibernation.] [English summary] *Gior. psichiat.*, 1953, 81: 223-244. Abstract: *Riv. neur., Nap.*, 1953, 23: 828-829.
- Marra, J. J., see Elliott, R. N., Schrut, A. H., Marra, J. J.
- Marrazzi, A. S. The effects of certain drugs on cerebral synapses. *Ann. N. York Acad. Sci.*, 1957, 66: 496-507.
- , Hart, E. R. An electrophysiological analysis of drugs useful in psychotic states. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957, p. 9-21.
- , —. An electrophysiological analysis of the actions of some drugs useful in the therapy of psychotic disorders. *J. Nerv. Ment. Dis.*, 1956, 124: 388-392.
- , —. The possible role of inhibition at adrenergic synapses in the mechanism of hallucinogenic and related drug actions. *J. Nerv. Ment. Dis.*, 1955, 122: 453-457.
- , see Hart, E. R., Langfitt, T. W., Marrazzi, A. S.

- Marriott, A. The opened door. *New Yorker*, 1954, 30 (32, Sept. 25): 90-101.
- Marshall, W. Ambulatory and comparative treatment of the anxiety neurosis syndrome with chlorpromazine, phenobarbital, and dimethylane. *S. Dakota J. M.*, 1956, 9: 384-388.
- Marshall, W. H., see Evarts, E. V., Landau, W., Freygang, W., Jr., Marshall, W. H.
- , see Evarts, E. V., Marshall, W. H.
- Martelli, G. Azione della reserpina a dosi terapeutiche sull'elettroencefalogramma di malati mentali. [The effects of reserpine therapy on the EEG of mental patients.] [English summary] *Gior. psichiat.*, 1956, 84: 323-335.
- , Variazioni E. E. G da reserpina in neuropsichiatria. [Electroencephalographic variations with reserpine in neuropsychiatry.] *Arch. psicol. neur.*, Milano, 1956, 17: 595-596.
- Martens, S. Intracerebral elektrografi; ett viktigt hjälpmedel i psykiatrisk forskning. [Electroencephalography, an important aid in psychiatric research.] *Sven. läk. tidn.*, 1956, 53: 2855-2863.
- , see Holmberg, G., Jönsson, B., Mellgren, A., Martens, S.
- Martí-Ibáñez, F. The historical and philosophic background of psychobiology. *J. Clin. Exp. Psychopath.*, 1956, 17: 360-369.
- , Sackler, A. M., Sackler, M. D., Sackler, R. R. The challenge of bio- and chemotherapy in psychiatry. *J. Clin. Exp. Psychopath.*, 1956, 17: 15-18. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 975.
- Martí-Tusquets, J. L., see Ruiz-Ogara, C., Martí-Tusquets, J. L., González-Monclús, E.
- Martin, C. A. Épreuve du largactil en psychiatrie. [Experiences with largactil in psychiatry.] *Laval méd.*, 1954, 19: 1079-1094. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1723.
- Martin, D. A. The therapeutic and toxic effects of tranquilizing drugs: medical aspects. *North Carolina M. J.*, 1956, 17: 396-401.
- Martin, D. W., see Merlis, S., Martin, D. W.
- Martin, E. A., see Moore, J. N., Martin, E. A.
- Martin, G. Über die sedativen Eigenschaften des Antihistaminicums Atosil. [The sedative qualities of the antihistaminic atosil.] *Ther. Gegenwart*, 1953, 92: 338-340.
- Martin, J. E., Beck, J. D. Some effects of chlorpromazine hydrochloride in horses. *Am. J. Vet. Res.*, 1956, 17: 678-686.
- Martin, K. E., Overley, H. G., Krone, R. E. Pipradrol: combined therapy for geriatric and agitated patients. *Internat. Rec. M.*, 1957, 170: 33-36.
- Martin, P., Vidal, G., Portal, H. Cures de sommeil et 4560 R. P. chez les psychopathes dans les conditions habituelles de l'hôpital psychiatrique. [Sleep therapy and 4560 RP for mental disorders under ordinary psychiatric hospital conditions.] *Vie méd., Par.*, 1954, 35: 807-810.
- Martini, F. La terapia del sonno nella pratica psichiatrica; risultati ottenuti in un gruppo di 111 malati. [Sleep therapy in psychiatric practice; results obtained with a group of 111 patients.] *Riv. pat. nerv.*, 1956, 77: 549-550.
- Marty, R., see Verdeaux, G., Marty, R.
- Marzi, F., see Milli, N., Marzi, F.
- Masciangelo, P. M., see Zonta, G., Masciangelo, P. M., Gentili, E.
- Mashkovskii, M. D. [The pharmacologic properties of aminazine and of other compounds of the phenothiazine order.] *Zh. nevropat. psichiat.*, Moskva, 1956, 56: 81-93. Abstract: *Chem. Abstr.*, 1956, 50: 17174e.
- Masini, A., Pescetto, G., Tosca, L. Effetti somatici ed impiego psichiatrico della reserpina. [Somatic effects and psychiatric use of reserpine.] *Arch. psicol. neur.*, Milano, 1956, 17: 249-256.
- Mason, J. W., Brady, J. V. Plasma 17-hydroxycorticosteroid changes related to reserpine effects on emotional behavior. *Science*, 1956, 124: 982-984.
- Mason-Browne, N. L. Perphenazine—a drug modifying consciousness. *Am. J. Psychiat.*, 1957, 114: 173-174.
- , Selection of patients for treatment with alpha-4-piperidyl benzhydrol hydrochloride. *J. Nerv. Ment. Dis.*, 1956, 123: 130-140.
- Massari, M. Ansietà e blocco vegetativo. [Anxiety and autonomic block.] *Minerva med.*, Tor., 1953, 44: 231-232. [Not seen.]
- Massenti, C. Considerazioni pratiche sulla condotta della terapia neuroplegica. [Treatment with neuroplegic drugs; practical considerations.] *Riv. sper. freniat.*, 1955, 79: 699-705.
- , Il trattamento neuroplegico negli stati di eccitamento e di agitazione. [Treatment of excitement and agitation with neuroplegic drugs.] *Lavoro neuropsichiat.*, 1954, 14: 493-505. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1785.
- Masserman, J. H., Pechtel, C. An experimental investigation of factors influencing drug action. *Psychiat. Res. Rep.*, Wash., 1956 (4): 95-113.
- , Neurophysiologic and pharmacologic influences on experimental neuroses. *Am. J. Psychiat.*, 1956, 113: 510-514.
- Massignan, L., see Barison, F., Massignan, L.
- Matarazzo, A. Sul sonno prolungato e su l'uso dei ganglioplegici in terapia psichiatrica; risultati ottenuti in alcuni malati di mente trattati con la "cloropromazina" (largactil o 4560 R. P.). [Prolonged sleep and the use of ganglioplegic drugs in psychiatric therapy; results obtained with "chlorpromazine" (largactil or 4560 RP) in the treatment of mental patients.] *Pisani*, 1954, 68: 599-622. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3100.
- Mátéfi, L. Mezcalin- und Lysergsäurediäthylamid-Rausch; Selbstversuche mit besonderer Berücksichtigung eines Zeichentests. [Mescaline and lysergic acid diethylamide intoxication; autoexperiments with special consideration of a drawing test.] [English summary] *Confinia neur.*, Basel, 1952, 12: 146-177. Abstract: *Excerpta med.*, Sect. 8, 1953, 6: No. 1204.
- Mathis, M. Toniques et sédatifs en neuro-psychiatrie infantile. [Tonics and sedatives in child neuro-psychiatry.] *Pédiatrie*, 1956, 11: 807-820.
- Matthews, R., see Sommers, M. D., Lucero, R. J., Hammon, J. S., Erickson, J. L., Matthews, R.
- Mattis, P. A., see Cook, L., Weidley, E. F., Morris, R. W., Mattis, P. A.
- Mauceri, J., Strauss, H. Effects of chlorpromazine on the electroencephalogram with report of a case of chlorpromazine intoxication. *Electroencephalography, Montreal*, 1956, 8: 671-675.
- Maudoux-Joubert, see Dupont, A., Maudoux-Joubert.
- Maurel, H., Wilhelm, Spielmann, J. P. Essai thérapeutique de la réserpine en psychiatrie hospitalière; à propos de 80 observations. [Reserpine therapy in a mental hospital; 80 observations.] *Concours méd.*, 1955, 77: 3351-3355. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4545.
- , —, —, Les indications psychiatriques de la réserpine. [Psychiatric indications for reserpine.] *Encéphale*, 1956, 45: 1049-1055.
- Mautner, H., see Durling, D., Esen, F. M., Mautner, H.
- Maxwell, R., see Plummer, A. J., Maxwell, R., Earl, A. E.
- May, A. R., see Folkson, A., May, A. R.
- , see Garmany, G., May, A. R., Folkson, A.
- May, R. H., see Voegelé, G. E., May, R. H.
- Mayer-Gross, W. A survey of the pharmacological possibilities in psychiatry. *Encéphale*, 1956, 45: 307-312.
- , McAdam, W., Walker, J. W. Further observations on the effects of lysergic acid diethylamide. *J. Ment. Sc.*, Lond., 1953, 99: 804-808.

- , —, —. Lysergssäure-Diäthylamid und Kohlenhydratstoffwechsel. [Lysergic acid diethylamide and carbohydrate metabolism.] *Nervenarzt*, 1952, 23: 30-31.
- , see Elkes, C., Elkes, J., Mayer-Gross, W.
- , see Ginzel, K. H., Mayer-Gross, W.
- Mayr, F. Erfahrungen mit der Largactil-Behandlung in der Anstaltspsychiatrie. [Experience with largactil treatment in psychiatric hospitals.] *Ther. Umschau, Bern*, 1955, 11: 184-191; 203-211.
- , Lechner, H. Zur Frage der Provokation bei Temporallappen-Epilepsie im EEG. [The question of provocation in temporal lobe epilepsy in the EEG.] *Wien. klin. Wschr.*, 1954, 66: 903-906.
- Mazoué, H., see Chauchard, P., Mazoué, H.
- Mazza, A., Pedrelli, M. La cura con reserpina nella schizofrenia. [Reserpine therapy in schizophrenia.] *Riv. sper. freniat.*, 1956, 80: 877-886.
- Meath, J. A., Feldberg, T. M., Rosenthal, D., Frank, J. D. Comparison of reserpine and placebo in treatment of psychiatric outpatients. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 207-214.
- Mecham, M. J., Stromsta, C., Soderberg, G. Effects of tolserol on the speech errors of mentally defective children. *Am. J. Phys. M.*, 1955, 34: 535-536.
- Medina, F. Sono prolungado na terapêutica psiquiátrica. [Prolonged sleep in psychiatric therapy.] *Med. contemp., Lisb.*, 1954, 72: 323-331.
- Meier, R., Bein, H. J., Gross, F., Tripod, J., Tuchmann-Duplessis, H. Effets de la réserpine, un nouvel alcaloïde de la Rauwolfia Serpentina Benth, sur le système nerveux central de l'animal. [Effect of reserpine, a new alkaloid from Rauwolfia serpentina Benth, on the central nervous system in animals.] *C. rend. Acad. sc.*, 1954, 238: 961-963.
- , Gross, F., Tripod, J. Ritalin, eine neuartige synthetische Verbindung mit spezifischer zentralerregender Wirkungskomponente. [Ritalin, a new synthetic compound with specific analeptic action.] *Klin. Wschr.*, 1954, 32: 445-450. Abstract: *Chem. Abstr.*, 1954, 48: 8945e.
- , see Bein, H. J., Gross, F., Tripod, J., Meier, R.
- , see Tripod, J., Bein, H. J., Meier, R.
- Meller, R. L. Reserpine and alseroxylon therapy in emotionally disturbed patients. *J. Lancet*, 1955, 75: 339-342. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 5000.
- Mellgren, A. Något om serpasil och dess användning inom psykiatrin. [Psychiatric use of serpasil.] *Sven. läk. tidn.*, 1956, 53: 1564-1575.
- , see Holmberg, G., Jönsson, B., Mellgren, A., Martens, S.
- Mellin, P., see Hippis, H., Mellin, P., Rosenkötter, L.
- Ménager, V., see Rives, Ménager, V.
- Mendenhall, J. H., Ewing, J. A. Further psychometric evaluation of the effect of mephenesin on anxiety. *J. Ment. Sc., Lond.*, 1954, 100: 262-266. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 927.
- , see Ewing, J. A., Mendenhall, J. H.
- Mendes, F., Galvão, P. Experiência clínica com a clorpromazina (4560 R. P.) em psicoses. [Clinical experience with chlorpromazine (4560 R. P.) in psychoses.] [English summary] *J. méd., Porto*, 1955, 26: 149-156.
- Menger, P. Serpasil et sclérose en plaques. [Serpasil and multiple sclerosis.] *Ann. méd. psychol., Par.*, 1956, 114(2): 886-890.
- Mengus, M., see Kammerer, T., Mengus, M., Ebtinger, R.
- Meprobamate. *J. Am. M. Ass.*, 1956, 160: 1405.
- Meprobamate and other agents used in mental disturbances. [Conference held in New York, October 1956] *Ann. N. York Acad. Sc.*, 1957, 67: 671-894.
- Mercier, J., see Corriol, J., Mercier, J.
- Merli, G. M., see Castrovilli, G., Ginouliac, R., Merli, G. M.
- Merlis, S. The effects of mescaline sulfate in chronic schizophrenia. *J. Nerv. Ment. Dis.*, 1957, 125: 432-434.
- , Denber, H. C. B. Studies on mescaline. V. Electroencephalographic evidence for the antagonism between mescaline and chlorpromazine hydrochloride. *J. Nerv. Ment. Dis.*, 1956, 123: 542-545.
- , Hunter, W. Studies on mescaline. II. Electroencephalogram in schizophrenics; effects of administration after electric convulsive treatment of schizophrenic patients. *Psychiat. Q.*, 1955, 29: 430-432. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3659.
- , Martin, D. W. Hibicon in treatment of epileptics with mental disorder. *Psychiat. Q.*, 1956, 30: 387-401.
- , see Denber, H. C. B., Merlis, S.
- , see Turner, W. J., Merlis, S.
- , see Turner, W. J., Merlis, S., Carl, A.
- Merry, J., Pargiter, R. A., Munro, H. Chlorpromazine and chronic neurotic tension. *Am. J. Psychiat.*, 1957, 113: 988-990.
- Meszaros, A. F., O'Reilly, P. O. Relation of chlorpromazine to epilepsy. *Dis. Nerv. Syst.*, 1956, 17: 159-162. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 723.
- Meyer, H. H. Die Behandlung exogener Psychosen mit Phenothiazinderivaten. [The treatment of exogenous psychoses with phenothiazine derivatives.] *Encéphale*, 1956, 45: 524-527.
- , Die moderne Behandlung psychiatrischer Erkrankungen. [Modern treatment of psychiatric diseases.] *Med. Klin., Berl.*, 1956, 51: 1429-1432.
- , Die Therapie der endogenen Psychosen. [Therapy of endogenous psychoses.] *Deut. med. Wschr.*, 1957, 82: 76-80.
- , Die Winterschlafbehandlung in der Psychiatrie und Neurologie. [Hibernotherapy in psychiatry and neurology.] *Deut. med. Wschr.*, 1953, 78: 1097-1100.
- , Schmitt, W., Kieser, J. Das Delirium tremens. [Delirium tremens.] *Deut. med. Wschr.*, 1955, 80: 1389-1391.
- Meyers, F. H. Pharmacology of chlorpromazine, reserpine and related drugs. In: Kline, N. S., ed. Psychopharmacology. Washington, *Am. Ass. Adv. Sc.*, 1956, p. 131-140.
- Micalizzi, F., see Pisani, D., Micalizzi, F., Motta, E.
- Micheletto, T., see Maderna, A., Micheletto, T.
- Michtom, J., Goldberg, N., Offenkrantz, W., Whittier, J. Readmission rates for state mental hospital patients discharged on maintenance ataractics. Findings with a matched control group and methodological considerations. *J. Nerv. Ment. Dis.*, 1957, 125: 478-480.
- Mickle, W. A., see Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W.
- Middleton, P. McK., see Malamud, W., Barton, W. E., Fleming, A. M., Middleton, P. McK., Friedman, T. T., Schleifer, M. J.
- Mielke, F. A. Methods employed and results obtained in psychiatric studies with new drugs acting on the brain stem. *Am. J. Psychiat.*, 1957, 114: 134-139.
- , Über das Rauwolfia-Alkaloid Reserpin (Serpasil) in der Psychiatrie. [The Rauwolfia alkaloid reserpine (serpasil) in psychiatry.] *Arch. Psychiat., Berl.*, 1956, 194: 263-288.
- , Über die medikamentöse und psychotherapeutische Führung der Serpasil-Kur. [Medical and psychotherapeutic management of serpasil therapy.] *Schweiz. med. Wschr.*, 1956, 86: 162-165. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1531.
- , Übersicht der klinischen Erfahrungen mit Serpasil am Burghölzli. [Review of the clinical experience with serpasil at the Burghölzli hospital.] *Schweiz. med. Wschr.*, 1955, 85: 440-442.
- Miescher, P. Therapeutische Versuche zur symptomatischen Behandlung psychoneurotischer Störungen. [Therapeutic experiments on the symptomatic treatment of psychoneurotic disorders.] *Praxis, Bern*, 1956, 45: 1041-1043.

- Mignault, G. Two years' experience using the phenothiazine amine derivatives in anaesthesia and artificial hibernation with special mention of the new derivative pacatal. *Canad. Anaesth. Soc. J.*, 1957, 4: 37-42.
- Mihailovic, L., see Delgado, J. M., Mihailovic, L.
- Mijolla, A. de, see Baruk, H., Launay, J., Bergès, J., Mijolla, A. de.
- Mikes, A. Serpasil; pregled literature. [Serpasil; literature review.] *Med. arh., Sarajevo*, 1955, 9: 161-167.
- Mikorey, M., see Kolle, K., Mikorey, M.
- Miksztal, M. W. Chlorpromazine (thorazine) and reserpine in residential treatment of neuropsychiatric disorders in children. *J. Nerv. Ment. Dis.*, 1956, 123: 477-479.
- Miles, J. Largactil and occupational therapy. *Canad. J. Occup. Ther.*, 1956, 23: 11-13.
- Miles, J. E. Psychosis with phantom limb pain treated by chlorpromazine. *Am. J. Psychiat.*, 1956, 112: 1027-1028.
- Miletto, G., see Collomb, H., Miletto, G., Chaupin, M.
- , see Collomb, H., Miletto, G., Robert, H.
- Millen, F. J. Miltown—clinical experiences in neuropsychiatric office use. *Wisconsin M. J.*, 1957, 56: 198-201.
- Miller, G., see Zatchni, J., Miller, G.
- Miller, J. K., see Boyd, E. M., Miller, J. K.
- Miller, J. S. A., see Blumberg, A. G., Cohen, L., Miller, J. S. A.
- Miller, N. E. Effects of drugs on motivation; the value of using a variety of measures. *Ann. N. York Acad. Sc.*, 1956, 65: 318-333.
- Miller, R. E., Murphy, J. V., Mirsky, I. A. Persistent effect of chlorpromazine on extinction of avoidance response. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 526-530.
- Miller, W., see Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W.
- Milli, N., Marzi, F. Il serpasil nelle malattie mentali. [Serpasil in mental disease.] *Riv. pat. nerv.*, 1956, 77: 502-505.
- Mills, L. C., see Kinard, S., Mills, L. C., Terrell, J., Moyer, J. H.
- Minvielle, J., see Lafon, R., Boyer, Duc, N., Minvielle, J., Pouget, R.
- , see Passouant, P., Pelissier, Minvielle, J., Dutartre.
- Miroux, M. Action combinée du chlorpromazine, du promethazine et d'un sérum tissulaire spécifique. [Combined action of chlorpromazine, promethazine and of a specific tissue serum.] *Gaz. méd. France*, 1955, 62: 592.
- Mirsky, A. F., see Primac, D. W., Mirsky, A. F., Rosvold, H. E.
- Mirsky, I. A., see Miller, R. E., Murphy, J. V., Mirsky, I. A.
- Mises, R., see Demay, G., Montremy, J. de, Mises, R.
- Missenard, R., see Coirault, R., Laborit, H., Missenard, R., Jolivet, B., Hainaut, J., Weber, B.
- Mitchell, E. H. Chlorpromazine in the treatment of acute alcoholism. *Am. J. M. Sc.*, 1955, 229: 363-367. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 884. *Q. J. Alcohol*, 1955, 16: 589-590.
- , Treatment of acute alcoholism with promazine (sparine). *J. Am. M. Ass.*, 1956, 161: 44-45. Condensed: *Am. Practitioner*, 1956, 7: 1798-1799. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 359.
- Mitchell, P. H. Chlorpromazine in the treatment of the chronic disturbed schizophrenic patient. *J. Ment. Sc., Lond.*, 1956, 102: 151-154.
- , Sykes, P., King, A. Effects of pacatal on symptoms in chronic psychotic in-patients. *Brit. M. J.*, 1957, 1: 204-207.
- Mitis, Z. K., Ford, H. Functional headaches. *Texas J. M.*, 1956, 52: 678-683.
- Mitra, S. K., see Sinha, G. B., Mitra, S. K.
- Mohun, M. Globus. *Laryngoscope*, 1955, 65: 73-79.
- Molina, A. La Rauwolfia serpentina, con especial referencia a la reserpina. [Rauwolfia serpentina, with special reference to reserpine.] *Prensa méd. argent.*, 1956, 43: 423-425. Also: *Rev. méd. cubana*, 1956, 67: 623-627.
- Monaco, R. N., Leeper, R. D., Robbins, J. J., Calvy, G. L. Intermittent acute porphyria treated with chlorpromazine. *N. England, J. M.*, 1957, 256: 309-311.
- Monnerie, R., see Letailleur, M., Morin, J., Demay, J., Monnerie, R.
- , see Letailleur, M., Morin, J., Monnerie, R.
- , see Letailleur, M., Morin, J., Monnerie, R., Demay, J.
- Monnerot, E., Monnerot, E., Benichou, L., Doco. Analyse des rôles respectifs du largactil et du sommeil barbiturique, dans les cures de sommeil potentialisées. [Analysis of the effect of chlorpromazine and of barbiturates respectively in potentiated sleep therapy.] *Encéphale*, 1956, 45: 1190-1196.
- Monnier, M., see Gangloff, H., Monnier, M.
- Monro, A. B., Steadman, H. H. Myanesin in psychiatry. *J. Ment. Sc., Lond.*, 1953, 99: 285-287. Abstract: *Excerpta med.*, Sect. 8, 1954, 7, No. 751.
- Monroe, J. J., see Cutler, R. P., Monroe, J. J., Anderson, T. E.
- Monroe, R. R., Heath, R. G., Mickle, W. A., Miller, W. A. comparison of cortical and subcortical brain waves in normal, barbiturate, reserpine, and chlorpromazine sleep. *Ann. N. York Acad. Sc.*, 1955, 61: 56-71. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3089.
- , —, —, —. Cortical and subcortical recordings correlated with behavior in patients and animals during the administration of Rauwolfia, thorazine, and meratran. *Psychiat. Res. Rep., Wash.*, 1955 (1): 25-44. Abstract: *Chem. Abstr.*, 1956, 50: 2867gh.
- Montagnari, F., Germano, V. Stato preeclamptico con episodio confuso onirico troncato con reserpina endovena. [Intravenous reserpine immediately effective in treatment of a pre-eclamptic state with episode of oniric confusion.] *Riv. sper. freniat.*, 1956, 80: 977-979.
- Montanari, C., Tonini, G. Azioni della 5-idrossitriptamina sul sistema nervoso centrale; suo impiego in psichiatria sperimentale. [Effects of 5-hydroxytryptamine on the CNS; its use in experimental psychiatry.] *Riv. sper. freniat.*, 1955, 79: 465-483. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3076.
- , —, —, —. La 5-idrossitriptamina in psichiatria. [5-Hydroxytryptamine in psychiatry.] *Riv. sper. freniat.*, 1955, 79: 745-750. Abstract: *Chem. Abstr.*, 1956, 50: 8065i.
- , see Tonini, G., Montanari, C.
- Montanari, M., Giua, A. M. Il comportamento di alcune funzioni neurovegetative nella terapia con neuroplegici (largactil) delle psiconevrosi. [Behavior of various autonomic functions in neuroplegic (largactil) therapy of psychoneuroses.] [English summary] *Rass. stud. psichiat.*, 1955, 44: 433-475.
- , —. L'influenza del largactil sulle funzioni neurovegetative nelle psiconevrosi. [The influence of largactil on the neuro-vegetative functions in psychoneuroses.] *Riv. pat. nerv.*, 1956, 77: 490-492.
- Montassut, M., Chertok, L., Béquart, P. Hallucinations auditives anciennes sans systématisation délirante actuelle, traitées par la chlorpromazine. [Chlorpromazine therapy of persistent auditory hallucinations without currently manifest delusion.] *Ann. méd. psychol., Par.*, 1955, 113(1): 800-804.
- , —, Leroy, C. Crise comitiale et altérations électro-encéphalographiques au cours d'un traitement par chlorpromazine. [Epileptic crises and electroencephalographic changes during chlorpromazine therapy.] *Ann. méd. psychol., Par.*, 1955, 113(1): 804-807.
- Montoussis, N., see Pamboukis, G., Paléologue, A., Montoussis, N., Hakas, P.
- Montremy, J. de, see Demay, G., Montremy, J. de, Mises, R.
- Moody, A. C., see Smith, K., Moody, A. C.
- Moore, E. W., see Payne, R. B., Moore, E. W.

- Moore, J. N. Largactil in psychotherapy. *Irish J. M. Sc.*, 1955: 409-412. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3613.
- , Martin, E. A. Trial of reserpine in treatment of schizophrenia. *Brit. M. J.*, 1957, 1: 8-14.
- Moore, K. B., see Sibilio, J. P., Andrew, G., Dart, D., Moore, K. B., Stehman, V. A.
- Moore, R. B., Pierce, W. J., Dennison, A. D., Jr. The story of reserpine. *J. Indiana M. Ass.*, 1954, 47: 853-861.
- , see Dennison, A. D., Jr., White, P. T., Moore, R. B., Pierce, W. J.
- Moran, N. C., Butler, W. M., Jr. The pharmacological properties of chlorpromazine sulfoxide, a major metabolite of chlorpromazine; a comparison with chlorpromazine. *J. Pharm. Exp. Ther.*, 1956, 118: 328-337.
- Moreau-Gaudry, G., see Perrot, R. M., Moreau-Gaudry, G., Le Borgne, Y.
- Morgan, D. R. Chlorpromazine and reserpine in the treatment of chronic mental illness. *Med. J. Australia*, 1956, 43(2): 57-62.
- , The combined use of chlorpromazine and reserpine in the treatment of chronic mental illness: a preliminary report. *Med. J. Australia*, 1955, 42(2): 77-80. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1728.
- , The experimental use of reserpine in the treatment of tremor-rigidity syndromes. *Med. J. Australia*, 1956, 43(1): 973-974.
- , The use of reserpine, chlorpromazine and allied drugs in medicine and psychiatry. *Med. J. Australia*, 1956, 43(1): 1029-1035.
- Morimoto, K., see Hyde, R. W., Von Mering, O., Morimoto, K.
- , see Slater, P. E., Morimoto, K., Hyde, R. W.
- Morin, J., see Letaille, M., Morin, J., Demay, J. Monnerie, R.
- , see Letaille, M., Morin, J., Monnerie, R.
- , see Letaille, M., Morin, J., Monnerie, R., Demay, J.
- Morpurgo, V. Osservazioni cliniche su una nuova sostanza ad azione eccitante centrale. [Clinical observations on a new substance with central stimulating effect.] [English summary] *Minerva anest., Tor.*, 1956, 22: 110-114. Abstract: *J. Am. M. Ass.*, 1956, 161: 1514.
- Morris, G., see Knight, R. W., Kent, B., Morris, G., Rogers, S.
- , see Moyer, J. H., Kent, B., Morris, G., Dizon, M., Rogers, S., Spurr, C.
- Morris, R. W., see Cook, L., Weidley, E. F., Morris, R. W., Mattis, P. A.
- Morrison, A. V., see Luttrell, R. R., Morrison, A. V.
- Morton, H. G., Warson, S. R. Control study on reserpine in small group of children with neurologic disorders. *J. Florida M. Ass.*, 1957, 43: 786.
- Motta, E., see Pisani, D., Micalizzi, F., Motta, E.
- Moulton, J. A., see Fabing, H. D., Hawkins, J. R., Moulton, J. A.
- Moyer, J. H. The pharmacology of chlorpromazine. *Internat. Rec. M.*, 1955, 168: 301-311.
- , Kent, B., Morris, G., Dizon, M., Rogers, S., Spurr, C. Clinical studies of an anti-emetic agent, chlorpromazine. *Am. J. M. Sc.*, 1954, 228: 174-189.
- , Kinross-Wright, V., Finney, R. M. Chlorpromazine as a therapeutic agent in clinical medicine. *A. M. A. Arch. Int. M.*, 1955, 95: 202-218. Abstract: *Chem. Abstr.*, 1955, 49: 5687h.
- , Pevey, K., Kinross-Wright, V. Tranquilizing (atactic) agents: current evaluation of their clinical use in patients who are not hospitalized. *GP*, 1957, 15 (6): 97-118.
- , see Kinard, S., Mills, L. C., Terrell, J., Moyer, J. H.
- , see Kinross-Wright, V., Moyer, J. H.
- , see Pevey, J. K., Moyer, J. H., Handley, C. A., Heider, C.
- Müller, J. M., Schlittler, E., Bein, H. J. Reserpin, der sedative Wirkstoff aus *Rauwolfia serpentina* Benth. [Reserpine, the sedative principle from *Rauwolfia serpentina* Benth.] [English summary] *Experientia*, Basel, 1952, 8: 338.
- Mukerji, B., see Kohli, J. D., Mukerji, B.
- Mukherjee, K. L., see Dasgupta, S. R., Mukherjee, K. L., Werner, G.
- Mulas, L., see De Caro, D., Mulas, L.
- Mulder, D. W., see Schwarz, B. E., Bickford, R. G., Mulder, D. W., Rome, H. P.
- Mullen, A. J., see Gaitz, C. M., Roy, H., Thompson, W., Kimbell, I., Mullen, A. J., Pokorny, A. D.
- Muller, J. C., Pryor, W. W., Gibbons, J. E., Orgain, E. S. Depression and anxiety occurring during *Rauwolfia* therapy. *J. Am. M. Ass.*, 1955, 159: 836-839. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1536. *Year book of drug therapy*, 1956-1957, p. 323-324.
- Munch-Petersen, S. Chlorpromazine (largactil) in the management of psychotic patients. *Acta psychiat. neur. scand.*, 1955, 30: 643-658. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 5009.
- , Effects of chlorpromazine (largactil) and reserpine (serpasil) within the field of neurology; a study of the pertinent literature. *Acta psychiat. neur. scand.*, 1956, Suppl. 108: 269-280. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 727.
- , Et tilfælde af agranulocytose under largactilbehandling. [An incident of agranulocytosis during largactil therapy.] *Ugeskr. læger*, 1954, 116: 1787.
- Mundy, C. F., see Levan, N. E., Mundy, C. F.
- Munkvad, I. Treatment of psychoses and psychoneuroses with a new sedative (suavitil). [In English] *Acta psychiat. neur. scand.*, 1955, 30: 729-739. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3086.
- , see Jacobsen, E., Kehlet, H., Larsen, V., Munkvad, I., Skinhoj, K.
- Munro, H., see Merry, J., Pargiter, R. A., Munro, H.
- Munro, H. K. On the effect of suavitil (benzilic acid diethylaminoethylester hydrochloride) on the higher mental functions of normal subjects. *Acta psychiat. neur. scand.*, 1955, 30: 721-728.
- Muratti, J. B. Reserpina: su uso terapéutico en la esquizofrenia; nota previa. [Reserpine: therapeutic use in schizophrenia; preliminary note.] *Dia méd., B. Air.*, 1956, 28: 880-883.
- Murphree, O. D., Peters, J. E. The effect of electroconvulsions, insulin comas and certain chemical agents on fixations in the rat. *J. Nerv. Ment. Dis.*, 1956, 124: 73-83.
- , see Gardner, M. J., Hawkins, H. M., Judah, L. N., Murphree, O. D.
- Murphy, J. V., see Miller, R. E., Murphy, J. V., Mirsky, I. A.

N

- Nadolski, F., see Finn, M. H., Nadolski, F., Guy, W., Gross, M.
- Nagy, K., see Lauterböck, J. J., Nagy, K.
- Naidoo, D. The effect of reserpine (serpasil) on the chronic disturbed schizophrenic: a comparative study of *Rauwolfia* alkaloids and electroconvulsive therapy. *J. Nerv. Ment. Dis.*, 1956, 123: 1-13.
- Napolitano, L., see Longo, V. G., Napolitano, L.
- Natenshon, A. L. Clinical evaluation of ritalin. *Dis. Nerv. Syst.*, 1956, 17: 392-396.
- Nathan, P., Aprison, M. H., Himwich, H. E. Effect of some centrally acting drugs on compulsive circling. *Proc. Soc. Exp. Biol., N. Y.*, 1955, 90: 364-367. Abstract: *Chem. Abstr.*, 1956, 50: 3632cd.
- National Association of Science Writers. Drug therapy publicity. *Am. J. Psychiat.*, 1956, 113: 77.
- Navarranne, P., see Navarranne, P.
- Navarranne, P., see Picard, P., Le Bras, R., Navarranne, P.
- , see Picard, P., Navarranne, P.
- Nayrac, P., Graux, P. Indications et contre-indications de la chlorpromazine en psychiatrie. [Indications and

- contraindications of chlorpromazine therapy in psychiatry.] *Encéphale*, 1956, 45: 518-523.
- Nedilsky, B. T., see Holt, E. K., Ward-Dunn, G., Nedilsky, B. T., Niswander, G. D.
- Negri, F. Effetto della reserpina e della reserpina associata a psicotonici in alcune psicopatie senili. [Effect of reserpine and of reserpine combined with psychotonics in senile psychoses.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 441-451.
- Negri, V. U., Garavaglia, G. Rilievi clinici sulla peculiare azione della reserpina in psichiatria. [Reserpine, in psychiatry; a clinical study on its characteristic action.] *Minerva med.*, Tor., 1955, 46: 1217-1229.
- , see Garavaglia, G., Negri, V. U.
- , see Sanguineti, I., Laricchia, R., Negri, V.
- , see Sanguineti, I., Negri, V., Laricchia, R.
- , see Sanguineti, I., Negri, V. U., Laricchia, R.
- Nelson, G., see Hurst, L. A., Reuning, H., Wyk, A. J. van, Crouse, H. S., Booyen, P. J., Nelson, G.
- Neri, A. Primi risultati ottenuti col largactil nell'ospedale neuropsichiatrico prov. di Reggio Calabria. [First results obtained with largactil in the neuropsychiatric hospital of the Reggio Calabria province.] [English summary: p. 800-801] *Rass. stud. psichiat.*, 1956, 45: 783-804.
- , Primi risultati ottenuti con l'impiego del largactil in malati mentali. [First results with chlorpromazine therapy of mental patients.] *Encéphale*, 1956, 45: 682-686.
- Neue Mittel zur Pharmakotherapie der Psychosen? [New drugs for the pharmacotherapy of psychoses?] *Deut. med. Wschr.*, 1955, 80: 1777.
- Neuer, H. Serpasil in the treatment of acute alcoholic psychoses. *Ohio M. J.*, 1955, 51: 749-751. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4004.
- Neuropharmacology. 328 p. [2. conference 1955] 381 p. [3. conference 1956] New York, Josiah Macy, Jr. Foundation, 1956. 1957. cf. Abramson, H. A., ed.
- Neuss, N., see Slater, I. H., Rathbun, R. C., Henderson, F. G., Neuss, N.
- Neuwirtová, R., Zwetschke, O., Zahradka, L. Pokus o sebevraždu largactilem a barbiturany. [Attempted suicide with largactil and barbiturates.] [English summary] *Cas. lek. cesk.*, 1956, 95: 1361-1364.
- Neveu, P. L'hibernation, traitement d'urgence des syndromes de choc décompensé en psychiatrie. [Hibernation, an emergency treatment of decompensated shock syndromes in psychiatry.] *Encéphale*, 1956, 45: 377-381.
- Nevzorova, T. A., see Popov, E. A., Nevzorova, T. A.
- New and nonofficial remedies. *J. Am. M. Ass.*, 1955, 159: 1206-1207. 1956, 160: 287-289; 390; 1405. 1956, 161: 457-458.
- A new drug effective on the central nervous system. [In English] *Danish M. Bull.*, 1955, 2: 159-160.
- New drugs for patients with emotional disorders. *J. Am. M. Ass.*, 1955, 157: 665.
- Newbold, H. L., Steed, W. D. The use of chlorpromazine in psychotherapy. *J. Nerv. Ment. Dis.*, 1956, 123: 270-274.
- Newling, P. S. B., see Glaser, E. M., Newling, P. S. B.
- Nichamin, S. J. Chlorpromazine in the treatment of mild behavior disturbances. *J. Michigan M. Soc.*, 1956, 55: 1469-1471.
- Nichtern, S., see Bender, L., Nichtern, S.
- Nick, J. Dépressions mélancoliques secondaires à l'usage thérapeutique de Rauwolfia serpentina chez des hypertendus. [Melancholia in hypertensive patients caused by therapeutic use of Rauwolfia serpentina.] *Bull. Soc. méd. hôp. Paris*, 1955, 71: 884-893. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4544.
- Nickels, M. M., see Ferguson, J. T., Linn, F. V., Sheets, J. A., Jr., Nickels, M. M.
- Nicolaou, G. T., Kline, N. S. Reserpine in the treatment of disturbed adolescents. *Psychiat. Res. Rep.*, Wash., 1955 (1): 122-132.
- Nicolas-Charles, P., see Sigwald, J., Bouttier, D., Nicolas-Charles, P.
- Niedermeyer, E. Über einen Fall von akuter halluzinatorischer Psychose durch Phenerganvergiftung. [A case of acute hallucinatory psychosis caused by phenergan poisoning.] *Klin. Med.*, Wien, 1956, 11: 280-284. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 872.
- Nieschulz, O., Hoffmann, I., Popendiker, K. Pharmakologische Untersuchungen über N-Alkyl-piperidyl-phenothiazin-Derivate. [Pharmacological studies of N-alkyl-piperidyl-phenothiazine derivatives.] [English summary] *Arzneimitt. Forsch.*, 1956, 6: 651-660.
- , Popendiker, K., Hoffmann, I. Weitere pharmakologische Untersuchungen über N-Methyl-piperidyl-(3)-methyl-phenothiazin. [Further pharmacological studies of N-methyl-piperidyl-(3)-methyl-phenothiazine] [English summary] *Arzneimitt. Forsch.*, 1955, 5: 680-695.
- , Sack, K. H. Pharmakologische Untersuchungen über N-Alkyl-piperidyl-phenothiazin-Derivate. [Pharmacological studies of N-alkyl-piperidyl-phenothiazine derivatives.] *Arzneimitt. Forsch.*, 1954, 4: 232-242.
- Nikolopoulos, see Kokkoris, P., Kordas, P., Nikolopoulos, Yanniris, M.
- Niswander, G. D., Haslerud, G. M., Brody, N., Casey, T. M. Reserpine and methylphenidylacetate effects on socialization and activity. *J. Nerv. Ment. Dis.*, 1957, 125: 51-56.
- , Holt, E. K. Chemotherapy with azacyclonol in mental illness. *J. Nerv. Ment. Dis.*, 1956, 123: 473-476.
- , Combination reserpine-methylphenidylacetate in epileptics with psychosis. *Dis. Nerv. Syst.*, 1957, 18: 11-15.
- , see Holt, E. K., Ward-Dunn, G., Nedilsky, B. T., Niswander, G. D.
- Nitsch, W., Thein, K. Klinische Erfahrungen mit dem neuen Schlafmittel Doroma. [Clinical experiences with the new sedative Doroma.] [Adalat] *Ther. Gegenwart*, 1956, 95: 264.
- Noce, R. H., Williams, D. B., Rapaport, W. Reserpine (serpasil) in the management of the mentally ill. *J. Am. M. Ass.*, 1955, 158: 11-15.
- , Reserpine (serpasil) in the management of the mentally ill and mentally retarded; preliminary report. *J. Am. M. Ass.*, 1954, 156: 821-824. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1222.
- Noell, W. K., Chinn, H. I., Haberer, C. E. Electroencephalographic evaluation of the sedative effects of antihistaminic drugs. *Air Force School of Aviation Medicine, Randolph Air Force Base, Texas*, 1955 (55-35): 1-20.
- Nordman, L. O. Reserpinutlösta depressiva psykoser. [Depressive psychosis precipitated by reserpine therapy.] *Sven. lek. tidn.*, 1956, 53: 1641-1647.
- Norton, S., De Beer, E. J. Effects of drugs on the behavioral patterns of cats. *Ann. N. York Acad. Sc.*, 1956, 65: 249-257.
- Nuzum, J. W. The successful treatment of a post-gastrectomy schizophrenic psychosis with chlorpromazine; report of a case. *Am. Practitioner*, 1955, 6: 1849-1851.

O

- Obiols, J. Notre expérience sur la thérapeutique par la chlorpromazine. [Our experience with chlorpromazine therapy.] *Encéphale*, 1956, 45: 698-699.
- O'Connell, B. A., see Raymond, M. J., Lucas, C. J., Beesley, M. L., O'Connell, B. A., Roberts, J. A. F.
- O'Connell, T. A., see Thimann, J., Bucknam, F. G., Gauthier, J. W., O'Connell, T. A.
- O'Connor, J. B., Howlett, K. S. Side effects accompanying use of iproniazid. *Tr. 12. Conf. Chemother. Tuberc.*, 1953: 139-140.

- , —, Wagner, R. R. Side effects accompanying use of iproniazid. *Am. Rev. Tuberc.*, 1953, 68: 270-272.
- Odland, T. M. Azacyclonol (frenquel) hydrochloride in the treatment of chronic schizophrenia; a double-blind, controlled study. *J. Am. M. Ass.*, 1957, 165: 333-335.
- , see Proctor, R. C., Odland, T.
- Öhrberg, K., see Fries, P. E., Gunne, L. M., Lundgren, S., Viding, G., Öhrberg, K.
- Østergaard Jensen, O. Suavitil in the treatment of psychoneuroses. [In English] *Danish M. Bull.*, 1955, 2: 140-143.
- Oettinger, L., Jr. Meratran; preliminary report of a new drug for the treatment of behavior disorders in children. *Dis. Nerv. Syst.*, 1955, 16: 299-302.
- Offenkrantz, W., see Michtom, J., Goldberg, N., Offenkrantz, W., Whittier, J.
- Ogden, H. D. Headache. *Ann. Allergy*, 1956, 14: 385-428.
- Ogle, W., see Azima, H., Ogle, W.
- , see Sarwer-Foner, G. J., Ogle, W.
- Olansky, S., see Callaway, J. L., Olansky, S.
- Olariu, J., see Tolan, E. J., Olariu, J.
- Olin, J. S., see Brodie, B. B., Olin, J. S., Kuntzman, R. G., Shore, P. A.
- Olinger, L. B., see Bercel, N. A., Travis, L. E., Olinger, L. B., Dreikurs, E.
- Olsen, A. L., see Pearl, D., Vander Kamp, H., Olsen, A. L., Greenberg, P. D., Armitage, S. G.
- Orcutt, J. A., Cronheim, G. E. Quantitative comparison of the hypotensive and sedative effects of rescinamine in dogs. *Fed. Proc., Balt.*, 1955, 14: 375-376.
- , see Cronheim, G., Orcutt, J. A., Toekes, I. M.
- O'Reilly, P. O., see Meszaros, A. F., O'Reilly, P. O.
- Orgain, E. S., see Muller, J. C., Pryor, W. W., Gibbons, J. E., Orgain, E. S.
- Ornstein, G. G., see Selikoff, I. J., Robitzek, E. H., Ornstein, G. G.
- Orsi, C. I farmaci atarassici. [Ataraxics] *Boll. chim. farm.*, 1956, 95: 432-436.
- Orthmayr, A., see Böszörményi, Z., Gimes, M., Orthmayr, A.
- Osberg, I. IU., see Galenko, V. E., Osberg, I. IU., Azbukina, V. D.
- , see Galenko, V. E., Osberg, I. IU., Robiner, I. S., Frenkel, G. M.
- Osinski, W. A. Treatment of anxiety states with meprobamate (miltown). *Internat. Rec. M.*, 1956, 169: 589-595.
- Osmond, H. Ololiuqui: the ancient Aztec narcotic; remarks on the effects of *Rivea corymbosa* (ololiuqui). *J. Ment. Sc., Lond.*, 1955, 101: 526-537.
- , Research on schizophrenia. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the second conference, May 1955, Princeton, N. J.* New York, *Josiah Macy, Jr., Foundation*, 1956. p. 183-23.
- , A review of the clinical effects of psychotomimetic agents. *Ann. N. York. Acad. Sc.*, 1957, 66: 418-434.
- , Smythies, J. Schizophrenia: a new approach. *J. Ment. Sc., Lond.*, 1952, 98: 309-315.
- , see Hoffer, A., Osmond, H., Smythies, J.
- Ostenfeld, I. Psykiske urolilstande. [Mental excitement.] [English summary] *Nord. med.*, 1955, 54: 1517-1522.
- , Suavitil; et nyt spasmolytikum med formentlig virkning på anankasmer og dermed beslaegtede lidelser. [Suavitil; a new spasmolytic supposedly effective in obsessive-compulsive and related disorders.] [English summary] *Nord. med.*, 1955, 54: 1523-1525.
- Osterman, E., Lassenius, B. Lytisk cocktail inom psykiatrien; behandling av delirium acutum (délire aigu) och förlängt insulincoma. [Lytic cocktail in psychiatry; treatment of delirium acutum (acute delirium) and prolonged insulin coma.] [French summary] *Nord. med.*, 1955, 53: 722-726. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3079.
- , Bohn, L., Elkjaer, P. Meprobramat i psykiatrisk praksis. [Meprobamate in psychiatric practice.] *Sven. läk. tidn.*, 1956, 53: 2689-2698.
- O'Sullivan, C. J. Myanesis in tension states. *J. Irish M. Ass.*, 1955, 36: 167-169.
- Oulès, J., Salles, P., Soubrié, R. Tentative de suicide au phénergan. [Attempted suicide with phenergan.] *Ann. méd. psychol., Par.*, 1956, 114(1): 271-273.
- Overholser, W. Chlorpromazine and reserpine in psychiatric practice. *Postgrad. M.*, 1956, 19: 346-349.
- , La chlorpromazine, ouvre-t-elle une ère nouvelle dans les hopitaux psychiatriques? [Chlorpromazine—the beginning of a new era in psychiatric hospitals?] *Encéphale*, 1956, 45: 313-319.
- , Has chlorpromazine inaugurated a new era in mental hospitals? *J. Clin. Exp. Psychopath.*, 1956, 17: 197-201.
- , Introductory remarks [to: Chlorpromazine and reserpine; symposium on experiences at Saint Elizabeths Hospital.] *Med. Ann. District of Columbia*, 1956, 25: 255.
- , Psychobiologic advances and the management of hospitalized patients. *J. Clin. Exp. Psychopath.*, 1956, 17: 378-380.
- , Waldrop, F. N., Riesenman, F. R., Fong, T. C. C., Farley, O. R., Hoffman, J. L. Chlorpromazine and reserpine; symposium on experiences at Saint Elizabeths Hospital. *Med. Ann., District of Columbia*, 1956, 25: 255-268; 298. [All articles are listed individually]
- Overley, H. G., see Martin, K. E., Overley, H. G., Krone, R. E.
- Ozsan, M., see Adasal, R., Ozsan, M., Karan, D., Yener, O.

P

- Pachter, M. A clinical evaluation of chlorpromazine therapy in chronic schizophrenics. *Am. J. Psychiat.*, 1957, 113: 931.
- Paerregaard, G. Chlorpromazinbehandling på en psykiatrisk modtageafdeling. [Chlorpromazine treatment at a psychiatric department.] [English summary] *Nord. med.*, 1956, 56: 1238-1240.
- Pagaud, see Fouks, Laine, Pagaud.
- Page, I. H. Chemistry of the brain. Past imperfect, present indicative, and—future perfect? *Science*, 1957, 125: 721-727.
- , Serotonin (5-hydroxytryptamine). *Physiol. Rev.*, 1954, 34: 563-588.
- , McCubbin, J. W. Serotonin or tenure for the pharmacologist. *Circulation, N. Y.*, 1956, 14: 161-162.
- , see Salmoiraghi, G. C., Sollero, L., Page, I. H.
- Pages, H., see Lafon, R., Duc, N., Ribstein, M., Pages, H.
- Pagot, see Fouks, Laine, François, Pagot.
- Pahle, H., see Ibsen, B., Pahle, H., Villumsen, Å. L.
- Paine, R. Hypertension; precaution in treatment. *Misouri M.*, 1956, 53: 947-949.
- Palazzuoli, M. Osservazioni preliminari sull'azione degli estratti di *Rauwolfia serpentina* (Ra-Valeas) in malati di mente eccitati ed ansiosi. [Preliminary observations on the action of *Rauwolfia serpentina* extracts (Ra-Valeas) in excited and anxious mental patients.] *Riv. pat. nerv.*, 1956, 77: 251-254.
- Paléologue, A., see Pamboukis, G., Paléologue, A., Montoussis, N., Hakas, P.
- Pamboukis, G., Paléologue, A., Montoussis, N., Hakas, P. Résultats par l'application d'une cure de sommeil dans les psycho-névroses. [Results of sleep therapy in psychoneuroses.] *Encéphale*, 1956, 45: 550-554.
- Panaccio, V. L'action de la reserpine dans certaines affections dermatologiques. [Action of reserpine in various dermatological diseases.] *Union méd. Canada*, 1955, 84: 672-674.

- Panse, F. Der medikamentöse Winterschlaf (ohne Unterkühlung) in der Psychiatrie. [Pharmaceutical hibernation without hypothermia in psychiatry.] *Med. Klin., Berl.*, 1953, 48: 1344-1345.
- Pantheil, H., see Feldman, P. E., Bertone, J., Pantheil, H.
- Papas, T. A., see Burdine, W. E., Shipley, T. E., Papas, T. A.
- Paraire, J., see Hamon, J., Paraire, J., Velluz, J.
- Parent, R., see Grenier, J., Larue, G. H., Parent, R., Turmel, J.
- Paretti, E., see Librando, L., Paretti, E.
- Pargiter, R. A., see Merry, J., Pargiter, R. A., Munro, H.
- París Ruiz, L. Aplicaciones terapéuticas de la clorpromazina (largactil). [Therapeutic uses of chlorpromazine (largactil).] *Rev. clín. españ.*, 1955, 59: 47-50; 110-117. Abstract: *Chem. Abstr.*, 1956, 50: 8053b.
- Parlour, R. R., see Cohen, S., Parlour, R. R.
- Parsons, E. H. New chemical agents in psychiatry. *Postgrad. M.*, 1955, 18: 193-198.
- Pascalis, G., see Sutter, J. M., Pascalis, G.
- Passouant, P., Passouant-Fontaine, T., Cadilhac, J. Les effets de la réserpine sur le comportement et les rythmes corticaux et rhinencéphaliques du chat chronique. [Effect of reserpine on cortical and rhinencephalic rhythms in chronic cats.] *C. rend. Soc. biol.*, 1956, 150: 779-782.
- , Pelissier, Minvielle, J., Dutartre. Modifications électro-encéphalographiques provoquées par la chlorpromazine au cours de l'épilepsie et de la schizophrénie. [EEG changes induced by chlorpromazine in epilepsy and in schizophrenia.] *Encéphale*, 1956, 45: 891-897.
- Passouant-Fontaine, T., see Passouant, P., Passouant-Fontaine, T., Cadilhac, J.
- Pate, W. H. Chlorpromazine therapy following transorbital lobotomy. *J. Nerv. Ment. Dis.*, 1957, 125: 44-50.
- Patton, G. O., Garneau, J. The ataraxic drugs in disturbed secluded psychiatric patients. *Canad. Serv. M. J.*, 1957, 13: 127-133.
- Patton, R. E., see Brill, H., Patton, R. E.
- Paul, L. Mephenesin in anxiety-tension states. *Psychosomat. M.*, 1952, 14: 378-382.
- Paulin, C., see Cheifetz, I., Paulin, C., Tuatay, H., Rubin, E. H.
- Pauly, R. Nouvelle note sur les dangers de la thérapeutique par le largactil. (A propos d'un infarctus du myocarde survenue au cours d'une cure ambulatoire.) [Additional note on the danger of chlorpromazine therapy. (Myocardial infarct in the course of ambulatory treatment.)] *J. méd. Bordeaux*, 1954, 131: 587-588.
- , Remarques à propos d'une statistique personnelle sur les avantages, les limites et les accidents de l'hibernothérapie à la chlorpromazine. [Comments on personal experiences with chlorpromazine hibernotherapy, its advantages, limitations and accidents.] *J. méd. Bordeaux*, 1954, 131: 235-244.
- Pauwels, R., see Delay, J., Deniker, P., Pauwels, R.
- Pavlenkova, E. F., see Lukomskii, I. I., Pavlenkova, E. F.
- Payn, S. B. Hypothermia following reserpine. *Am. J. Psychiat.*, 1956, 112: 657. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4995.
- , Rockwell, F. V. Short-term treatment of psychiatric patients with reserpine. *N. York State J. M.*, 1956, 56: 1769-1773.
- Payne, R. B., Moore, E. W. Effects of some analeptic and depressant drugs on tracking behavior. *J. Pharm. Exp. Ther.*, 1955, 115: 480-484. Abstract: *Chem. Abstr.*, 1956, 50: 3632ab.
- Peak, E. C., Canestrari, R. E., Roebuck, B. E. The effects of frenquel upon chronic disturbed patients. *J. Nerv. Ment. Dis.*, 1956, 124: 507-509. Condensed: *Am. J. Psychiat.*, 1957, 113: 653.
- Peak, W. P. Meprobamate (miltown) in rheumatic diseases. *J. Am. M. Ass.*, 1957, 163: 535-538.
- Pearl, D., Vander Kamp, H., Olsen, A. L., Greenberg, P. D., Armitage, S. G. The effects of reserpine on schizophrenic patients. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 198-204. Condensed: *Am. J. Psychiat.*, 1956, 112: 936.
- Pearson, J., Dewhurst, K. Mescaline: apotheosis of the devil's root. *Irish J. M. Sc.*, 1956: 139-143.
- Pechtel, C., see Masserman, J. H., Pechtel, C.
- Pedrelli, M., see Mazza, A., Pedrelli, M.
- Pedrinoni, L., see Bonetti, U., Pedrinoni, L.
- Peifer, C. A., see Freed, H., Peifer, C. A.
- Pelissier, see Passouant, P., Pelissier, Minvielle, J., Dutartre.
- Pellerat, J. Un nouveau médicament sédatif et antiprurigineux. [A new sedative and antipruritic drug.] *Lyon méd.*, 1953, 85 (1): 270.
- , Teichner, Y. La chlorpromazine (4560 R. P.) en dermatologie. [Chlorpromazine (4560 RP) in dermatology.] *J. méd. Lyon*, 1953, 34: 611-618.
- Pellerito, N. L'azione della clorpromazina e della reserpina sull'ansia dei psiconevrosici. [Action of chlorpromazine and reserpine on the anxiety of psychoneurotics.] *Minerva med., Tor.*, 1956, 47: 628-631.
- Pelzman, O., Conigliaro, V. Osservazioni preliminari sull'uso clinico di un derivato di Rauwolfia serpentina in malati di mente. [Preliminary study of the clinical use of a Rauwolfia serpentina derivative in mental patients.] [English summary] *Gior. psychiat.*, 1955, 83: 131-147. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1221.
- Penick, S. B. and Company. Rauwolfia and alkaloids, a bibliography; chemistry, pharmacology, pharmacognosy, therapeutic uses. 50 p. New York, 1956.
- , Suppl. 1. 18 p. New York, 1957.
- Penman, A. S., Dredge, T. E. Effect of reserpine and open-ward privileges on chronic schizophrenics. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 42-49.
- Pennes, E., see Shubin, H., Heiken, C. A., Glaskin, A., Pennes, E., Arsenian, J.
- Pennes, H. H. Clinical reactions of schizophrenics to sodium amytal, pervitin hydrochloride, mescaline sulfate, and d-lysergic acid diethylamide (LSD-25). *J. Nerv. Ment. Dis.*, 1954, 119: 95-112.
- , The nature of drugs with mental actions and their relation to cerebral function. *Bull. N. York Acad. M.*, 1957, 33: 81-88.
- , Hoch, P. H. Psychotomimetics, clinical and theoretical considerations: harmine, WIN-2299 and nalline. *Am. J. Psychiat.*, 1957, 113: 887-892.
- , see Hoch, P. H., Cattell, J. P., Pennes, H. H.
- , see Hoch, P. H., Pennes, H. H., Cattell, J. P.
- Pennington, V. M. A comparative study of six ataraxics in 1130 neuro-psychiatric cases. *Mississippi Doctor*, 1956, 33: 336-339.
- , Meprobamate, a tranquilizing drug with muscle relaxant properties in psychotic cases. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 125-131.
- , Meprobamate (Miltown) in premenstrual tension. *J. Am. M. Ass.*, 1957, 164: 638-640.
- , Research findings in phrenotropic drugs important to every physician. *Mississippi Doctor*, 1957, 35: 57-63.
- , A two-year comparative study of ataraxics in neuro-psychiatric patients. *J. Am. Geriat. Soc.*, 1957, 5: 421-429. [Not seen]
- , Use of miltown (meprobamate) with psychotic patients. *Am. J. Psychiat.*, 1957, 114: 257-260.
- , The use of reserpine (serpasil) in three hundred and fifty neuropsychiatric cases. *Psychiat. Res. Rep.*, Wash., 1955 (1): 105-111.
- Peretz, D. I., Smythies, J. R., Gibson, W. C. A new hallucinogen: 3,4,5-trimethoxyphenyl- β -aminopropane with notes on the stroboscopic phenomenon. *J. Ment. Sc.*, Lond., 1955, 101: 317-329.
- Pergola, F., see Cachin, M., Pergola, F., Potet, F., Debesse, B.

- Peria, G., *see* Salomone, F. P., Peria, G., Rodolico, G., Caciola, R.
- Perlstein, I. B. The use of pipradrol in the problems of obesity. *Internat. Rec. M.*, 1957, 170: 55-58.
- Perlstein, M. A. Prenderol: a new drug used with retarders in petit mal epilepsy. *Neurology*, 1953, 3: 744-751.
- Perrault, M. Sur les tranquillisateurs. [Tranquilizers.] *Progr. méd., Par.*, 1957, 85: 3-4; 7.
- Perregaard, I., *see* Fremming, K. H., Perregaard, I.
- Perret, A., Becker, J., Lacoste, G. Traitements psychiatriques par le 4560 R. P. [Psychiatric treatments with 4560 RP.] *Vie méd., Par.*, 1953, 34: 463-464.
- Perrin, J., Diederichs. Essai d'évaluation de la valeur thérapeutique de la chlorpromazine chez 1,400 malades mentaux internés. [Evaluation of chlorpromazine therapy in 1400 hospitalized mental patients.] *Encéphale*, 1956, 45: 609-613.
- , Toulet, M. Utilisation de la chlorpromazine dans le traitement des psychoses chroniques. [Use of chlorpromazine in the treatment of chronic psychoses.] *Encéphale*, 1956, 45: 1210-1218.
- , *see* Achaintre, A., Balvet, P., Beaujard, M., Broussolle, P., Perrin, J., Leveque, F., Requet, A.
- , *see* Revol, L., Achaintre, A., Balvet, P., Beaujard, M., Berthier, C., Broussolle, P., Lambert, P., Perrin, J., Requet, A.
- Perrot, R. M., Moreau-Gaudry, G., Le Borgne, Y. Manifestations cardiaques d'hypokaliémie dans la cure à la chlorpromazine. [Cardiac manifestations of hypokalemia in chlorpromazine therapy.] *Presse méd.*, 1956, 64: 2076.
- Perry, H. M., Jr., *see* Schroeder, H. A., Perry, H. M., Jr.
- Perse, J., *see* Delay, J., Pichot, P., Lainé, B., Perse, J.
- Persson, L. Klorpromazin ved arteriosclerotisk sindssygdom og dementia senilis. [Chlorpromazine in therapy of arteriosclerotic psychosis and senile dementia.] [English summary] *Nord. med.*, 1955, 53: 235-237. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3897.
- Pertorini, R., *see* Kardos, G., Pertorini, R.
- Pescetto, G., *see* Masini, A., Pescetto, G., Tosca, L.
- Pestel, M., *see* Ravina, A., Pestel, M., Albouy, R.
- Petelski, M. Wyniki leczenia largaktylem 109 chorych na schizofrenie (67 kobiet i 42 mezczyzn). [Results of largactil therapy of schizophrenia in 109 patients (67 women and 42 men).] [English summary] *Polski tygod. lek.*, 1956, 11: 1366-1370.
- Peters, J. E., *see* Murphree, O. D., Peters, J. E.
- Peters, J. J., Vonderahe, A. R. Behavior of the salamander under the influence of LSD-25 and frenquel, and accompanying electrical activity of brain and spinal cord. *J. Nerv. Ment. Dis.*, 1956, 124: 69-73.
- Peters, L. Pharmacology of the useful antihypertensive drugs. *A. M. A. Arch. Int. M.*, 1956, 98: 409-415.
- Petersen, J. R., *see* Briggs, G. W., Petersen, J. R.
- Petersen, M. C., *see* Schwarz, B. E., Sem-Jacobsen, C. W., Petersen, M. C.
- Petersen, P. V., *see* Weidmann, H., Petersen, P. V.
- Peterson, B., *see* Hagnell, O., Korsfeldt, B., Peterson, B., Widmark, M.
- Petrie, A., Le Beau, J. The effects on personality of chlorpromazine as compared with various brain operations. *Encéphale*, 1956, 45: 987-995.
- , —. Psychologic changes in man after chlorpromazine and certain types of brain surgery. *J. Clin. Exp. Psychopath.*, 1956, 17: 170-179.
- Pevey, J. K., Moyer, J. H., Handley, C. A., Heider, C. A comparison of clinical results with phenobarbital, meprobamate and two similar experimental agents. [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 176.
- , *see* Moyer, J. H., Pevey, K., Kinross-Wright, V.
- The peyote cult. *Science*, 1952, 115: 503-504.
- Pfeiffer, C. C., Jenney, E. H. The inhibition of the conditioned response and the counteraction of schizophrenia by muscarinic stimulation of the brain. *Ann. N. York Acad. Sc.*, 1957, 66: 753-764.
- , *see* Apter, J. T., Pfeiffer, C. C.
- Pflanz, M., *see* Gruber, K., Illig, H., Pflanz, M.
- Pflugfelder, G., *see* Huchtemann, K., Pflugfelder, G.
- Pharmaceuticals & Drugs Committee, Council of Scientific & Industrial Research. Symposium on Rauwolfia, Calcutta, 1955. [Abstracts] 38 p. Lucknow, Pioneer Press, 1955. [Abstracts within the scope of this bibliography are listed individually.]
- Pharmacologic products recently introduced in the treatment of psychiatric disorders. *Psychiat. Res. Rep.*, Wash., 1955 (1): 1-152. [Symposium; articles within the scope of this bibliography are listed individually]
- The pharmacology of psychotomimetic and psychotherapeutic drugs. [Conference held in New York, April 1956] *Ann. N. York Acad. Sc.*, 1957, 66: 415-840. [Articles within the scope of this bibliography are listed individually.]
- Philipsborn, A., *see* Braun, M., Philipsborn, A.
- Phillip, E. Erfahrungen mit Megaphen in der Behandlung psychisch Erkrankter. [Experience with megaphen in the treatment of the mentally ill.] *Nervenarzt*, 1955, 26: 59-65. Abstract: *Excerpta med.*, Sect. 8, 1955, 9: No. 4075.
- Phillips, R. E. Use of meprobamate (miltown) for the treatment of emotional disorders. *Am. Practitioner*, 1956, 7: 1573-1576.
- Phillips, T. Overdose of reserpine. *Brit. M. J.*, 1955, 2: 969.
- Piala, J. J., High, J. P., Greenspan, K., Burke, J. C. Further laboratory observations on 10-(3-dimethylamino-propyl)-2-(trifluoromethyl)-phenothiazine hydrochloride (MC 4703). [Abstract] *J. Pharm. Exp. Ther.*, 1957, 119: 176-177.
- Piazzesi, W. Considerazioni e dati sulla ipnoterapia in campo psichiatrico. [Considerations and data on sleep therapy in psychiatry.] *Riv. pat. nerv.*, 1954, 75: 541-579. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3102.
- Picard, P., Le Bras, R., Navarranne, P. Un cas de coma insulinique prolongé au cours d'une cure de Sakel traité et guéri par hibernation. Constatations électroencéphalographiques. [Successful hibernotherapy of prolonged insulin coma during Sakel therapy; electroencephalographic tracings.] *Ann. méd. psychol., Par.*, 1953, 111 (2): 253-259.
- , Navarranne, P. Quelques réflexions sur les applications de l'hibernation artificielle en neuro-psychiatrie. [Artificial hibernation in neuropsychiatry.] *Encéphale*, 1956, 45: 456-457.
- Piccinelli, O. Farmacologia e clinica della Rauwolfia serpentina. [Pharmacology and clinical aspects of Rauwolfia serpentina.] *Farmaco, ed. prat.*, Pavia, 1954, 9: 574-582.
- Pichot, P., *see* Delay, J., Pichot, P., Lainé, B., Perse, J.
- , *see* Delay, J., Pichot, P., Ropert, R.
- Piédeliévre, [R.], Deniker, Marmier. Les toxicomanies et les cures de desintoxication. [Drug addiction and detoxication.] *Concours méd.*, 1955, 77: 1723-1726.
- , Dérobert, L. Une intoxication professionnelle devenue rare; un cas de cannabisme. [Rare occupational poisoning; case of cannabism.] *Ann. méd. lég.*, 1953, 33: 23-25.
- Piekarska, A. W sprawie stosowania largaktylu w leczeniu chorób psychicznych; doniesienie pierwsze. [Largactil therapy in psychic disorders; preliminary report.] [English summary] *Neur. & c. polska*, 1955, 5: 623-635.
- Pierce, C. M., *see* Shanon, J., Kaplan, S. M., Pierce, C. M., Ross, W. D.
- Pierce, W. J., *see* Dennison, A. D., Jr., White, P. T., Moore, R. B., Pierce, W. J.
- , *see* Moore, R. B., Pierce, W. J., Dennison, A. D., Jr.

- Pierson, C. A. La chlorpromazine et la maîtrise de soi dans les angoisses collectives. [Chlorpromazine and self-control in mass hysteria.] *Encéphale*, 1956, 45: 562-565.
- Pietuchow, W., see McNeill, J. F., Johnston, W. C., Pietuchow, W.
- Pinakapani, S., Haranath, P. S. R. K. Chlorpromazine in the treatment of hiccup and emesis. *Ind. J. M. Sc.*, 1955, 9: 764-766. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3421.
- Pindell, M. H., Fancher, O. E., Lim, R. K. S. Sedative-hypnotic properties of 2-ethyl-crotonyurea. *Fed. Proc.*, *Balt.*, 1953, 12: 357.
- , see Lim, R. K., Pindell, M. H., Glass, H. G., Rink, K.
- Pinho, R. de, see Pires, N., Pinho, R. de, Fernando, L., Pint, M., Cavalcanti, U., Aguiar, H.
- Pinkus, H., see Ferrara, R. J., Pinkus, H.
- Pinsky, R., see Wolf, S., Pinsky, R.
- Pint, M., see Pires, N., Pinho, R. de, Fernando, L., Pint, M., Cavalcanti, U., Aguiar, H.
- Pipradrol hydrochloride. *J. Am. M. Ass.*, 1956, 160: 390.
- Pires, N., Pinho, R. de, Fernando, L., Pint, M., Cavalcanti, U., Aguiar, H. Sur 110 cas traités par le sommeil hibernant. [Hibernotherapy of 110 patients.] *Encéphale*, 1956, 45: 677-681.
- Pisani, D., Micalizzi, F., Motta, E. Rilievi clinici sull'impiego della reserpina in psichiatria. [Clinical results with reserpine in psychiatry.] *Pisani*, 1955, 69 (2): 85-102. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4548.
- , —, —. Risultati benefici sul deterioramento mentale patologico (DMP), in seguito a trattamento con reserpina (serpasil). [Good results with reserpine (serpasil) in mental deterioration.] *Pisani*, 1955, 69 (2): 103-114. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4081.
- Pivet, S., see Follin, S., Sigg, B., Pivet, S., Girard, C.
- Pivnički, D. Serpasil u psihijatrijskoj praksi. [Serpasil in psychiatric treatment.] [German summary] *Med. arh.*, *Sarajevo*, 1956, 10: 107-117.
- Planche, R., see Pommé, B., Planche, R., Gibert, J.
- Plane, P., see Malméjac, J., Plane, P.
- Platt, R., Sears, H. T. N. Reserpine in severe hypertension. *Lancet, Lond.*, 1956, 1: 401-403.
- Plazak, D. J. A case of corticotropic hormone-induced psychosis treated with promazine hydrochloride. *Mil. M.*, 1957, 120: 99-101.
- Pleasure, H. Psychiatric and neurological side-effects of isoniazid and iproniazid. *A. M. A. Arch. Neur. Psychiat.*, 1954, 72: 313-320.
- Pless, H. H., see Begany, A. J., Seifter, J., Pless, H. H., Huber, R. D., Bruce, W. F.
- Pletscher, A., Shore, P. A., Brodie, B. B. Serotonin as a mediator of reserpine action in brain. *J. Pharm. Exp. Ther.*, 1956, 116: 84-89.
- , see Besendorf, H., Pletscher, A.
- , see Brodie, B. B., Pletscher, A., Shore, P. A.
- Plichet, see Le Guillant, L., Roelens, Corre, Kestenbergh, Plichet, Béquart, Bailly-Salín.
- Plichet, A. Un nouveau traitement des psychonévroses; le chlorhydrate de l'acide benzilique diéthylaminoéthylester. [A new treatment of psychoneuroses: benzilic acid 2-diethylaminoethyl ester.] *Presse méd.*, 1955, 63: 1748.
- Plummer, A. J., Barrett, W. E., Wagle, G., Yonkman, F. F. Sedative and hypnotic action of reserpine in unanesthetized animals. *Fed. Proc.*, *Balt.*, 1953, 12: 357-358.
- , Earl, A., Schneider, J. A., Trapold, J., Barrett, W. Pharmacology of Rauwolfia alkaloids, including reserpine. *Ann. N. York Acad. Sc.*, 1954, 59: 8-21.
- , Maxwell, R., Earl, A. E. Influence of methyl-alpha-phenyl-2-piperidine acetate hydrochloride on the pharmacological action of reserpine. [Abstract] *Fed. Proc.*, *Balt.*, 1956, 15: 468.
- , see Schneider, J. A., Plummer, A. J., Earl, A. E., Barrett, W. E., Rinehart, R., Dibble, R. C.
- , see Schneider, J. A., Plummer, A. J., Earl, A. E., Gaunt, R.
- Pogge, R. C., see Allin, T. G., Jr., Pogge, R. C.
- , see Gelvin, E. P., McGavack, T. H., Pogge, R. C.
- Pokorny, A. D., see Gaitz, C. M., Roy, H., Thompson, W., Kimbell, I., Mullen, A. J., Pokorny, A. D.
- Pokorny, C., see Wright, W. T., Jr., Pokorny, C., Foster, T. L.
- Polak, F. Über eine antiallergische Wirkung des Rauwolfiaalkaloids Reserpin. [An antiallergic effect of the Rauwolfia alkaloid reserpine.] *Schweiz. med. Wschr.*, 1955, 85: 751-752.
- Policzer, M., Székely, Á., Földes, J. A Rauwolfia serpentina alkalmazása a vegetatív működések regulatív zavaraiában. [Use of Rauwolfia serpentina in autonomic disorders.] *Orv. hetil.*, 1955, 96: 548-549.
- Pollack, B. The addition of chlorpromazine to the treatment program for emotional and behavior disorders in the aging. *Geriatrics*, 1956, 11: 253-259.
- , Drug therapy—clinical and operational effects: changes in mental hospital resulting from addition of chlorpromazine to the total therapeutic program. *Ment. Hosp.*, 1956, 7 (4): 14-16.
- , The effect of chlorpromazine on the return rate of 250 patients released from the Rochester State Hospital. *Am. J. Psychiat.*, 1956, 112: 937-938.
- , Mental illness. *Med. Times, Great Neck*, 1955, 83: 439-450.
- , Preliminary report on 500 patients treated with thorazine at Rochester State Hospital. *Psychiat. Q.*, 1955, 29: 439-456.
- , Recurrent thorazine-induced agranulocytosis. *Am. J. Psychiat.*, 1956, 113: 557-558.
- Pollard, J. C., see Kehoe, M. J., Pollard, J. C.
- Poloni, A. Esperienze cliniche con la serotonina nelle malattie mentali. [Clinical experiences with serotonin in mental illness.] *Cervello*, 1956, 32: 243-246. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1539.
- , Serotonina e schizofrenia. 1. Osservazioni sulle interferenze fra l'azione della serotonina (S.) e della dietilamide dell'acido lisergico (LSD. 25), mescalina (M.) e bulbocapnina (B.) nell'uomo e nell'animale. 2. Azione della serotonina (S.) sola e associata ai barbiturici (Ba.), alla dietilamide dell'acido lisergico (LSD. 25), alla mescalina (M.) e alla bulbocapnina (B.) sul tracciato EEG. di schizofrenici, epilettici e altri ammalati di mente. [Serotonin and schizophrenia. 1. Observations on the antagonism between serotonin, lysergic acid diethylamide, mescaline and bulbocapnine in man and animal. 2. Action of serotonin alone or associated with barbiturates, lysergic acid diethylamide, mescaline and bulbocapnine on the electro-encephalogram of patients with schizophrenia, epilepsy, and other mental diseases.] [English summaries p. 292; 381] *Cervello*, 1955, 31: 271-294; 355-382. Abstract: *Chem. Abstr.*, 1956, 50: 8911ab.
- Pomeranze, J. A new antidepressant (M. R. D.-108) in geriatrics. [Abstract] *J. Geront.*, 1954, 9: 486.
- , Preliminary observations on the use of Rauwolfia in labile diabetes. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 26-28.
- Pommé, B., Planche, R., Gibert, J. La chlorpromazine dans le traitement des délires aigus alcooliques. [Chlorpromazine in the treatment of acute alcoholic delirium.] *Encéphale*, 1956, 45: 744-753.
- Popendiker, K., see Nieschulz, O., Hoffmann, I., Popendiker, K.
- , see Nieschulz, O., Popendiker, K., Hoffmann, I.
- , see Nieschulz, O., Popendiker, K., Sack, K. H.
- Popov, E. A., Nevzorova, T. A. Opyt primeneniia aminazina v psikiatricheskoi klinike. [Result with aminazine in psychiatric clinical practice.] *Zh. nevropat. psikiat.*, *Moskva*, 1956, 56: 559-566.

- Porot, M., Jouanneau, H. Traitement par la chlorpromazine seule d'un syndrome mélancolique chez une femme enceinte. [Chlorpromazine therapy alone in a melancholia syndrome in a pregnant woman.] *Algérie méd.*, 1956, 60: 395-397.
- Portal, H., see Martin, P., Vidal, G., Portal, H.
- Portella Nunes, E. Investigações com a dietilamida do ácido lisérgico. [Clinical studies with lysergic acid diethylamide.] [English summary] *J. brasil psiquiat.*, 1955, 4: 407-418.
- , see Silva, L. M. da, Zusman, W., Portella Nunes, E.
- Poslowsky, A. Psychological considerations on continuous sleep-treatment. *Fol. psychiat. & c. neerl.*, 1955, 58: 482-485.
- Possible danger from reserpine. *Brit. M. J.*, 1957, 2: 49.
- Postel, J., Cossa, P. Etat actuel de la thérapeutique du delirium tremens; sur 165 cas. [Present state of the therapy of delirium tremens; 165 cases.] *Rev. neur., Par.*, 1956, 94: 660-662.
- , see Cossa, P., Bougeant, H., Postel, J.
- Potential hazards of meprobamate. *J. Am. M. Ass.*, 1957, 164: 1332-1333.
- Potet, F., see Cachin, M., Pergola, F., Potet, F., Debesse, B.
- Pouget, R., see Lafon, R., Boyer, Duc, N., Minvielle, J., Pouget, R.
- , see Lafon, R., Duc, N., Abric, J., Pouget, R., Comelade, P.
- , see Lafon, R., Duc, N., Boyer, Abric, J., Pouget, R.
- Preston, J. B. Chlorpromazine: a possible mechanism of action. [Abstract.] *Fed. Proc., Balt.*, 1956, 115: 468-469.
- , Effects of chlorpromazine on the central nervous system of the cat: a possible neural basis for action. *J. Pharm. Exp. Ther.*, 1956, 118: 100-115.
- Primac, D. W., Mirsky, A. F., Rosvold, H. E. Effects of centrally acting drugs on two tests of brain damage. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 328-332.
- Pringuet, G., see Heuyer, G., Dell, C., Pringuet, G.
- Proctor, R. C. A new therapeutic approach to certain cases of alcoholism. *South. M. J.*, 1956, 49: 73-75.
- , Griffin, R. A. Clinical studies on alpha-(2-piperidyl) benzhydrol hydrochloride (meratran) in prophylactic treatment of alcoholism. *Clin. Res. Proc.*, 1955, 3: 149.
- , Odland, T. Frenquel. *Dis. Nerv. Syst.*, 1956, 17: 25-28. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4539.
- , see Thompson, L. J., Proctor, R. C.
- Prokopowicz, V. Agranulocytosis following use of chlorpromazine therapy. *J. Am. M. Ass.*, 1955, 157: 1042. Also as: Agranulocytosis following chlorpromazine therapy. *J. Michigan M. Soc.*, 1955, 54: 1468.
- Promethazine hydrochloride. *J. Am. M. Ass.*, 1956, 161: 457-458.
- Prouet, P. E. Rauwolfia and amphetamine therapy in the treatment of psychosomatic complaints. *J. Louisiana M. Soc.*, 1955, 107: 114-116.
- Prout, C. T., see Allen, E. B., Prout, C. T.
- , see Ware, L. M., Prout, C. T.
- Pryor, W. W., see Muller, J. C., Pryor, W. W., Gibbons, J. E., Orgain, E. S.
- Psychobiology and drugs. *Internat. Rec. M.*, 1956, 169: 231-232.
- Psychodynamic and therapeutic aspects of mescaline and lysergic acid diethylamide. *J. Nerv. Ment. Dis.*, 1957, 125: 423-451. cf. Denber, H. C. B., Rinkel, M., ed.
- Psychopharmacology. 165 p. Washington, *Am. Ass. Adv. Sc.*, 1956. cf. Kline, N. S., ed.
- Puca, A. Ibernoterapia, sonno prolungato e neuroplegici in terapia psichiatrica. [Hibernation, prolonged sleep and neuroplegic drugs in psychiatric treatment.] *Rass. internaz. clin. ter.*, 1955, 35: 805-809.
- , Nuove acquisizioni in terapia psichiatrica; ibernoterapia, sonno prolungato e neuroplegici. [New acquisitions in psychiatric therapy; artificial hibernation, prolonged sleep and neuroplegic drugs.] [English summary] *Rass. stud. psychiat.*, 1955, 44: 849-856. Also: *Ann. med. nav., Roma*, 1956, 61: 42-49.
- , Catapano, V. D. Un nuovo psicofarmaco: il frenquel. [A new psychopharmakon: frenquel.] *Acta neur., Nap.*, 1956, 11: 526-529. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2082.
- Puech, J., Robin, C. Étude comparative des effets de la cure de sommeil médicamenteux et de la chlorpromazine injectable dans les psychoses. [Comparative study of sleep therapy and chlorpromazine injections in therapy of psychoses.] *Sem. hôp. Paris*, 1956, 32: 3252-3264.
- Pupo, P. P., Zukerman, E., Longo, R. H. O uso do ampicetil (4560 RP, Rhodia) na rotina do diagnóstico electrencefalográfico. [Use of chlorpromazine in EEG diagnosis.] [English summary] *Arg. neuropsiquiat.*, S. Paulo, 1955, 13: 197-202.
- Purpura, D. P. Electrophysiological analysis of psychotogenic drug action. (1) Effect of LSD on specific afferent systems in the cat. (2) General nature of lysergic acid diethylamide (LSD) action on central synapses. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 122-131; 132-143. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4451; No. 4452.
- , Electrophysiological analysis of psychotogenic drug action on the evoked potentials of the cat's brain. *Tr. Am. Neur. Ass.*, 1955, 80th Meeting: 60-67.
- , Experimental analysis of the inhibitory action of lysergic acid diethylamide on cortical dendritic activity. *Ann. N. York Acad. Sc.*, 1957, 66: 515-536.
- Pytel, A., see Wozowska, J., Pytel, A.

Q

- Quetin, A., see Sigwald, J., Henne, M., Bouttier, D., Raymond, C., Quetin, A.

R

- Racamier, P. C., Baudrand, C. Les cures prolongées et continues de chlorpromazine à l'hôpital psychiatrique. [Prolonged and continued therapy with chlorpromazine in the psychiatric hospital.] [Abstract] *Ann. méd. psychol., Par.*, 1954, 112(2): 449-450.
- , Blanchard, M., Baudrand, C. Les cures prolongées de chlorpromazine dans les états schizophréniques. [Prolonged chlorpromazine therapy in schizophrenic relations.] *Encéphale*, 1956, 45: 647-655.
- Raclot, M., see Delay, J., Denber, Deniker, P., Raclot, M., Ropert, M.
- , see Delay, J., Deniker, P., Raclot, M., Ropert, M.
- Rác, S., Gallai, Z. Angaben zur Rolle des Largactils bei der Behandlung einiger Hautkrankheiten. [Role of largactil in the treatment of several skin diseases.] *Derm. Wschr.*, 1956, 134: 770-773.
- Rambelli, L., see Floris, V., Rambelli, L.
- Ramée, F., Lacaton, R., Sanchez, F., Boulanger, M. Effets favorables du largactil dans la pratique psychiatrique algérienne. [Good results with chlorpromazine therapy of mental diseases in Algeria.] *Encéphale*, 1956, 45: 820-827.
- Ramírez, F. El largactil oral en el tratamiento de afeciones mentales. [Oral administration of largactil in the treatment of mental disorders.] *Rev. psiquiat. Uruguay*, 1954, 19 (112): 37-44.
- Ramot, J., see Sabshin, M., Ramot, J.
- Rance, A. M., Jurquet, A., Roger, J. Remarques sur la thérapeutique des affections psychiatriques par la chlorpromazine et la reserpine; étude comparée des diverses modalités d'administration de ces drogues. [Therapy of psychiatric disorders with chlorpromazine and reserpine; comparative study of the various methods of their administration.] *Encéphale*, 1956, 45: 477-487.

- Randolph, A. C., Thompson, L. J. The use of dimethylane-reserpine combination in mental disorders; a preliminary report. *North Carolina M. J.*, 1957, 18: 17-20.
- Rapaport, W., see Noce, R. H., Williams, D. B., Rapaport, W.
- Rappard, P., see Ey, H., Faure, H., Rappard, P.
- Rascol, A., see Laboucarie, J., Barrès, P., Rascol, A.
- , see Laboucarie, J., Rascol, A., Benichou, L.
- , see Riser, M., Géraud, J., Laboucarie, J., Rascol, A., Clause, S., Garrigues, M. P.
- Rashkis, H. A., Smarr, E. R. Drug and milieu effect with chronic schizophrenics. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 89-94.
- , —. Psychopharmacotherapeutic research; a triadistic approach. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 202-209.
- Raskin, N. Agranulocytosis in patients treated with thiorazine; report of a fatal case. *Am. J. Psychiat.*, 1957, 113: 991-992.
- Rathbun, R. C., see Slater, I. H., Rathbun, R. C., Henderson, F. G., Neuss, N.
- Ratschow, M. Der Heilschlaf mit Phenothiazin-Derivaten (Atosil und Megaphen). [Therapeutic sleep with phenothiazine derivatives (atosil and megaphen).] *Medizinische*, 1953: 1351-1354.
- Raudixin in the treatment of affective disorders. Original reports by clinical and laboratory investigators. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 1-44. [Articles within the scope of this bibliography are listed individually].
- Rauwolfia. *J. Am. M. Ass.*, 1955, 159: 1206-1207.
- Rauwolfia et états dépressifs. [Rauwolfia and depressive states.] *Rev. prat., Par.*, 1956, 6: 3342.
- Rauwolfia serpentina. *Bull. Calcutta School Trop. Med.*, 1954, 1 (3): 22-23.
- Rauwolfia serpentina: raudixin. *Univ. Michigan M. Bull.*, 1953, 19: 278-279.
- Ravetta, M., see Callieri, B., Ravetta, M.
- Ravina, A. Une nouvelle médication de l'anxiété et des psychoses. [A new medication for anxiety and psychoses.] [Meprobamate] *Presse méd.*, 1955, 63: 1233. Abstract: *Praxis, Bern*, 1956, 45: 749.
- , Pestel, M., Albouy, R. Alcoolisme aigu et delirium tremens en milieu hospitalier parisien. Considérations cliniques et thérapeutiques à propos de 40 cas récents. [Acute alcoholism and delirium tremens in a Paris hospital setting. Clinical and therapeutic considerations regarding 40 recent cases.] *Bull. Soc. méd. hôp. Paris*, 1955, 71: 698-703.
- Ravis, E., see Donini, F. M., Belsasso, M., Ravis, E.
- Ravreby, M. Pharmacology. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 57-59.
- Rawnsley, K., see Anderson, E. W., Rawnsley, K.
- Ray, P. K. The use of Rauwolfia serpentina in psychiatry. *Ind. J. Neur. Psychiat.*, 1952, 3: 380-398.
- Raymond, M. J., Lucas, C. J. Benactyzine in psychoneurosis, with a note on the E. E. G. changes in normal subjects. *Brit. M. J.*, 1956, 1: 952-954.
- , Beesley, M. L., O'Connell, B. A., Roberts, J. A. F. A trial of five tranquilizing drugs in psychoneurosis. *Brit. M. J.*, 1957, 2: 63-66.
- Raymondeaud, C., see Sigwald, J., Henne, M., Bouttier, D., Raymondeaud, C., Quetin, A.
- Rayner, S., see Cronqvist, S., Rayner, S., Wretmark, G.
- Rea, E. L., Fazekas, J. F. Effects of parenterally administered reserpine. *A. M. A. Arch. Int. M.*, 1955, 95: 538-539.
- , Shea, J., Fazekas, J. F., Hypotensive action of chlorpromazine. *J. Am. M. Ass.*, 1954, 156: 1249-1250.
- , see Albert, S. N., Rea, E. L., Duverney, C. A., Shea, J., Fazekas, J. F.
- , see Fazekas, J. F., Shea, J., Rea, E.
- , see Schultz, J. D., Rea, E. L., Fazekas, J. F., Shea, J. G.
- Reda, G. C., Ballardini, G., Riccio, L. Esami psicologici in soggetti trattati con largactil. [Psychological examination of patients treated with largactil.] *Riv. sper. freniat.*, 1955, 79: 509-514.
- , Germano, V. L'azione combinata della reserpina e clorpromazina nella pratica psichiatrica. [Combined effect of reserpine and chlorpromazine in psychiatric practice.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 647-653.
- Rees, E. L. Metabolism of the schizophrenic child; etiologic hypothesis. Report of six cases treated with chlorpromazine hydrochloride. *J. Am. M. Women Ass.*, 1956, 11: 11-16.
- Rees, L. A controlled trial of chlorpromazine in the management of patients suffering from asthma associated with anxiety and tension symptoms. *Encéphale*, 1956, 45: 555-561.
- , The role of drugs in the treatment of anxiety-tension states. *Med. Press, Lond.*, 1952, 227: 295-298.
- , Lambert, C. A controlled study of the value of chlorpromazine in the treatment of anxiety-tension states. *Encéphale*, 1956, 45: 547-549.
- , —, The value and limitations of chlorpromazine in the treatment of anxiety states. *J. Ment. Sc., Lond.*, 1955, 101: 834-840.
- Reeth, P. C. van, see Dierkens, J., Reeth, P. C. van.
- Reggiani, R. Contributo clinico allo studio di un farmaco equilibratore del sistema nervoso-vegetativo. [A new pharmacologic stabilizer for the autonomic nervous system.] [Nor-Dis] *Policlinico, sez. prat.*, 1954, 61: 1111-1115.
- Reichle, C., see Friebe, H., Reichle, C.
- Reid, A. A., see Begg, W. G. A., Reid, A. A.
- Rein, C. R., Goodman, J. J. Efficacy of reserpine (serpasil) in dermatological therapy. *A. M. A. Arch. Derm. Syph.*, 1954, 70: 713-717.
- , —, The tranquilizing efficacy of reserpine in dermatological therapy. *Ann. N. York Acad. Sc.*, 1955, 61: 230-235.
- Reinhard, J. F., Chessin, M., Tornabene, J., Lewis, M. N. Pharmacologic evaluation of a new sedative-hypnotic drug combination. [Abstract] *Fed. Proc., Balt.*, 1954, 13: 396.
- Reinhart, M. J., Silverstein, B. S., Cross, T. N. A case of agranulocytosis following "sparine" administration. *Am. J. Psychiat.*, 1957, 114: 462-463.
- Reisner, H. Zwischenfälle bei Gaben hoher Dosen von Reserin (Serpasil). [Incidents with massive doses of reserpine.] *Wien. klin. Wschr.*, 1956, 68: 872-874.
- Reiss, F. Psoriasis and stress. *Dermatologica, Basel*, 1956, 113: 71-78.
- Reitan, R. M. The comparative effects of placebo, ultran, and meprobamate on psychologic test performances. *Antibiotic M.*, 1957, 4: 158-165.
- Reitman, H. J., see Zeller, W. W., Graffagnino, P. N., Cullen, C. F., Reitman, H. J.
- Remy, M. A propos d'un nouveau neuroplégique: le NP de Sandoz. [A new neuroplegic drug: NP by Sandoz.] [Abstract] *Schweiz. Arch. Neur. Psychiat.*, 1956, 77: 480.
- Rentmeester, J., see Wardt-Kikkert, N. M. van de, Rentmeester, J.
- Requet, [A.], Leveque. Cure de Sakel et chlorpromazine associées. [Combined Sakel and chlorpromazine therapy.] *J. méd. Lyon*, 1956, 37: 407-409. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 954.
- , see Achaintre, A., Balvet, P., Beaujard, M., Broussolle, P., Perrin, J., Leveque, F., Requet, A.
- , see Revol, L., Achaintre, A., Balvet, P., Beaujard, M., Berthier, C., Broussolle, P., Lambert, P., Perrin, J., Requet, A.
- Resch, J. A., Schut, J. W., Bernstein, I. C. Premedication in electric convulsive therapy. *Am. J. Psychiat.*, 1956, 113: 78.
- Reserpine. *J. Am. M. Ass.*, 1955, 159: 1206-1207.

- Reserpine.** *Antibiotic M.*, 1957, 4: 108-113. Also: *Internat. Rec. M.*, 1957, 170: 214-219.
- Reserpine and the mind.** *Lancet, Lond.*, 1955, 2: 330-331.
- Reserpine and the nervous system.** *Lancet, Lond.*, 1955, 2: 1326.
- Reserpine (serpasil) and other alkaloids of Rauwolfia serpentina: chemistry, pharmacology, and clinical applications.** *Ann. N. York Acad. Sc.*, 1954, 59: 1-140. cf. Yonkman, F. F., ed.
- Reserpine in the treatment of neuropsychiatric, neurological, and related clinical problems.** *Ann. N. York Acad. Sc.*, 1955, 61: 1-280. cf. Yonkman, F. F., ed.
- Rettig, J. H.** Chlorpromazine and mysoline in the control of convulsive epilepsy in mentally deficient patients. *J. Nerv. Ment. Dis.*, 1956, 124: 607-611.
- , Chlorpromazine for the control of psychomotor excitement in the mentally deficient; a preliminary study. *J. Nerv. Ment. Dis.*, 1955, 122: 190-194.
- Reuning, H.**, see Hurst, L. A., Reuning, H., Wyk, A. J. van, Crouse, H. S., Booysen, P. J., Nelson, G.
- Reverchon, J.**, see Sapir, M., Stroun, J., Hepner, L., Reverchon, J., Selzer, S.
- Revol, L.** Amplification par la chlorpromazine de l'effet hypothermisant des barbituriques chez le lapin. [Amplification of the hypothermic effect of barbiturates by chlorpromazine in rabbits.] *Ann. pharm. fr.*, 1954, 12: 500.
- , Chlorpromazine et intoxication alcoolique. [Chlorpromazine and alcoholic intoxication.] *Lyon pharm.*, 1954, 5: 349-350.
- , Achaintre, A., Balvet, P., Beaujard, M., Berthier, C., Broussolle, P., Lambert, P., Perrin, J., Requet, A. La thérapeutique par la chlorpromazine en pratique psychiatrique. [Chlorpromazine therapy in psychiatric practice.] 151 p. Paris, Masson, 1956.
- Reyes, R. M.**, see Sadove, M. S., Balagot, R. C., Reyes, R. M.
- Rezner, see** Kleinzorge, Rezner.
- , see Rösner, K.
- Rhijn, C. H. van.** De invloed van reserpine (serpasil) op acute en chronische geestesziekten. [The effects of reserpine on acute and chronic mental diseases.] [English summary] *Ned. tschr. geneesk.*, 1956, 100: 1775-1790.
- Rhône-Poulenc, Laboratoires**, see Société parisienne d'expansion chimique.
- Ribstein, M.**, see Lafon, R., Duc, N., Ribstein, M., Pages, H.
- Ricci, G. C., Ricordati, M.** Un alcaloide della Rauwolfia serpentina nella terapia della ipertensione e di alcune psicopatie; rassegna critica ed esperienze cliniche. [Rauwolfia serpentina alkaloid in the treatment of hypertension and of certain psychopathies; critical considerations and clinical experiences.] [English summary p. 128] *Rass. fisiopat.*, 1954, 26: 91-131.
- Riccio, L.**, see Reda, G. C., Ballardini, G., Riccio, L.
- Rich, T. A.**, see Kleemeier, R. W., Rich, T. A., Justiss, W. A.
- Richman, A., Tyhurst, J. S.** An extrapyramidal syndrome with reserpine. *Canad. M. Ass. J.*, 1955, 72: 457-458.
- , see Tyhurst, J. S., Richman, A.
- Ricordati, M.**, see Ricci, G. C., Ricordati, M.
- Riesenman, F. R.** Chlorpromazine. *Med. Ann. District of Columbia*, 1956, 25: 258-260.
- , see Overholser, W., Waldrop, F. N., Riesenman, F. R., Fong, T. C. C., Farley, O. R., Hoffman, J. L.
- Rigal, [J.]** Traitement de la manie et des états d'hyperthymie par le 3277 R. P. (phénergan). [Phenergan therapy of mania and of hyperthymic states.] *J. méd. Bordeaux*, 1952, 129: 899-901.
- , Malet, P. Considérations sur l'emploi du largactil en psychiatrie. [Largactil therapy in psychiatry.] *J. méd. Bordeaux*, 1954, 131: 1191-1196.
- , Florentin, M. Quelques considérations au sujet de 300 cures de chlorpromazine dans les psychoses et les névroses. [Some remarks on chlorpromazine therapy of 300 psychotics and neurotics.] *Encéphale*, 1956, 45: 592-598.
- Rigotti, S.** Dal blocco del S. N. vegetativo all'ibernazione artificiale: primi risultati di un nuovo indirizzo di terapia psichiatrica. [From autonomic N. S. blocking to artificial hibernation; first results with a new psychiatric therapy.] *Rass. neur. vegetat.*, 1952, 9: 197-210. Abstract: *Riv. neur., Nap.*, 1953, 23: 186-188.
- , Sull'impiego clinico di un nuovo farmaco ad azione sedativa; il 2 metil-2-n-propil-1,3-propandiolo dicarbamato. [Clinical use of a new drug with sedative action: 2 methyl-2-n-propyl-1,3-propanediol dicarbamate.] *Minerva med., Tor.*, 1956, 47: 2178-2181.
- , Ulteriori esperienze sull'impiego in psichiatria della dimetilamino-propil-N-clorofenotiazina (Largactil). [Further experiences with the use of dimethylamino-propyl-chlorophenothiazine (largactil) in psychiatry.] [English summary] *Gior. psichiat.*, 1953, 81: 211-222.
- Rinaldi, F.** The experimental electroencephalographic approach to psychopharmacology. *Psychiat. Res. Rep., Wash.*, 1956 (4): 1-10.
- , Haynes, E. E., Rudy, L. H., Himwich, H. E. Therapeutic effects of azacyclonol in psychotic patients. In: Himwich, H. E., ed. Tranquilizing drugs. Washington, Am. Ass. Adv. Sc., 1957. p. 115-123.
- , Himwich, H. E. The cerebral electrographic changes induced by LSD and mescaline are corrected by frenquel. *J. Nerv. Ment. Dis.*, 1955, 122: 424-432. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1601.
- , —, A comparison of effects of reserpine and some barbiturates on the electrical activity of cortical and subcortical structures of the brain of rabbits. *Ann. N. York Acad. Sc.*, 1955, 61: 27-35.
- , —, Drugs affecting psychotic behavior and the function of the mesodiencephalic activating system. *Dis. Nerv. Syst.*, 1955, 16: 133-141. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4566.
- , —, Frenquel corrects certain cerebral electrographic changes. *Science*, 1955, 122: 198-199.
- , —, The site of action of antiparkinson drugs. *Confinia neur., Basel*, 1955, 15: 209-224. Abstract: *Am. J. Physiol.*, 1954, 179: 665. *Excerpta med.*, Sect. 8, 1956, 9: No. 3616.
- , Rudy, L. H., Himwich, H. E. Clinical evaluation of azacyclonol, chlorpromazine, and reserpine on a group of chronic psychotic patients. *Am. J. Psychiat.*, 1956, 112: 678-683. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4986.
- , —, —, The use of frenquel in the treatment of disturbed patients with psychoses of long duration. *Am. J. Psychiat.*, 1955, 112: 343-348.
- , see Himwich, H. E., Rinaldi, F.
- , see Himwich, H. E., Rinaldi, F., Willis, D.
- , see Rudy, L. H., Rinaldi, F., Himwich, H. E.
- Rinehart, R.**, see Schneider, J. A., Plummer, A. J., Earl, A. E., Barrett, W. E., Rinehart, R., Dibble, R. C.
- Ringel, E.**, see Leupold-Löwenthal, H., Ringel, E.
- Rink, K.**, see Lim, R. K., Pindell, M. H., Glass, H. G., Rink, K.
- Rinkel, M.** Experimentally induced psychoses in man. In: Abramson, H. A., ed. Neuropharmacology. Transactions of the second conference, May 1955, Princeton, N. J. New York, Josiah Macy, Jr., Foundation, 1956. p. 235-258.
- , Pharmacodynamics of LSD and mescaline. *J. Nerv. Ment. Dis.*, 1957, 125: 424-427.
- , Summary of papers on drugs affecting behavior. *J. Nerv. Ment. Dis.*, 1955, 122: 496-497.
- , DeShon, H. J., Hyde, R. W., Solomon, H. C. Experimental schizophrenic-like symptoms. *Am. J. Psychiat.*, 1952, 108: 572-578.
- , Hyde, R. W., Solomon, H. C. Experimental psychiatry. III. A chemical concept of psychosis. *Dis. Nerv. Syst.*, 1954, 15: 259-264.
- , —, —, Experimental psychiatry. IV. Hallucinogens: tools in experimental psychiatry. *Dis. Nerv. Syst.*, 1955, 16: 229-232.

- , Hyde, R. W., Solomon, H. C., Hoagland, H. Experimental psychiatry. II. Clinical and physio-chemical observations in experimental psychosis. *Am. J. Psychiat.*, 1955, 111: 881-895.
- , Solomon, H. C. Chemical theories of psychosis. *J. Clin. Exp. Psychopath.*, 1957, 18: 323-334.
- , ed., see Denber, H. C. B., Rinkel, M., ed.
- , see DeShon, H. J., Rinkel, M., Solomon, H. C.
- Rinsley, D. B., see Apter, J., Rinsley, D. B.
- Riopelle, A. J., see Smith, R. P., Wagman, A. I., Riopelle, A. J.
- Ripstein, C. B., see Friedgood, C. E., Ripstein, C. B.
- Riser, M., Géraud, J., Laboucarié, J., Rascol, A., Clausse, S., Garrigues, M. P. Considérations étiologiques et thérapeutiques sur les delirium tremens; à propos de 75 cas. [Etiologic and therapeutic considerations of delirium tremens; 75 cases.] *Rev. neur., Par.*, 1956, 94: 662-667.
- , Laboucarié, J., Barrès, P. Hibernation dans les psychoses hyperthermiques. [Hibernation in hyperthermic psychoses.] *Ann. méd. psychol., Par.*, 1953, 111 (2): 207-212.
- Ritter, N. S. Experience with reserpine in the treatment of alcoholism. *Q. J. Alcohol*, 1956, 17: 195-197. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 883.
- Rivas, M. La terapia clorpromazina prolungata ad alte dosi in psichiatria. [Prolonged chlorpromazine therapy with massive doses in psychiatry.] *Encéphale*, 1956, 45: 469-470.
- Rives, Ménager, V. Neuroplogie et delirium tremens. [Neuroplegic therapy and delirium tremens.] *Anesthésie, Par.*, 1953, 10: 450-453.
- Rizzente, S. Osservazioni cliniche su di un nuovo ipotensivo e sedativo in geriatria. [Clinical observations on a new hypotensive and sedative drug in geriatrics.] *Arch. psicol., neur., Milano*, 1956, 17: 454-456.
- Rizzo, E. M. Sull'azione del largactil associato ai barbiturici in malati di mente. [The effect of largactil combined with barbiturates on mental patients.] *Riv. neur., Nap.*, 1953, 23: 824-828.
- , Russo, S. Sull'uso dei ganglioplegici in terapia psichiatrica. [The use of ganglioplegics in psychiatric therapy.] [English summary] *Gior. psichiat.*, 1954, 82: 127-151. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 2815.
- Robbins, J. J., see Monaco, R. N., Leeper, R. D., Robbins, J. J., Calvy, G. L.
- Robert, H., see Collomb, H., Miletto, G., Robert, H.
- Robertiello, R., see Freedman, A. M., Kremer, M. W., Robertiello, R., Effron, A. S.
- Roberts, J. A. F., see Raymond, M. J., Lucas, C. J., Beesley, M. L., O'Connell, B. A., Roberts, J. A. F.
- Roberts, J. M., see Hargreaves, G. R., Hamilton, M., Roberts, J. M.
- Roberts, R. H., see Hollister, L. E., Krieger, G. E., Kringel, A., Roberts, R. H.
- Roberts, S. E. A chlorpromazine (thorazine)-induced cephalalgia and its management. *A. M. A. Arch. Otolaryng.*, 1956, 63: 208-209.
- Robie, T. R. Pseudo-tabes syndrome as complication of tranquilizer drug therapy. *Am. J. Psychiat.*, 1956, 113: 463-464.
- Robillard, R., see Genest, J., Adamkiewicz, L., Robillard, R., Tremblay, G.
- Robin, C., see Puech, J., Robin, C.
- Robiner, I. S., see Galenko, V. E., Osberg, I. IU., Robiner, I. S., Frenkel, G. M.
- Robinson, C. V., see Robinson, H. M., Jr., Robinson, C. V., Strahan, J. F.
- Robinson, H. M., Jr., Robinson, C. V., Strahan, J. F. Hydroxyzine (atarax) hydrochloride in dermatological therapy. *J. Am. M. Ass.*, 1956, 161: 604-606.
- Robitzek, E. H., see Selikoff, I. J., Robitzek, E. H., Ornstein, G. G.
- Rockmore, L., Shatin, L., Funk, I. C. Response of psychiatric patients to massive doses of thorazine. I. Behavioral and clinical analysis. *Psychiat. Q.*, 1956, 30: 189-203.
- , see Shatin, L., Rockmore, L., Funk, I. C.
- Rockwell, F. V., see Payn, S. B., Rockwell, F. V.
- Rodolico, G., see Salomone, F. P., Peria, G., Rodolico, G., Caciola, R.
- Roebuck, B. E. Agranulocytosis associated with chlorpromazine therapy. *J. Nerv. Ment. Dis.*, 1956, 124: 248-250.
- , see Peak, E. C., Canestrari, R. E., Roebuck, B. E.
- Roeder, F. D. Letter from Germany. *Am. J. Psychiat.*, 1956, 113: 506-509.
- Roelens, [R.], see Le Guillant, L., Roelens, R.
- , see Le Guillant, L., Roelens, R., Corre, Kestenbergh, Plicht, Béquart, Bailly-Salin.
- Røntorp, P. S., see Lyager, T., Røntorp, P. S.
- Rösner, K. Therapeutische Anwendung der zentralnervösen Wirkung einiger Phenothiazinderivate in der Allgemeinmedizin. [Therapeutic use of effects of various phenothiazine derivatives on central nervous system in general practice.] *Med. Mschr.*, 1956, 10: 719-723.
- , see Kleinsorge, H., Rösner, K.
- , see Kleinsorge, Reznor.
- Rogers, J., see Rance, A. M., Jurquet, A., Roger, J.
- Rogers, S., see Knight, R. W., Kent, B., Morris, G., Rogers, S.
- , see Moyer, J. H., Kent, B., Morris, G., Dizon, M., Rogers, S., Spurr, C.
- Rogg, S. G. Thorazine and electroshock. *Delaware M. J.*, 1955, 27: 83-84.
- Rolls, E. J., Stafford-Clark, D. Depersonalization treated by Cannabis indica and psychotherapy. *Guy's Hosp. Rep., Lond.*, 1954, 103: 330-336.
- Rome, H. P., see Loftus, L. R., Huizenga, K. A., Stauffer, M. H., Rome, H. P., Cain, J. C.
- , see Schwarz, B. E., Bickford, R. G., Mulder, D. W., Rome, H. P.
- , see Schwarz, B. E., Bickford, R. G., Rome, H. P.
- Rondepierre, J., Hivert, P. H., Honoré, B., Vaugelade, S. Résultats favorable obtenus par les neuroleptiques dans les psychoses de fâcheux pronostic. [Favorable results obtained with neuroleptics in psychoses of poor prognosis.] *Ann. méd. psychol., Par.*, 1955, 113 (2): 853-859.
- Ropert, M., see Delay, J., Denber, Deniker, P., Raclot, M., Ropert, M.
- , see Delay, J., Deniker, P., Raclot, M., Ropert, M.
- Ropert, R., see Delay, J., Deniker, P., Ropert, R.
- , see Delay, J., Deniker, P., Ropert, R., Wiart, C.
- , see Delay, J., Pichot, P., Ropert, R.
- "Rose is a rose is a rose is a rose" *Psychiat. Q.*, 1957, 31: 346-361.
- Rose, R. F., see Sadove, M. S., Levin, M. J., Rose, R. F., Schwartz, L., Witt, F. W.
- Rosendorf, see Lamarche, A., Roussel, A., Rosendorf.
- Rosenkötter, L., see Hippus, H., Mellin, P., Rosenkötter, L.
- Rosenthal, D., Frank, J. D. Psychotherapy and the placebo effect. *Psychol. Bull.*, 1956, 53: 294.
- , Imber, S. D. The effects of mephenesin and practice on the Bender-Gestalt performance of psychiatric outpatients. *J. Clin. Psychol.*, 1955, 11: 90-92.
- , see Hampson, J. L., Rosenthal, D., Frank, J. D.
- , see Meath, J. A., Feldberg, T. M., Rosenthal, D., Frank, J. D.
- Rosina, P. L. Gli alcaloidi totali di Rauwolfia in psichiatria; premesse fisiologiche ed esperienze cliniche. [Total Rauwolfia alkaloids in psychiatry; physiological basis and clinical experience.] *Minerva med., Tor.*, 1955, 46: 1249-1252.
- , Reserpina nelle psicosi acute. [Reserpine in acute psychoses.] *Arch. psicol., neur., Milano*, 1956, 17: 417.
- Rosner, B. S., Fierman, L. B., Kramer, J. F. Clinical evaluation of meratran and frenquel on a chronic psychotic population. *Am. J. Psychiat.*, 1957, 113: 993-996.

- Rosner, H., Levine, S., Hess, H., Kaye, H. A comparative study of the effect on anxiety of chlorpromazine, reserpine, phenobarbital and a placebo. *J. Nerv. Ment. Dis.*, 1955, 122: 505-512. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2093.
- Ross, S., see Cole, J. O., Ross, S., Bouthilet, L.
- Ross, W. D. Mistakes in the use of chlorpromazine. *Ohio M. J.*, 1957, 53: 182-183.
- , see Gottschalk, L. A., Kapp, F. T., Ross, W. D., Kaplan, S. M., Silver, H., MacLeod, J. A., Kahn, J. B., Jr., Van Maanen, E. F., Acheson, G. H.
- , see Shanon, J., Kaplan, S. M., Pierce, C. M., Ross, W. D.
- Rossi, M. Moderne terapie psichiatriche a base di ganglioplegici e di alcaloidi della Rauwolfia serpentina. [Modern psychiatric therapy with ganglioplegics and Rauwolfia serpentina alkaloids.] *Arch. psicol. neur.*, Milano, 1956, 17: 642-644.
- Rossini, R., Dazzi, P. Sindromi psichiche nel morbo di Basedow e tiroidectomia; efficacia terapeutica della cura del sonno. [Psychic syndromes in Basedow's disease and thyroidectomy; effectiveness of sleep therapy.] *Gior. clin. med.*, 1953, 34: 1018-1028. Abstract: *Riv. neur.*, Nap., 1954, 24: 305.
- Rosvold, H. E., see Primac, D. W., Mirsky, A. F., Rosvold, H. E.
- Roth, M. In: Symposium on tranquilizers. *Brit. M. J.*, 1957, 2: 221.
- Rothlin, E. Lysergic acid diethylamide and related substances. *Ann. N. York Acad. Sc.*, 1957, 66: 668-676.
- , Die zentralnervösen Wirkungen von Heilmitteln. [The central-nervous effects of drugs.] 39 p. Stuttgart, Thieme, 1954.
- , Cerletti, A. Pharmacology of LSD-25. In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, Grune & Stratton, 1956. p. 1-7.
- , —, Über einige pharmakologische Untersuchungen an Mäusen mit congenitaler Drehsucht. [Some pharmacological studies on mice with congenital waltzing syndrome.] *Helvet. physiol. pharm. acta*, 1952, 10: 319-327. Abstract: *Chem. Abstr.*, 1953, 47: 766hi.
- , see Cerletti, A., Rothlin, E.
- , see Taeschler, M., Rothlin, E.
- Rotstein, J., Frick, P. S., Schiele, B. C. Agranulocytosis associated with chlorpromazine therapy. *A. M. A. Arch. Int. M.*, 1955, 96: 781-786.
- Rotteglia, E. Miltown: nuovo sedativo nell'ansietà e nelle psicosi. [Miltown: a new sedative in anxiety and psychoses.] *Boll. chim. farm.*, 1956, 95: 10-11.
- Roubíček, J., Srnc, J. Experimentální psychosa vyvolaná LSD. [Experimental psychosis caused by LSD.] [English summary] *Cas. lek. cesk.*, 1955, 94: 189-195. Abstract: *Chem. Abstr.*, 1955, 49: 11875e. *Excerpta med.*, Sect. 8, 1955, 8: No. 4844.
- Rousseau, J., see Bensoussan, P., Villiaumey, E. M., Rousseau, J.
- Roussel, A., see Lamarche, A., Roussel, A., Rosendorf.
- Rouvroy, M. Remarques concernant le traitement des psychoses chroniques. [Remarks on the therapy of chronic psychoses.] *Encéphale*, 1956, 45: 707-708.
- Rovetta, P. Effects of mescaline and LSD on evoked responses especially of the optic system of the cat. *Electroencephalography, Montreal*, 1956, 8: 15-24. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 501.
- Rowley, D. A., see Benditt, E. P., Rowley, D. A.
- Rowley, E. H., see Harris, R. D., Rowley, E. H.
- Roxo, H. Tratamento moderno das doenças mentais. [Modern therapy of mental diseases.] *Arg. brasil. med. nav.*, 1956, 17: 4153-4162.
- Roy, H., see Gaitz, C. M., Roy, H., Thompson, W., Kimbell, I., Mullen, A. J., Pokorny, A. D.
- Roy, P. K., see Ray, P. K.
- Royer, P., Beis, M., Burner, M. Essai de traitement d'un délire chronique par cure de sommeil. [Sleep therapy of a patient in chronic delirium.] *Rev. méd. Nancy*, 1954, 79: 600-607. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 4920.
- Ruberti, R., see Terzian, H., Ruberti, R.
- Rubin, B., Malone, M. H., Waugh, M. H., Burke, J. C. Comparative activity of Rauwolfia serpentina whole root and reserpine in laboratory animals. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 40-44.
- Rubin, E. H., see Cheifetz, I., Paulin, C., Tuatay, H., Rubin, E. H.
- Ruchwarger, A. Meproamate in anxiety reactions involving depression. *Med. Ann. District of Columbia*, 1956, 25: 555-556; 586.
- Ruckdeschel, K. T., see Brehmer, G. von, Ruckdeschel, K. T.
- , see Kolle, E., Ruckdeschel, K. T.
- Rudy, L. H., Himwich, H. E., Tasher, D. C. Clinical evaluation of two phenothiazine compounds promazine and mepazine. *Am. J. Psychiat.*, 1957, 113: 979-983.
- , Rinaldi, F., Himwich, H. E. Comparative effects of azacyclonol, reserpine, and chlorpromazine on moderately disturbed psychotic patients with long histories of hospitalization. *Psychiat. Res. Rep.*, Wash., 1956 (4): 49-63.
- , see Hagenauer, F., Rudy, L. H., Himwich, H. E.
- , see Rinaldi, F., Haynes, E. E., Rudy, L. H., Himwich, H. E.
- , see Rinaldi, F., Rudy, L. H., Himwich, H. E.
- Ruiz-Ogara, C., Martí-Tusquets, J. L., González-Monclús, E. Psicosis lisérgica. [Lysergic psychosis.] *Rev. psiquiat. psicol.*, Barcel., 1956, 2: 566-590. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1986.
- Ruskin, I. W., Avol, M. Rauwolfia tranquilization for the disturbed aged. *J. Am. Geriatr. Soc.*, 1956, 4: 998-1003.
- Russo, S., see Rizzo, E. M., Russo, S.
- Rutherford, A., see Smith, J. A., Rutherford, A., Fanning, R.
- Ruyer, M. Hibernation dans les confusions alcooliques aiguës. [Hibernation in acute alcoholic confusions.] 82 p. [Mimeographed] Strasbourg, 1954. [Thesis—Strasbourg 1954, no. 74.]
- Ryan, J. P., see McGrath, S. D., Ryan, J. P., Fennelly, J. J.

S

- Saavedra, A., see Trelles, J. O., Saavedra, A.
- Sabatini, R., see Sarrouy, C., Saint-Jean, Sendra, L., Sabatini, R.
- Sabshin, M., Ramot, J. Pharmacotherapeutic evaluation and the psychiatric setting. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 362-370.
- Sacchi, U., Bonamini, F., Dolce, G., Garelo, L. Dietilamide dell'acido lisérgico e catalessia da 5-idrossitriptamina nel cane. [Lysergic acid diethylamide and 5-hydroxytryptamine catalepsy in dogs.] *Boll. Soc. ital. biol. sper.*, 1955, 31: 665-667.
- , —, Garelo, L., Dolce, G. Studio dell'azione catalettizzante della 5-HT per introduzione nel sistema ventricolare o negli spazi subaracnoidei del cane. [Cataleptic action of 5-HT introduced into the ventricular system or subarachnoid space in dogs.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 179-182. Abstract: *Chem. Abstr.*, 1956, 50: 6680gh.
- , Brusa, A., Giannioti, G. Lesioni del sistema nervoso centrale del Carassius auratus da 5-HT ed azione protettiva dell'LSD. [Lesions of the central nervous system in Carassius auratus caused by serotonin and the protective action of lysergic acid diethylamide.] *Boll. Soc. ital. biol. sper.*, 1956, 32: 438-441.
- , Garelo, L., Dolce, G., Bonamini, F. L'azione catalettizzante della 5-idrossitriptamina introdotta nella cisterna magna del cane. [Cataleptic action of 5-hy-

- droxytryptamine introduced into the cisterna magna of dogs.] *Boll. Soc. ital. biol. sper.*, 1955, 31: 663-665.
- Sacerdoti, G. Prime esperienze in neuropsichiatria con nuovo alcaloide della *Rauwolfia serpentina*: il serpasil; nota preventiva. [First experience in neuropsychiatry with a new alkaloid of *Rauwolfia serpentina*: serpasil; preliminary note.] *Gazz. med. ital.*, 1955, 114: 63-65. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1220.
- , Mantelli, A. La reserpina nel trattamento ambulatoriale nei disturbi del comportamento nell'infanzia. [Reserpine in the ambulatory treatment of behavior disorders in childhood.] [English summary] *Gazz. med. ital.*, 1955, 114: 189-191.
- , Vegro, G. La reserpina in psichiatria infantile. [Reserpine in child psychiatry.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 459-477.
- Sack, K. H., see Nieschulz, O., Pependiker, K., Sack, K. H.
- Sack, P., see Cares, R. M., Asrican, E., Fenichel, M., Sack, P., Severing, J.
- Sackler, A. M., see Marti-Ibáñez, F., Sackler, A. M., Sackler, M. D., Sackler, R. R.
- Sackler, M. D., see Marti-Ibáñez, F., Sackler, A. M., Sackler, M. D., Sackler, R. R.
- Sackler, R. R., see Marti-Ibáñez, F., Sackler, A. M., Sackler, M. D., Sackler, R. R.
- Sadove, M. S., Balagot, R. C. The value of chlorpromazine in the management of pain. *Internat. Rec. M.*, 1955, 168: 346-350.
- , Reyes, R. M. The potentiating action of chlorpromazine. *Current Res. Anesth.*, 1956, 35: 165-181.
- , Levin, M. J., Rose, R. F., Schwartz, L., Witt, F. W. Chlorpromazine and narcotics in the management of pain of malignant lesions. *J. Am. M. Ass.*, 1954, 155: 626-628.
- Safe dosage levels in reserpine. *Am. J. Psychiat.*, 1956, 113: 376-377.
- Saginario, M., see Macchi, G., Manghi, E., Saginario, M.
- , see Manghi, E., Saginario, M.
- Saglia, N. Osservazioni di carattere tecnico sulla terapia degli schizofrenici cronici con clorpromazina. [Technical observations on chlorpromazine therapy in chronic schizophrenia.] *Arch. psicol. neur.*, Milano, 1956, 17: 634-635.
- Sagripanti, P. Ipnoterapia con largactil in psichiatria. [Sleep therapy with largactil in psychiatry.] *Riv. sper. freniat.*, 1954, 78: 155-182.
- , Leucotomia e ipnoterapia in un caso di psicosi ossessiva. [Leukotomy and sleep therapy in an obsessive psychotic patient.] *Minerva med.*, Tor., 1953, 44: 259-260. [Not seen.]
- , Primi risultati clinici dell'ipnoterapia eseguita con nuovi preparati. [First clinical results of sleep therapy with new preparations.] *Minerva med.*, Tor., 1953, 44: 232-233. [Not seen.]
- Saint-Jean, see Sarrouy, C., Saint-Jean, Sendra, L., Sabatini, R.
- Sainz, A. A. Clinical applications of chlorpromazine in psychiatry. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 39-58.
- , Considerations on the cerebral action of reserpine. In: Kline, N. S., ed. *Psychopharmacology*. Washington, *Am. Ass. Adv. Sc.*, 1956. p. 59-63.
- , The management of side effects of chlorpromazine and reserpine. *Psychiat. Q.*, 1956, 30: 647-653.
- , The treatment of drug and alcohol withdrawal effects with thiorazine. *Psychiat. Q.*, 1957, 31: 275-284.
- , The use of reserpine in ambulatory and hospitalized geriatric psychotics. *Ann. N. York Acad. Sc.*, 1955, 61: 72-77. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1229.
- , Bigelow, N., Barwise, C. On a methodology for the clinical evaluation of phrenoprapic drugs. *Psychiat. Q.*, 1957, 31: 10-16.
- Sakellaropoulos, P., see Ey, H., Sakellaropoulos, P.
- Salles, P., see Oulès, J., Salles, P., Soubrié, R.
- Salmoiraghi, G. C., Sollero, L., Page, I. H. Blockade by brom-lysergic-acid-diethylamide (BOL) of the potentiating action of serotonin and reserpine on hexobarbital hypnosis. *J. Pharm. Exp. Ther.*, 1956, 117: 166-168. Abstract: *Chem. Abstr.*, 1956, 50: 14105gh.
- Salomon, F., see Sizaret, P., Salomon, F.
- Salomone, F. P., Peria, G., Rodolico, G., Caciola, R. Le medicazioni neuroplegiche nelle terapia del dolore. [Neuroplegics in therapy of pain.] *Minerva chir.*, Tor., 1955, 10: 296.
- Salvatore, S., Hyde, R. W. Progression of effects of lysergic acid diethylamide (LSD). *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 50-59.
- Sal y Rosas, F., Jerí, R., Sánchez, J. La chlorpromazine chez les malades mentaux péruviens. [Chlorpromazine therapy of mental patients in Peru.] *Encéphale*, 1956, 45: 599-604.
- , —, —, Chlorpromazine in neuropsychiatry. *J. Am. M. Ass.*, 1954, 156: 558.
- Samad, I. A. Complications of chlorpromazine therapy. *Lancet, Lond.*, 1955, 1: 1327.
- Samter, N. F., see Sereiskii, M. I., Tolmaskaia, E. S., Golodets, R. G., Samter, N. F.
- Samuels, A. S. Acute chlorpromazine poisoning. *Am. J. Psychiat.*, 1957, 113: 746-748.
- , Phenergan in treatment of psychiatric patients. *Dis. Nerv. Syst.*, 1957, 18: 183-188.
- Sanchez, A. J., see Stevenson, L., Sanchez, A. J.
- Sanchez, F., see Ramée, F., Lacaton, R., Sanchez, F., Boulanger, M.
- Sánchez García, J., see Sánchez, J.
- Sánchez, J., see Sal y Rosas, F., Jerí, R., Sánchez, J.
- Sander, F., see Kirkpatrick, W. L., Sanders, F.
- Sandison, R. A. The clinical uses of lysergic acid diethylamide. In: Cholden, L., ed. *Lysergic acid diethylamide and mescaline in experimental psychiatry*. New York, *Grune & Stratton*, 1956. p. 27-34.
- , Psychological aspects of the LSD treatment of the neuroses. *J. Ment. Sc., Lond.*, 1954, 100: 508-515. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3895.
- , Spencer, A. M., Whitelaw, J. D. A. The therapeutic value of lysergic acid diethylamide in mental illness. *J. Ment. Sc., Lond.*, 1954, 100: 491-507. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 930.
- , Whitelaw, J. D. A. Further studies in the therapeutic value of lysergic acid diethylamide in mental illness. *J. Ment. Sc., Lond.*, 1957, 103: 332-343.
- Sandoz Chemical Works, inc., Sandoz Pharmaceuticals. Annotated bibliography; LSD 25—Delysid (d-lysergic acid diethylamide). 56 p. Hanover, N. J., 1956.
- Sands, S. L. Psychiatry. In: "Happiness pills" in medical practice: a symposium. *J. Iowa M. Soc.*, 1957, 47: 64-65.
- Sangowicz, J., Gauthier, J. Résumé d'une étude clinique sur pacatal et médoline, portant respectivement sur 40 cas. [Results of a clinical study on pacatal and medoline concerning 40 cases respectively.] *Union méd. Canada*, 1956, 85: 1170-1171.
- Sanguineti, I., Laricchia, R. La chlorpromazine dans les maladies mentales; indications de son emploi et limites de son efficacité thérapeutique. [Chlorpromazine in mental disorders; indications for its use and limits of its therapeutic efficacy.] *Encéphale*, 1956, 45: 1197-1203.
- , Negri, V. [U.] Sull'impiego di un derivato della fenotiazina nella cura delle malattie mentali. [The use of a phenothiazine derivative in the treatment of mental diseases.] *Acta neur.*, Nap., 1953, 8: 801-823. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 3806.
- , Negri, V., Laricchia, R. Le modificazioni dell'EEG in malati di mente sottoposti all'azione di un derivato della fenotiazina (largactil-Farmitalia). [Modifications in the EEG of mental patients under the influence of a phenothiazine derivative (largactil).] [English summary] *Riv. neur.*, Nap., 1953, 23: 513-534.

- , —, —. Ritmi elettrici cerebrali dopo somministrazione di mescalina e di acido lisergico (LSD 25) in malati di mente. [Electrical rhythms of the brain following administration of mescaline and lysergic acid (LSD 25) to mental patients.] *Riv. sper. freniat.*, 1955, 79: 771-797. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1060.
- , Zapparo, G. C., Laricchia, R. Studio clinico-biologico delle reazioni indotte dal solfato di mescalina e dall'acido lisergico (LSD-25) in malati di mente. [Clinical and physiological study of mescaline sulfate and lysergic acid (LSD)-induced reactions in mental patients.] *Riv. sper. freniat.*, 1956, 80: 887-918.
- Santangelo, F. Effetti terapeutici del serpasil su un gruppo di malati mentali. [Therapeutic effects of serpasil in a group of mental patients.] *Arch. psicol. neur.*, Milano, 1956, 17: 408-411.
- Santangelo, G. Modificazioni indotte dal trattamento reserpino protrato sulla sintomatologia psichica e comportamentale nelle schizofrenie croniche. [Modifications induced by prolonged reserpine treatment on psychic symptomatology and behavior in chronic schizophrenia.] [English summary] *Arch. psicol. neur.*, Milano, 1956, 17: 388-393.
- Sapir, M., Stroun, J., Hepner, L., Reverchon, J., Selzer, S. A propos de l'action psycho-somatique de la chlorpromazine et de la reserpine. [Psychosomatic action of chlorpromazine and reserpine.] *Encéphale*, 1956, 45: 488-493.
- Sargent, W. On chemical tranquilizers. *Brit. M. J.*, 1956, 1: 939-943.
- Sarro, R. Récents développements de la thérapeutique narcobiotique. [Recent developments in narcobiotic therapy.] *Encéphale*, 1956, 45: 501-510.
- Sarrouy, C., Saint-Jean, Sendra L., Sabatini, R. Étude électro-encéphalographique de trente cas de toxicoses traitées par le 4560 R. P. [Electroencephalographic study of 30 cases of toxicosis treated with 4560 R. P.] *Arch. fr. pédiat.*, 1955, 12: 37-42.
- Sarwer-Foner, G. J., Koranyi, E. K. Clinical investigation of azacyclonol hydrochloride, an alleged antihallucinatory, anticonfusal agent. *Canad. Psychiat. Ass. J.*, 1956, 1: 92-98.
- , —, Dancy, T. E. Clinical investigation of suven—a new sedative preparation. *Canad. M. Ass. J.*, 1957, 76: 933-937.
- , Ogle, W. Psychodynamic aspects of reserpine: its uses and effects in open psychiatric settings. *Canad. Psychiat. Ass. J.*, 1956, 1: 11-17.
- , —. Psychosis and enhanced anxiety produced by reserpine and chlorpromazine. *Canad. M. Ass. J.*, 1956, 74: 526-532.
- , —. The use of reserpine in an open psychiatric setting. *Canad. M. Ass. J.*, 1955, 73: 187-191.
- Saucet, D., see Despinoy, M., Saucet, D.
- Saunders, J. C., see Bruckman, N., Kitchener, M., Saunders, J. C., Kline, N. S.
- , see Kline, N. S., Saunders, J. C.
- Sauri, J. J. El pendiomid (C. 9295) y el ampiactyl (R. P. 4560) en la cura del sueño. [Pendiomide (C. 9295) and chlorpromazine (4560 RP) in sleep therapy.] *Prensa méd. argent.*, 1955, 42: 447-452.
- Savage, C. The LSD psychosis as a transaction between the psychiatrist and patient. In: Cholden, L., ed. Lysergic acid diethylamide and mescaline in experimental psychiatry. New York, Grune & Stratton, 1956. p. 35-43.
- , —. Lysergic acid diethylamide; a clinical-psychological study. *Am. J. Psychiat.*, 1952, 108: 896-900. Abstract: *Excerpta med.*, Sect. 8, 1953, 6: No. 419.
- , —. The resolution and subsequent remobilization of resistance by LSD in psychotherapy. *J. Nerv. Ment. Dis.*, 1957, 125: 434-437.
- , —. Variations in ego feeling induced by d-lysergic acid diethylamide (LSD-25). *Psychoanal. Rev.*, 1955, 42: 1-16. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3007.
- , Cholden, L. Schizophrenia and the model psychoses. *J. Clin. Exp. Psychopath.*, 1956, 17: 405-413.
- , see Cholden, L. S., Kurland, A., Savage, C.
- Savchuk, V. I., see Kaminskii, S. D., Savchuk, V. I.
- Scarpalezos, S. Le traitement ambulatoire par la chlorpromazine des psychonévroses et de certaines manifestations épileptiques (troubles caractériels et myoclonies). [Ambulatory treatment with chlorpromazine in psychoneuroses and in some manifestations of epilepsy (character disorders and myoclonias).] *Encéphale*, 1956, 45: 722-726.
- Schadelijke bijwerkingen van largactil. [Untoward side effects of largactil.] *Ned. tchr. geneesk.*, 1955, 99: 2537-2538.
- Schaefer, D. L., see Kasak, M., Schaefer, D. L., Winter, W.
- Schallek, W., Kuehn, A., Seppelin, D. K. Central depressant effects of methyprylon. *J. Pharm. Exp. Ther.*, 1956, 118: 139-147.
- , Walz, D. Effects of isoniazid and iproniazid on the central nervous system of the dog. *Am. Rev. Tuberc.*, 1954, 69: 261-266.
- Schauwecker, R., see Schnyder, U. W., Schauwecker, R.
- Scherr, A. Le largactil en psychiatrie extra-hospitalière. [Largactil in ambulatory psychiatry.] *Encéphale*, 1956, 45: 388-391.
- , see Broussolle, P., Scherr, A.
- Scherrer, P., Leclerc, J., Bize, N. Un cas d'encéphalite psychosique azotémique guéri par hibernation chez une césarisée. [A case of uremic psychotic encephalitis after cesarean section cured by artificial hibernation.] *Ann. méd. psychol.*, Par., 1953, 111 (1): 519-523.
- Schick, G., Virks, J. Agranulocytosis associated with chlorpromazine therapy; report of a case and review of the literature. *N. England J. M.*, 1956, 255: 798-802.
- Schiele, B. C., Anderson, R. W., Simons, W. Current status of chlorpromazine and reserpine in psychiatric practice. *J. Lancet*, 1956, 76: 179-185.
- , see Rotstein, J., Frick, P. S., Schiele, B. C.
- Schipa, S. Basi farmacologiche e farmacodinamiche delle cure neuroganglioplegiche. [Pharmacologic and pharmacodynamic basis of neuroganglioplegic therapy.] *Osp. psychiat.*, Nap., 1956, 24: 75-90.
- Schlan, L. S., see McLaughlin, J. J., Schlan, L. S.
- Schleifer, M. J., see Malamud, W., Barton, W. E., Fleming, A. M., Middleton, P. McK., Friedman, T. T., Schleifer, M. J.
- Schlichter, W., Bristow, M. E., Schultz, S., Henderson, A. L. Seizures occurring during intensive chlorpromazine therapy. *Canad. M. Ass. J.*, 1956, 74: 364-366.
- , see Forster, W., Schlichter, W., Henderson, A. L.
- Schlittler, E., see Müller, J. M., Schlittler, E., Bein, H. J.
- , see Woodson, R. E., Youngken, H. W., Schlittler, E., Schneider, J. A.
- Schmidt, K. E. Combined treatment with chlorpromazine and reserpine. *J. Ment. Sc., Lond.*, 1957, 103: 200-208.
- Schmidt, M., see Drassdo, A., Schmidt, M.
- Schmitterlów, C. G., Hedqvist, H. Cetiproman, ett nytt preparat för psykiatrisk bruk. [Cetiproman, a new preparation for psychiatric use.] *Sven. läk. tidn.*, 1955, 52: 2318-2326.
- Schmitt, R. J. The psychodynamics of the tranquilizing agents. *Psychiat. Q.*, 1957, 31: 17-30.
- Schmitt, W. Klinische Prüfung einer neuen Piperidinverbindung als Schlafmittel. [Clinical trial of a new piperidine compound as soporific.] *Med. Klin., Berl.*, 1955, 50: 1223-1224. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3610.
- , see Meyer, H. H., Schmitt, W., Kieser, J.
- Schmitz, B., see Abély, P., Abdouchelli, A., Fourment, J., Schmitz, B., Deltel, P.
- Schneider, G. Les cures prolongées à la chlorpromazine. [Prolonged chlorpromazine therapy.] *Encéphale*, 1956, 45: 372-376.

- . Les indications de divers neuroleptiques et les résultats obtenus à la clinique psychiatrique de Lausanne. [Indications for various neuroleptic drugs and the results obtained at the psychiatric clinic of Lausanne.] *Encéphale*, 1956, 45: 1024-1030.
- Schneider, H. Erfahrungsbericht über Rauwolfia-Alkaloid-Behandlung. [Experiences with Rauwolfia alkaloid therapy.] *Nervenarzt*, 1956, 27: 72-75. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2088.
- Schneider, J. A. Further characterization of central effects of reserpine (serpasil). *Am. J. Physiol.*, 1955, 181: 64-68. Abstract: *Chem. Abstr.*, 1955, 49: 11187e.
- . The pharmacology of Rauwolfia. In: Woodson, R. E., Youngken, H. W., Schlittler, E., Schneider, J. A. Rauwolfia: botany, pharmacognosy, chemistry & pharmacology. Boston, Little, Brown & Company, 1957. p. 109-143.
- . Reserpine antagonism of morphine analgesia in mice. *Proc. Soc. Exp. Biol.*, N. Y., 1954, 87: 614-615. Abstract: *Chem. Abstr.*, 1955, 49: 4165ef.
- , Earl, A. E. Behavior and electroencephalographic studies with serpasil (reserpine): a new alkaloid from Rauwolfia serpentina. [Abstract] *Fed. Proc.*, Balt., 1954, 13: 130.
- , —. Effects of serpasil on behavior and autonomic regulating mechanisms. *Neurology*, 1954, 4: 657-667.
- , Plummer, A. J., Earl, A. E., Barrett, W. E., Rinehart, R., Dibble, R. C. Pharmacological studies with deserpidine, a new alkaloid from Rauwolfia canescens. *J. Pharm. Exp. Ther.*, 1955, 114: 10-13.
- , —, Gaunt, R. Neuropharmacological aspects of reserpine. *Ann. N. York Acad. Sc.*, 1955, 61: 17-26. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2480.
- , Sigg, E. B. Neuropharmacological studies on ibogaine, an indole alkaloid with central-stimulant properties. *Ann. N. York Acad. Sc.*, 1957, 66: 765-776.
- , see Plummer, A. J., Earl, A., Schneider, J. A., Trapold, J., Barrett, W.
- Schneider, R., see Szatmari, A., Hoffer, A. Schneider R. Schnyder, U. W., Schauwecker, R. Largactil und Serpasil in der Dermatologie. [Largactil and serpasil in dermatology.] [English summary] *Dermatologica*, Basel, 1955, 111: 185-197.
- Scholten, C. Über besondere therapeutische Eigenschaften des Antihistaminicums Atosil. [Special therapeutic qualities of the antihistaminic atosil.] *Med. Mschr.*, 1953, 7: 552-554.
- Schott, M. B. Bases pharmacodynamiques et indications thérapeutiques générales des neuroplégiques. [Pharmacodynamic bases and general therapeutic indications of neuroplegics.] *J. méd. Lyon*, 1954, 35: 925-932.
- Schroeder, H. A., Perry, H. M., Jr. Psychosis apparently produced by reserpine. *J. Am. M. Ass.*, 1955, 159: 839-840. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1536. *Year book of drug therapy*, 1956-1957, p. 324-325.
- Schrut, A. H. Controlled study on clinical use of reserpine in psychotic patients with special comments on sources of error. *J. Nerv. Ment. Dis.*, 1955, 122: 513-517. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1533.
- , see Elliott, R. N., Schrut, A. H., Marra, J. J.
- Schultz, J. D. El uso de clorpromazina (thorazine) en los estados alcohólicos agudos. [Use of chlorpromazine (thorazine) in acute alcoholic states.] *Arch. méd. Cuba*, 1956, 7: 18-20.
- , Rea, E. L., Fazekas, J. F., Shea, J. G. Chlorpromazine in the management of acute alcoholic states. *Q. J. Alcohol*, 1955, 16: 245-250. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2598.
- , see Fazekas, J. F., Schultz, J. D., Sullivan, P. D., Shea, J. G.
- , see Fazekas, J. F., Sullivan, P. D., Schultz, J. D.
- Schultz, S., see Forster, W., Henderson, L., Schultz, S.
- , see Schlichter, W., Bristow, M. E., Schultz, S., Henderson, A. L.
- Schumann, H. J., see Greff, K., Schumann, H. J.
- Schut, J. W., Himwich, H. E. The effect of meratran on twenty-five institutionalized mental patients. *Am. J. Psychiat.*, 1955, 111: 837-840.
- , see Resch, J. A., Schut, J. W., Bernstein, I. C.
- Schwartz, L., see Sadove, M. S., Levin, M. J., Rose, R. F., Schwartz, L., Witt, F. W.
- Schwartzbaum, J. S. Effects of reserpine and chlorpromazine on nest building and thermal preference in rats. *Proc. Soc. Exp. Biol.*, N. Y., 1955, 90: 275-277. Abstract: *Chem. Abstr.*, 1956, 50: 2853ab.
- Schwarz, B. E. Electroencephalographic studies of animals and human beings under hypnosis. 40 p. [Type-written] Rochester, 1955. (Thesis—Minnesota).
- , Bickford, R. G., Mulder, D. W., Rome, H. P. Mescaline and LSD-25 in activation of temporal lobe epilepsy. *Neurology*, 1956, 6: 275-280.
- , —, Rome, H. P. Reversibility of induced psychosis with chlorpromazine. *Proc. Mayo Clin.*, 1955, 30: 407-417.
- , Sem-Jacobsen, C. W., Petersen, M. C. Effects of mescaline, LSD-25, and adrenochrome on depth electrograms in man. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 579-587.
- , Wakim, K. G., Bickford, R. G., Lichtenheld, F. R. Behavioral and electroencephalographic effects of hallucinogenic drugs; changes in cats on intraventricular injection. *A. M. A. Arch. Neur. Psychiat.*, 1956, 75: 83-90. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 328.
- Schweich, M., see Sivadon, P., Schweich, M., Begoin, J.
- Schweitzer, A. Old black magic reborn. In: Garrett, E. J., ed. Beyond the five senses. Philadelphia, Lipincott, 1957. p. 203-208.
- Scott, C. C., see Chessin, M., Dubnick, B., Kramer, E. R., Scott, C. C.
- Scott, P. A. A controlled study of the effect of mephenesin on psychiatric out-patients. *J. Ment. Sc.*, Lond., 1955, 101: 163-171. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1716.
- , see Trethowan, W. H., Scott, P. A.
- Seabra-Dinis, J. A terapêutica pelo sono prolongado. [Prolonged sleep therapy.] *J. méd.*, Porto, 1954, 23: 233-251.
- Seager, C. P. Chlorpromazine in treatment of elderly psychotic women. *Brit. M. J.*, 1955, 1: 882-885. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1727.
- , Leitch, A. Benactyzine in psychoneurosis; a controlled clinical trial in hospital patients. *Brit. M. J.*, 1956, 2: 1407-1409.
- , see Hare, E. H., Seager, C. P., Leitch, A.
- Sears, H. T. N., see Platt, R., Sears, H. T. N.
- Sebrell, W. H., Jr. Chemistry in chronic disease research. *Chem. Eng. News*, 1955, 33: 1856-1860.
- Seemann, D. Erfahrungen über Reserpinbehandlung in der Geriatrie. [Reserpine in geriatrics.] *Wien. med. Wschr.*, 1956, 106: 930.
- Segal, L. J., Tansley, A. E. A clinical trial with hydroxyzine (atarax) on a group of maladjusted educationally subnormal children. *J. Ment. Sc.*, Lond., 1957, 103: 677-681.
- Segal, M., Attinger, E. O. The use of reserpine as an adjunct in the management of patients with chronic bronchial asthma and chronic pulmonary emphysema: preliminary studies. *Ann. N. York Acad. Sc.*, 1955, 61: 267-275.
- Segerath, F. Über Erfahrungen mit der Megaphenbehandlung in der Psychiatrie. [Experience with megaphen treatment in psychiatry.] *Münch. med. Wschr.*, 1954, 96: 260-261.
- Seggiaro, J. A., see Bringas Núñez, E., Seggiaro, J. A., Machado, M. R.
- Seguín, A., Castro de la Mata, R. Chlorpromazine in neuropsychiatry. *J. Am. M. Ass.*, 1954, 156: 558.

- Seifter, J. *see* Begany, A. J., Seifter, J., Pless, H. H., Huber, R. D., Bruce, W. F.
- , *see* Hosko, M. J., Gore, E. M., Tislow, R., Seifter, J.
- Seitz, D. Die Schlafbehandlung mit Phenothiazinen in der Neurologie. [Sleep therapy with phenothiazines in neurology.] *Nervenarzt*, 1956, 27: 19-23.
- Selbach, C., Selbach, H. Phenothiazinwirkung und somato-psychische Dynamik. [Phenothiazine action and psychosomatic dynamics.] *Nervenarzt*, 1956, 27: 145-149.
- Selbach, H. *see* Selbach, C., Selbach, H.
- Selkoff, I. J., Robitzek, E. H., Ornstein, G. G. Treatment of pulmonary tuberculosis with hydrazide derivatives of isonicotinic acid. *J. Am. M. Ass.*, 1952, 150: 973-980.
- , —, —. Withdrawal symptoms upon discontinuance of iproniazid and isoniazid therapy. *Am. Rev. Tuberc.*, 1953, 67: 212-216.
- Sellers, A. M., Hafkenschiel, J. H. Sedative and antihypertensive effect of intravenous reserpine in man. [Abstract] *Fed. Proc., Balt.*, 1954, 13: 404.
- , —. Studies of intravenous reserpine in man. [Abstract] *Am. J. M. Sc.*, 1954, 228: 114.
- , *see* Hafkenschiel, J. H., Sellers, A. M., King, G. A., Thorner, M. W.
- Selling, L. S. A clinical study of miltown, a new tranquilizing agent. *J. Clin. Exp. Psychopath.*, 1956, 17: 7-14. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 391.
- . Clinical study of a new tranquilizing drug; use of miltown (2-methyl-2-n-propyl-1,3-propanediol dicarbamate). *J. Am. M. Ass.*, 1955, 157: 1594-1596. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1719.
- . Findings in patients suffering from anxiety states treated with a muscle relaxant. *South. M. J.*, 1953, 46: 1204-1210.
- Selzer, S., *see* Sapir, M., Stroun, J., Hepner, L., Reverchon, J., Selzer, S.
- Sem-Jacobsen, C. W., *see* Schwarz, B. E., Sem-Jacobsen, C. W., Petersen, M. C.
- Sendra, L., *see* Sarrouy, C., Saint-Jean, Sendra, L., Sabatini, R.
- Seneca, H. Hydroxyzine (atarax) as a therapeutic agent. *Antibiotic M.*, 1957, 4: 25-30.
- Senseman, L. A. Tranquilizing drugs; uses and abuses for the nervous patient. *Rhode Island M. J.*, 1956, 39: 675-677; 680; 686.
- Seppelin, D. K., *see* Schallek, W., Kuehn, A., Seppelin, D. K.
- Sercl, M., Bartousek, V., Jachova, D. Expériences cliniques sur la neuroplégie et l'hibernation dans les affections du système nerveux. [Clinical experiences with neuroplegia and hibernation in diseases of the nervous system.] *Gaz. méd. France*, 1956, 63: 1981-1982; 1984; 1987-1988.
- Sereiskii, M. IA., Tolmaskaia, E. S., Golodets, R. G., Samter, N. F. Lechenie bol'nykh shizofreniei aminazinom. [Treatment of schizophrenia with aminazine.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 155-161.
- Sergio, C. *see* Alemà, G., Sergio, C.
- Serotonin. *J. Am. M. Ass.*, 1956, 161: 460-461.
- Serra, C., Severgini, B. Ricerche elettroencefalografiche sopra un nuovo simpaticolitico di sintesi. [Electroencephalographic studies of a new synthetic sympatholytic.] *Riv. neur., Nap.*, 1953, 23: 494-504.
- Settel, E. Chlorpromazine in the home treatment of the agitated senile patient. *GP*, 1956, 14 (5): 97-100.
- . Chlorpromazine in the treatment of senile agitation. *GP*, 1955, 12 (6): 74-76. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3612.
- Severgini, B., *see* Serra, C., Severgini, B.
- Severing, J., *see* Cares, R. M., Asrican, E., Fenichel, M., Sack, P., Severing, J.
- Severinghaus, E. L., *see* Davis, W. A., Severinghaus, E. L.
- Sevinsky, B., *see* Kaminsky, A., Sevinsky, B., Kaplan, A.
- Seyffert, H. M., Strubel, H. Klinische Erfahrungen mit dem Schlafmittel und Tagessedativum Doroma. [Clinical experience with doroma, a hypnotic and diurnal sedative.] *Medizinische*, 1956, 2: 997-999.
- Shagass, C. Effects of intravenous chlorpromazine on the electroencephalogram. *Electroencephalography, Montreal*, 1955, 7: 306-308. Abstract: *Chem. Abstr.*, 1956, 50: 1184e. *Excerpta med.*, Sect. 8, 1956, 9: No. 40.
- Shalowitz, M. Hydroxyzine: a new therapeutic agent for senile anxiety states; a preliminary report. *Geriatrics*, 1956, 11: 312-315. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1417.
- Shane, A. M., Hirsch, S. Three cases of meprobamate poisoning. *Canad. M. Ass. J.*, 1956, 74: 908-909.
- Shankel, L. W., Whittier, J. R. Effects of reserpine therapy on Funkenstein test reactions in maladapted patients. *Dis. Nerv. Syst.*, 1956, 17: 258-261.
- Shanklin, J. G., *see* Dickel, H. A., Dixon, H. H., Wood, J., Shanklin, J. G.
- Shanon, J., Kaplan, S. M., Pierce, C. M., Ross, W. D. An interesting reaction to a tranquilizer: tonic seizures with perphenazine (trilafon). *Am. J. Psychiat.*, 1957, 114: 556.
- Shapiro, J. Serpasil—its use as a sedative in certain disturbed mental patients. *J. Oklahoma M. Ass.*, 1955, 48: 171-173. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1731.
- Shatin, L., Rockmore, L., Funk, I. C. Response of psychiatric patients to massive doses of thiorazine. II. Psychological test performance and comparative drug evaluation. *Psychiat. Q.*, 1956, 30: 402-416.
- , *see* Rockmore, L., Shatin, L., Funk, I. C.
- Shaw, E. (N.), Woolley, D. W. Methylserotonins as potent antimetabolites of serotonin active both in vitro and in vivo. *J. Pharm. Exp. Ther.*, 1956, 116: 164-176.
- , —. Pharmacological properties of some antimetabolites of serotonin having unusually high activity on isolated tissues. *J. Pharm. Exp. Ther.*, 1954, 111: 43-53.
- , —. Yohimbine and ergot alkaloids as naturally occurring antimetabolites of serotonin. *J. Biol. Chem.*, 1953, 203: 979-989.
- , *see* Woolley, D. W., Shaw, E. (N.)
- Shea, J. G., Alman, R. W., Fazekas, J. F. The use of chlorpromazine in the management of patients with head injury. *A. M. A. Arch. Int. M.*, 1955, 96: 168-171. Abstract: *Year book of drug therapy*, 1956-1957, p. 341.
- , Ehrmantraut, W. R., Ticktin, H. E., Sullivan, P. D., Jr., Fazekas, J. F. Use of promazine in the management of medical emergencies. *Mil. M.*, 1956, 119: 221-227.
- , *see* Albert, S. N., Rea, E. L., Duverney, C. A., Shea, J., Fazekas, J. F.
- , *see* Fazekas, J. F., Schultz, J. D., Sullivan, P. D., Shea, J. G.
- , *see* Fazekas, J. F., Shea, J. G., Ehrmantraut, W. R., Alman, R. W.
- , *see* Fazekas, J. F., Shea, J. [G.], Rea, E.
- , *see* Fazekas, J. F., Shea, J. G., Sullivan, P. D., Jr.
- , *see* Rea, E. L., Shea, J., Fazekas, J. F.
- , *see* Schultz, J. D., Rea, E. L., Fazekas, J. F., Shea, J. G.
- Sheatz, G. C. Studies on chlorpromazine in decerebrate dogs and patients with irreversible brain damage. [Abstract] *J. Pharm. Exp. Ther.*, 1955, 113: 47-48.
- Sheets, J. A., Jr., *see* Ferguson, J. T., Linn, F. V., Sheets, J. A., Jr., Nickels, M. M.
- Shepherd, M., Watt, D. C. A controlled clinical study of chlorpromazine and reserpine in chronic schizophrenia. *J. Neur., Lond.*, 1956, 19: 232-235.
- , *see* Davies, D. L., Shepherd, M.
- Sherwood, S. L. Effects of drugs on the behavior of animals and on psychoses of man. In: Abramson, H. A., ed. *Neuropharmacology. Transactions of the second conference, May 1955, Princeton, N. J.* New York, Josiah Macy, Jr., Foundation, 1956. p. 85-182.

- , The response of psychotic patients to intraventricular injections. *Proc. R. Soc. M., Lond.*, 1955, 48: 855-863.
- , see Feldberg, W., Sherwood, S. L.
- Sherwood, W. K. Experience with "BGE", a naturally occurring indole compound. *J. Nerv. Ment. Dis.*, 1957, 125: 490-491.
- Sheth, S., Khairnar, D. B. Study of reserpine in mental diseases. *Ind. Practitioner, Bombay*, 1956, 9: 259-269. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1530.
- , Use of reserpine in mental diseases. *Ind. Practitioner, Bombay*, 1955, 8: 893-903. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2244.
- Shipley, T. E., see Burdine, W. E., Shipley, T. E., Papas, T. A.
- Shore, P. A., Carlsson, A., Brodie, B. B. Mechanism of serotonin-release by reserpine. [Abstract]. *Fed. Proc., Balt.*, 1956, 15: 483.
- , Silver, S. L., Brodie, B. B. Interaction of reserpine, serotonin, and lysergic acid diethylamide in brain. *Science*, 1955, 122: 284-285.
- , —, Interaction of serotonin and lysergic acid diethylamide (LSD) in the central nervous system. *Experientia, Basel*, 1955, 11: 272-273.
- , see Brodie, B. B., Olin, J. S., Kuntzman, R. G., Shore, P. A.
- , see Brodie, B. B., Pletscher, A., Shore, P. A.
- , see Brodie, B. B., Shore, P. A., Silver, S. L.
- , see Hess, S. M., Shore, P. A., Brodie, B. B.
- , see Pletscher, A., Shore, P. A., Brodie, B. B.
- Shorvon, H. J. Drug therapy in psychiatry. *Practitioner, Lond.*, 1955, 175: 161-169.
- Shubin, H., Heiken, C. A., Glaskin, A., Pennes, E., Arsenián, J. Chlorpromazine as an adjunct in managing tuberculous patients. *Internat. Rec. M.*, 1957, 170: 369-373.
- Shulman, L., Ginsburg, M. A preliminary review of the uses of chlorpromazine in psychiatric diseases. *S. Afr. M. J.*, 1956, 30: 815-818.
- Shuman, J. Paralysis agitans developing during reserpine therapy. *J. Am. M. Ass.*, 1955, 158: 73.
- Shumilina, A. I. [The character of conditioned reflex activity of dogs following the administration of amine-zine.] *Zh. neuropat. psikiat., Moskva*, 1956, 56: 116-120. Abstract: *Chem. Abstr.*, 1956, 50: 17175bi.
- Sibilio, J. P., Andrew, G., Dart, D., Moore, K. B., Stehman, V. A. Treatment of chronic schizophrenia with promazine hydrochloride. *A. M. A. Arch. Neur. Psychiat.*, 1957, 78: 419-424.
- Sidman, M. Drug-behavior interaction. *Ann. N. York Acad. Sc.*, 1956, 65: 282-302.
- Simon, G., see Klose, G., Simon, G.
- Sigg, E., see Follin, S., Sigg, B., Pivet, S., Girard, C.
- Sigg, E. B., see Schneider, J. A., Sigg, E. B.
- Siguiet, F., Giabicani, A., Bétourné, C., Goglin, G. Le serpasil dans les délires alcooliques. [Serpasil in alcoholic delirium.] *Bull. Soc. méd. hôp. Paris*, 1956, 72: 605-607. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1976.
- Sigwald, J. La cure ambulatoire par la chlorpromazine. [Ambulatory therapy with chlorpromazine.] *Encéphale*, 1956, 45: 392-400.
- , Les indications du traitement de diverses affections neuropsychiatriques par la chlorpromazine; utilisation pratique des propriétés neuroplégiques et psychopégiques de ce corps, posologie. [Indications for chlorpromazine therapy of neuropsychiatric disorders; practical use of its neuroplegic and psychoplegic properties; dosage.] *Bull. méd., Par.*, 1953, 67: 319-322.
- , Bouttier, D. Le chlorhydrate de chloro-3 (diméthylamino-3'-propyl)-10-phénothiazine en pratique neuropsychiatrique courante. [3-Chloro-10-(3'-diméthylaminopropyl)-phenothiazine hydrochloride in current neuropsychiatry.] *Ann. méd., Par.*, 1953, 54: 150-182.
- , L'utilisation des propriétés neuroplégiques du chlorhydrate de chloro-3-(diméthylamino-3'-propyl)-10-phénothiazine en thérapeutique neuro-psychiatrique. [Utilization of the neuroplegic properties of chloro-3-(diméthylamino-3'-propyl)-10-phénothiazine hydrochloride in neuropsychiatric therapy.] *Presse méd.*, 1953, 61: 607-609.
- , Nicolas-Charles P. Ambulatory treatment with chlorpromazine. *J. Clin. Exp. Psychopath.*, 1956, 17: 57-69.
- , Henne, M. L'utilisation des propriétés neuroplégiques de la chlorpromazine dans le traitement de divers cas de psychoses délirantes chroniques et subaiguës. [Utilization of the neuroplegic properties of chlorpromazine in the treatment of various cases of chronic and subacute delusional psychosis.] *Sem. hôp. Paris*, 1954, 30: 2978-2984. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3641.
- , Bouttier, D., Raymondeaud, C., Quetin, A. Activité d'une nouvelle phénothiazine en psychiatrie et en neurologie; propriétés thérapeutiques du maleate acide de levo methoxy-3 (diméthylamino-3' methyl-2' propyl) 10 phénothiazine (7044 RP). [Activity of a new phenothiazine in psychiatry and neurology; therapeutic properties of 10-(3-diméthylamino-2-methyl-propyl)-3-methoxyphenothiazine.] *Presse méd.*, 1956, 64: 2011-2014.
- , see Leroy, C., Sigwald, J.
- Sikes, Z. S. Korsakoff and Wernicke syndromes: history and treatment. *J. Nerv. Ment. Dis.*, 1956, 123: 448-451.
- Silva, L. M. da, Zusan, W., Portella Nunes, E. Técnicas de sono prolongado em psiquiatria. [Prolonged sleep technics in psychiatry.] [English summary] *Hospital, Rio*, 1954, 46: 355-367.
- Silver, A. A. Management of children with schizophrenia. *Am. J. Psychother.*, 1955, 9: 196-215.
- Silver, H., see Gottschalk, L. A., Kapp, F. T., Ross, W. D., Kaplan, S. M., Silver, H., MacLeod, J. A., Kahn, J. B., Jr., Van Maanen, E. F., Acheson, G. H.
- Silver, S. L., see Brodie, B. B., Shore, P. A., Silver, S. L.
- , see Shore, P. A., Silver, S. L., Brodie, B. B.
- Silverberg, J. W., Gralnick, A. Possible synergistic action of chlorpromazine, reserpine and frenquel. A preliminary report. *Am. J. Psychiat.*, 1957, 114: 173.
- Silverman, M. The clinical response of psychoneurotics to chlorpromazine. *J. Ment. Sc., Lond.*, 1955, 101: 640-643. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4985.
- Silverstein, B. S., see Reinhart, M. J., Silverstein, B. S., Cross, T. N.
- Simkó, A., Erzsébet, B. S. Das Reserpin (Sedaraupin) in der psychiatrischen Praxis; geschichtliche Übersicht und Erfahrungen aus der ambulanten Praxis. [Reserpine (sedaraupin) in psychiatry; historical review and experiences in ambulatory patients.] *Psychiat. Neur. med. Psychol., Lpz.*, 1956, 8: 134-143.
- , Stiaszny, E. Psychiatriai betegék reserpin kezelése. [Reserpine therapy of psychiatric patients.] *Ideg. szemle*, 1956, 9: 53-59.
- Simon, A., see Margolis, L. H., Fischer, A., Butler, R. N., Simon, A.
- Simon, W., see Schiele, B. C., Anderson, R. W., Simon, W.
- Simonetti, L. I neuroplegici nel trattamento delle psicosi confusionali acute. [Neuroplegic drugs in the treatment of acute confusional psychoses.] [English summary] *Neuropsychiatria*, 1954, 10: 265-275. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3640.
- Simpson, R. W. The effects of paccal on chronic mental illness. *J. Ment. Sc., Lond.*, 1957, 103: 610-613.
- , see Hewat, J. K., Leach, P. W., Simpson, R. W.
- Sinha, G. B., Mitra, S. K. A case of acute chlorpromazine hydrochloride poisoning. *J. Ind. M. Ass.*, 1955, 24: 557-558.
- Sinsi, C., Vizioli, R. Chlorpromazina e reserpina in terapia psichiatrica. [Chlorpromazine and reserpine in psychiatric therapy.] [English summary] *Osp. psichiat., Nap.*, 1955, 23: 83-96.

- Sivadon, P., Forzy, C. Etude critique de 150 cas de cure de sommeil. [Critical study of sleep therapy; 150 observations.] *Ann. méd. psychol., Par.*, 1955, 113 (1): 433-438.
- , Koechlin, P., Markich, H. Trois observations de cure de sommeil à l'aide du 4560 R. P. [Three cases of sleep therapy with 4560 R.P.] *Ann. méd. psychol., Par.*, 1953, 111 (1): 204-207.
- , Schweich, M., Begoin, J. Chlorpromazine et activités ergothérapiques. [Chlorpromazine and occupational therapy.] *Encéphale*, 1956, 45: 449-455.
- Sizaret, P. La chlorpromazine dans les psychoses aiguës alcooliques. [Chlorpromazine in acute alcoholic psychoses.] *Encéphale*, 1956, 45: 736-738.
- , Salomon, F. Action d'un neuroplégique sympatholytique dans les états confusionnels alcooliques. [Action of a neuroplegic sympatholytic drug in alcoholic confusions.] *Ann. méd. psychol., Par.*, 1953, 111 (1): 88-92.
- Skaarup, Y. see Jacobsen, E., Skaarup, Y.
- Skinhoj, K., see Jacobsen, E., Kehlet, H., Larsen, V., Munkvad, I., Skinhoj, K.
- Sklarofsky, B., see Abramson, H. A., Sklarofsky, B., Baron, M. O., Gettner, H. H.
- Skliarenko, E. A. O primenienii aminazina v psikiatricheskoi praktike; pravaditel'noe soobshchenie. [Use of aminazine in psychiatric practice; preliminary communication.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 166-171.
- Skobba, J. S. Drugs in the management of emotional conditions. *J. M. Ass. Georgia*, 1956, 45: 397-399.
- Slater, I. H., Jones, G. T., Young, W. K. Mode of action of phenaglycodol, a new neurosedative agent. *Proc. Soc. Exp. Biol., N. Y.*, 1956, 93: 528-531.
- , Rathbun, R. C., Henderson, F. G., Neuss, N. Pharmacological properties of recanescine, a new sedative alkaloid from *Rauwolfia canescens* Linn. *Proc. Soc. Exp. Biol., N. Y.*, 1955, 88: 293-295.
- , see Dressel, P. E., Slater, I. H.
- Slater, P. E., Morimoto, K., Hyde, R. W. The effect of group administration upon symptom formation under LSD. *J. Nerv. Ment. Dis.*, 1957, 125: 312-315.
- Sloane, B., Lovett Doust, J. W. Psychophysiological investigations in experimental psychoses; results of the exhibition of d-lysergic acid diethylamide to psychiatric patients. *J. Ment. Sci., Lond.*, 1954, 100: 129-144. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 843.
- Smarr, E. R., see Rashkis, H. A., Smarr, E. R.
- Smigel, J. O. Mood therapy in the aged. *Med. Times, Great Neck*, 1957, 85: 149-158.
- Smirk, F. H., McQueen, E. G. Comparison of rescinamine and reserpine as hypotensive agents. *Lancet, Lond.*, 1955, 2: 115-116.
- , see Doyle, A. E., Smirk, F. H.
- Smith, Kline & French Laboratories. Thorazine reference manual: 2d ed. 80 p. Philadelphia, 1956.
- , Chlorpromazine and mental health. 200 p. [Symposium held under the auspices of Smith, Kline & French Laboratories in Philadelphia, Pa., June 1955] Philadelphia, *Lea & Febiger*, 1955. [Articles within the scope of this bibliography are listed individually]
- Smith, A. H., Jr., see Everett, G. M., Toman, J. E. F., Smith, A. H., Jr.
- Smith, D. A., see Jackson, G. L., Smith, D. A.
- Smith, F. H., Jr., see Harned, B. K., Cunningham, R. W., Clark, M. C., Hine, C. H., Kane, M. M., Smith, F. H., Jr., Vessey, R. E., Yuda, N. N., Zabransky, F. W.
- Smith, J. A. The use of the isopropyl derivative of isonicotinylhydrazine (marsilid) in the treatment of mental disease; a preliminary report. *Am. Practitioner*, 1953, 4: 519-520.
- , Rutherford, A., Fanning, R. A comparison of phenaglycodol (ultran), meprobamate and placebo in abstinent alcoholics. *Am. J. Psychiat.*, 1957, 114: 364-365.
- , see Carey B., Weber, M., Smith, J. A.
- Smith, K., Moody, A. C. Schizophrenia and the Siamese fighting fish. *Dis. Nerv. Syst.*, 1956, 17: 327-328.
- Smith, L. H. Progress in psychiatry. *J. Am. M. Ass.*, 1955, 158: 46-47.
- Smith, R. The CNS action of d-lysergic acid diethylamide LSD-25. *Mod. Hosp.*, 1953, 80 (1): 106-110.
- Smith, R. P., Wagman, A. I., Riopelle, A. J. Effects of reserpine on conditioned avoidance behavior in normal and brain-operated monkeys. *J. Pharm. Exp. Ther.*, 1956, 117: 136-141. Abstract: *Chem. Abstr.*, 1956, 50: 13278d.
- Smith, S. K. The use of reserpine in private psychiatric practice. *Ann. N. York Acad. Sci.*, 1955, 61: 206-210. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1227.
- Smyth, V. O., see Haq, S. M., Smyth, V. O.
- Smythies, J. [R.], see Hoffer, A., Osmond, H., Smythies, J., —, see Osmond, H., Smythies, J.
- , see Peretz, D. I., Smythies, J. R., Gibson, W. C.
- Société parisienne d'expansion chimique. Largactil, 4560 R. P. Bibliographie. 182 p. Paris, *Specia* [Laboratoires Rhône-Poulenc] 1955.
- , Largactil, 4560 R. P. Information médicale. Paris, *Specia* [Laboratoires Rhône-Poulenc] 1954-1956.
- Soderberg, G., see Mecham, M. J., Stromsta, C., Soderberg, G.
- Soderberg, U., see Ingvar, D. H., Soderberg, U.
- Sogliani, G. Ipnoterapia con cloropromazina e Rauwolfia; posologia, associazioni, confronti. [Sleep therapy with chlorpromazine and Rauwolfia; posology, combinations and comparisons.] *Minerva med., Tor.*, 1955, 46: 1253-1259.
- Sokoloff, O. J. Meprobamate (miltown) as adjunct in treatment of anogenital pruritus. *A. M. A. Arch. Derm.*, 1956, 74: 393-396.
- Solerio, L., see Ciocatto, E., Cattaneo, A. D., Solerio, L., Bianchetti, L.
- Sollero, L., see Salmoiraghi, G. C., Sollero, L., Page, I. H.
- Sollgruber, A. Erfahrungen über die Phenothiazin-Schlaftherapie in der internen Medizin. [Experiences with phenothiazine sleep therapy in internal medicine.] *Wien. med. Wschr.*, 1955, 105: 807-808.
- Solms, H. Chemische Struktur und Psychose bei Lysergsäure-Derivaten. [Chemical structure of and psychosis produced by lysergic acid derivatives.] *Praxis, Bern*, 1956, 45: 746-749.
- , Lysergsäure-äthylamid (LAE), ein neues, stark sedativ wirkendes Psychotikum aus dem Mutterkorn. [Lysergic acid ethylamide (LAE), a new strongly sedative psychotomimetic drug from Mother of Rye.] *Schweiz. med. Wschr.*, 1953, 83: 356-360.
- , Lysergsäure-monoäthylamid (LAE), ein neuartiges Psychotikum mit sedativer Wirkung aus dem Mutterkorn. [Lysergic acid monoethylamide (LAE), a new psychotomimetic drug with sedative effect from Mother of Rye.] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 440-444.
- , Relationships between chemical structure and psychoses with the use of psychotoxic substances. "Comparative pharmacopsychiatric analysis:" A new research method. *J. Clin. Exp. Psychopath.*, 1956, 17: 429-433.
- Solms, W., see Arnold, O. H., Hift, S., Solms, W.
- Solomon, H. C., see DeShon, H. J., Rinkel, M., Solomon, H. C.
- , see Rinkel, M., DeShon, H. J., Hyde, R. W., Solomon, H. C.
- , see Rinkel, M., Hyde, R. W., Solomon, H. C.
- , see Rinkel, M., Hyde, R. W., Solomon, H. C., Hoagland, H.
- , see Rinkel, M., Solomon, H. C.
- Sommerness, M. D., Lucero, R. J., Hamlon, J. S., Erickson, J. L., Matthews, R. A controlled study of reserpine on chronically disturbed patients. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 316-319. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3607.

- , Lucero, R. J., Hamlon, J. S., Mahowald, A. M. Chlorpromazine: a controlled study with highly disturbed patients. *Dis. Nerv. Syst.*, 1957, 18: 16-20.
- Sonne, E., see Holten, C. H., Sonne, E.
- , see Jacobsen, E., Sonne, E.
- Sottong, P. C. The use and abuse of the tranquilizing drugs. *J. Tennessee M. Ass.*, 1956, 49: 413-418.
- Soubrié, R. see Oulès, J., Salles, P., Soubrié, R.
- Soubrier, P., see Follin, S., Soubrier, P.
- Souder, C. L. Thorazine in surgical-psychiatric emergencies. *Delaware M. J.*, 1955, 27: 191-193.
- Soulairac, A., Soulairac, M. L. Étude expérimentale de l'action de la chlorpromazine sur le comportement alimentaire et l'activité spontanée du rat. [Experimental study of the effect of chlorpromazine on the feeding behavior and spontaneous activity of rats.] *Encéphale*, 1956, 45: 927-931.
- Soulairac, M. L., see Soulairac, A., Soulairac, M. L.
- Soulayrol, R., see Crémieux, A., Alliez, J., Soulayrol, R.
- Spagno, A., see Tenenblatt, S. S., Spagno, A.
- Specia, see Société parisienne d'expansion chimique.
- Spellman, S., see Bloch, R. G., Dooneief, A. S., Buchberg, A. S., Spellman, S.
- Spencer, A. M., see Sandison, R. A., Spencer, A. M., Whitelaw, J. D.
- Spencer, R. S. The use of ataraxic drugs in mental illness. *Hawaii M. J.*, 1957, 16: 302.
- Sperling, E., see Bartsch, W., Sperling, E.
- Spielmann, J. P., see Maurel, H., Wilhelm, Spielmann, J. P.
- Spinka, I. E. Thorazine in the treatment of mental illness in a state hospital. *Illinois M. J.*, 1956, 109: 126-128. Condensed: *Am. Practitioner*, 1956, 7: 1433.
- Spitz, H., see Sternberg, U., Spitz, H., Goyne, J. B.
- Spratt, R. J., Dean, E. F. Unsuccessful suicide with chlorpromazine. *Rocky Mountain M. J.*, 1957, 54: 153-154.
- Spreng, R. W. E. Tolserol in acute alcoholism. *J. Nerv. Ment. Dis.*, 1953, 118: 545-551. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 4384.
- Sproles, J. A., see Cowden, R. C., Zax, M., Sproles, J. A.
- Sproles, J. B. Drugs for a changing world. *Am. J. Pharm.*, 1955, 127: 42-52.
- Spurr, C., see Moyer, J. H., Kent, B., Morris, G., Dizon, M., Rogers, S., Spurr, C.
- Srnc, J., see Roubíček, J., Srnc, J.
- Staehelin, J. E. Einige allgemeine Bemerkungen über die Largactiltherapie in der psychiatrischen Universitätsklinik Basel. [General comments on largactil therapy at the Basel University psychiatric clinic.] *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 288-291. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 1787.
- , Kielholz, P. Largactil, ein neues vegetatives Dämpfungsmittel bei psychischen Störungen. [Largactil, a new autonomic inhibitor in mental disorders.] *Schweiz. med. Wschr.*, 1953, 83: 581-586. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1601.
- , Labhardt, F. Les résultats atteints par les neuroplégiques dans le traitement des psychoses et des névroses. [Results in the treatment of psychoses and neuroses with neuroplegic drugs.] *Encéphale*, 1956, 45: 511-517.
- Stafford-Clark, D., see Rolls, E. J., Stafford-Clark, D.
- Stangl, E. Klinische Erfahrungen über die muskeldynamische Wirkung des Adrenoxyls (Monosemikarbazonderivat des Adrenochroms.) [Clinical experiences with the muscle dynamic effect of adrenoxyl (monosemicarbazone derivative of adrenochrome.)] *Ther. Umschau, Bern*, 1953, 10: 65-66.
- Stanley, A. M., see Kline, N. S., Stanley, A. M.
- Stannard, A. N., see Hollister, L. E., Stannard, A. N., Drake, C. F.
- Starer, E., see Bennett, I. F., Cohen, D., Starer, E.
- Statman, J., see Feldman, P. E., Statman, J.
- Stauffer, M. H., see Loftus, L. R., Huizenga, K. A., Stauffer, M. H., Rome, H. P., Cain, J. C.
- Stead, J. S., Wing, J. K. Parkinsonism during treatment with reserpine. *Lancet, Lond.*, 1955, 1: 823-824.
- Steadman, H. H., see Monro, A. B., Steadman, H. H.
- Steck, H. Le syndrome extrapyramidal dans les cures de chlorpromazine et serpasil; sa symptomatologie clinique et son rôle thérapeutique. [Extrapyramidal syndrome in chlorpromazine and serpasil therapy; its clinical symptoms and therapeutic role.] *Encéphale*, 1956, 45: 1083-1089.
- , Le syndrome extrapyramidal et diencephalique au cours des traitements au largactil et au serpasil. [Extrapyramidal and diencephalic syndrome during largactil and serpasil therapy.] *Ann. méd. psychol., Par.*, 1954, 112 (2): 737-744.
- Steed, W. D., see Newbold, H. L., Steed, W. D.
- Steelman, H. F. The use of serpasil for restlessness in acute closed head injuries: a preliminary report. *Arizona M.*, 1955, 12: 22.
- Steffen, C. G., Chervin, M., Van Vranken, B. Reaction following the use of meprobamate (miltown). *California M.*, 1956, 85: 189-190.
- Stehman, V. A., see Sibilio, J. P., Andrew, G., Dart, D., Moore, K. B., Stehman, V. A.
- Steigman, A. J., Vallbona, C. Experience with chlorpromazine in pediatrics. *Internat. Rec. M.*, 1955, 168: 351-357.
- Stein, L. Reserpine and the learning of fear. *Science*, 1956, 124: 1082-1083.
- Steinmann, H. Der Einfluss von Megaphen auf das Elektrokortikogramm der Katze. [The effects of chlorpromazine on the electrocorticogram of the cat.] [English summary] *Zbl. Neurochir.*, 1954, 14: 233-237. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 534.
- Stenbäck, A. Psykiatrisk klorpromazinbehandling med letalt förlopp. [Psychiatric chlorpromazine therapy with fatal outcome.] [English summary] *Nord. med.*, 1956, 56: 1622-1623.
- Stenzler, R., see Freyhan, F. A., Turner, P., Stenzler, R.
- Sternberg, U., Spitz, H., Goyne, J. B. Evaluation of chlorpromazine and reserpine therapy with follow-up study. *J. Clin. Exp. Psychopath.*, 1957, 18: 258-268.
- Stevenson, I. Comments on the psychological effects of mescaline and allied drugs. *J. Nerv. Ment. Dis.*, 1957, 125: 438-442.
- , Sanchez, A. J. The antidotal action of sodium succinate in the mescaline psychosis. *Am. J. Psychiat.*, 1957, 114: 328-332.
- Stewart, R. H. The use of tranquilizing drugs in gynecology. *West. J. Surg.*, 1956, 64: 650-657.
- Stiasny, E., see Simkó, A. B., Stiasny, E.
- Stier, C. Die Anwendung des zentralen Stimulans Ritalin bei depressiven Zuständen und zur Unterstützung der Elektroschocktherapie. [The use of ritalin, a stimulant of the central nervous system, in depressive states and as adjuvant in electroshock therapy.] *Ther. Gegenwart*, 1955, 94: 92-95.
- Stiess, A. Klinische Erfahrungen mit Dihydroxy-2-methylphenoxy-propan (Byk-M 1.) [Clinical experience with dihydroxy-2-methylphenoxy-propanediol (Byk-M 1.)] *Ther. Gegenwart*, 1953, 92: 289-292.
- Stiller, R., see Tuteur, W., Stiller, R., Whitehill, O.
- , see Tuteur, W., Stiller, R., Whitehill, O., Lepson, D.
- Stimulants and depressants. *Brit. M. J.*, 1956, 1: 969-970.
- Stipp, C., see Cronheim, G., Stipp, C., Brown, W.
- Stokholm, H., Zahle, V. Medicamentel neurosebehandling; nogle bemaerkninger. [Medical treatment of neuroses; some remarks.] *Ugeskr. laeger*, 1955, 117: 1511-1513.
- Stoll, W. A. Conference on reserpine in the treatment of neuropsychiatric, neurological, and related clinical problems. [New York, February 1955] [English title—German text] *Schweiz. med. Wschr.*, 1955, 85: 439-440.

- . Rorschach-Versuche unter LSD-Wirkung. [Rorschach tests under the influence of LSD.] [English summary p. 269.] *Rorschachiana*, Bern, 1952, 1: 249-270. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 3119.
- , see Bleuler, M., Stoll, W. A.
- Stone, H. M., see Holmes, C. R., Stone, H. M.
- Stone, R. W., see Wilkins, R. W., Judson, W. E., Stone, R. W., Hollander, W., Huckabee, W. E., Friedman, I. H.
- Strahan, J. F., see Robinson, H. M., Jr., Robinson, C. V., Strahan, J. F.
- Strauss, H., see Mauceri, J., Strauss, H.
- Stromsta, C., see Mecham, M. J., Stromsta, C., Soderberg, G.
- Stroun, J., see Sapir, M., Stroun, J., Hepner, L., Reverchon, J., Selzer, S.
- Strubel, H., see Seyffert, H. M., Strubel, H.
- Struck, G. Zur Rauwolfia-Therapie in der Psychiatrie; vorläufige Mitteilung über 65 behandelte Patienten. [Rauwolfia therapy in psychiatry; preliminary report on 65 treated patients.] *Nervenarzt*, 1956, 27: 79-82.
- Sturtevant, F. M., Drill, V. A. Effects of mescaline in laboratory animals and influence of ataraxics on mescaline-response. *Proc. Soc. Exp. Biol.*, N. Y., 1956, 92: 383-387. Abstract: *Chem. Abstr.*, 1956, 50: 15956b.
- Sulestrowski, W., see Falicki Z., Galuszko, P., Jaworska, I., Kielak, L., Sulestrowski, W.
- Sullivan, P. D., see Fazekas, J. F., Schultz, J. D., Sullivan, P. D., Shea, J. G.
- , see Fazekas, J. F., Shea, J. G., Sullivan, P. D., Jr.
- , see Fazekas, J. F., Sullivan, P. D., Schultz, J. D.
- , see Shea, J. G., Ehrmantraut, W. R., Ticktin, H. E., Sullivan, P. D., Jr., Fazekas, J. F.
- Sury, E., see Tripod, J., Sury, E., Hoffman, K.
- Suter, E., see Di Mascio, A., Suter, E., Hyde, R. W., Greenblatt, M.
- Sutter, J. M., Pascalis, G. Effets psychologiques de la chlorpromazine. [Psychologic effects of chlorpromazine.] *Encéphale*, 1956, 45: 979-986.
- Svoboda, E., see Dubansky, B., Doubrava, O., Svoboda, E., Vyhánková, M.
- Swain, J. M., see Dillon, D., Swain, J. M.
- , see Hall, R. A., Jackson, R. B., Swain, J. M.
- , see Hickerson, G. X., Jr., Swain, J. M., Tempey, F. W.
- Swegan, W. H., see West, L. J., Swegan, W. H.
- Swenson, W. M., Gislason, S., Anderson, D. E. Behavioral evaluation of chronic mental hospital patients treated with reserpine. *A. M. A. Arch. Neur. Psychiat.*, 1956, 76: 60-64.
- Swinyard, E. A., Chin, L., Fingl, E. Withdrawal hyperexcitability following chronic administration of meprobamate to mice. *Science*, 1957, 125: 739-741.
- Swyer, G. I. M. Treatment of the premenstrual syndrome; value of ethisterone, mephenesin, and a placebo compared. *Brit. M. J.*, 1955, 1: 1410-1412.
- Sykes, P., see Mitchell, P. H., Sykes, P., King, A.
- Symposium: Clinical value and limitations of chlorpromazine. *Psychiat. Res. Rep.*, Wash., 1955 (1): 53-104. [All articles are listed individually.]
- Symposium: Clinical value and limitations of reserpine, meratran, and a "new blocking agent". *Psychiat. Res. Rep.*, Wash., 1955 (1): 105-152. [All articles are listed individually.]
- Symposium on chlorpromazine in clinical medicine. *Internat. Rec. M.*, 1955, 168: 295-358. [Articles within the scope of this bibliography are listed individually.]
- Symposium on the efficacy of new drugs. *Med. Clin. N. America*, 1957, 41: 295-615. [Articles within the scope of this bibliography are listed individually.]
- Symposium on the evaluation of pharmacologic agents in psychiatry. *J. Clin. Exp. Psychopath.*, 1957, 18: 221-283. [Articles within the scope of this bibliography are listed individually.]
- Symposium on tranquilizing agents in clinical medicine. *Internat. Rec. M.*, 1956, 169: 177-232. [All articles are listed individually.]
- Symposium on tranquilizers. [Summary of proceedings. British Medical Association annual meeting, Newcastle upon Tyne, July 1957] *Brit. M. J.*, 1957, 2: 219-221.
- Symposium: Physiologic, pharmacologic, neurologic, and psychologic actions of drugs recently introduced in the treatment of psychiatric disorders. *Psychiat. Res. Rep.*, Wash., 1955 (1): 1-51. [Articles within the scope of this bibliography are listed individually.]
- Symposium: The neurophysiology and neuropharmacology of the new drugs. *Psychiat. Res. Rep.*, Wash., 1956 (4): 1-34. [Articles within the scope of this bibliography are listed individually.]
- Symposium: The relative values of drugs in the various psychiatric syndromes. *Psychiat. Res. Rep.*, Wash., 1956 (4): 35-87. [All articles are listed individually.]
- Symposium: The role of drug therapies in current and future psychiatric practice. *Psychiat. Res. Rep.*, Wash., 1956 (4): 95-129.
- Symposium: The significance and management of the complications resulting from new drugs. *Psychiat. Res. Rep.*, Wash., 1956 (4): 79-94. [Both articles are listed individually.]
- Szasz, T. S. Some observations on the use of tranquilizing drugs. *A. M. A. Arch. Neur. Psychiat.*, 1957, 77: 86-92.
- Szatmari, A. Clinical and electroencephalogram investigation on largactil in psychosis (preliminary study). *Am. J. Psychiat.*, 1956, 112: 788-794. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4557.
- , Hoffer, A., Schneider, R. The effect of adrenochrome and niacin on the electroencephalogram of epileptics. *Am. J. Psychiat.*, 1955, 111: 603-616.
- Székely, A., see Policzer, M., Székely, A., Földes, J.

T

- Taescher, M., Rothlin, E. Zur Charakterisierung der zentralen Wirkung von Phenothiazinderivaten. [The specific central effect of phenothiazine derivatives.] *Arch. exp. Path., Berl.*, 1956, 228: 184-186. Abstract: *Chem. Abstr.*, 1956, 50: 8902de.
- Talbot, M. W., Jr. The use of reserpine in irritable and hypertonic infants. *Ann. N. York Acad. Sc.*, 1955, 61: 188-197. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2635.
- Talley, J. E. Meratran, a new cerebral stimulant: report on the results of clinical investigation. *Psychiat. Res. Rep.*, Wash., 1955 (1): 133-139.
- Tansley, A. E., see Segal, L. J., Tansley, A. E.
- Tarasov, G. K. Obzory, kritika, retsenzii aminazin: obzor literatury po primeneniiu v psikiatrii odnogo iz proizvodnykh fenotiazina. [Aminazin: review of the literature on one of the phenothiazine derivatives in psychiatric practice.] *Zh. nevropat. psikiat., Moskva*, 1955, 55: 296-310.
- , Rezultaty klinicheskogo issledovaniia deistviia aminazina pri lechenii psikhicheski bol'nykh. [Results of clinical investigations on the effect of aminazine in mental patients.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 146-154.
- , see Demidova, L. P., Tarasov, G. K.
- Tarasov, Y. K., see Bamdas, B. S., Glod, G. D., Lando, L. I., Levkovich, A. P., Tarasov, Y. K., Khazen, I. M.
- Tardieu, Y., see Delay, J., Deniker, P., Tardieu, Y.
- , see Delay, J., Deniker, P., Tardieu, Y., Lemprière, T.
- Tasher, D. C., Chermak, M. W. The use of reserpine in shock-reversible patients and shock-resistant patients. *Ann. N. York Acad. Sc.*, 1955, 61: 108-116. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1733.
- , see Rudy, L. H., Himwich, H. E., Tasher, D. C.
- Tasker, J. R. Fatal agranulocytosis during treatment with chlorpromazine. *Brit. M. J.*, 1955, 1: 950-951.
- Tatum, A. L. Complications of chlorpromazine therapy in 800 mental hospital patients. *Wisconsin M. J.*, 1955, 54: 521.

- Tavener, R. H. A new drug in post-alcoholic tension states. *Canad. M. Ass. J.*, 1954, 71: 387-388. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3553.
- Teani, E. La clorpromazina nella pratica neuropsichiatrica. [Chlorpromazine in neuropsychiatric practice.] *Minerva med.*, Tor., 1956, 47: 1677-1686.
- La reserpina in neuropsichiatria. [Reserpine in neuropsychiatry.] *Riv. sper. freniat.*, 1956, 80: 615-637. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 2086.
- Tedeschi, G. F. Psicoterapia e farmacoterapia. [Psychotherapy and pharmacotherapy.] *Arch. psicol. neur.*, Milano, 1956, 17: 682-684.
- Teichner, Y. Études d'un nouveau dérivé de la phénothiazine (chlorpromazine—4560 R. P.) en dermatologie. [A new phenothiazine derivative (chlorpromazine 4560 R. P.) in dermatology.] 74p. [Mimeographed] Lyon, 1953. (Thesis—Lyon, 1952/1953 no. 117)
- , see Pellerat, J., Teichner, Y.
- Teirich, H. Über eine Meskalin-schädigung. [Injurious effect of mescaline.] *Psyche, Stuttg.*, 1954, 7: 637-640.
- Teitelbaum, H. A., see Gliedman, L. H., Gantt, W. H., Teitelbaum, H. A.
- Telatin, L. La Rauwolfia in neuropsichiatria. [Rauwolfia in neuropsychiatry.] *Arch. psicol. neur.*, Milano, 1956, 17: 411-413.
- Temkov, I., Ditsova, A. Nashi rezultati ot lechenieto na niakoi dushevni zaboliavania s largaktil. [Results of the treatment of certain mental diseases with largactil.] *Suvrem. med.*, Sofia, 1956, 7: 61-68.
- Tempey, F. W., see Hickerson, G. X., Jr., Swain, J. M. Tempey, F. W.
- Temple, J. P., see Lafon, R., Duc, N., Labauge, R., Temple, J. P.
- , see Lafon, R., Temple, J. P., Abrie, J.
- Tenenblatt, S. S., Spagno, A. A controlled study of chlorpromazine therapy in chronic psychotic patients. *J. Clin. Exp. Psychopath.*, 1956, 17: 81-92.
- Tennenbaum, L. Largactil. [In Hebrew] [English summary p. IV-V] *Dapim Refuim*, 1955, 14: 229-242.
- , see Winnik, H. Z., Tennenbaum, L.
- Terman, L. A. Treatment of senile agitation with chlorpromazine. *Geriatrics*, 1955, 10: 520-522. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2582.
- Terrell, J., see Kinard, S., Mills, L. C., Terrell, J., Moyer, J. H.
- Terzian, H. Étude de l'action du largactil (4560 RP) et du pendiomide sur l'activité électrique cérébrale du lapin. [Study of the action of largactil and pendiomide on the electrical activity of the rabbit brain.] *Rev. neur.*, Par., 1954, 91: 445-453.
- Étude électroencéphalographique de l'action centrale de la chlorpromazine (4560 R. P.) [Electroencephalographic study of the central action of chlorpromazine (4560 R. P.).] *Sem. hôp. Paris*, 1954, 30: 838-841. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 47.
- Étude expérimentale de l'action de la réserpine (serpasil) sur les structures nerveuses centrales. [Experimental study of the effects of reserpine (serpasil) on the central nervous system.] *Encéphale*, 1956, 45: 835-842.
- Studio elettroencefalografico dell'azione centrale del largactil (4560 RP). [Electroencephalographic study of the central action of largactil (4560 RP).] *Rass. neur. vegetat.*, 1952, 9: 211-215.
- , Ruberti, R. Studio sperimentale dell'azione del largactil e del pendiomid sull'attività elettrica cerebrale del coniglio. [Experimental study of the effect of largactil and pendiomide on cerebral electrical activity in rabbits.] *Riv. neur.*, Nap., 1954, 24: 686-702. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 2717.
- , see Gastaut, H., Terzian, H., Gastaut, Y.
- Texier, M., see Vallat, J. N., Lepetit, Texier, M.
- Thal, N. Clinical evaluation of chlorpromazine therapy for psychiatric disorders. *Northwest M.*, 1956, 55: 653-656.
- Premedication for electroshock treatment. Effect of meprobamate in 120 psychotic patients. *Dis. Nerv. Syst.*, 1956, 17: 52-57.
- Thein, K., see Nitsch, W., Thein, K.
- Therault, J. C. A fatality associated with chlorpromazine (largactil) therapy. *Canad. M. Ass. J.*, 1956, 74: 148-149.
- Thiébaux, M., Boyer, R. Le 4560 RP (largactil) en thérapeutique psychiatrique. A propos de quelques observations. [Experiences with 4560 RP (largactil) in psychiatric therapy.] [Abstract] *Ann. méd. psychol.*, Par., 1953, 111 (2): 84.
- , Thiébaux, R., Boyer, R., Leborgne, F., Kiffel, M. Note sur l'apparition de troubles extrapyramidaux au cours du traitement par le 4560 R. P. [The occurrence of extrapyramidal symptoms during treatment with 4560 RP.] *Ann. méd. psychol.*, Par., 1954, 112 (1): 732.
- Thiébaux, R., see Thiébaux, M., Thiébaux, R., Boyer, R., Leborgne, F., Kiffel, M.
- Thimann, J., Bucknam, F. G., Gauthier, J. W., O'Connell, T. A. Rauwiloid therapy in alcoholism. *Am. J. Psychiat.*, 1957, 113: 694-697.
- , Gauthier, J. W. Miltown as a tranquilizer in the treatment of alcohol addicts. *Q. J. Alcohol*, 1956, 17: 19-23.
- Thompson, J. From snake pit to snake root. *Bull. M. Libr. Ass.*, 1956, 44: 465-472.
- Thompson, L. J., Proctor, R. C. The use of pyrahexyl in the treatment of alcoholic and drug withdrawal conditions. *North Carolina M. J.*, 1953, 14: 520-523.
- , see Randolph, A. C., Thompson, L. J.
- Thompson, W., see Gaitz, C. M., Roy, H., Thompson, W., Kimbell, I., Mullen, A. J., Pokorny, A. D.
- Thorner, M. W., see Hafkenschiel, J. H., Sellers, A. M., King, G. A., Thorner, M. W.
- Thorpe, J. G., Baker, A. A. A research method to assess a new tranquilizing drug. *J. Ment. Sc.*, Lond., 1956, 102: 790-795.
- , see Baker, A. A., Thorpe, J. G.
- Thuillier, J. Rauwolfia serpentina. *Concours méd.*, 1954, 76: 3353-3354.
- La sérotonine. [Serotonin.] *Concours méd.*, 1956, 78: 3177-3181.
- , see Delay, J., Thuillier, J.
- Thurman, A. C., see Clark, L. D., Ellsworth, R. B., Barrett, W. W., Thurman, A. C., Holland, W.
- Tice, L. F. Some important drug developments of 1956. *Am. J. Pharm.*, 1956, 128: 398-409.
- , see Abrams, R. E., Tice, L. F.
- Ticktin, H. E., see Shea, J. G., Ehrmantraut, W. R., Ticktin, H. E., Sullivan, P. D., Jr., Fazekas, J. F.
- Tilley, R. F., Barry, H., Jr. Chlorpromazine treatment for relief of itching in severe and refractory neurodermatitis. *N. England J. M.*, 1955, 252: 229-230.
- Tillim, S. J. Agranulocytosis associated with chlorpromazine therapy. *Am. J. Psychiat.*, 1956, 112: 1028.
- Tintera, J. W. Office rehabilitation of the alcoholic. *N. York State J. M.*, 1956, 56: 3896-3902.
- Tislow, R., see Hosko, M. J., Gore, E. M., Tislow, R., Seifter, J.
- Tobin, M., see Dickes, R., Flamm, G. H., Coltrera, J., Tobin, M.
- Toekes, I. M., see Cronheim, G., Brown, W., Cawthorne, J., Toekes, I. M., Ungari, J.
- , see Cronheim, G., Orcutt, J. A., Toekes, I. M.
- , see Cronheim, G., Toekes, I. M.
- Tolan, E. J., Olariu, J. Treatment of parkinsonism. Preliminary report on use of promethazine in 12 cases. *Am. J. Psychiat.*, 1957, 114: 518-523.
- Toll, N. Azacyclonol as an adjunct to psychotherapy. In: Himwich, H. E., ed. *Tranquilizing drugs*. Washington, Am. Ass. Adv. Sc., 1957. p. 103-113.

- Tolmaskaia, E. S., see Sereiskii, M. IA., Tolmaskaia, E. S., Golodets, R. G., Samter, N. F.
- Tolsma, F. J. Les neuroleptiques et le problème de l'adaptation humaine. [Neuroleptic drugs and the problem of human adaptation.] *Encéphale*, 1956, 45: 1141-1149.
- , Jedeloo, G. C., Kemenade, J. J. van. De betekenis van 4560 R. P. (largactil) in de psychiatrie. [Use of 4560 R. P. (largactil) in psychiatry.] [English summary] *Ned. tsschr. geneesk.*, 1954, 98: 997-1001. Abstract: *Excerpta med.*, Sect. 8, 1955, 8: No. 3103.
- Toman, J. E. P., see Everett, G. M., Toman, J. E. P., Smith, A. H., Jr.
- Tonini, G., Bizzi, B. La terapia del sonno come ausilio nella comprensione della fisiopatologia dell'attività nervosa superiore nell'uomo. I. La terapia del sonno: basi teoriche; tecnica; risultati. [Sleep therapy as an aid in comprehension of the physiopathology of activity of the higher nervous system in humans. I. Sleep therapy: theoretical bases; technique; results.] [English summary] *Rass. stud. psichiat.*, 1954, 43: 780-803.
- , Montanari, C. Effects of experimentally induced psychoses on artistic expression. [In English] *Confinia neur.*, Basel, 1955, 15: 225-239. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1439.
- , —. Effetti psichici della monoetilamide dell'acido lisergico (LAE 32). [Psychological effects of lysergic acid monoethylamide (LAE 32).] *Gior. psichiat.*, 1955, 83: 355-357.
- , —. Modificazioni elettroencefalografiche nel corso della terapia con reserpina. [Electroencephalographic changes during reserpine therapy.] *Arch. psicol. neur.*, Milano, 1956, 17: 592-593.
- , see Montanari, C., Tonini, G.
- Toops, T. C., see Abse, D. W., Curtis, T. E., Dahlstrom, W. G., Hawkins, D. R., Toops, T. C.
- Tornaben, J., see Reinhard, J. F., Chessin, M., Tornaben, J., Lewis, M. N.
- Torsegno, M., Zucchi, M. Trattamento di ammalati mentali con un preparato iniettabile di alcaloidi totali di Rauwolfia serpentina Benth. [Therapy of mental patients with an injectable preparation of total alkaloids from Rauwolfia serpentina Benth.] *Minerva med.*, Tor., 1955, 46: 604-607. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3087.
- Tosca, L., see Masini, A., Pescetto, G., Tosca, L.
- Toulet, M., see Lambert, P. A., Toulet, M., Diederichs, A.
- , see Lambert, P. A., Diederichs, A., Toulet, M.
- , see Perrin, J., Toulet, M.
- Toupin, H., see Fazekas, J. F., Toupin, H., Alman, R. W.
- Touraine, Y. Action du 45-60 RP sur les délires avec agitation des traumatisés crâniens. [Effect of 4560 R. P. on delirium with agitation in head trauma.] *Presse méd.*, 1953, 61: 470.
- Tourney, G., Isberg, E. M., Gottlieb, J. S. The use of reserpine in an acute psychiatric treatment setting. *A. M. A. Arch. Neur. Psychiat.*, 1955, 74: 325-328. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3088.
- , see Gottlieb, J. S., Tourney, G., Beckett, P. G., Lowinger, P.
- Toxic effects of meprobamate. *Brit. M. J.*, 1957, 2: 300.
- Tranquilizers. *Nebraska M. J.*, 1956, 41: 417.
- Tranquilizing agents. *N. England J. M.*, 1955, 252: 74-75.
- Tranquilizing drugs. 197 p. Washington, *Am. Ass. Adv. Sc.*, 1957. cf. Himwich, H. E., ed.
- Tranquillizers. *Scot. M. J.*, 1957, 2: 46-47.
- Tranquillizers and divorce. *Brit. M. J.*, 1957, 2: 1122-1123.
- Tranquillizers in psychiatry. [Report on Royal Medico-Psychological Association meeting, London, February 1956] *Brit. M. J.*, 1956, 1: 512-513.
- Trapold, J., see Plummer, A. J., Earl, A., Schneider, J. A., Trapold, J., Barrett, W.
- Traub, L., see Hollister, L. E., Traub, L., Beckman, W. G.
- Travis, L. E., see Bercel, N. A., Travis, L. E., Olinger, L. B., Dreikurs, E.
- Treatment of alcoholics with reserpine. *Alcoholism Treatment Digest*, New Haven, 1956 (30): 2-4.
- Trelles, J. O., Saavedra, A. Cura de sueño con largactil en el tratamiento de algunos desordenes mentales; (Primeros resultados en el Perú). [Sleep therapy with largactil in the treatment of some mental disorders. (First results in Peru.)] *Rev. neur. psiquiat.*, Lima, 1954, 17: 125-161.
- Tremblay, G., see Genest, J., Adamkiewicz, L., Robillard, R., Tremblay, G.
- Trethowan, W. H. Persistent sensory symptoms following spontaneous hypoglycemia: response to chlorpromazine. *J. Nerv. Ment. Dis.*, 1955, 121: 274-278. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1424.
- , Scott, P. A. Chlorpromazine in obsessive-compulsive and allied disorders. *Lancet*, Lond., 1955, 1: 781-785. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2231.
- Trinity, G. J. Management of the depressed patient. *Med. Times*, Great Neck, 1954, 82: 753-757.
- Tripi, G. L'associazione ganglioplegica e barbiturici in psichiatria. I. [Association of ganglioplegics and barbiturates in psychiatry. I.] [Brief English summary] *Rass. stud. psichiat.*, 1954, 43: 907-918.
- , Considerazioni generali sull'uso della cloropromazina e della reserpina nel trattamento di circa trecento psicopatici. [Observations on the use of chlorpromazine and reserpine in the treatment of about 300 mental patients.] *Rass. neuropsichiat.*, 1955, 9: 463-469. Also: *Arch. psicol. neur.*, Milano, 1956, 17: 635-639.
- Tripod, J., Bein, H. J., Meier, R. Characterization of central effects of serpasil (reserpin, a new alkaloid of Rauwolfia serpentina B.) and of their antagonistic reactions. *Arch. internat. pharm. dyn.*, Gand, 1954, 96: 406-425.
- , Sury, E., Hoffman, K. Zentralerregende Wirkung eines neuen Piperidinderivatives. [Centrally stimulating effect of a new piperidine derivative.] *Experientia*, Basel, 1955, 10: 261-262. Abstract: *Chem. Abstr.*, 1955, 48: 10920g.
- , see Bein, H. J., Gross, F., Tripod, J., Meier, R.
- , see Meier, R., Bein, H. J., Gross, F., Tripod, J., Tuchmann-Duplessis, H.
- , see Meier, R., Gross, F., Tripod, J.
- Tsukiyama, K., see Yoshii, N., Tsukiyama, K., Hiraiwa, K.
- Tuatay, H., see Cheifetz, I., Paulin, C., Tuatay, H., Rubin, E. H.
- Tuchmann-Duplessis, H., see Meier, R., Bein, H. J., Gross, F., Tripod, J., Tuchmann-Duplessis, H.
- Tucker, K., Wilensky, H. A clinical evaluation of meprobamate therapy in a chronic schizophrenic population. *Am. J. Psychiat.*, 1957, 113: 698-703.
- Tucker, W. I., see Atkinson, R. P., Tucker, W. I.
- Turk, R. E., see Bennett, A. E., Ford, F. R., Turk, R. E.
- Turmel, J., see Bouchard, M., Larue, G. H., Turmel, J.
- , see Grenier, J., Larue, G. H., Parent, R., Turmel, J.
- Turner, M., Bérard, E. Estudio del efecto de la cloropromazina (4560 RP) sobre el electroencefalograma y el electrodermograma. [Effect of chlorpromazine on the EEG and electrodermogram.] [English summary] *Rev. Soc. argent. biol.*, 1954, 30: 163-169.
- , —, Turner, N., Franco, N. Étude des modifications électro-encéphalographiques, électro-dermographiques et électro-myographiques provoquées par la clorpromazine. [Electroencephalographic, electrodermographic and electromyographic changes induced by chlorpromazine.] [English summary] *Anesthésie*, Par., 1955, 12: 453-465. Abstract: *Chem. Abstr.*, 1956, 50: 3633f. As: Modificaciones electroencefalográficas, electrodermatográficas y electromiográficas provocadas en el hombre por la cloropromazina. [English summary] *Rev. Soc. argent. biol.*, 1955, 31: 54-63. As: Modificaciones électro-encéphalographiques, électro-dermographiques et électro-myographiques provoquées par la chlorpromazine chez

- l'homme. [English summary] *Electroencephalography, Montreal*, 1956, 8: 25-34.
- Turner, N., see Turner, M., Bérard, E., Turner, N., Franco, N.
- Turner, P., see Freyhan, F. A., Turner, P., Stenzler, R.
- Turner, W. J. The effect of lysergic acid diethylamide on *Betta splendens*: I. II. Frenquel. *Dis. Nerv. Syst.*, 1956, 17: 193-197; 198.
- , Merlis, S. Chemotherapeutic trials in psychosis. I. Frenquel and pilocarpine. *Am. J. Psychiat.*, 1956, 113: 248-249.
- , Carl, A. Concerning theories of indoles in schizophrenogenesis. *Am. J. Psychiat.*, 1955, 112: 466-467.
- Turvey, S. E. Meprobamate (equanil) for relief of anxiety and nervous tension from various causes. *Canad. M. Ass. J.*, 1956, 74: 863-865. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 362.
- Tuteur, W. A case of fatal agranulocytosis due to chlorpromazine. *Am. J. Psychiat.*, 1956, 113: 76.
- , Combined reserpine-chlorpromazine therapy in highly disturbed psychotics. *Am. J. Psychiat.*, 1955, 112: 206. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2243.
- , Effect of chlorpromazine and reserpine on budgets of mental hospitals. *Am. J. Psychiat.*, 1957, 113: 657-659.
- , Lepson, D. Combined reserpine-chlorpromazine therapy in highly disturbed psychotics. In: Himwich, H. E., ed. *Tranquillizing drugs*. Washington, *Am. Ass. Adv. Sc.*, 1957. p. 163-172.
- , Stiller, R., Whitehill, O. Treatment of regressed schizophrenics with chlorpromazine, reserpine and a combination of both drugs. *Dis. Nerv. Syst.*, 1957, 18: 100-105.
- , —, —, Lepson, D. Results with chlorpromazine and reserpine on chronically nude, untidy, destructive and combative patients: their sustained improvement after discharge with continued medication. *Am. J. Psychiat.*, 1956, 112: 741.
- Tweedy, P. S. Treatment of hypertension. *Lancet, Lond.*, 1955, 2: 249.
- Tyhurst, J. S., Richman, A. Clinical experience with psychiatric patients on reserpine-preliminary impressions. *Canad. M. Ass. J.*, 1955, 72: 458-459.
- , —, An evaluation of the clinical significance of reserpine. *J. Nerv. Ment. Dis.*, 1955, 122: 492-495.
- , see Richman, A., Tyhurst, J. S.
- U
- Ugelstad, E. Chlorpromazine treatment in senile psychoses. *Acta psychiat. neur. scand.*, 1956, Suppl. 106: 60-62.
- Umbreit, W. W., see Keller, D. L., Umbreit, W. W.
- Ungari, J., see Cronheim, G., Brown, W., Cawthorne, J., Toekes, I. M., Ungari, J.
- Unna, K. R., see Funderburk, W. H., King, E. E., Domino, E. F., Unna, K. R.
- , see Funderburk, W. H., King, E. E., Unna, K. R.
- , see Funderburk, W. H., Unna, K. R.
- Unterharnscheidt, F., see Cervós Navarro, J., Unterharnscheidt, F.
- Urbani, M., see Angeleri, F., Carreras, M., Urbani, M.
- Usdin, G. L. Use of promazine in psychiatric practice; an early study. *J. Louisiana M. Soc.*, 1956, 108: 251-257.
- Ushakov, G. K., Kislénkov, V. A., Grigorova, E. V., Verblińskaia, A. A. Okupirovanii aminazinom psikhomotorogo vozbuždeniia. [Treatment of psychomotor excitation with aminazine.] *Zh. nevropat. psikiat., Moskva*, 1956, 56: 571-574. Abstract: *Chem. Abstr.*, 1956, 50: 17178e.
- V
- Vallat, J. N., Lepetit. Intoxication par la chlorpromazine (largactil) au cours d'une tentative de suicide. [Attempted suicide with chlorpromazine (largactil).] *Presse méd.*, 1954, 62: 752.
- , —, Texier, M. Quelques réflexions sur les incidents et accidents du traitement par la chlorpromazine en pratique psychiatrique. [Some remarks to the incidents and accidents of chlorpromazine therapy in psychiatry.] *Encéphale*, 1956, 45: 784-789.
- Vallbona, C., see Steigman, A. J., Vallbona, C.
- Valzelli, L., see Garattini, S., Valzelli, L.
- Vander Kamp, H., see Pearl, D., Vander Kamp, H., Olsen, A. L., Greenberg, P. D., Armitage, S. G.
- Vandierendonck, R., see Evrard, A., Vandierendonck, R.
- Vaněček, M., see Votava, Z., Vaněček, M.
- Van Maanen, E. F., see Gottschalk, L. A., Kapp, F. T., Ross, W. D., Kaplan, S. M., Silver, H., MacLeod, J. A., Kahn, J. B., Jr., Van Maanen, E. F., Acheson, G. H.
- Van Vranken, B., see Steffen, C. G., Chervin, M., Van Vranken, B.
- Vargas Romero, J. Mecanismo de acción de la clorpromazina (45-60 R. P. Largactil). [The mechanism of action of chlorpromazine (45-60 R. P. largactil).] *Rev. clin. españ.*, 1955, 58: 205-211. Abstract: *Chem. Abstr.*, 1956, 50: 1199gh.
- Vaugelade, S., see Rondepierre, J., Hivert, P. H., Honoré, B., Vaugelade, S.
- Vaughan, G. F., Leiberman, D. M., Cook, L. C. Chlorpromazine in psychiatry. *Lancet, Lond.*, 1955, 1: 1083-1087.
- , see Leiberman, D. M., Vaughan, G. F.
- Vegro, G., see Sacerdoti, G., Vegro, G.
- Velluz, J., see Hamon, J., Paraire, J., Velluz, J.
- Ventra, D., see Fasanaro, F., Ventra, D.
- Verblińskaia, A. A., see Ushakov, G. K., Kislénkov, V. A., Grigorova, E. V., Verblińskaia, A. A.
- Verdeaux, G., Marty, R. Action sur l'électroencéphalogramme de substances pharmacodynamiques d'intérêt clinique. [Effect of clinically important drugs on the encephalogram.] *Rev. neur., Par.*, 1954, 91: 405-427.
- , see Delay, J., Lhermitte, F., Verdeaux, G., Verdeaux, J.
- Verdeaux, J., see Delay, J., Lhermitte, F., Verdeaux, G., Verdeaux, J.
- Vergani, O., Aldeghi, E. L'impiego degli alcaloidi totali di Rauwolfia serpentina in neuropsichiatria infantile. [Use of total alkaloids of Rauwolfia serpentina in child neuropsychiatry.] [English summary] *Minerva pediat., Tor.*, 1956, 8: 1161-1165.
- Vernet, A., Genevard, G. Applications de la chlorpromazine en pratique médicale courante et en médecine psychosomatique. [Uses of chlorpromazine in current medical practice and in psychosomatic medicine.] [German summary] *Praxis, Bern*, 1956, 45: 385-389. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1400.
- Vessey, R. E., see Harned, B. K., Cunningham, R. W., Clark, M. C., Hine, C. H., Kane, M. M., Smith, F. H., Jr., Vessey, R. E., Yuda, N. N., Zabransky, F. W.
- Vialard, C. Note sur l'utilisation du largactil (4560 R. P.) comme potentielisateur de médicaments analgésiques chez les cancéreux douloureux résistants aux opiacés. [Largactil (4560 RP) potentiating analgesic drugs in the treatment of cancer patients who are in pain and resistant to opiates.] *Anesthésie, Par.*, 1953, 10: 216-224.
- Viaud, P. Les amines dérivées de la phénothiazine. [The amino-derivatives of phenothiazine.] *J. Pharm., Lond.*, 1954, 6: 361-389.
- Vichi, A., see Lukinovich, N., Vichi, A.
- Vicini, F., see Berselli, G., Vicini, F.

- Vidal, G., see Martin, P., Vidal, G., Portal, H.
- Vidart, L., Gasteau, E. La cure de sommeil en pratique neuro-psychiatrique. [Sleep therapy in neuropsychiatric practice.] *Rev. prat., Par.*, 1954, 4: 1583-1588.
- , see Lereboullet, J., Vidart, L., Amstutz, C.
- Viding, G., see Fries, P. E., Gunne, L. M., Lundgren, S., Viding, G., Öhrberg, K.
- Villa, A. P., see Asung, C. L., Charcowa, A. I., Villa, A. P.
- Villata, E., see Ganna, G., Bonfante, B., Villata, E.
- Villiaume, E. M., see Bensoussan, P., Villiaume, E. M.
- , see Bensoussan, P., Villiaume, E. M., Rousseau, J.
- Villien, L. M. The use of reserpine in the treatment of disturbed geriatric patients. *J. Louisiana M. Soc.*, 1956, 108: 126-129.
- Villumsen, Å. L., see Ibsen, B., Pahle, H., Villumsen, Å. L.
- Vinci, F. J., see Howard, J. C., Jr., Vinci, F. J.
- Virks, J., see Schick, G., Virks, J.
- Vischer, T. J. Clinical study of prochlorperazine, a new tranquilizer for the treatment of nonhospitalized psychoneurotic patients. *N. England J. M.*, 1957, 256: 26-27.
- Visintini, F. Cloropromazina e reserpina in psichiatria. [Chlorpromazine and reserpine in psychiatry.] [English summary] *Arch. psicol. neur., Milano*, 1956, 17: 611-621.
- Vivien, P. Les effets neuro-psychiques du Rauwolfia et de ses alcaloïdes. [Neurological and psychological effects of Rauwolfia and its alkaloids.] *Ann. méd. psychol., Par.*, 1955, 113 (1): 217-226.
- Vizioli, R., see Sinsi, C., Vizioli, R.
- Voegel, G. E., May, R. H. Epileptiform seizures under promazine therapy; occurrence in two cases without history of former seizures. *Am. J. Psychiat.*, 1957, 113: 655-656.
- Voelkel, A. Beitrag zur Sedaraupin-Therapie bei psychisch Kranken. [Sedaraupin therapy of mental patients.] *Medizinische*, 1955: 227-228.
- , Zur Reserpin-Therapie bei psychisch Kranken. II. [Reserpine therapy of mental disorders. II.] *Deut. med. J.*, 1956, 7: 72-74.
- Vogel, P. J., see Avol, M., Vogel, P. J.
- Vogt, W. Beitrag zum klinischen Vergleich der Wirkung von Largactil und Serpasil. [Clinical comparison of the effects of largactil and serpasil.] *Schweiz. Arch. Neur. Psychiat.*, 1956, 77: 330-336.
- Von Berger, G. P., see Longo, V. G., Von Berger, G. P., Bovet, D.
- Vonderahe, A. R., see Peters, J. J., Vonderahe, A. R.
- von Felsinger, J. M., Lasagna, L., Beecher, H. K. The response of normal men to lysergic acid derivatives (di- and mono-ethyl amides). *J. Clin. Exp. Psychopath.*, 1956, 17: 414-428.
- Von Mering, O., see Hyde, R. W., Von Mering, O., Morimoto, K.
- Von Storch, T. J., see Friedman, A. P., Von Storch, T. J.
- Vosburgh, L. F., see Kupperman, H. S., Blatt, M. H., Vosburgh, L. F., Canis, J., Wetchler, B.
- Voss, G., see Broglie, M., Jörgensen, G., Voss, G.
- Votava, Z., Vaněček, M. The influence of some antihistamines and neuroleptics on the higher nervous activity of rats and dogs. *Physiol. bohém.*, 1956, 5 (Suppl.): 58-62.
- Vukadinovic, D., see Dogan, S., Vukadinovic, D., Longhino, A.
- Vurdelja, N., Jelesic, G. Psychosenbehandlung mit Hibernation nach Laborit. [Psychoses treated by Laborit's hibernation method.] *Wien. Arch. Psychol.*, 1955, 5: 193-197. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 1982.
- Vyhnánková, M., see Dubansky, B., Doubrava, O., Svoboda, E., Vyhnánková, M.
- W
- Wachsmuth, R. Phenothiazinderivate (Megaphen) in der Psychiatrie. [Phenothiazine derivatives (megaphen) in psychiatry.] *Medizinische*, 1955: 328-329.
- , Psychovegetative Umstimmungsbehandlung mit Phenothiazinderivaten, insbesondere in der Psychiatrie. [Psycho-autonomic therapy with phenothiazine derivatives, with special reference to psychiatry.] *Aerzt. Forsch.*, 1955, 9: 261-274.
- Waggoner, R. W., see Dice, N., Bagchi, B. K., Waggoner, R. W.
- Wagle, G., see Plummer, A. J., Barrett, W. E., Wagle, G., Yonkman, F. F.
- Wagman, A. I., see Smith, R. P., Wagman, A. I., Riopelle, A. J.
- Wagner, M., see Abramson, H. A., Jarvik, M. E., Kaufman, M. R., Kornetsky, C., Levine, A., Wagner, M.
- Wagner, R. R., see O'Connor, J. B., Howlett, K. S., Wagner, R. R.
- Wakim, K. G., see Schwarz, B. E., Wakim, K. G., Bickford, R. G., Lichtenheld, F. R.
- Walaszek, E. J., Abood, L. G. Effect of tranquilizing drugs on fighting response of Siamese fighting fish. *Science*, 1956, 124: 440-441.
- Walch, R., Hoheisel, H. P. Über die Behandlung von vegetativen Zuständen nach Kopfrauma mit Opilon. [Opilon therapy of autonomic nervous conditions after head injuries.] *Deut. med. Wschr.*, 1952, 77: 767-768.
- Waldrop, F. N. Reserpine. *Med. Ann. District of Columbia*, 1956, 25: 256-258.
- , see Overholser, W., Waldrop, F. N., Riesenman, F. R., Fong, T. C. C., Farley, O. R., Hoffman, J. L.
- Walker, A. Las nuevas drogas atarácicas. [New ataraxic drugs.] *Prensa méd. argent.*, 1956, 43: 2667-2669.
- Walker, A. E., see Feldman, P. E., Lacy, B. S., Walker, A. E., Garrez, N. J.
- Walker, J. W., see Mayer-Gross, W., McAdam, W., Walker, J. W.
- Wallace, D. C. Treatment of hypertension; hypotensive drugs and mental changes. *Lancet, Lond.*, 1955, 2: 116-117.
- Wallace Laboratories. Miltown—the tranquilizer with muscle relaxant action. 33 p. New Brunswick, N. J., 1957.
- Wallenstein, S. L., see Houde, R. W., Wallenstein, S. L.
- Wallis, I. Ueber Sedaraupin-Therapie bei cerebraler geschädigten Kindern. [Sedaraupin therapy of brain-damaged children.] *Med. Klin., Berl.*, 1956, 51: 2221-2223. [Not seen]
- Wallis, R. Potentiation of hypnotics and analgesics; clinical experience with chlorpromazine. *N. York State J. M.*, 1955, 55: 243-245.
- Walther-Büel, H. L'action des médicaments neuroleptiques dans la maladie de Huntington. [Effect of neuroleptic drugs on Huntington's chorea.] *Encéphale*, 1956, 45: 771-772.
- , Das neuroplegische Prinzip in pharmakopsychiatrischer Betrachtung. [The neuroplegic principle in pharmacopsychiatric considerations.] [Brief English summary] *Msch. Psychiat., Basel*, 1955, 129: 286-296. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 3891.
- , Über Pharmakopsychiatrie. [Pharmacopsychiatry.] *Schweiz. med. Wschr.*, 1953, 83: 483-487. Abstract: *Excerpta med.*, Sect. 8, 1954, 7: No. 1940.
- , Zur klinischen Therapie der endogenen Psychosen. [On clinical therapy of endogenic psychoses.] *Nervenarzt*, 1954, 25: 191-194.
- , Zur Serpasil-Behandlung neuropsychiatrischer Zustände. [Serpasil therapy for neuropsychiatric conditions.] *Praxis, Bern*, 1956, 45: 733-736.
- Walton, D., see Gore, C. P., Egan, G. P., Walton, D.
- , see Heller, G. C., Walton, D., Black, D. A.
- Walz, D., see Schallek, W., Walz, D.

- Wapner, S., see Liebert, R. S., Wapner, S., Werner, H.
- Ward, R. H. A drug-taker's notes. 222 p. London, Gollancz, 1957.
- Ward-Dunn, G., see Holt, E. K., Ward-Dunn, G., Nedilsky, B. T., Niswander, G. D.
- Wardell, D. W. Untoward reactions to tranquilizing drugs. *Am. J. Psychiat.*, 1957, 113: 745.
- Wardt-Kikkert, N. M. van de. Quelques aspects de l'application de la chlorpromazine dans un hôpital psychiatrique hollandais. [Observations on the use of chlorpromazine in a Dutch psychiatric hospital.] *Encéphale*, 1956, 45: 700-704.
- , Rentmeester, J. Het largactil en zijn toepassing in de psychiatrie. [The use of largactil in psychiatry.] *Geneesk. gids*, 1953, 31: 499-507.
- Ware, L. M., Prout, C. T. A controlled study of reserpine in the treatment of mental illness. *Bull. N. York Acad. M.*, 1956, 32: 643-650.
- Warren, J. M., see Hall, J. F., Warren, J. M., Harlow, H. F.
- Warson, S. R., see Morton, H. G., Warson, S. R.
- Warter, P. J. Prednisolone-hydroxyzine combination in rheumatoid arthritis. *J. M. Soc. N. Jersey*, 1957, 54: 7-10.
- Watkins, C. The use of reserpine in cerebral palsy. *South. M. J.*, 1956, 49: 1488-1494.
- Watt, D. B., see Watt, D. C.
- Watt, D. C. Reserpine and chlorpromazine in the treatment of chronic schizophrenics. *Encéphale*, 1956, 45: 661-662.
- , see Shepherd, M., Watt, D. C.
- Watterson, D. J. Chlorpromazine, depersonalization, and visual hallucinosis. *Bull. Menninger Clin.*, 1956, 20: 20-24. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4558.
- Waugh, M. H., see Rubin, B., Malone, M. H., Waugh, M. H., Burke, J. C.
- Waxenberg, S. E., see Abramson, H. A., Waxenberg, S. E., Levine, A., Kaufman, M. R., Kornetsky, C.
- , see Deutsch, L., Waxenberg, S. E., Dickes, R.
- Webb, R. R. Largactil in psychiatry. *Med. J. Australia*, 1955, 42 (1): 759-761. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 2233.
- Webb, W. W., see Mangun, C. W., Webb, W. W.
- Weber, B., see Coirault, R., Laborit, H., Missenard, R., Jolivet, B., Hainaut, J., Weber, B.
- , see Laborit, H., Coirault, R., Hainaut, J., Weber, B.
- Weber, E. Ein Rauwolfiaalkaloid in der Psychiatrie: seine Wirkungsähnlichkeit mit Chlorpromazin. [A Rauwolfia alkaloid in psychiatry: similarity of its effects to those of chlorpromazine.] *Schweiz. med. Wschr.*, 1954, 84: 968-970.
- Weber, H. J., Lehner, F. H. Erfahrungen mit Dihydro-methylphenoxy-propan (BYK-M 1). [Experiences with 3-o-toloxyl-1, 2-propanediol (BYK-M 1)]. *Schweiz. Arch. Neur. Psychiat.*, 1954, 73: 370-378.
- Weber, M., see Carey, B., Weber, M., Smith, J. A.
- Wegielski, Z., see Campden-Main, B. C., Wegielski, Z.
- Wegmann, A., see Essellier, A. F., Goerre, J., Wegmann, A.
- Weider, A., see Berlin, L., Guthrie, T., Weider, A., Goodell, H., Wolff, H. G.
- Weidley, E., see Cook, L., Weidley, E.
- , see Cook, L., Weidley, E. F., Morris, R. W., Mattis, P. A.
- Weidmann, H., Petersen, P. V. Farmakologisk undersøgelse af Covatin, et nyt stoff med sedativ virkning. [Pharmacological investigation of covatin, a new substance with sedative action.] [English summary] *Ugeskr. laeger*, 1955, 117: 378-381.
- , —. A new group of potent sedatives. *J. Pharm. Exp. Ther.*, 1953, 108: 201-216.
- Weil-Malherbe, H., see Liddell, D. W., Weil-Malherbe, H.
- Weinberg, H. B. Drug therapy for the emotionally and mentally disturbed; the internist's point of view. *J. Iowa M. Soc.*, 1957, 47: 17-19.
- Weingarten, K., see Gerstenbrand, F., Weingarten, K.
- Weir, H. F., Anderson, R. L. The effects of reserpine and Rauwolfia in minor disorders of adjustment in children. *Monogr. Ther. Squibb Inst. M. Res.*, 1956, 1 (2): 33-39.
- Weishaus, J. Use of reserpine (serpasil) in psychotic patients; a preliminary report. *Dis. Nerv. Syst.*, 1955, 16: 347-350. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4996.
- Weiskrantz, L., Wilson, W. A., Jr. Effect of reserpine on learning and performance. *Science*, 1956, 123: 1116-1118. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 1705. *Chem. Abstr.*, 1956, 50: 13281i.
- , —. The effects of reserpine on emotional behavior of normal and brain-operated monkeys. *Ann. N. York Acad. Sc.*, 1955, 61: 36-55.
- Weiss, D. M. Changes in blood pressure with electroshock therapy in a patient receiving chlorpromazine hydrochloride (thorazine). *Am. J. Psychiat.*, 1955, 111: 617-619.
- Weisselberger, D., see Gerard, D. L., Weisselberger, D., Kritiz, D.
- Wells, J. C., Jr., see Friend, D. G., Wells, J. C., Jr.
- Wells, R. E. Use of reserpine (serpasil) in the management of chronic alcoholism. *J. Am. M. Ass.*, 1957, 163: 426-429.
- Wenner, R., see Hauser, A., Wenner, R.
- Werenberg, H. Covatin et nyt sedativum. [Covatin, a new sedative.] *Ugeskr. laeger*, 1955, 117: 381-383.
- , —. Covatinbehandling af psykoser og neuroser. [Covatin therapy of psychoses and neuroses.] *Ugeskr. laeger*, 1956, 118: 1099-1100.
- , —. Lacuminterapi ved svære sindssygdomme. [Lacumin therapy in severe mental disorders.] [English summary]. *Nord. med.*, 1955, 54: 1787-1789. Abstract: *Excerpta med.*, Sect. 8, 1956, 9: No. 4567.
- Werner, G. The central actions of chlorpromazine. *Encéphale*, 1956, 45: 920-926.
- , —. The effects of chlorpromazine. [Abstract] *J. Am. M. Ass.*, 1955, 157: 837.
- , see Das, N. N., Dasgupta, S. R., Werner, G.
- , see Dasgupta, S. R., Mukherjee, K. L., Werner, G.
- , see Guha, G., Dasgupta, S. R., Werner, G.
- Werner, H., see Liebert, R. S., Wapner, S., Werner, H.
- Werner, H. W., see Brown, B. B., Werner, H. W.
- West, E. D., Fernandes da Fonseca, A. Controlled trial of meprobamate. *Brit. M. J.*, 1956, 2: 1206-1209.
- West, L. J. Problems in measuring the effects of drugs on emotions. *Psychiat. Res. Rep.*, Wash., 1955 (1): 45.
- , Swegan, W. H. An approach to alcoholism in the military service. *Am. J. Psychiat.*, 1956, 112: 1104-1109. Abstract: *Excerpta med.*, Sect. 8, 1957, 10: No. 918.
- Westcott, G. F. Serpasil as an adjunct to brief intensive psychotherapy with two psychotic patients. *J. Nerv. Ment. Dis.*, 1956, 123: 53-56.
- Westerink, D. De farmacologie en toepassing der fenothiazinderivaten. [The pharmacology and use of phenothiazine derivatives.] *Pharm. wbl.*, Amst., 1956, 91: 113-125.
- Wetchler, B., see Kupperman, H. S., Blatt, M. H., Vosburgh, L. F., Canis, J., Wetchler, B.
- White, P. T., see Dennison, A. D., Jr., White, P. T., Moore, R. B., Pierce, W. J.
- Whitehill, O., see Tuteur, W., Stiller, R., Whitehill, O.
- , see Tuteur, W., Stiller, R., Whitehill, O., Lepson, D.
- Whitelaw, J. D., see Sandison, R. A., Spencer, A. M., Whitelaw, J. D.
- , see Sandison, R. A., Whitelaw, J. D. A.
- Whitman, R. M., Lipton, M. A., Kavan, E. Rauwiloid and preoperative anxiety; a double blind placebo study. *Q. Bull. Northwest Univ. M. School*, 1956, 30: 170-174.
- Whittier, J., see Michtom, J., Goldberg, N., Offenkrantz, W., Whittier, J.
- Whittier, J. R., see Shankel, L. W., Whittier, J. R.
- Wiert, C., see Delay, J., Deniker, P., Ropert, R., Wiert, C.
- , see Delay, J., Deniker, P., Wiert, C.

- Widmark, M., see Hagnell, O., Korsfeldt, B., Peterson, B., Widmark, M.
- Wiedorn, W. S., Ervin, F. Schizophrenic-like psychotic reactions with administration of isoniazid. *A. M. A. Arch. Neur. Psychiat.*, 1954, 72: 321-324.
- Wieser, S., see Conrad, K., Domanowsky, K., Wieser, S.
- Wikler, A. Clinical and electroencephalographic studies on the effects of mescaline, N-allylnormorphine and morphine in man: a pharmacologic analysis of the functions of the spontaneous electrical activity of the cerebral cortex. *J. Nerv. Ment. Dis.*, 1954, 120: 157-175.
- , Mechanisms of action of drugs that modify personality function. *Am. J. Psychiat.*, 1952, 108: 590-599.
- , The relation of psychiatry to pharmacology. 322 p. Baltimore, Williams & Wilkins [for the American Society for Pharmacology and Experimental Therapeutics] 1957.
- , The uses of drugs in psychiatric research. *Am. J. Psychiat.*, 1956, 112: 961-969.
- , see Isbell, H., Belleville, R. E., Fraser, H. F., Wikler, A., Logan, C. R.
- , see Isbell, H., Fraser, H. F., Wikler, A., Belleville, R. E.
- Wilcox, K. W., see Funderburk, W. H., Wilcox, K. W., Wilcox, P. H.
- , see Wilcox, P. H., Funderburk, W. H., Wilcox, K. W.
- , see Wilcox, P. H., Wilcox, K. W.
- Wilcox, P. H., Funderburk, W. H., Wilcox, K. W. Drug therapy; physiodynamic therapy. II. *Progr. Neur. Psychiat.*, N. Y., 1955, 10: 595-608.
- , Wilcox, K. W. Shock therapy; physiodynamic therapy. I. *Progr. Neur. Psychiat.*, N. Y., 1956, 11: 401-424.
- , see Funderburk, W. H., Wilcox, K. W., Wilcox, P. H.
- Wilensky, H., see Tucker, K., Wilensky, H.
- Wilhelm, M. T. J. Intérêt de l'épreuve mescalinique dans les maladies mentales. [The mescaline test in mental diseases.] 153 p. [Typewritten] Strasbourg, 1955. [Thesis—Strasbourg 1955, no. 48]
- , see Maurel, H., Wilhelm, Spielmann, J. P.
- Wilkins, B., see Gibbs, J. J., Wilkins, B., Lauterbach, C. G.
- Wilkins, R. W. Clinical usage of Rauwolfia alkaloids, including reserpine (serpasil). *Ann. N. York Acad. Sc.*, 1954, 59: 36-44. Also: *N. England J. M.*, 1954, 59: 1-7.
- , Current therapeutics: Rauwolfia serpentina. *Practitioner, Lond.*, 1954, 173: 84-89.
- , Hypertension: recent trends in treatment. *Med. Clin. N. America*, 1953, 37: 1303-1312.
- , New drug therapies in arterial hypertension. *A. M. A. Arch. Int. M.*, 1952, 37: 1144-1155.
- , Judson, W. E. The use of Rauwolfia serpentina in hypertensive patients. *N. England J. M.*, 1953, 248: 48-53. Abstract: *Proc. N. England Cardiovas. Soc.*, 1951-1952: 34.
- , Stone, R. W., Hollander, W., Huckabee, W. E., Friedman, I. H. Reserpine in the treatment of hypertension: A note on the relative dosage and effects. *N. England J. M.*, 1954, 250: 477-478.
- Wilkinson, W. E., see Litteral, E. B., Wilkinson, W. E.
- Williams, D. B., see Noce, R. H., Williams, D. B., Rapaport, W.
- Williams, E. L. The management of the chronic alcoholic. *Postgrad. M. J., Lond.*, 1954, 30: 626-630.
- Williamson, P. Office treatment of atopic dermatitis. *Med. Times, Great Neck*, 1956, 84: 1086-1087.
- Willis, D., see Himwich, H. E., Rinaldi, F., Willis, D.
- Wilson, G. M., Wood, D. R. Chlorpromazine. *Practitioner, Lond.*, 1955, 174: 494-501.
- Wilson, W. A., Jr., see Weiskrantz, L., Wilson, W. A., Jr.
- Wilson, W. P., see Glatfely, J. S., Wilson, W. P.
- Wing, J. K., see Stead, J. S., Wing, J. K.
- Wing, L. The use of reserpine in chronic psychotic patients: a controlled trial. *J. Ment. Sc., Lond.*, 1956, 102: 530-541.
- Winkelman, N. W., Jr. An appraisal of chlorpromazine; general principles for administration of chlorpromazine, based on experience with 1,090 patients. *Am. J. Psychiat.*, 1957, 113: 961-971.
- , Chlorpromazine in the treatment of neuropsychiatric disorders. *J. Am. M. Ass.*, 1954, 155: 18-21. Abstract: *Chem. Abstr.*, 1954, 48: 9562c.
- Winnik, H. Z., Tennenbaum, L. Largactil in psychiatric treatment. [English summary] *Harefuah, Tel-Aviv*, 1954, 47: 95-100.
- Winsor, T. Human pharmacology of reserpine. *Ann. N. York Acad. Sc.*, 1954, 59: 61-81.
- Winter, C. A., Flataker, L. Effects of lysergic acid diethylamide upon performance of trained rats. *Proc. Soc. Exp. Biol., N. Y.*, 1956, 92: 285-289. Abstract: *Chem. Abstr.*, 1956, 50: 14891i.
- Winter, W. D., Frederickson, W. K. The short-term effects of chlorpromazine on psychiatric patients. *J. Consult. Psychol.*, 1956, 20: 431-434.
- , see Kasak, M., Schaefer, D. L., Winter, W.
- Winton, S. S. Therapeutic value and limitations of an ataractic drug (rescinnamine). *Internat. Rec. M.*, 1957, 170: 665-671.
- Wirth, W. Versuche zur kombinierten Wirkung von Megaphen mit stark wirksamen Analgetics. [Experiments on megaphen combined with powerful analgesics.] *Arch. exp. Path., Berl.*, 1954, 222: 75-76.
- Witherspoon, F. G. Toxic purpura from meprobamate. *Am. Practitioner*, 1957, 8: 270-271.
- Witt, F. W., see Sadove, M. S., Levin, M. J., Rose, R. F., Schwartz, L., Witt, F. W.
- Witt, P. N. Ein einfaches Prinzip zur Deutung einiger Proportionen im Spinnennetz. [A simple principle for the interpretation of several proportions in spider webs.] [English summary] *Behaviour, Leiden*, 1951-1952, 4: 172-189.
- , Der Netzbau der Spinne als Test zur Prüfung zentralnervös angreifender Substanzen. [Construction of spider webs as a test for drugs with CNS action.] *Arzneimitt. Forsch.*, 1956, 6: 628-635.
- , Die Wirkung einer einmaligen Gabe von Largactil auf den Netzbau der Spinne Zilla-x-notata. [Effect of a single dose of chlorpromazine on the web construction of the spider Zilla-x-notata.] [English summary] *M Schr. Psychiat., Basel*, 1955, 129: 123-128.
- , Heimann, H. Prüfung der Wirkung einer einmaligen Gabe von Largactil am Menschen mit dem Durchstreichtest von Meili und an der Spinne beim Netzbauverhalten. [The effect of a single dose of largactil tested in man by Meili's cross-out test and in spiders by the web-building test.] *Helvet. physiol. pharm. acta*, 1954, 12: C 98-99.
- , see Heimann, H., Witt, P. N.
- Wodraska, T. W. The effects of reserpine on chronic schizophrenia. *Med. Times, Great Neck*, 1955, 83: 1029-1033.
- Wolf, R. Das Raum-und Zeiterleben unter abnormen Bedingungen, besonders im Meskalinrausch. [Space and time perception under anomalous conditions, especially during mescaline intoxication.] *Deut. med. Wschr.*, 1952, 77: 168-170.
- Wolf, S. The evaluation of therapeutic agents, with special reference to the tranquilizing drugs. 23 p. Washington, *Am. Psychiat. Ass. Mental Hospital Service* [Monograph series (2)] 1957.
- , Pinsky, R. Effects of placebo administration and occurrence of toxic reactions. *J. Am. M. Ass.*, 1954, 155: 339-341.
- Wolff, H. G., see Berlin, L., Guthrie, T., Weider, A., Goodell, H., Wolff, H. G.
- Wood, D. R., see Wilson, G. M., Wood, D. R.
- Wood, J., see Dickel, H. A., Dixon, H. H., Wood, J., Shanklin, J. G.
- Woodson, R. E., Youngken, H. W., Schlittler, E., Schneider, J. A. Rauwolfia: botany, pharmacognosy, chemistry

- & pharmacology. 149 p. Boston, *Little, Brown & Company*, 1957. [One chapter is within the scope of this bibliography] cf. SCHNEIDER, J. A.
- Woolley, D. W. Production of abnormal (psychotic?) behavior in mice with lysergic acid diethylamide, and its partial prevention with cholinergic drugs and serotonin. *Proc. Nat. Acad. Sc. U. S.*, 1955, 41: 338-344. Abstract: *Chem. Abstr.*, 1956, 50: 12286def.
- , Shaw, E. [N.] A biochemical and pharmacological suggestion about certain mental disorders. *Proc. Nat. Acad. Sc. U. S.*, 1954, 40: 228-231. Abstract: *Science*, 1954, 119: 587-588.
- , —. Evidence for the participation of serotonin in mental processes. *Ann. N. York Acad. Sc.*, 1957, 66: 649-667.
- , —. Some neurophysiological aspects of serotonin. *Brit. M. J.*, 1954, 2: 122-126.
- , see Shaw, E., Woolley, D. W.
- World Health Organization. Expert committee on addiction-producing drugs. Seventh report. *World Health Org. Techn. Rep. Ser.*, 1957 (116): 1-15.
- Wortis, J. Physiological treatment. *Am. J. Psychiat.*, 1954, 110: 505-511; 1955, 111: 515-518; 1956, 112: 526-529; 1957, 113: 611-615.
- Wortmann, F. Erfahrungen mit einem neuartigen anti-allergisch wirksamen Kombinationspräparat. [Experiences with a new antiallergic combination preparation.] [Plimasin] *Schweiz. med. Wschr.*, 1954, 84: 715-716.
- Wozowska, J., Pytel, A. Largaktyl (chlorpromazyna). [Largactil (chlorpromazine).] *Polski tygod. lek.*, 1955, 10: 772-779.
- Wretmark, G., see Cronqvist, S., Rayner, S., Wretmark, G.
- Wright, E. T., see LeVan, P., Wright, E. T.
- Wright, W. T., Jr., Pokorny, C., Foster, T. L. Alseroxylon; a study of the psychological effects of the drug. *J. Kansas M. Soc.*, 1956, 57: 410-411.
- Wyk, A. J. van, see Hurst, L. A., Reuning, H., Wyk, A. J. van, Crouse, H. S., Booyesen, P. J., Nelson, G.
- Y
- Yanniris, M., see Kokkoris, P., Kordas, P., Nikolopoulos, Yanniris, M.
- Yener, O., see Adasal, R., Ozsan, M., Karan, D., Yener, O.
- Yohe, C. Preliminary report on eighteen months' experience with chlorpromazine at the Yankton State Hospital, Yankton, South Dakota. *S. Dakota J. M.*, 1956, 9: 59-62; 74.
- Yonkman, F. F., ed. Reserpine (serpasil) and other alkaloids of *Rauwolfia serpentina*: chemistry, pharmacology, and clinical applications. Reserpine in the treatment of neuropsychiatric, neurological, and related clinical problems. [Conferences held in New York, February 1954 and February 1955.] *Ann. N. York Acad. Sc.*, 1954, 59: 1-140; 1955, 61: 1-280. [Articles within the scope of this bibliography are listed individually.]
- , see Plummer, A. J., Barrett, W. E., Wagle, G., Yonkman, F. F.
- Yoshii, N., Tsukiyama, K., Hiraiwa, K. Effect of myanesin on the flexion and on the electrical activities of the cerebral cortex and the brain stem. *Fok. psychiat. neur. jap.*, 1954, 7: 285-292.
- Yoss, R. E., see Daly, D. D., Yoss, R. E.
- Young, W. K., see Slater, I. H., Jones, G. T., Young, W. K.
- Youngblood, W., see Ende, M., Youngblood, W.
- Youngken, H. W., see Woodson, R. E., Youngken, H. W., Schlittler, E., Schneider, J. A.
- Yuda, N. N., see Harned, B. K., Cunningham, R. W., Clark, M. C., Hine, C. H., Kane, M. M., Smith, F. H., Jr., Vessey, R. E., Yuda, N. N., Zabransky, F. W.
- Z
- Zabransky, F. W., see Harned, B. K., Cunningham, R. W., Clark, M. C., Hine, C. H., Kane, M. M., Smith, F. H., Jr., Vessey, R. E., Yuda, N. N., Zabransky, F. W.
- Zahle, V., see Stokholm, H., Zahle, V.
- Zahradka, L., see Neuwirtova, R., Zwetschke, O., Zahradka, L.
- Zambianchi, A. Écho du symposium de Milan sur la réserpine et la chlorpromazine en psychiatrie. [Review of the symposium in Milan on reserpine and chlorpromazine in psychiatry.] *Encéphale*, 1956, 45: 1071-1075.
- Zapparoli, G. C., see Sanguineti, I., Zapparoli, G. C., Laricchia, R.
- Zatuchni, J., Miller, G. Jaundice during chlorpromazine therapy. *N. England J. M.*, 1954, 251: 1003-1006.
- Zax, M., see Cowden, R. C., Zax, M., Finney, R. C.
- , see Cowden, R. C., Zax, M., Hague, J. R., Finney, R. C.
- , see Cowden, R. C., Zax, M., Sproles, J. A.
- Zeller, W. W., Graffagnino, P. N., Cullen, C. F., Reitman, H. J. Use of chlorpromazine and reserpine in the treatment of emotional disorders. *J. Am. M. Ass.*, 1956, 160: 179-184. Abstract: *Year book of drug therapy*, 1956-1957, p. 341-342.
- , see Donnelly, J., Zeller, W.
- Zellermayer, J. [Largactil as a psychotherapeutic adjuvant.] [In Hebrew] *Harefuah, Tel-Aviv*, 1955, 48: 31.
- Zethraeus, S. Klorpromazinbehandling vid psykisk sjukdom. [Chlorpromazine therapy of mental disease.] *Sven. läk. tidn.*, 1955, 52: 1087-1103.
- Zettel, G. Zur Therapie der Schlafstörungen. [Therapy of sleep disorders.] [Adalat] *Ther. Gegenwart*, 1956, 95: 455-456.
- Zimmerman, F. T., Burgemeister, B. B. Preliminary report upon the effect of reserpine on epilepsy and behavior problems in children. *Ann. N. York Acad. Sc.*, 1955, 61: 215-221.
- Ziolko, H. U., see Gerhardt, U., Ziolko, H. U.
- Zonta, G., Masciangelo, P. M., Gentili, E. Risultati dell'impiego di serpasil nella cura di soggetti psicotici. [Results of the use of serpasil in therapy of psychotic patients.] *Riv. sper. freniat.*, 1955, 79: 521-526.
- Zucchi, M., see Torsegno, M., Zucchi, M.
- Zucker, H. D., see Feldman, D. J., Zucker, H. D.
- Zukerman, E., see Pupo, P. P., Zukerman, E., Longo, R. H.
- Zurabashvili, A. D. Ob osnovnykh voprosakh terapii shizofrenii. [Basic problems in the treatment of schizophrenia.] *Zh. nevropat. psikiat.*, Moskva, 1956, 56: 605-611.
- Zusman, W., see Silva, L. M. da Zusman, W., Portella Nunes, E.
- Zwetschke, O., see Neuwirtova, R., Zwetschke, O., Zahradka, L.



PUBLIC HEALTH SERVICE PUBLICATION NO. 581

Public Health Bibliography Series No. 19

6415-3 (2)





NATIONAL LIBRARY OF MEDICINE



NLM 03029650 0